

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|-----------------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|------------------------------------|
| ORTHOPTERA | | | | | | | |
| ENSIFERA | | | | | | | |
| TETTIGONIOIDEA | | | | | | | |
| TETTIGONIIDAE | | | | | | | Bush Crickets |
| Tettigoniinae | | | | | | | |
| <i>Tettigonia viridissima</i> L. | | | | x | x | x | |
| Decticinae | | | | | | | |
| <i>Platycleis albopunctata</i> (De Geer) | x | | | x | | | |
| CONOCEPHALIDAE | | | | | | | |
| Conocephalinae | | | | | | | |
| <i>Conocephalus discolor</i> (Thunberg) | | | | | | x | |
| CAELIFERA | | | | | | | |
| TETRIGOIDEA | | | | | | | |
| TETRIGIDAE | | | | | | | Ground Hoppers |
| Tetriginae | | | | | | | |
| <i>Tetrix ceperoi</i> (Bolivar) | | | | | | x | |
| <i>Tetrix undulata</i> (Sowerby) | | | | | | x | |
| ACRIDOIDEA | | | | | | | |
| ACRIDIDAE | | | | | | | Grasshoppers |
| Truxalinae | | | | | | | |
| <i>Chorthippus brunneus</i> (Thunberg) | x | | x | x | x | x | |
| DERMAPTERA | | | | | | | |
| FORFICULOIDEA | | | | | | | |
| FORFICULIDAE | | | | | | | Earwigs |
| Forficulinae | | | | | | | |
| <i>Forficula auricularia</i> L. | x | | | x | | | |
| <i>Forficula var forcipata</i> Stephens | x | | x | | | | Associated with small islands |
| <i>Forficula lesnei</i> Finot | | | | | | x | |
| HETEROPTERA | | | | | | | |
| LEPTOPODOMORPHA | | | | | | | |
| SALDOIDEA | | | | | | | |
| SALDIDAE | | | | | | | Shore Bugs |
| <i>Saldula pilosella</i> (Thomson) | | | | | | x | Only site in Channel Islands |
| <i>Saldula saltatoria</i> (L.) | | | | | | x | |
| CIMICOMORPHA | | | | | | | |
| CIMICOIDEA | | | | | | | |
| NABIDAE | | | | | | | |
| Nabinae | | | | | | | |
| <i>Nabis ferus</i> (L.) | | | | x | | x | |
| <i>Aptus myrmicoides</i> (Costa) | | | | x | | | |
| MIROIDEA | | | | | | | |
| MIRIDAE | | | | | | | Capsid Bugs |
| Mirinae | | | | | | | |
| Stenodemini | | | | | | | |
| <i>Stenodema calcaratum</i> (Fallén) | | | | | | x | |
| Mirini | | | | | | | |
| <i>Miridius quadrivirgatus</i> (Costa) | | | | x | | | |
| <i>Phytocoris varipes</i> Boheman | | | | x | | | |
| <i>Calocoris norvegicus</i> (Gmelin) | | | | x | | | |
| <i>Stenotus binotatus</i> (Fabr.) | | | | x | | | |
| <i>Lygus maritimus</i> Wagner | | | | x | | | |
| <i>Orthops campestris</i> (L.) | | | | | | x | |
| <i>Liocoris tripustulatus</i> (Fabr.) | | | | x | | | |
| Orthotylinae | | | | | | | |
| <i>Orthotylus marginalis</i> Reuter | | | | | | x | |
| <i>Orthotylus virescens</i> (Douglas & Scott) | | | | | | x | |
| Phyllinae | | | | | | | |
| <i>Macrotylus paykulli</i> (Fallén) | | | | x | | | On Rest Harrow |
| <i>Tuponia carayoni</i> Wagner | | | | x | | | On Tamarisks |
| PENTATOMOMORPHA | | | | | | | |
| PIESMATOIDEA | | | | | | | |
| PIESMATIDAE | | | | | | | |
| <i>Piesma quadratum</i> (Fieber) | x | | | x | | | |
| LYGAEOIDEA | | | | | | | |
| BERYTIDAE | | | | | | | |
| <i>Gampsocoris punctipes</i> (Germar) | | | | x | | | On Rest Harrow |
| LYGAEIDAE | | | | | | | Ground Bugs |
| Lygaeinae | | | | | | | |
| <i>Horvathiolus superbus</i> (Pollich) | | | | x | | x | Non British |
| Orsillinae | | | | | | | |
| <i>Nysius ericae</i> (Schilling) | x | | | | | | |
| Henestariinae | | | | | | | |
| <i>Henestaris laticeps</i> (Curtis) | | | | x | | x | Eats Seeds of Buck's Horn Plantain |
| Rhyparochrominae | | | | | | | |
| Plinthisini | | | | | | | |
| <i>Plinthinus brevipennis</i> (Latr.) | x | | | | | | |
| Stygnocorini | | | | | | | |
| <i>Stygnocoris fuligineus</i> (Geoffroy) | x | | | x | | | |
| Drymini | | | | | | | |
| <i>Taphropeltus contractus</i> (H. S.) | | | x | | | | |
| Gonainotini | | | | | | | |
| <i>Emblethis griseus</i> (Wolff) | x | | x | x | | | |
| Megalonotini | | | | | | | |
| <i>Megalonotus praetextatus</i> (H. S.) | x | | | x | | | |
| <i>Megalonotus sabulicola</i> (Thomson) | | | | | | x | |
| Rhyparochromini | | | | | | | |
| <i>Boesius maritimus</i> (Scop.) | | | | | | x | |
| <i>Peritrechus gracilicornis</i> Puton | | | | | | x | |
| <i>Peritrechus nubilus</i> (Fallén) | | | | | | x | |
| <i>Xanthochilus quadratus</i> (Fabr.) | x | | | | | x | Non-British |
| COREOIDEA | | | | | | | |
| COREIDAE | | | | | | | Squash Bugs |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|------------------------------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|--------------------------------------------|
| Coreinae | | | | | | | |
| <i>Syromastus rhombeus</i> (L.) | | | | x | | | |
| <i>Coreus marginatus</i> (L.) | | | | x | | | |
| Pseudophloeinae | | | | | | | |
| <i>Ceraleptus lividus</i> Stein | | | | x | | | |
| ALYDIDAE | | | | | | | |
| <i>Alydus calcaratus</i> (L.) | | | | | x | | |
| RHOPALIDAE | | | | | | | |
| Rhopalinae | | | | | | | |
| <i>Stictopleurus punctatonevrosus</i> (Goeze) | | | | x | | | Rare in Guernsey, one other locality known |
| <i>Rhopalus rufus</i> Schilling | | | | x | | | |
| PENTATOMOIDEA | | | | | | | Shield Bugs |
| CYDNIDAE | | | | | | | |
| Sehirinae | | | | | | | |
| <i>Legnotus limbosus</i> (Geoffroy) | x | | | | | | |
| Cydninae | | | | | | | |
| <i>Geotomus punctulatus</i> (Costa) | x | | | x | | x | Only one site in England |
| SCUTELLERIDAE | | | | | | | |
| <i>Odontoscels lineola</i> Rambur | | | | x | | x | |
| PENTATOMIDAE | | | | | | | |
| Podopinae | | | | | | | |
| <i>Podops inuncta</i> (Fabr.) | | | | | | x | |
| Pentatominae | | | | | | | |
| <i>Sciocoris cursitans</i> (Fabr.) | | | x | x | | | |
| <i>Aelia acuminata</i> (L.) | | | | x | | | |
| <i>Dolycoris baccarum</i> (L.) | | | | | | | |
| <i>Eurydema oleracea</i> (L.) | | | | x | | | |
| HOMOPTERA | | | | | | | |
| AUCHENORHYNCHA Nomenclature as in Le Quesne & Payne (1981) | | | | | | | |
| CICADOMORPHA | | | | | | | |
| CICADELLIDAE | | | | | | | |
| Cicadellinae | | | | | | | |
| <i>Cicadella viridis</i> (L.) | | | | | | x | |
| Idiocerinae | | | | | | | |
| <i>Idiocerus confusus</i> Flor | | | | | | x | |
| Aphrodinae | | | | | | | |
| <i>Aphrodes bicinctus</i> (Schrank) | | | | x | | | |
| FULGOROMORPHA | | | | | | | |
| DELPHACIDAE | | | | | | | |
| Delphacinae | | | | | | | |
| Delphacini | | | | | | | |
| <i>Delphax pulchellus</i> (Curtis) | | | | | | x | |
| STERNORHYNCHA | | | | | | | |
| COCCOIDEA | | | | | | | |
| COCCIDAE | | | | | | | |
| <i>Eriopeltis festucae</i> (Fonscolombe) | | | | x | x | | |
| LEPIDOPTERA | | | | | | | |
| MONOTRYSLA | | | | | | | |
| HEPAILOIDEA | | | | | | | |
| HEPIALIDAE | | | | | | | |
| <i>Hepialus (Triodia) sylvina</i> (Linnaeus, 1761) | | | | | | | |
| PAPILIONOIDEA | | | | | | | |
| PIERIDAE | | | | | | | |
| Coliadinae | | | | | | | |
| <i>Colias croceus</i> (Geoffroy, 1785.) | x | | | x | | x | Clouded Yellow Butterfly |
| Pierinae | | | | | | | |
| <i>Pieris brassicae</i> (Linnaeus, 1758) | x | | | x | | | Large White Butterfly |
| <i>Pieris rapae</i> (Linnaeus, 1758) | x | | | x | | | Small White Butterfly |
| <i>Pieris napi</i> (Linnaeus, 1758) | | | | x | | x | Green-veined White Butterfly |
| LYCAENIDAE | | | | | | | |
| Lycaeninae | | | | | | | |
| <i>Lycaena phlaeas</i> (Linnaeus, 1761) | x | | | x | | | Small Copper Butterfly |
| <i>Polyommatus icarus</i> (Rottemburg, 1775) | x | | | x | x | | Common Blue butterfly |
| <i>Celastrina argiolus</i> (Linnaeus, 1758) | | | | x | | x | Holly blue Butterfly |
| NYMPHALIDAE | | | | | | | |
| Nymphalinae | | | | | | | |
| <i>Vanessa atalanta</i> (Linnaeus, 1758) | x | | | x | | x | Red Admiral Butterfly |
| <i>Vanessa cardui</i> (Linnaeus, 1758) | x | | | x | x | | Painted Lady Butterfly |
| <i>Inachis io</i> (Linnaeus, 1758) | x | | | | | x | Peacock Butterfly |
| Argynninae | | | | | | | |
| <i>Issoria lathonia</i> (Linnaeus, 1758) | | | | | | x | Queen of Spain Fritillary |
| <i>Melitaea cinxia</i> (Linnaeus, 1758) | x | | | | | | Glanville Fritillary Butterfly |
| Satyrinae | | | | | | | |
| <i>Pararge aegeria</i> (Linnaeus, 1758) | | | | | | x | Speckled Wood Butterfly |
| <i>Lasiommata megera</i> (Linnaeus, 1767) | x | | | x | | | Wall Butterfly |
| <i>Hipparchia semele</i> (Linnaeus, 1758) | x | | | x | x | | Greyling Butterfly |
| <i>Pyronia tithonus</i> (Linnaeus, 1771) | x | | | x | x | | Gatekeeper Butterfly |
| <i>Maniola jurtina</i> (Linnaeus, 1758) | x | | | x | | | Meadow Brown Butterfly |
| BOMBYCOIDEA | | | | | | | |
| LASIOCAMPIDAE | | | | | | | |
| <i>Lasiocampa trifolii</i> (Denis & Schiffermüller, 1775) | x | | | | | | Grass Eggar Moth |
| SPHINGOIDEA | | | | | | | |
| SPHINGIDAE | | | | | | | |
| Macroglossinae | | | | | | | |
| <i>Macroglossum stellatarum</i> (Linnaeus, 1758) | | | | x | | | Humming bird Hawk Moth |
| HYMENOPTERA | | | | | | | |
| SYMPHYTA | | | | | | | |
| TETHREDINOIDEA | | | | | | | |
| TENTHREDINIDAE | | | | | | | Sawflies |
| Blennocampinae | | | | | | | |
| <i>Athalia rosae</i> (L.) | | | | x | | | |
| Nematinae | | | | | | | |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares x | Comments |
|----------------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|----------------------------------|-------------|
| <i>Nematus hypoxanthus</i> Foerster | | | | | | | |
| ACULEATEA | | | | | | | |
| CHRYSIDOIDEA | | | | | | | |
| CHRYSIDIDAE Nomenclature as in Morgan (1984) | | | | | | | Jewel Wasps |
| Elampinae | | | | | | | |
| <i>Pseudomalus auratus</i> (L.) | | | | x | | | |
| <i>Hedychridium cupreum</i> (Dahlbom) | | | | x | | | |
| <i>Hedychridium roseum</i> (Rossi) | | | | x | | | |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|---------------------------------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|----------------------------------------|
| VESPOIDEA | | | | | | | |
| TIPHIIDAE | | | | | | | |
| Tiphinae | | | | | | | |
| <i>Tiphia femorata</i> (Fabr.) | | | | x | | | |
| MUTILLIDAE | | | | | | | Velvet Ants |
| Myrmosinae | | | | | | | |
| <i>Myrmosa atra</i> Panzer | | | | x | | | |
| FORMICIDAE | | | | | | | Ants |
| Ponerinae | | | | | | | |
| <i>Ponera coarctata</i> (Latr.) | x | | | x | | | |
| Myrmicinae | | | | | | | |
| <i>Myrmica sabuleti</i> Meinart | x | x | x | x | x | x | |
| <i>Myrmica scabrinodis</i> Nylander | x | | x | x | | x | |
| <i>Tetramorium caespitum</i> (L.) | x | x | x | x | x | x | |
| Formicinae | | | | | | | |
| <i>Formica cunicularia</i> Latr. | x | | x | x | x | x | |
| <i>Formica fusca</i> L. | | | | | | x | |
| <i>Formica pratensis</i> Retzius | | | | x | | | Extinct in U.K. |
| <i>Lasius alienus</i> (Foerster) | x | x | x | x | x | x | |
| <i>Lasius emarginatus</i> (Olivier) | | x | | x | | x | non-British |
| <i>Lasius flavus</i> (Fabr.) | x | x | | x | | x | |
| POMPIDIDAE | | | | | | | Spieder Wasps |
| Pompilinae | | | | | | | |
| <i>Episyron rufipes</i> (L.) | | | | x | | | |
| <i>Aporus unicolor</i> Spinola | | | | x | | | |
| VESPIDAE | | | | | | | Wasps |
| Eumeninae | | | | | | | |
| <i>Ancistrocerus gazella</i> (Panzer) | | | | x | | | |
| <i>Ancistrocerus oviventris</i> (Wesmael) | | | | x | | | |
| <i>Ancistrocerus parietum</i> (L.) | x | | | | | | |
| Vespinae | | | | | | | |
| <i>Vespula vulgaris</i> (L.) | | | x | | | | |
| APOIDEA | | | | | | | Sphecids Wasps |
| SPHECIDAE | | | | | | | |
| Astatinae | | | | | | | |
| <i>Astata boops</i> (Schrank) | | | | x | | | |
| Larrinae | | | | | | | |
| <i>Tachysphex pompiliformis</i> (Panzer) | | | | x | | | |
| <i>Tachysphex unicolor</i> (Panzer) | x | | | x | | | |
| Trypoxylinae | | | | | | | |
| <i>Trypoxylon attenuatum</i> Smith | | | | | | x | |
| Crabroninae | | | | | | | |
| <i>Crossocerus (Crossocerus) tarsatus</i> (Schuckard) | | | | x | | | |
| <i>Crossocerus (Ablepharipus) podagricus</i> (Van der Linden) | | | | | | x | |
| <i>Crossocerus (Hoplocrabro) quadrimaculatus</i> (Fabr.) | | | | x | | | |
| <i>Lindenius albilabris</i> (Fabr.) | | | | x | | | |
| <i>Oxybelus uniglutinis</i> (L.) | | | | x | | | |
| Pemphredoninae | | | | | | | |
| <i>Pemphredon lethifera</i> (Shuckard) | | | | x | | | |
| <i>Diodontus insidiosus</i> Spooner | | | | x | | | |
| <i>Diodontus minutus</i> (Fabr.) | | | | x | | | |
| Nyssoninae | | | | | | | |
| <i>Gorytes laticinctus</i> (Lepeletier) | | | | | | x | |
| Philanthinae | | | | | | | |
| <i>Philanthus triangulum</i> (Fabr.) | | | | x | | | |
| <i>Cerceris rybyensis</i> (L.) | | | | x | | | |
| APIIDAE | | | | | | | Bees |
| Colletinae | | | | | | | |
| <i>Colletes hederæ</i> Schmidt & Westrich | x | | | x | | x | |
| <i>Colletes similis</i> Schenck | | | | x | | | |
| Andreninae | | | | | | | |
| <i>Andrena (Melandrena) agillissima</i> (Scopoli) | | | | x | | | Non-British, oligolectic on Sea Radish |
| <i>Andrena (Melandrena) thoracica</i> (Fabr.) | | | | x | | | |
| <i>Andrena (Zonandrena) flavipes</i> Panzer | | | | x | | | |
| Panurginae | | | | | | | |
| <i>Panurgus calcaratus</i> (Scopoli) | | | | x | | | |
| Halictinae | | | | | | | |
| <i>Halictus (Halictus) quadricinctus</i> (Fabr.) | | | | | | x | Non-British |
| <i>Halictus (Halictus) scabiosæ</i> (Rossi) | | | | x | | | Non-British |
| <i>Lasioglossum (Evylæus) minutissimum</i> (Kirby) | | | | x | | | |
| <i>Lasioglossum (Evylæus) nitidiusculum</i> (Kirby) | | | | x | | | |
| <i>Lasioglossum (Evylæus) villosulum</i> (Kirby) | | | | x | | | |
| <i>Lasioglossum (Dialictus) morio</i> (Fabr.) | x | | | x | | | |
| <i>Lasioglossum (Dialictus) smeathmanellum</i> (Kirby) | | | | x | | | |
| <i>Sphecodes puncticeps</i> Thomson | | | | x | | | |
| Nomadinae | | | | | | | |
| <i>Nomada fucata</i> Panzer | | | | x | | | |
| <i>Nomada fulvicornis</i> Fabr. | | | | x | | | |
| Epeolinae | | | | | | | |
| <i>Epeolus variegatus</i> (L.) | | | | x | | | |
| Bombinae | | | | | | | Bumble Bees |
| <i>Bombus lapidarius</i> (L.) | x | | | | | | |
| <i>Bombus pascuorum</i> (Scopoli) | x | | | | | | |
| <i>Bombus terrestris</i> (L.) | x | | | | | | |
| DIPTERA | | | | | | | |
| TIPULOMORPHA | | | | | | | |
| TIPULOIDEA | | | | | | | |
| TIPULIDAE | | | | | | | Crane Flies |
| Tipulinae | | | | | | | |
| <i>Nephrotoma flavipalpis</i> (Meigen) | | | | x | | | |
| <i>Nephrotoma submaculosa</i> Edwards | | | | x | | | |
| <i>Tipula vernalis</i> Meigen | | | | x | | | |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|-------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|---------------|
| BIBIONOMORPHA | | | | | | | |
| BIBIONIDEA | | | | | | | |
| BIBIONIDAE | | | | | | | |
| <i>Bibio marci</i> (L.) | | | | x | | | St Mark's Fly |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|-------------------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|--------------------------------|
| SCIAROIDEA | | | | | | | |
| CECIDOMYIIDAE | | | | | | | Gall Midges |
| Cecidomyiinae | | | | | | | |
| Cecidomyiini | | | | | | | |
| <i>Contarinia loti</i> (De Geer) | | | | | | x | |
| BRACHYCERA | | | | | | | |
| TABANOMORPHA | | | | | | | |
| TABANOIDEA | | | | | | | |
| RHAGIONIDAE | | | | | | | Snipe Flies |
| <i>Chrysopilus cristatus</i> (Fabr.) | | | | | | x | |
| TABANIDAE | | | | | | | Horse Flies |
| Tabaninae | | | | | | | |
| Haematopotini | | | | | | | |
| <i>Haematopota pluvialis</i> (L.) | | | | | | x | |
| STRATIOMYIDAE | | | | | | | Soldier Flies |
| Clitelliinae | | | | | | | |
| <i>Nemotelus notatus</i> Zetterstedt | | | | x | | x | Associated with brackish areas |
| Sarginae | | | | | | | |
| <i>Chloromyia formosa</i> (Scopoli) | | | | x | | x | |
| ASILOMORPHA | | | | | | | |
| ASILOIDEA | | | | | | | |
| THEREVIDAE | | | | | | | |
| Therevinae | | | | | | | |
| <i>Thereva nobilitata</i> (Fabr.) | | | | x | | | |
| ASILIDAE | | | | | | | Robber Flies |
| Asilinae | | | | | | | |
| <i>Asilus crabroniformis</i> L. | | | | x | | | Hornet Robber Fly |
| <i>Dysmachus trigonus</i> (Meigen) | x | | | | | | |
| Leptogasterinae | | | | | | | |
| <i>Leptogaster cylindrica</i> (Degeer) | | | | x | | | |
| EMPIDOIDEA | | | | | | | |
| HYBOTIDAE | | | | | | | |
| Tachydrominae | | | | | | | |
| Tachydromiini | | | | | | | |
| <i>Platypalpus candicans</i> Fallén | | | | | | x | |
| EMPIDIDAE | | | | | | | |
| Empidinae | | | | | | | |
| <i>Empis livida</i> L. | | | | | | x | |
| DOLICHOPODIDAE | | | | | | | |
| Diaphorinae | | | | | | | |
| <i>Chrysotus gramineus</i> (Fallén) | | | | | | x | |
| Dolichopodinae | | | | | | | |
| <i>Dolichopus andalusiacus</i> Strobl | | | | | | x | |
| <i>Dolichopus diadema</i> Haliday | | | | | | x | Salt -marsh species |
| <i>Dolichopus festivus</i> Haliday | | | | | | x | |
| <i>Dolichopus griseipennis</i> Stannius | | | | | | x | |
| <i>Dolichopus nubilus</i> Meigen | | | | | | x | |
| <i>Dolichopus plumipes</i> (Scopoli) | | | | | | x | |
| <i>Dolichopus unguatus</i> (L.) | | | | | | x | |
| <i>Dolichopus vitripennis</i> Meigen | | | | | | x | |
| <i>Hercostomus aerosus</i> (Fallén) | | | | | | x | |
| <i>Hercostomus assimilis</i> (Staeger) | | | | | | x | |
| <i>Hercostomus nigripennis</i> (Fallén) | | | | x | | | |
| <i>Poecilobothrus nobilitatus</i> (L.) | | | | | | x | |
| <i>Poecilobothrus principalis</i> (Loew) | | | | | | x | |
| Hydrophorinae | | | | | | | |
| <i>Aphrosylus ferox</i> Haliday | | | | x | | | |
| <i>Aphrosylus raptor</i> Haliday | x | | | | | | |
| <i>Hydrophorus praecox</i> (Lehmann) | x | | | | | x | |
| Medeterinae | | | | | | | |
| <i>Medetera muralis</i> Meigen | x | | | x | | | |
| <i>Medetera petrophiloides</i> Parent | x | | | | | | |
| <i>Medetera saxatilis</i> Collin | | | | | | x | |
| Sympycninae | | | | | | | |
| <i>Chrysotimus molliculus</i> (Fallén) | | | | | | x | |
| <i>Syntormon mikii</i> Strobl | | | | x | | x | |
| <i>Syntormon pallipes</i> (Fabr.) | | | | | | x | |
| MUSCOMORPHA ASCHIZA | | | | | | | |
| SYRPHOIDEA | | | | | | | |
| SYRPHIDAE Subfamilies as in Stubbs & Falk 1983. | | | | | | | Hover Flies |
| Bachini & Melanostomatini | | | | | | | |
| <i>Pyrrophaena granditarsa</i> (Forster) | | | | | | x | |
| Chrysotoxini | | | | | | | |
| <i>Chrysotoxum vernale</i> Loew | | | | x | | | |
| Syrphini | | | | | | | |
| <i>Episyrphus balteatus</i> (Degeer) | x | | | | | | |
| Merodontini | | | | | | | |
| <i>Eumerus strigatus</i> (Fallén) | | | | | | x | |
| MUSCOMORPHA SCHIZOPHORA ACALYPTRATAE | | | | | | | |
| CONOPOIDEA | | | | | | | |
| CONOPIDAE | | | | | | | |
| Myopinae | | | | | | | |
| Sicini | | | | | | | |
| <i>Sicus ferrugineus</i> (L.) | | | | x | | | |
| TEPHRITOIDEA | | | | | | | |
| ULIDIDAE | | | | | | | |
| Otitinae | | | | | | | |
| <i>Ceroxys urticae</i> (L.) | | | | | | x | |
| <i>Meliera omissa</i> (Meigen) | | | | | | x | Only site in island |
| PLATYSTOMATIDAE | | | | | | | |
| <i>Rivellia syngenesiae</i> (Fabr.) | | | | | | x | |
| TEPHRITIDAE | | | | | | | |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|--------------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|-----------------------------|
| Tephritinae | | | | | | | |
| Tephritini | | | | | | | |
| <i>Campiglossa plantaginis</i> (Haliday) | | | | | | x | On Sea Aster |
| <i>Sphenella marginata</i> (Fallén) | x | | | x | | x | |
| <i>Tephritis vespertina</i> (Loew) | | | | x | | | |
| Terelliini | | | | | | | |
| <i>Terellia serratulae</i> (L.) | | | | x | | | |
| Trypetinae | | | | | | | |
| Trypetini | | | | | | | |
| <i>Anomoia purmunda</i> (Harris) | | | | | | x | |
| SCIOMYZOIDEA | | | | | | | |
| DRYOMYZIDAE | | | | | | | |
| Helcomyzinae | | | | | | | |
| <i>Helcomyza ustulata</i> Curtis | | | | x | | | A Seaweed fly |
| SCIOMYZIDAE | | | | | | | |
| Sciomyzinae | | | | | | | |
| Sciomyzini | | | | | | | |
| <i>Pherbellia cinerella</i> (Fallén) | | | | | | x | |
| Tetanocerini | | | | | | | |
| <i>Ilione albiseta</i> (Scopoli) | | | | | | x | |
| SEPSIDAE | | | | | | | |
| <i>Orygma luctuosum</i> Meigen | x | | | | | | A seaweed fly |
| <i>Sepsis duplicata</i> Haliday | | | | x | | | |
| <i>Sepsis fulgens</i> Meigen | | | | | | x | |
| OPOMYZOIDEA | | | | | | | |
| OPOMYZIDAE | | | | | | | |
| <i>Opomyza germinationis</i> (L.) | x | | | | | | |
| <i>Opomyza petrei</i> Mesnil | | | | | | x | |
| ANTHOMYZIDAE | | | | | | | |
| <i>Anthomyza gracilis</i> Fallén | | | | | | x | |
| CARNOIDEA | | | | | | | |
| TETHINIDAE | | | | | | | |
| Pelomyiinae | | | | | | | |
| <i>Pelomyia occidentalis</i> Williston | | | | x | | | |
| CHLOROPIDAE | | | | | | | |
| Oscinellinae | | | | | | | |
| <i>Elachiptera brevipennis</i> (Meigen) | | | | | | x | |
| SPHAEROCEROIDEA | | | | | | | |
| SPHAEROCERIDAE | | | | | | | |
| Limosininae | | | | | | | |
| <i>Leptocera fuscipennis</i> (Haliday) | | | | | | x | |
| <i>Leptocera limosa</i> (Fallén) | | | | | | x | |
| <i>Thoracochaeta zosterae</i> (Haliday) | x | | | | | | Associated with seaweed |
| EPHYDROIDEA | | | | | | | |
| DROSOPHILIDAE | | | | | | | |
| Drosophilinae | | | | | | | |
| <i>Scaptomyza pallida</i> (Zetterstedt) | | | | x | | | |
| EPHYDRIDAE | | | | | | | |
| Ephydrinae | | | | | | | |
| Ephydrini | | | | | | | |
| <i>Ephydra riparia</i> Fallén | | | | | | x | |
| Scatellini | | | | | | | |
| <i>Scatophila caviceps</i> (Stenhammar) | | | | x | | | |
| Hydrellinae | | | | | | | |
| Notiphilini | | | | | | | |
| <i>Notiphila cinerea</i> Fallén | | | | | | x | |
| MUSCOMORPHA SCHIZOPHORA CALYPTRATAE | | | | | | | |
| MUSCOIDEA | | | | | | | |
| SCATHOPHAGIDAE | | | | | | | |
| Scatophaginae | | | | | | | |
| <i>Ceratinostoma ostiorum</i> (Curtis) | | | | | | | |
| ANTHOMYIIDAE | | | | | | | |
| Anthomyiinae | | | | | | | |
| Anthomyiini | | | | | | | |
| <i>Fucellia tergina</i> (Zetterstedt) | | | | x | | | |
| FANNIIDAE | | | | | | | |
| <i>Fannia canicularis</i> (L.) | | | | x | | | |
| <i>Fannia incisurata</i> (Zetterstedt) | | | | | | x | |
| MUSCIDAE | | | | | | | |
| Coenosini | | | | | | | |
| Coenosini | | | | | | | |
| <i>Coenosia tigrina</i> (Fabr.) | | | | | | x | |
| Muscinae | | | | | | | |
| Muscini | | | | | | | |
| <i>Neomyia cornicina</i> (Fabr.) | | | | | | x | |
| Phaoniinae | | | | | | | |
| Phaoniini | | | | | | | |
| <i>Phaonia tuguriorum</i> (Scopoli) | | | | | | x | |
| OESTROIDEA | | | | | | | |
| CALLIPHORIDAE | | | | | | | |
| Calliphorinae | | | | | | | |
| <i>Calliphora vicina</i> Robineau-Desvoidy | x | | | | | | Blue Bottle |
| Luciliinae | | | | | | | |
| <i>Lucilia caesar</i> (L.) | x | | | | | | Green Bottle |
| RHINOPHORIDAE | | | | | | | |
| <i>Rhinophora lepida</i> (Meigen) | | | | x | | | |
| SARCOPHAGIDAE | | | | | | | |
| Miltogramminae | | | | | | | |
| <i>Metopia argyrocephala</i> (Meigen) | | | | x | | | Parasitic on Sphecids wasps |
| TACHINIDAE | | | | | | | |
| Exoristinae | | | | | | | |
| Blondeliini | | | | | | | |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|----------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|---------------------------------------|
| <i>Compsilura concinnata</i> (Meigen) | | | | x | | | |
| <i>Meigenia majuscula</i> (Rondani) | | | | x | | | |
| Phasiinae | | | | | | | |
| Phasiini | | | | | | | |
| <i>Ectophasia crassipennis</i> (Fabr.) | | | | x | | x | Non-British, parasitic in Shield Bugs |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|-----------------------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|-------------------------|
| COLEOPTERA | | | | | | | |
| ADEPHAGA | | | | | | | |
| CARABOIDEA | | | | | | | |
| CARABIDAE | | | | | | | Ground Beetles |
| Cicindelinae | | | | | | | |
| <i>Cicindela campestris</i> L. | x | | | x | | | Tiger Beetle |
| Loricerinae | | | | | | | |
| <i>Loricera pilicornis</i> (Fabr.) | | | | | | x | |
| Trechinae | | | | | | | |
| Bembidiini | | | | | | | |
| <i>Bembidion (Philochthus) mannerheimi</i> Sahlberg | | | | | | x | |
| <i>Bembidion (Metallina) properans</i> (Stephens) | x | | | | | | |
| <i>Bembidion (Diplocampa) assimile</i> Gyllenhal | | | | | | x | |
| <i>Bembidion (Diplocampa) fumigatum</i> Duftschmid | | | | | | x | |
| <i>Bembidion (Emphanes) normannum</i> Dejean | x | | | | | x | Only sites in island |
| Harpalinae | | | | | | | |
| Pterostichini | | | | | | | |
| <i>Poecilus versicolor</i> (Sturm) | | | | | | x | |
| <i>Pterostichus anthracinus</i> (Panzer) | | | | | | x | |
| <i>Pterostichus diligens</i> (Sturm) | | | | | | x | Only site in island |
| <i>Pterostichus madidus</i> (Fabr.) | x | | | x | | | |
| <i>Pterostichus vernalis</i> (Panzer) | | | | | | x | |
| Platynini | | | | | | | |
| <i>Calathus fuscipes</i> (Goeze) | x | | | | | | |
| <i>Calathus melanocephalus</i> (L.) | x | | x | | | | |
| <i>Calathus mollis</i> (Marsham) | x | | | | | | |
| <i>Laemostenus complanatus</i> (Dejean) | | | | | x | | |
| <i>Synuchus vivalis</i> (Illiger) | | | | x | | | |
| <i>Paranchus albipes</i> (Fabr.) | | | | x | | | |
| <i>Oxypselaphus obscurus</i> (Herbst) | | | | | | x | |
| <i>Agonum marginatum</i> (L.) | | | | | | x | |
| <i>Agonum nigrum</i> Dejean | | | | | | x | |
| Zabrinini | | | | | | | |
| <i>Amara aenea</i> (Degeer) | x | | | | | x | |
| <i>Amara anthobia</i> Villa & Villa | | | | | x | | |
| <i>Amara ovata</i> (Fabr.) | | | | | x | x | |
| <i>Amara tibialis</i> (Paykull) | x | | | | | | |
| <i>Curtonotus convexiuscula</i> (Marsham) | | | | | x | | |
| Harpalini | | | | | | | |
| <i>Harpalus affinis</i> (Schrank) | x | | | | x | x | |
| <i>Harpalus attenuatus</i> Stephens | | | | | | x | |
| <i>Harpalus rufipalpis</i> Sturm | | | | | | x | |
| <i>Harpalus tardus</i> (Panzer) | | | | x | x | | |
| <i>Stenolophus mixtus</i> (Herbst) | | | | | | x | |
| <i>Stenolophus skrimshirani</i> Stephens | | | | | | x | |
| <i>Dicheirotichus obsoletus</i> (Dejean) | x | | | | | | |
| <i>Acupalpus parvulus</i> Sturm | | | | | | x | |
| Demetriini | | | | | | | |
| <i>Demetrius atricapillus</i> (L.) | | | | | | x | |
| Dromiini | | | | | | | |
| <i>Dromius agilis</i> (Fabr.) | | | | | | x | |
| <i>Dromius linearis</i> (Olivier) | | | | | | x | |
| <i>Syntomus foveatus</i> (Fourcroy) | x | | | x | | x | |
| DYTISCIDAE | | | | | | | Water Beetles |
| Hydroporinae | | | | | | | |
| <i>Hydroporus discretus</i> Fairmaire | | | | | | x | |
| <i>Hydroporus palustris</i> (L.) | | | | | | x | |
| <i>Hydroporus pubescens</i> (Gyllenhal) | | | | | | x | |
| POLYPHAGA | | | | | | | |
| HYDROPHILOIDEA | | | | | | | |
| HYDROPHILIDAE | | | | | | | Water Beetles |
| Helophorinae | | | | | | | |
| <i>Helophorus brevipalpis</i> Bedel | | | | | | x | |
| HISTEROIDEA | | | | | | | |
| HISTERIDAE | | | | | | | |
| Histerinae | | | | | | | |
| <i>Paralister carbonarius</i> (Hoffmann) | | | | | | x | |
| STAPHYLINOIDEA | | | | | | | |
| STAPHYLINIDAE | | | | | | | Rove Beetles |
| Paederinae | | | | | | | |
| <i>Paederus littoralis</i> Gravenhorst | | | | | | x | |
| Staphylininae | | | | | | | |
| <i>Cafius xantholoma</i> (Gravenhorst) | | | | x | | | Associated with seaweed |
| <i>Staphylinus ater</i> Gravenhorst | x | | | | | | |
| <i>Staphylinus globulifer</i> Fourcroy | x | | | | | | |
| <i>Creophilus maxillosus</i> | | | | x | | | |
| SCARABAEOIDEA | | | | | | | |
| GEOTRUPIDAE | | | | | | | Dung Beetles |
| <i>Typhaeus typhoeus</i> (L.) | x | | | | | | A dung beetle |
| SCARABAEIDAE | | | | | | | Scarabs |
| Aphodiinae | | | | | | | |
| <i>Aphodius (Teuchestes) fossor</i> (L.) | | | | | | x | A dung beetle |
| ELATEROIDEA | | | | | | | |
| ELATERIDAE | | | | | | | Click Beetles |
| Agrypninae | | | | | | | |
| <i>Agrypnus murinus</i> (L.) | x | | | x | | | |
| CANTHAROIDEA | | | | | | | |
| CANTHARIDAE | | | | | | | Soldier beetles |
| <i>Rhagonycha fulva</i> (Scopoli) | | | | x | | | |
| CLEROIDEA | | | | | | | |
| MELYRIDAE | | | | | | | |
| Dasytinae | | | | | | | |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas x | Shingle Bank x | Claire & Rousse Mares | Comments |
|----------------------------------------------|-------|----------|-------------------------|------------------------------------|----------------------|-----------------------------|----------|
| <i>Psilothrix viridicoeruleus</i> (Fourcroy) | | | | | | | |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou | Lihoumel | La Chapelle d'om Hue | Coastal grassland areas | Shingle Bank | Claire & Rousse Mares | Comments |
|-----------------------------------------------|-------|----------|-------------------------|-------------------------------|-----------------|-----------------------------|----------------------------------------------------|
| CUCUJOIDEA (CLAVICORNIA | | | | | | | |
| NITIDULIDAE | | | | | | | |
| Carpophilinae | | | | | | | |
| Epuraeini | | | | | | | |
| <i>Epuraea aestiva</i> (L.) | | | | | | x | On Hawthorn blossom |
| COCCINELLIDAE | | | | | | | Ladybirds |
| Coccinellinae | | | | | | | |
| <i>Rhyzobius litura</i> (Fabr.) | | | x | x | | | |
| <i>Platynaspis luteorubra</i> (Goeze) | | | | x | | | |
| <i>Anisosticta 19punctata</i> (L.) | | | | | | x | The Water Ladybird |
| (HETEROMERA) | | | | | | | |
| TENEBRIONIDAE | | | | | | | |
| Opatrinae | | | | | | | |
| <i>Opatrum sabulosum</i> (L.) | x | | | x | | | |
| Phaleriinae | | | | | | | |
| <i>Phaleria cadaverina</i> (Fabr.) | | | | x | | | On Seaweed |
| Alleculinae | | | | | | | |
| <i>Cteniopus sulphureus</i> (L.) | | | | x | | | |
| MELOIDAE | | | | | | | |
| <i>Stenoria analis</i> (Schaum) | | | | x | | | Non-British, a parasite of <i>Colletes hederar</i> |
| ANTHICIDAE | | | | | | | |
| <i>Anthicus constrictus</i> Curtis | | | | | | x | A salt-marsh species |
| <i>Anthicus hispidus</i> Rossi | | | | x | | | Non-British |
| CHRYSOELOIDEA | | | | | | | |
| BRUCHIDAE | | | | | | | |
| <i>Spermophagus sericeus</i> Geoff | | | | x | | | |
| CHRYSOELOIDAE | | | | | | | Leaf Beetles |
| Chrysomelinae | | | | | | | |
| <i>Timarcha goettingensis</i> (L.) | | | | | | x | On Bedstraw |
| <i>Chrysolina haemoptera</i> (L.) | x | | | | x | | |
| Galerucinae | | | | | | | |
| <i>Sermylassa halensis</i> (L.) | | | | x | | | |
| APIONIDAE | | | | | | | Weevils |
| Aplemonini | | | | | | | |
| <i>Perapion curtirostre</i> (Germar 1817) | | | | x | | | |
| Ceratapiini | | | | | | | |
| <i>Ceratapion carduorum</i> (Kirby 1808) | x | | | | | | |
| <i>Protapion apricans</i> (Herbst) | | | | x | x | | |
| <i>Protapion laevicollis</i> (Kirby) | | | | | | x | |
| <i>Oxystoma pomonae</i> (Fabr.) | | | | x | | | |
| CURCULIONIDAE | | | | | | | Weevils |
| Entiminae | | | | | | | |
| Sitonini | | | | | | | |
| <i>Sitona sulcifrons</i> (Thunberg) | | | | | | | |
| Hyperinae | | | | | | | |
| <i>Hypera arator</i> (L.) | | | | x | | | |
| Cyclominae | | | | | | | |
| Rhythirrinini | | | | | | | |
| <i>Gronops lunatus</i> (Fabr.) | | | | | | x | |
| Ceutorhynchinae | | | | | | | |
| Ceutorhynchini | | | | | | | |
| <i>Trichosirocalus dawsoni</i> (Brisout) | | | | x | | | |
| Anthonominae | | | | | | | |
| <i>Anthonomus pedicularius</i> (L.) | | | | | | x | |
| Tychiinae | | | | | | | |
| <i>Sibinia arenariae</i> Stephens | | | x | x | | | |
| Mecinae | | | | | | | |
| <i>Mecinus pyraeter</i> (Herbst) | | | | x | | | |
| CRUSTACEA | | | | | | | |
| Class EUMALACOSTRACA | | | | | | | |
| Suborder GAMMARIDEA | | | | | | | Sand Hoppers |
| TALITRIDAE | | | | | | | |
| <i>Architalitrus dorrieni</i> (Hunt) | | | | | | | Introduced from New Zealand |
| Suborder ONISCOIDEA | | | | | | | Woodlice |
| LIGIIDAE | | | | | | | |
| <i>Ligia oceanica</i> (Linnaeus 1767) | x | | | | | | Sea Slater |
| PHILOSCIIDAE | | | | | | | |
| <i>Philoscia muscorum</i> (Scopoli) | x | | | x | | x | |
| PLATYARTHRIDAE | | | | | | | |
| <i>Platyarthus hoffmannseggii</i> Brandt | x | | | | | | |
| ARMADILLIDIIDAE | | | | | | | |
| <i>Armadillidium vulgare</i> (Latreille 1804) | x | | | | | | |
| PORCELLIONIDAE | | | | | | | |
| <i>Porcellio scaber</i> Latr. | x | | | x | | | |
| Order ARANAEA | | | | | | | Spiders |
| Suborder ORTHOGNATHA | | | | | | | |
| ATYPIDAE | | | | | | | |
| <i>Atypus affinis</i> Eichwald | x | | x | | | | |
| Suborder LABIDOGNATHA | | | | | | | |
| DYSDERIDAE | | | | | | | |
| <i>Dysdera crocata</i> C.L.Koch | x | | | | | | |
| GNAPHOSIDAE | | | | | | | |
| <i>Drassodes lapidosus</i> (Walckeraer) | x | | | | | | |
| OPILIONES | | | | | | | Harvestment |
| Leiobunidae | | | | | | | |
| <i>Leiobunum rotundatum</i> (Latr.) | x | | | | | | |
| MYRIAPODA | | | | | | | Millipedes |
| <i>Cylindroiulus latestriatus</i> (Curtis) | | x | | | | | |
| MOLLUSCA | | | | | | | Snails |
| HELICIDAE | | | | | | | |
| <i>Theba pisana</i> (Müller 1774) | | | | | x | | |

Land Invertebrates recorded from the proposed Guernsey Ramsar Site

Guernsey Biological Records Centre 15/9/2003

C.T. David

| | Lihou 81 | Lihoumel 6 | La Chapelle d'om Hue 15 | Coastal grassland areas 153 | Shingle Bank 22 | Claire & Rousse Mares 134 | Comments |
|-----|-------------|---------------|-------------------------------|--------------------------------------|-----------------------|------------------------------------|----------|
| 311 | | | | | | | |