

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/283714806>

An annotated checklist of the Italian vascular flora

Book · January 2005

CITATIONS

627

READS

214

4 authors, including:



Fabio Conti

University of Camerino

174 PUBLICATIONS 1,811 CITATIONS

SEE PROFILE



Giovanna Abbate

Sapienza University of Rome

43 PUBLICATIONS 797 CITATIONS

SEE PROFILE



Alessandro Alessandrini

Regione Emilia-Romagna

51 PUBLICATIONS 1,117 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



Identification of species-specific monitoring protocol for the Italian flora of Community Interest (Directive 92/43/EEC) [View project](#)




Flora of central Italy [View project](#)

All content following this page was uploaded by [Alessandro Alessandrini](#) on 15 February 2016.

The user has requested enhancement of the downloaded file.

The data contained in this volume are updated February, 2005



Cover photos:

- 1 *Viola eugeniae* Parl. *eugeniae* – Daniela TINTI
- 2 *Polystichum aculeatum* (L.) Roth – Daniela TINTI
- 3 *Pinus leucodermis* Antoine – Maurizio BIANCARELLI
- 4 *Iris marsica* I. Ricci & Colas. – Valentino MASTRELLA

© 2005

All rights reserved:

Ministero dell'Ambiente e della Tutela del Territorio – Direzione per la Protezione della Natura,
Dipartimento di Biologia Vegetale – Università degli Studi di Roma “La Sapienza”

Printed in Italy May 2005

Palombi e Partner S.r.l.
Via Timavo, 12
00195 ROMA

Ai nostri figli
Ai nostri allievi

“... andando se hace el camino ...”
(Antonio Machado)

AN ANNOTATED CHECKLIST OF THE ITALIAN VASCULAR FLORA

Edited by

Fabio CONTI Giovanna ABBATE Alessandro ALESSANDRINI Carlo BLASI

Assistants to the editors

Sandro BONACQUISTI Elisabetta SCASSELLATI

Authors:

G. ABBATE (Roma), A. ALESSANDRINI (Bologna), B. ANZALONE (Roma), G. BACCHETTA (Cagliari), S. BALLELLI (Camerino), E. BANFI (Milano), G. BARBERIS (Genova), L. BERNARDO (Cosenza), C. BLASI (Roma), E. BOCCHIERI (Cagliari), S. BONACQUISTI (Roma), D. BOUVET (Torino), M. BOVIO (Aosta), S. BRULLO (Catania), F. CONTI (Camerino), B. FOGGI (Firenze), G. GALASSO (Milano), L. GALLO (Torino), F. GARBARI (Pisa), G. GIUSSO DEL GALDO (Catania), G. GOTTSCHLICH (Tübingen), L. GUBELLINI (Pesaro), M. IBERITE (Roma), G. IIRITI (Cagliari), E. LATTANZI (Roma), F. LUCCHESI (Roma), S. MARCHIORI (Lecce), P. MEDAGLI (Lecce), F. MONTACCHINI (Torino), F. ORSINO (Alessandria), L. POLDINI (Trieste), F. PROSSER (Rovereto), M. RAFFAELLI (Firenze), A. SANTANGELO (Napoli), E. SCASSELLATI (Roma), A. SCOPPOLA (Viterbo), C. SINISCALCO (Torino), A. SOLDANO (Vercelli), G. SPAMPINATO (Reggio Calabria), N. TORNADORE (Padova), D. VICIANI (Firenze).

REGIONAL ADVISERS

ABRUZZO	Fabio CONTI
BASILICATA	Fabio CONTI
CALABRIA	Liliana BERNARDO, Giovanni SPAMPINATO
CAMPANIA	Annalisa SANTANGELO
EMILIA-ROMAGNA	Alessandro ALESSANDRINI
FRIULI-VENEZIA GIULIA	Livio POLDINI
LAZIO	Bruno ANZALONE, Mauro IBERITE, Edda LATTANZI
LIGURIA	Giuseppina BARBERIS, Francesco ORSINO
LOMBARDIA	Enrico BANFI, Gabriele GALASSO
MARCHE	Leonardo GUBELLINI
MOLISE	Fernando LUCCHESI
PIEMONTE	Daniela BOUVET, Franco MONTACCHINI, Consolata SINISCALCO
PUGLIA	Silvano MARCHIORI, Piero MEDAGLI
SARDEGNA	Gianluigi BACCHETTA, Emanuele BOCCHIERI, Gianluca IIRITI
SICILIA	Salvatore BRULLO, Gianpietro GIUSSO DEL GALDO
TOSCANA	Bruno FOGGI, Mauro RAFFAELLI, Daniele VICIANI
TRENTINO-ALTO ADIGE	Filippo PROSSER
UMBRIA	Sandro BALLELLI
VALLE D'AOSTA	Maurizio BOVIO
VENETO	Noemi TORNADORE

TAXONOMIC ADVISERS

Enrico BANFI (*Poaceae*), Massimo BIGAZZI & Federico SELVI (*Anchusa*), Maria Antonietta COLASANTE (*Iris*), Bruno FOGGI (*Festuca*), Lorenzo GALLO (*Crassulaceae*), Fabio GARBARI (*Liliaceae* s.l. p.p.), Günter GOTTSCHLICH (*Hieracium*), Alessandro GUIGGI (*Opuntia*), Mauro IBERITE (*Chenopodiaceae* p.p.), Edda LATTANZI & Agnese TILIA (*Rosa*), Nicodemo PASSALACQUA (*Paeonia*), Lorenzo PERUZZI (*Onosma*, *Gagea*), Adriano SOLDANO (several groups).

REGIONAL AND TAXONOMIC CONTRIBUTORS

Rita ACCOGLI, Luigi AITA, Antonella ALBANO, Angelo BALLABENI, Leonardo BECCARISI, Remo BERNARDELLO, Innocenzo BONA, Fabrizio BONALI, Guido BRUSA, Faustina CAFORIO, Romina CALABRESE, Mario CALBI, Giorgio CEFFALI, Giovanni CRISTOFOLINI, Francesco FESTI, Salvatore GENTILE, Franco GIORDANA, Michael KLEIH, Richard LORENZ, Domenico LUCARINI, Paolo MACCHI, Rossella MARCUCCI, Mauro MARIOTTI, Enrico MARTINI, Silvana MAURI, Concetta MELE, Francesco MINONNE, Luigi MINUTO, Harald NIKLFELD, Simonetta PECCENINI, Giorgio PERAZZA, Giovanni PERICO, Massimo RICCIARDI, Francesca ROSSELLO, Graziano ROSSI, Silvia SCANDURA, Anna SCOPPOLA, Daniela TINTI, Gianni TOGNON, Marisa VIDALI, Mariacristina VILLANI, Thomas WILHALM, Eugenio ZANOTTI, Elena ZAPPA, Christian ZIDORN.

ACKNOWLEDGEMENTS

We are grateful to all those who provided partial data on some taxonomic groups, technical and scientific support and useful remarks. Amongst them all we mention:

Carlo ARGENTI, Amalia BERGAMASCHI, Laura CELESTI, Emanuela GIOVI, Roberto GREGORI, Cesare LASEN, Andriy MELEKH, Paolo MINGHETTI, Benito MORALDO, Nicoletta TARTAGLINI.

G. Abbate, C. Blasi: Dipartimento di Biologia Vegetale, Università degli Studi di Roma "La Sapienza", P.le A. Moro 5, 00195 Roma – giovanna.abbate@uniroma1.it, carlo.blasi@uniroma1.it;

A. Alessandrini: Istituto Beni Culturali, Regione Emilia-Romagna, Via Galliera 21, 40121 Bologna – aalessandrini@regione.emilia-romagna.it

F. Conti: Dipartimento di Botanica ed Ecologia, Università degli Studi di Camerino – Centro Ricerche Floristiche dell'Appennino, Parco Nazionale del Gran Sasso e Monti della Laga, Via Prov.le km 4.2, 67021 Barisciano (AQ) – fabio.conti@unicam.it

In september 2002 the Commission on Sustainable Development (CSD) ratified in Johannesburg the 2010 Global Biodiversity Challenge, namely the promise that all the Countries would commit themselves to start actions aimed at obtaining an important reduction in the World Biodiversity loss by that year. This global event strengthened what was already provided by the actions in pursuance of the 1992 Convention on Biological Diversity (CBD), ratified in Italy by the 1994 Law n.124.

Also in the European Union the actions and the commitment are strenuously aimed at the 2010 target: at Malahide (Ireland) in 2004 the main goals were shared and previously (2002) the Council of Europe, together with the Planta Europa association, issued the European Plant Conservation Strategy. This Strategy, together with the Global Strategy for Plant Conservation adopted by the CBD, can be considered the point of reference to achieve and improve the national strategies for the conservation of the plant heritage, making a synergy with all the other actions for the achievement of the global target.

Right the point 1 of the operative target 1 of the Global Strategy expresses the need for producing and spreading «a widely accessible working list of known plant species, as a step towards a complete world flora».

And the “Checklist of the Italian vascular flora”, carried out by the Dipartimento di Biologia Vegetale – Università degli Studi di Roma “La Sapienza” and commissioned by the Ministero dell’Ambiente e della Tutela del Territorio – Direzione per la Protezione della Natura, sets itself exactly in this international background.

The achievement of this work required the contribution of many scientists all over the national territory; this network of botanists is more and more referred to by different subjects (free citizens, administrators of protected areas, local Administrations and Bodies, professional men and women) who work on or are attracted by the knowledge and conservation of the national floristic heritage. This is why the “Checklist of the Italian vascular flora” is a tool useful at local, national and international level; therefore I express all my gratitude to the Authors of this book for the accomplishment of a work which improves the diffusion of the knowledge of the great Italian floristic heritage.

Nel settembre 2002 la Commissione Mondiale per lo Sviluppo Sostenibile (CSD) ha sancito a Johannesburg l’obiettivo globale del 2010 rappresentato dall’impegno di tutti i Paesi di intraprendere iniziative volte a produrre una riduzione significativa della perdita di Biodiversità del Pianeta entro tale anno. Tale evento mondiale ha rafforzato quanto già previsto nell’ambito delle attività relative all’applicazione della Convenzione per la Biodiversità (CBD) del 1992, ratificata dall’Italia con la legge n. 124 del 1994.

Anche a livello della Comunità europea è viva l’attività e l’impegno per il raggiungimento dell’obiettivo del 2010: nel 2004 a Malahide (Irlanda) sono stati condivisi i principali traguardi da raggiungere e precedentemente (2002) il Consiglio d’Europa, congiuntamente all’associazione Planta Europa, ha emanato l’European Plant Conservation Strategy. Quest’ultima, insieme alla Global Strategy for Plant Conservation adottata dalla CBD, rappresenta il riferimento di partenza per realizzare e implementare le strategie nazionali relative alla conservazione del patrimonio vegetale, concorrendo così in modo sinergico con le altre attività al raggiungimento dell’obiettivo globale.

Proprio al punto uno del primo obiettivo operativo della Strategia Globale viene richiesta la necessità di sviluppare e divulgare «Liste di specie vegetali come passo verso una completa conoscenza della flora mondiale».

È in questo contesto internazionale che si colloca la “Checklist della flora vascolare italiana” realizzata dal Dipartimento di Biologia Vegetale – Università degli Studi di Roma “La Sapienza” su incarico del Ministero dell’Ambiente e della Tutela del Territorio – Direzione per la Protezione della Natura.

La realizzazione di questo lavoro ha visto all’opera numerosi scienziati distribuiti sul territorio nazionale ed è proprio a questa rete di botanici che sempre più spesso si rivolgono soggetti diversi (singoli cittadini, gestori di aree protette, Amministrazioni ed Enti locali, liberi professionisti) che lavorano o sono affascinati dalla conoscenza e dalla conservazione del patrimonio floristico nazionale. Ecco dunque che la “Checklist della flora vascolare italiana” è uno strumento utile a livello locale, nazionale e internazionale e ringrazio gli Autori di questo volume per aver realizzato un’opera che aumenta la possibilità di diffusione delle conoscenze sul grande patrimonio floristico presente in Italia.

Aldo Cosentino

Ministero dell’Ambiente e della Tutela del Territorio
Direzione per la Protezione della Natura

At the end of 1999, as a result of a convention funded by the Ministero dell'Ambiente e della Tutela del Territorio – Direzione per la Protezione della Natura and the Dipartimento di Biologia Vegetale – Università degli Studi di Roma “La Sapienza”, the accomplishment of an up-to-date checklist of the Italian vascular flora was started.

The scientific co-ordinators of the project, who are now the editors of this book, gathered a wide working group, including both regional florists and taxonomists, all over the national territory.

The editors co-ordinated this network and, together with two assistants, also acted as the secretarial staff during the whole length of the project, which ended in 2002. In order to draw up a first paper edition of the checklist, we thought that a further update of data, which ended in February 2005, was necessary.

This update was carried out on autonomous funds for the scientific research within the activities of the Centro Interuniversitario “Biodiversità, Fitosociologia ed Ecologia del Paesaggio”.

We believe that now it is the right time to release a first paper edition of this five-year work, first of all to finally start a course of centralisation of floristic and taxonomic information in Italy, secondly to provide an up-to-date and easy-to-access point of reference for all those who are involved in the subject of environment in various ways.

While carrying out, in quite a short time, the big amount of work this publication required, the networking of the contributors revealed to be the key factor to ensure a high quality product. In the future such an effective network will be in a position to constantly update the data, following a shared standard, which stands out from the others available at present for the Mediterranean Basin.

Without the co-operative attitude displayed by all the people who took part in this project and without the resources provided by the Ministero dell'Ambiente e della Tutela del Territorio – Direzione per la Protezione della Natura, this work would have never seen the light.

La realizzazione di una lista aggiornata della flora vascolare italiana ha preso l'avvio alla fine del 1999 grazie ad una convenzione tra il Ministero dell'Ambiente e della Tutela del Territorio – Direzione per la Protezione della Natura, e il Dipartimento di Biologia Vegetale – Università degli Studi di Roma “La Sapienza”.

I coordinatori scientifici del progetto, ora editori della presente pubblicazione, hanno selezionato un ampio gruppo di lavoro su tutto il territorio nazionale, comprendente tanto esperti floristi regionali che tassonomi.

I Curatori hanno quindi coordinato le attività di questo gruppo di lavoro e, unitamente ai due assistenti, hanno anche rappresentato la segreteria per la durata dell'intero progetto, conclusosi nel 2002. Per poter redigere una prima edizione cartacea della lista, si è ritenuto però opportuno proseguire con un ulteriore aggiornamento dei dati, terminato nel febbraio 2005.

Questo aggiornamento è stato eseguito su fondi autonomi per la ricerca scientifica nell'ambito delle attività del Centro Interuniversitario “Biodiversità, Fitosociologica ed Ecologia del Paesaggio”.

Riteniamo opportuno pubblicare una prima edizione cartacea del lavoro prodotto in questi cinque anni, in primo luogo per avviare in Italia un processo di centralizzazione dell'informazione floristica e tassonomica, secondariamente per fornire un riferimento aggiornato e di facile lettura, a tutti coloro che si occupano a vario titolo di ambiente.

Nella realizzazione in tempi brevi della grande mole di lavoro richiesto, la rete di collaboratori ha rappresentato un fattore essenziale per garantire un prodotto di qualità elevata. Una rete di questo tipo potrà in futuro effettuare un aggiornamento continuo delle informazioni, secondo uno standard omogeneo, all'avanguardia tra quelli fino ad ora messi a punto nell'ambito del bacino del Mediterraneo.

Senza lo spirito di collaborazione offerto dai numerosi partecipanti al progetto, e senza le risorse messe a disposizione dal Ministero dell'Ambiente e della Tutela del Territorio – Direzione per la Protezione della Natura, questo lavoro non avrebbe mai visto la luce.

Carlo Blasi

Dipartimento di Biologia Vegetale
Università degli Studi di Roma “La Sapienza”

SUMMARY

Introduction	13
Taxonomic coverage and arrangement	13
Geographical coverage and explanatory notes	14
Data analysis	15
Regional lists of exclusive, endemic, protected and alien units	16
Nomenclatural novelties	17
Introduzione	23
Criteri tassonomici adottati e organizzazione dell'opera	23
Criteri geografici adottati e note esplicative	24
Analisi dei dati	25
Liste regionali delle entità esclusive, endemiche, protette ed esotiche naturalizzate	26
Novità nomenclaturali	27
<i>PTERIDOPHYTA</i>	35
<i>GYMNOSPERMAE</i>	41
<i>ANGIOSPERMAE</i>	45
REGIONAL LISTS	187
ABRUZZO	190
BASILICATA	196
CALABRIA	200
CAMPANIA	206
EMILIA-ROMAGNA	212
FRIULI-VENEZIA GIULIA	218
LAZIO	226
LIGURIA	232
LOMBARDIA	238
MARCHE	244
MOLISE	248
PIEMONTE	256
PUGLIA	262
SARDEGNA	266
SICILIA	274
TOSCANA	284
TRENTINO-ALTO ADIGE	290
UMBRIA	296
VALLE D'AOSTA	302
VENETO	306
REFERENCES	313
APPENDICES	315
Index of names	317
Notes	397
<i>ADDENDA ET EMENDANDA</i>	419
<i>ERRATA CORRIGE</i>	421

Introduction

Overall works on Italian vascular flora are quite few; mention should be made of those edited by BERTOLONI (1833-54), PARLATORE (1848-1896), FIORI & PAOLETTI (1896-1909), FIORI (1923-1929), ZANGHERI (1976) and, more recently, by PIGNATTI (1982), in which the most up-to-date data go back to 1978. Luckily, after this basic work, regional and local contributions progressed a lot, arousing a demand for a list quoting national and regional floristic data according to criteria of taxonomic and geographic agreement.

The Database of Italian vascular flora was set up explicitly to meet this demand: therefore we can consider it the first computerised tool of analysis of the Italian floristic diversity. For a detailed report of the frame and contents of the Database, see ABBATE *et al.* (2001).

Briefly, for each record the data fields included: taxonomic and/or nomenclatural critical *status*, geographical arrangement, endemism, alien *status*, IUCN categories, international *status*.

It follows that, as well as the plain scientific value it holds, this work has a lot of applicative hints, thanks to its easy-to-access data system, covering the whole Italian territory.

In order to have the Database always up-to-date, the survey *Notulae* in the journal "Informatore Botanico Italiano" edited by the Società Botanica Italiana (S.B.I., Italian Society of Botany), was recently set up. In this way it will be easier to periodically release subsequent updating of the checklist.

Taxonomic coverage and arrangement

The list quotes all the vascular plants occurring in Italy, concerning the

following taxonomic ranks: *genus*, species group, species, *nototaxon* (only the most common ones are reported), subspecies. The species group is an unofficial rank with the actual meaning of macrospecies with regard only to few complex *genera* (e.g. *Taraxacum* F.H. Wigg., *Sempervivum* L.), for which the regional data can be very different.

For the genus *Hieracium* L. we use a "formula" which follows all the species which are regarded as intermediate, such as *Hieracium burnatii* Arv.-Touv. ("*glaucum* > *tomentosum*").¹

The list follows an alphabetic order of the *genera* within each of the three main categories (*Pteridophyta*, *Gymnospermae* and *Angiospermae*), then of species groups and species within the *genera* and, finally, of subspecies within the species. The *sensu lato* sign (s.l.) is reported only if a species has got more than one subspecies.

The authors are quoted according to BRUMMITT & POWELL (1982).

This book includes both native and naturalized alien units², which are considered to occur in the 20 administrative regions, within their present borders; the transitorily occurring alien units (ephemerals) and the cultivated ones were left out.

The main data sources for the drawing up of the list were:

¹ This means that *H. burnatii* shows morphologically more influence of *H. glaucum* All. than of *H. tomentosum* (L.) L. Since all the species of this list are ordered in alphabetical and not in systematical order, the addition of the formula might give further information to the user. It is worth while noticing that in most cases this formula does not mean that it is a hybrid, though many authors use the spelling "*H. x burnatii*" or "*x H. burnatii*". Only few intermediate species in the subgenus *Pilosella* are really recent hybrids. Many other are fixed hybrids of a different evolutionary age.

² In this work the word "unit" is to be referred to: species group, species, *nototaxon* and subspecies.

- the three main works which are at present the most used ones in Italy, namely *Flora d'Italia* (PIGNATTI, 1982), *Med-Checklist* (GREUTER *et al.*, 1984, 1986, 1989), *Flora Europaea* (TUTIN *et al.*, 1968-1980, 1993);
- recent regional floras (POLDINI, 1991, 2001; ANZALONE, 1996, 1998; BOVIO *et al.*, 2000; LUCCHESI, 1995, 1996; CONTI, 1998);
- the survey "Segnalazioni Floristiche Italiane", edited by the journal "Informatore Botanico Italiano";
- the plenty of floristic and taxonomic works, so far published or currently in print, of which we only report a choice in the appendix "Notes" and in the references.

Geographical coverage and explanatory notes

As we said before, the 20 administrative Italian regions, within their present borders, are the geographical items we referred to. The most important geographical renovations involved:

- splitting of data between Molise and Abruzzo and between Valle d'Aosta and Piemonte (in *Flora d'Italia* by PIGNATTI they were both reported as one);
- joining of data between Trieste and Friuli-Venezia Giulia, as in POLDINI (1991, 2001);
- exclusion of data about Corsica, Nice, partially Savoyard, Istria, Malta archipelago, for these territories do not (or no longer) belong to Italy. Some data about borderlands between Piemonte and France are still doubtfully reported and will require further field investigations.

The 20 regions are designed by three-letter symbols as follows (Fig. 1):

ABR	Abruzzo
BAS	Basilicata
CAL	Calabria
CAM	Campania
EMR	Emilia-Romagna
FVG	Friuli-Venezia Giulia
LAZ	Lazio
LIG	Liguria
LOM	Lombardia
MAR	Marche
MOL	Molise
PIE	Piemonte
PUG	Puglia
SAR	Sardegna
SIC	Sicilia
TOS	Toscana
TAA	Trentino-Alto Adige
UMB	Umbria
VDA	Valle d'Aosta
VEN	Veneto




Fig.1 The 20 administrative Italian regions

The geographical arrangement of each listed unit is given as a table, by using the following symbols:

- + occurring
- recorded in the past by mistake
- ? doubtfully occurring
- 0 no longer recorded
- A alien
- E endemic
- E? doubtfully endemic

Distribution data about recently recorded units can obviously be not complete and up-to-date for all the regions.

Due to the peculiarity of the Italian territory, we believed it right to highlight the endemic units. The endemic *status* is quoted only for the Italian endemic units and for those involving the major Mediterranean islands (Corsica and Malta); therefore the units endemic to the Alpine Chain and occurring also out of Italy are not highlighted.

At the end of the book there are two Appendixes:

1 – INDEX OF NAMES: in order to easily find the up-to-date names and data, here are listed basionyms, no longer valid names and complete names as they are reported in PIGNATTI (1982), GREUTER *et al.* (1984, 1986, 1989), TUTIN *et al.* (1968-1980, 1993). As for the names extracted from these works, we report only the specific and infraspecific combinations that are different from those occurring in our list (that is, when two complete names apply to the same unit but differ from each other only in the author(s), they are not reported);

2 – NOTES: here are reported various remarks about the precision limits of the names as well as matters of taxonomic or phytogeographic concern and references.

Data analysis

Basing upon this survey, Italy has 196 families, 1267 genera, 6711 species, 7634 units, of which 136 *Pteridophyta*, 34 *Gymnospermae*, 7464 *Angiospermae* can be enumerated. At regional level the number of units can be viewed in Table 1. On the whole at national level the endemic units are 1024, while the alien ones are 782.

REGION	NUMBER OF UNITS
ABRUZZO	3232
BASILICATA	2636
CALABRIA	2629
CAMPANIA	2844
EMILIA-ROMAGNA	2726
FRIULI-VENEZIA GIULIA	3335
LAZIO	3228
LIGURIA	3131
LOMBARDIA	3220
MARCHE	2571
MOLISE	2412
PIEMONTE	3510
PUGLIA	2286
SARDEGNA	2407
SICILIA	3010
TOSCANA	3435
TRENTINO-ALTO ADIGE	2984
UMBRIA	2360
VALLE D'AOSTA	2174
VENETO	3295
ITALIA	7634

Table 1. Number of units occurring in each of the 20 Italian administrative regions.

Though still today the standard of floristic knowledge varies a lot from region to region, the regions showing the maximum floristic richness are also those showing the maximum environmental complexity as for orography, morphology, lithology and bioclimate; let us remind Piemonte (3510), Toscana (3435), Friuli-Venezia Giulia (3335), Veneto (3295), Abruzzo (3232), Lazio (3228) and Lombardia (3220).

Regional lists of exclusive, endemic, protected and alien units

With regard to the 20 Italian administrative regions we believe it is both scientifically interesting and useful for applicative purposes to quote the following typologies of units as individual regional lists:

- Exclusive units: this group, once the naturalized alien units were cut out and listed separately, includes units occurring only in one administrative region; of course they can have different geographic values. This group is the distinctive mark of each region and the units here included are worth exploiting, and eventually red-listing and protecting, as suggested by version 3.1 of IUCN Categories and Criteria (IUCN, 2001).
- Endemic units: we report in this group the endemic units as described before; these units are indeed the most valuable floristic component for each region.
- Protected units: since the protection of flora is committed to each region, although in some cases it is committed to the provinces (i.e. Piemonte, Trentino-Alto Adige), these lists, as well as useful tools, are the real subject upon which a hypothetical National Law for the Protection of Flora should be based. We must but remind that some regions at present (i.e. Puglia, Sardegna, Sicilia) still lack such a law; at the same time some regions are protecting their whole native flora (e.g. Valle d'Aosta, Trentino-Alto Adige, Veneto) or, though having a law, they still lack a list of units (e.g. Marche).
- Alien units: here are listed the units that are alien both at national and at regional level (e.g. *Cerastium tomentosum* L. in Friuli-Venezia Giulia). Although these lists are strongly affected by the

different level of floristic knowledge from region to region, we thought it right to highlight this group; it is actually a common knowledge that alien units are an effective expression of the human pressure upon the territory.

Nomenclatural novelties

(by Adriano SOLDANO, Fabio CONTI, Enrico BANFI & Gabriele GALASSO)

***Agrostis monteluccii* (Selvi) Banfi comb. & stat. nov.**

≡ *Agrostis canina* L. subsp. *monteluccii* F. Selvi, Webbia 49 (1): 51-58, 1994.

At the present-day state of knowledge we argue that this unit, described at the infraspecific rank on the basis of a supposedly incomplete phenotypic differentiation from subsp. *canina*, actually deserves species status. In fact its peculiar ecology reminiscent of *Viola calaminaria* (DC) Lej. with respect to *V. saxatilis* F.W. Schmidt, together with genetically fixed morphological features, has convinced us to reassess it at the species rank.

***Achillea barrelieri* Ten. subsp. *oxyloba* (DC.) F. Conti & Soldano, comb. & stat. nov.**

≡ *Achillea oxyloba* (DC.) Sch. Bip., Flora 38: 15. 1855.

≡ *Ptarmica oxyloba* DC., Prodr. 6: 20. 1838.

= *Anthemis alpina* L., Cent. Pl. II 31, no.195. 1756.

***Aquilegia magellensis* F. Conti & Soldano, sp. nova**

Diagnosis: Herba perennis, tota glandulosa puberula. Planta alta 20-45 cm. Folia biternata. Flores 30-40 mm per medium lati. Sepala patentia, elliptica, subacuta, 20-22 mm longa, 6-8 mm lata. Carpella 10-14 mm longa, stylis 7-9 mm longis.

Holotypus: Valle di Selva Romana near Valle dell'Inferno, Pennapiadimonte (Chieti), calcareous cliffs, 1385 m, 42°07.632' 14°07.839', 01.08.2002, n. 1768, Conti (APP).

Herbaceous perennial with short, erect, woody stock. Stems 20-45 cm, glandular pubescent. Basal leaves biternate;

leaflets sessile, usually 2.0-3.5, 3-lobed, glandular pubescent, green above, glaucous beneath. Cauline leaves few, the uppermost bract-like. Flowers 3-4 cm across, 2-7 in an open irregular panicle. Sepals 20-22 x 6-8 mm, elliptic, subacute, sky blue to violet-blue. Honey leaves rounded to truncate, whitish and pale blue to pale blue. Stamens equalling limb of honey leaves. Follicles 10-14 mm long (excluding beak), suberect, glandular pubescent, with prominent transverse veins, narrowed into a slender beak 7-9 mm long. Broad apocarpous follicles. Seeds c. 2.2-2.3 mm, ovoid-triangular, with a unilateral wing, smooth, black.

Aquilegia magellensis Huter, Porta & Rigo, nom. nud., Exs. Itin. Ital. III (1877) n°513.

***Centaurea scannensis* Anzalone, Soldano & F. Conti, sp. nova**

Typus: Gole del Sagittario (Scanno) (Abruzzo), 20.08.1960, Anzalone (Herb. Anzalone in RO). Description in Latin: Anzalone, Ann. Bot. (Roma) 27 (1): 52. 1961, *sub nomine* "*Centaurea dissecta* Ten. var. *scannensis* Anzalone", nom. inval. (art. 37 of the ICBN).

Centaurea scannensis (Anzalone) Pignatti, Giorn. Bot. Ital. 113: 367. 1979, comb. inval. (art. 37 of the ICBN).

***Cerastium pospichalii* Soldano & F. Conti, nom. nov.**

≡ *Cerastium spurium* Posp., Fl. Österr. Küstenl., 1 : 443. 1879., non Biroli ex Colla, Herb. Ped. 1°: 367. 1833.

***Crepis bivoniana* (Rchb.) Soldano & F. Conti, comb. nova**

≡ *Barkhausia bivoniana* Rchb. in Mossler, Handb., ed 2, 2 : 1408. 1828.

≡ *Barkhausia purpurea* Biv., Stirp. Rar. Sic. Descr. 4: 22. 1816., non *Crepis purpurea* Bieb., Fl. Taur.-Cauc. 2: 255. 1808.

Note: Fiori (Fl. Anal. Ital. 2: 833) quotes, as synonym of *Crepis vesicaria* var. *purpurea* (Guss.) Fiori, *Crepis bioniana* Rchb. ex Nyman (Consp. Fl. Europ., 1879), a name that has never been settled, actually settled *Crepis purpurea* var. *bioniana* (Rchb.) Nyman. On the other side Fiori cannot be considered the author of *Crepis bioniana* since this name is a synonym for another unit (art. 34.1c of the ICBN).

Dianthus busambræ Soldano & F. Conti, **nom. nov.**

≡ *Dianthus paniculatus* Lojac., Malpighia 20: 188. 1906., non Gleditsch., Reise 1: 68, 110. 1787.

Emerus majus Mill. subsp. ***emeroides*** (Boiss. & Spruner) Soldano & F. Conti, **comb. & stat. nov.**

≡ *Coronilla emeroides* Boiss. & Spruner, Diagn. pl. orient. 2: 100. 1843.

≡ *Hippocrepis emerus* (L.) Lassen subsp. *emeroides* (Boiss. & Spruner) Greuter & Burdet ex Lassen in Svensk Bot. Tidskr. 82 (2): 86. 1989.

Epipactis baumanniorum Soldano & F. Conti, **nom. nov.**

≡ *Epipactis gracilis* B. & H. Baumann, Mitt. Arbeitskr. Heim. Orch. Baden-Württemberg, 20(1): 26. 1988., non Eaton, Proc. Biol. Soc. Washington 21: 64. 1908.

Filago tyrrhenica Chrtek & Holub ex Soldano & F. Conti

≡ *Evax rotundata* Moris, Atti terza Riun. Sci. Ital.: 481. 1841.

≡ *Filago tyrrhenica* Chrtek & Holub in Preslia 35: 3. 1963., invalid name.

Note: the name by Chrtek & Holub is invalid (art. 33.2 of the ICBN) since in the literature quotation of *Evax rotundata* page 41 instead of 481 is reported.

Helleborus bocconeii Ten. subsp. ***istriacus*** (Schiffn.) Soldano & F. Conti, **comb. nova**

≡ *Helleborus odoratus* Waldst. & Kit. ex Willd. var. *istriacus* Schiffn., Bot. Jahrb. Syst. 11: 114. 1890 (in Zanotti & Cristofolini: Engl. Bot. Jahrb. 11: 114. 1889).

≡ *Helleborus multifidus* subsp. *istriacus* (Schiffn.) Merxm. & Podlech in Feddes Repert. Spec. Nov. Regni Veg. 64: 5. 1961.

Helleborus bocconeii Ten. subsp. ***multifidus*** (Vis.) Soldano & F. Conti, **comb. & stat. nov.**

≡ *Helleborus multifidus* Vis., Flora 12 (Ergänzungsbl. 1): 13. 1829. (in Zanotti & Cristofolini: Pl. Rar. Dalm. 1: 18. 1829).

= *Helleborus multifidus* Vis. subsp. *bocconeii* (Ten.) B. Mathew, comb. inval. (art. 11.4 of the ICBN).

Homalotrichon Banfi, Galasso & Bracchi **gen. nov.**

Diagnosis: gramen perenne, caespitosum, foliorum basalium margine cartilagineo edenticulato et ligula truncato-dentata. Gluma inferior uninervis vel trinervis, lemmatis nervi marginem superiorem non adsequentes. Aristae pars inferior (columna) intorta, uniformiter spissa cum a latere inspectatur. Paleae carinae glabrae et leves, lodiculæ spissae, ad apicem breviter bidentatae, fere breviores ovario.

Cespitose perennial; cartilaginous margin of basal leaves smooth; basal leaves with truncate-dentate ligules; lower glumes with 1-3 veins; lemma veins ending without reaching the upper margin; awn terete, twisted and uniformly thickened when viewed from the side in the lower part (column); palea keels smooth and glabrous; lodicules

thick, with two short teeth at the apex, usually shorter than ovary.

Etymologia: from the Greek adjective *homalós* (= uniform) and the substantive *thriks*, *trikhós* (= awn), referring to the thickness constancy of the awn column when viewed from the side.

= *Avenastrum* (Koch) Opiz subgen. *Pubavenastrum* Vierh., Verh. Ges. Deutsch. Naturforscher. Äczte 85/2: 671. 1914.

= *Avenula* (Huds.) Dumort. subgen. *Pubavenastrum* (Vierh.) Holub, Preslia 11 (3): 294. 1976.

= *Helictotrichon* Besser subgen. *Pubavenastrum* (Vierh.) Holub, in Klášterský et al.: Philipp Maximilian Opiz und seine Bedeutung für Pflanzentaxonomie: 125. 1976.

Typus generis:

Homalotrichon pubescens (Huds.) Banfi, Galasso & Bracchi **comb. nov.**

= *Avena pubescens* Huds., Fl. Angl.: 42. 1762.

Infraspecific diversity:

Homalotrichon pubescens (Huds.) Banfi, Galasso & Bracchi subsp. ***pubescens***

= *Avenastrum pubescens* (Huds.) Opiz, Seznam, 20. 1852.

= *Avenochloa pubescens* (Huds.) Holub, Acta Hort. Bot. Prag. 84. 1962.

= *Avenula pubescens* (Huds.) Dumort., Bull. Soc. Bot. Belg. 7: 68. 1868, in adnot.

= *Helictotrichon pubescens* (Huds.) Pilger, Fedde, Repert. xlv. 6. 1938.

= ? *Avena insubrica* (Asch. & Graebn.) Dalla Torre & Sarnth., Fl. Tirol VI. II. 195. 1906.

= ? *Avena sesquiertia* L., Mant. Pl. : 34. 1767.

Homalotrichon pubescens (Huds.) Banfi, Galasso & Bracchi subsp. ***laevigatum*** (Schur) Banfi, Galasso & Bracchi **comb. nov.**

= *Avena laevigata* Schur, Oesterr. Bot. Zeitschr. 10: 72, 1860.

= *Avena pubescens* Huds. subsp. *laevigata* (Schur) Asch. & Graebn., Syn. Mitteleur. Fl. 2 (1): 245. 1899.

= *Avenastrum laevigatum* (Schur) Domin, Preslia xiii -xv.: 40. 1935.

= *Avenochloa pubescens* (Huds.) Holub subsp. *laevigata* (Schur) Soó, Feddes Repert. 85 (7-8): 436. 1974.

= *Avenula pubescens* (Huds.) Dumort. subsp. *laevigata* (Schur) Holub, Fol. Geobot. Phytotax. 11: 295. 1976.

= *Helictotrichon laevigatum* (Schur) Potztal, Bot. Jahrb. ENGLER, 75 : 330. 1951.

= *Helictotrichon pubescens* (Huds.) Pilger subsp. *laevigatum* (Schur) Soó, Feddes Repert. 83: 171. 1972.

= *Avena lucida* Bertol., Fl. Ital. 1: 701. 1835.

The consistency of the phylogenetic (biosystematics) separation of *Helictotrichon* subgen. *Pubavenastrum* either from subgen. *Pratavenastrum* (= gen. *Avenula*) or from subgenera *Helictotrichon* and *Tricholemma* has been clearly shown by Grebenstein *et al.* (Grebenstein B., Röser M., Sauer W. & Hemleben V., 1998. Pl. Syst. Evol., Wien, 213 (3-4): 233-250) and by Röser *et al.* (Röser M., Winterfeld G., Grebenstein B. & Hemleben V., 2001. Mol. Phylogenet. Evol., San Diego, 21 (2): 198-217), as inferred from ribosomal DNA. This fact decisely agrees with the belief of taxonomists (including us) who argue that subgen. *Pubavenastrum* has to be promoted to the genus rank.

Unfortunately no name seems to come from the literature that could be used at the rank of genus, because the available names appear illegitimate (Holub J., 1976. Folia Geobot. Phytotax., Praha, 11 (3): 281-300; -, 1977. Preslia, Praha, 49 (3): 203-221) or centred on type-species

other than *Avenula pubescens* and its relatives. This is the reason for our purpose to describe *ad hoc* the new genus *Homalotrichon*, establishing the required combinations as done above.

Hornungia pauciflora (W.D.J. Koch) Soldano, F. Conti, Banfi & Galasso, **comb. nova**

≡ *Capsella pauciflora* W.D.J. Koch in Röhling, *Deutschl. Fl.*, ed. 3, 4: 523. 1833.

≡ *Hymenolobus procumbens* subsp. *pauciflorus* (W.D.J. Koch) Schinz & Thell. in *Vierteljahrsschr. Naturf. Ges. Zürich*, 66: 285. 1921.

Hornungia revelierei (Jord.) Soldano, F. Conti, Banfi & Galasso, **comb. nova**

≡ *Hutchinsia revelierei* Jord., *Diagn. esp. nouv.* 337. 1864.

≡ *Hymenolobus procumbens* subsp. *revelierei* (Jord.) Greuter & Burdet, *Willdenowia* 13: 93. 1983.

Kalmia procumbens (L.) Gift, Kron & Stevens ex Galasso, Banfi & F. Conti, **comb. nova**

≡ *Azalea procumbens* L. in *Sp. Pl.*: 151. 1753.

≡ *Loiseleuria procumbens* (L.) Desv., *J. Bot. Agric.*, 1: 35. 1813.

≡ *Kalmia procumbens* (L.) Gift, Kron & Stevens, in Kron, Judd, Stevens, Crayn, Anderberg, Gadek, Quinn & Luteyn, *Bot. Rev.*, 68 (3): 409. 2002, **comb. inval.** (art. 33.2. of the ICBN).

Laserpitium siler L. subsp. ***siculum*** (Spreng.) Santangelo, F. Conti & Gubellini, **comb. & stat. nov.**

≡ *Laserpitium siculum* Spreng., *Syst. Veg.* I: 918. 1824.

≡ *Laserpitium garganicum* (Ten.) Bertol. subsp. *siculum* (Spreng.) Pignatti in *Giorn. Bot. Ital.* 111: 48. 1977.

Muscari kernerii (Marchesetti) Soldano, **comb. nova**

≡ *Botryanthus kernerii* Marchesetti in *Boll. Soc. Adr. Sci. Nat. Trieste* 7: 266. 1882.

Oncostema dimartinoi (Brullo & Pavone) F. Conti & Soldano, **comb. nova**

≡ *Scilla dimartinoi* Brullo & Pavone, *Candollea* 42 (2): 614. 1987.

Pancratium linosae Soldano & F. Conti, **nom. nov.**

≡ *Pancratium angustifolium* Lojac., *Fl. Sic.* 3: 82. 1909., non M. Roem., *Syn. Mon.*, 4: 178. 1847.

Peucedanum carvifolium-chabraei (Crantz) Soldano, **comb. nova**

≡ *Selinum carvifolium-chabraei* Crantz, *Inst.* II, 126. 1766.

= *Peucedanum carvifolia* Vill., *Prosp.* 25. 1779, **nom. illeg.**

Note: so far, basing on a note written by Briquet (*Fl. Alp. Maritim.*, 4: 208), the name transcribed by Crantz “*Selinum carvifolium* CHABRAEI” was believed to be, in its form *Selinum carvifolium*, an homonymous subsequent to *Selinum carvifolium* L. (1762); the idiom CHABRAEI was indeed believed to be a quotation, for this pre-Linnean botanist (*Chabraeus*) actually dealt with a *Carvifolium* in a work of his and, Briquet says, “CHABRAEI” is separated from the specific name (at the end of the synonymy) by a dot. This can be taken into account for the forthcoming (1767) and detailed account of the species, where, at the end of the synonyms, *Carvifolia*. CHABRAEI. is reported. But, in the original account, that was neither cited by Briquet nor considered by the *Index Kewensis*, (Grande highlighted it in *Bull. Orto Bot. Napoli*, 5: 123) only a brief account is given of

the plant: first the specific name, then a seven-word description and finally a reference to “Austr. Stirp. Fasc. III *icon et descriptio*” that was to be published in the following year. The intention of Crantz not to restrict the specific name to the first two words is proven by what is reported some lines above, dealing with another species, “*Selinum carvifolium* GMELINI”; so, the use of CHABRAEI and GMELINI was to keep them separate. Therefore, according to the rules of nomenclature (art. 23.1 of the ICBN), the last two words of the name, that is *carvifolium-chabraei*, should be joined by a dash. Crantz always used to write the names of the authors, including his own name, in capital letters.

Poa nemoralis L. subsp. *glaucantha* (Gaudin) Banfi **comb. nov.**

≡ *Poa glaucantha* Gaudin, *Alpina (Winterthür)* 3 : 36. 1808.

≡ *P. glauca* Vahl subsp. *glaucantha* (Gaudin) Lindman, *Svensk Fanerogamf.*: 98. 1926.

= *P. nemoralis* L. var. *caesia* Gaudin, *Comp. Fl. Germ.*, ed. 1, 1: 127. 1825.

Easily distinguished from subsp. *nemoralis* in the generally stouter habit (a little more robust plant with larger blades and spikelets) and the blue-grey coloration of all its vegetative parts, including inflorescence, this commonly neglected unit deserves, in our opinion, the subspecific rank. It shares with the type-subspecies the lower altitudinal levels of the species range, preferring wood clearings on oligotrophic soils (*Quercion robori-petraeae*). The rare but certain presence of individuals with intermediate characters, evidence of an active genetic continuity, legitimates us in choosing the subspecific rank, with exclusion of inferior ranks (var., subvar. etc.) to which we do not believe because

the lack of a convincing biological pattern of reference.

Prospero obtusifolia (Poir.) Speta subsp. *intermedia* (Guss.) Soldano & F. Conti
≡ *Scilla intermedia* Guss., *Ind. Sem. Hort. Boccad.*: 10. 1825.

Rubus pospichalii Soldano & F. Conti, **nom. nov.**

≡ *Rubus trifoliatius* Posp., *Fl. Österr. Küstenl.*, 2: 270. 1898., non Noronha, *Verh. Batav. Gen. V*, ed. I, art. IV.26. 1790.

Senecio gibbosus (Guss.) DC. subsp. *cineraria* (DC.) Peruzzi, N.G. Passal. & Soldano, **comb. nova**

≡ *Senecio cineraria* DC., *Prodr.* 6: 355. 1838.

≡ *Senecio cineraria* DC. subsp. *gibbosus* (Guss.) Peruzzi & N.G. Passal., *Inform. Bot. Ital.* 35 1): 18, **comb. inval.** (art. 11.4 of the ICBN).

Senecio gibbosus (Guss.) DC. subsp. *bicolor* (Willd.) Peruzzi, N.G. Passal. & Soldano, **comb. nova**

≡ *Cineraria bicolor* Willd., *Sp. Pl.* 3: 2085. 1803.

≡ *Senecio cineraria* subsp. *bicolor* (Willd.) Arcang., *Comp. Fl. Ital.*, II ed.: 672. 1894.

Silene vulgaris (Moench) Garcke subsp. *tenoreana* (Colla) Soldano & F. Conti, **comb. nova**

≡ *Silene tenoreana* Colla, *Herb. Ped.* 1: 328. 1833.

≡ *Silene cucubalus* subsp. *tenoreana* (Colla) A. Terracc., *Prodr. Flora Lucana*, 57. 1891.

= *Silene vulgaris* subsp. *angustifolia* Hayek, *Repert. Spec. Nov. Regni Veg. Beih.*, 30 (1): 256. 1924.

Sixalix atropurpurea (L.) Greuter & Burdet subsp. *grandiflora* (Scop.) Soldano & F. Conti, **comb. nova**

≡ *Scabiosa grandiflora* Scop., Delic. Fl. Fauna Insubr. 3: 29. 1788.

≡ *Scabiosa columbaria* subsp. *grandiflora* (Scop.) Jan, Elenchus 24 (1831).

= *Sixalix atropurpurea* (L.) Greuter & Burdet subsp. *maritima* (L.) Greuter & Burdet, Willdenowia 15: 76. 1985.

Note: the subspecific unit established by Jan are for the first time repropounded here; they originate from his note in the *Elenchus* (page 24) where the graphic symbol (a fraction mark) that indicates them is related to the varieties or, otherwise, the subspecies (“*varietas aut si mavis subspecies indicant*”). Therefore they must be considered valid according to the ICBN, art. 34.2.

Stipa aquilana Moraldo, **nom. nov.**

≡ *Stipa martinovskyi* Moraldo in Webbia 37 (1): 25. 1983. (non Klovov 1976).

Introduzione

Le opere generali sulla flora vascolare italiana sono relativamente poche; ricordiamo quelle di BERTOLONI (1833-54), PARLATORE (1848-1896), FIORI e PAOLETTI (1896-1909), FIORI (1923-1929), ZANGHERI (1976) e, più recentemente, di PIGNATTI (1982), ove i dati più aggiornati riportati si fermano al 1978. Dopo tale fondamentale lavoro, i contributi a scala regionale e locale sono fortunatamente progrediti molto, facendo nascere l'esigenza di un elenco che riportasse le conoscenze floristiche a scala nazionale e regionale secondo criteri di uniformità tassonomica e geografica.

E' proprio per soddisfare tale esigenza che è stata creata la "Banca dati della flora vascolare italiana", strumento informatico indispensabile per un'analisi della diversità floristica italiana. Per una descrizione dettagliata della struttura e dei contenuti della Banca dati si rimanda ad ABBATE *et al.* (2001).

Sinteticamente, i campi compilati per ciascun record censito comprendono: criticità tassonomica e/o nomenclaturale, distribuzione, endemicità, esoticità, categorie IUCN, status internazionale.

Ne consegue che, oltre alla valenza scientifica del lavoro, molteplici sono gli aspetti applicativi che possono derivare da una facile lettura delle informazioni contenute nella Banca dati per tutto il territorio italiano.

Per favorire il continuo aggiornamento della "Banca dati della flora vascolare italiana" è stata attivata una rubrica *Notulae* sulla rivista "Informatore Botanico Italiano", edita dalla Società Botanica Italiana. In tal modo sarà facilitata la pubblicazione di aggiornamenti successivi periodici della lista.

Criteri tassonomici adottati e organizzazione dell'opera

Nella lista sono riportate tutte le piante vascolari presenti in Italia, appartenenti ai seguenti ranghi tassonomici: genere, gruppo di specie, specie, *nototaxon* (vengono riportati solo i più diffusi), sottospecie. Il gruppo è un rango di tipo informale che viene utilizzato nell'accezione di macrospecie solo per pochi generi complessi (*Taraxacum* F.H. Wigg., *Sempervivum* L.), per i quali le informazioni a scala regionale possono essere molto disomogenee.

Nell'ambito del genere *Hieracium* L. è stata usata una "formula", posta dopo il nome completo, nel caso di specie considerate intermedie come, per esempio, *Hieracium burnatii* Arv.-Touv. ("*glaucum* > *tomentosum*").¹

La lista segue un ordine alfabetico dei generi all'interno delle tre categorie principali (*Pteridophyta*, *Gymnospermae* e *Angiospermae*), quindi dei gruppi e delle specie all'interno dei generi, delle sottospecie all'interno delle specie. Il simbolo s.l. (*sensu lato*) viene riportato solo per specie presenti, in Italia, con più di una sottospecie.

Le citazioni degli autori sono standardizzate secondo BRUMMITT & POWELL (1982).

Nella presente opera vengono riportate le entità² spontanee e le esotiche naturalizzate, riconosciute ad oggi presenti nelle 20

¹ Questo significa che *H. burnatii* morfologicamente è più simile a *H. glaucum* All. piuttosto che a *H. tomentosum* (L.) L. Poiché all'interno di questa lista le specie sono riportate in ordine alfabetico e non sistematico, l'aggiunta della formula può fornire ulteriori informazioni al lettore. Va comunque notato che, nella maggior parte dei casi, questa formula non significa che l'entità sia un ibrido, anche se molti autori usano la dizione "*H. x burnatii*" o "*x H. burnatii*". Solo poche specie intermedie all'interno del subgenere *Pilosella* sono realmente ibridi recenti, molti altri sono ibridi fissati appartenenti ad un'epoca evolutiva precedente.

² In questo lavoro il termine entità può riferirsi a: gruppo di specie, specie, *nototaxon* e sottospecie.

regioni amministrative, nei loro confini politici attuali; sono state escluse le esotiche occasionali (effimere) e le entità presenti solo come coltivate.

Le fonti principali d'informazione per la compilazione della lista sono state:

- le tre opere principali oggi più utilizzate in Italia, ovvero *Flora d'Italia* (PIGNATTI, 1982), *Med-Checklist* (GREUTER *et al.*, 1984, 1986, 1989), *Flora Europaea* (TUTIN *et al.*, 1968-1980, 1993);
- opere recenti di flora regionale (POLDINI, 1991, 2001; ANZALONE, 1996, 1998; BOVIO *et al.*, 2000; LUCCHESI, 1995, 1996; CONTI, 1998);
- la rubrica "Segnalazioni Floristiche Italiane", edita dall'Informatore Botanico Italiano;
- la ricca bibliografia floristica e tassonomica italiana, ad oggi pubblicata o in stampa, di cui si riporta solo una selezione nell'Appendice "Notes" e nella bibliografia.

Criteri geografici adottati e note esplicative

Come ricordato in precedenza, le unità geografiche di riferimento sono state le 20 regioni amministrative italiane, con i loro confini politici attuali.

L'aggiornamento dati più significativo in termini geografici ha riguardato:

- separazione dei dati relativi al Molise rispetto all'Abruzzo e di quelli relativi alla Valle d'Aosta rispetto al Piemonte (in *Flora d'Italia* di PIGNATTI erano infatti accorpati);
- accorpamento dei dati relativi al territorio di Trieste con il Friuli-Venezia Giulia, coerentemente con l'opera di POLDINI (1991, 2001);
- eliminazione dei dati relativi a Corsica, Istria, Arcipelago Maltese, Nizzardo e parte della Savoia, in quanto questi

territori non appartengono all'Italia. Alcuni dati relativi a comprensori di confine tra Piemonte e Francia restano ancora di dubbia attribuzione e dovranno essere verificati in campo.

Le 20 regioni vengono contraddistinte dalle seguenti sigle (Fig. 1):

ABR	Abruzzo
BAS	Basilicata
CAL	Calabria
CAM	Campania
EMR	Emilia-Romagna
FVG	Friuli-Venezia Giulia
LAZ	Lazio
LIG	Liguria
LOM	Lombardia
MAR	Marche
MOL	Molise
PIE	Piemonte
PUG	Puglia
SAR	Sardegna
SIC	Sicilia
TOS	Toscana
TAA	Trentino-Alto Adige
UMB	Umbria
VDA	Valle d'Aosta
VEN	Veneto




Fig.1 Le 20 regioni amministrative italiane

La distribuzione delle entità della lista viene data in forma di tabella, utilizzando i seguenti simboli:

- + presente
- segnalata in precedenza per errore
- ? presenza dubbia
- 0 non più ritrovata
- A esotica naturalizzata
- E endemica
- E? endemismo dubbio

Per le entità segnalate di recente possono ovviamente mancare dati di distribuzione completi ed aggiornati per tutte le regioni.

Data la particolarità del territorio italiano, abbiamo ritenuto opportuno evidenziare la categoria delle entità endemiche. L'indicazione di endemicità viene però riportata soltanto per le endemiche italiane e per quelle che interessano anche le principali isole del Mediterraneo (Corsica e Malta); per le entità endemiche dell'arco alpino e presenti anche al di fuori del territorio italiano non viene riportata l'indicazione di endemicità.

Al termine del libro vengono riportate due appendici:

1 – INDEX OF NAMES: per agevolare la ricerca dei nomi aggiornati e dei relativi dati distributivi, vengono riportati i basionimi, i nomi non più in uso e i nomi completi così come riportati in PIGNATTI (1982), GREUTER *et al.* (1984, 1986, 1989), TUTIN *et al.* (1968-1980, 1993). Per quanto riguarda i nomi estratti da queste ultime opere, si riportano soltanto le combinazioni specifiche ed infraspecifiche che differiscono da quelle presenti nella nostra lista (quando cioè due nomi completi differiscono tra loro solo per gli autori e si riferiscono ad una stessa entità, essi non vengono riportati).

2 – NOTES: vengono qui riportate indicazioni relative a questioni nomenclaturali, tassonomiche e fitogeografiche, nonché dati bibliografici.

Analisi dei dati

Sulla base dei nostri dati vengono segnalate per l'Italia 196 famiglie, 1267 generi, 6711 specie, 7634 entità, delle quali 136 *Pteridophyta*, 34 *Gymnospermae*, 7464 *Angiospermae*.

In Tabella 1 viene riportato il numero di entità presenti a livello regionale. Complessivamente, a livello nazionale, le entità endemiche sono 1024, mentre le esotiche naturalizzate sono 782.

REGIONI	Numero di entità
ABRUZZO	3232
BASILICATA	2636
CALABRIA	2629
CAMPANIA	2844
EMILIA-ROMAGNA	2726
FRIULI-VENEZIA GIULIA	3335
LAZIO	3228
LIGURIA	3131
LOMBARDIA	3220
MARCHE	2571
MOLISE	2412
PIEMONTE	3510
PUGLIA	2286
SARDEGNA	2407
SICILIA	3010
TOSCANA	3435
TRENTINO-ALTO ADIGE	2984
UMBRIA	2360
VALLE D'AOSTA	2174
VENETO	3295
ITALIA	7634

Tabella 1. Numero delle entità presenti in ognuna delle 20 regioni amministrative italiane.

Sebbene ancora oggi lo standard delle conoscenze floristiche vari da regione a regione, le regioni che mostrano la

maggior ricchezza floristica sono anche quelle con una maggiore complessità ambientale per quanto riguarda orografia, morfologia, litologia e bioclina; ricordiamo tra queste Piemonte (3510), Toscana (3435), Friuli-Venezia Giulia (3335), Veneto (3295), Abruzzo (3232), Lazio (3228) e Lombardia (3220).

Liste regionali delle entità esclusive, endemiche, protette ed esotiche naturalizzate

Relativamente alle 20 regioni amministrative, riteniamo particolarmente rilevante da un punto di vista scientifico e utile in termini applicativi riportare, per ciascuna regione, le liste relative alle seguenti entità:

- Entità esclusive: questo gruppo include le entità presenti in una sola regione, avendo escluso le esotiche naturalizzate, elencate separatamente; queste entità esclusive possono ovviamente avere diversa valenza geografica. Questo gruppo rappresenta la componente caratteristica di ciascuna regione, che va quindi opportunamente gestita ed eventualmente protetta, così come suggerito dalla versione 3.1 delle Categorie IUCN (IUCN, 2001).
- Entità endemiche: in questo gruppo vengono riportate le entità endemiche, così come definite in precedenza; queste entità rappresentano la componente floristica di maggior pregio di ciascuna regione.
- Entità protette: poiché la protezione della flora è delegata alle singole regioni o, in alcuni casi, alle singole province (vedi Piemonte o Trentino-Alto Adige), queste liste, oltre ad essere utili strumenti di gestione, possono costituire la base per un'ipotetica legge nazionale di protezione della flora. Bisogna comunque ricordare che

alcune regioni (Puglia, Sardegna, Sicilia), al momento, mancano del tutto di normative di protezione; altre regioni, invece, proteggono l'intera flora spontanea (Valle d'Aosta, Trentino-Alto Adige, Veneto) o, pur avendo una legge, mancano di una lista di riferimento (Marche).

- Entità esotiche naturalizzate: vengono qui elencate le entità esotiche naturalizzate a livello nazionale e/o regionale (es. *Cerastium tomentosum* L. in Friuli-Venezia Giulia). Sebbene queste liste siano fortemente influenzate dal livello delle conoscenze floristiche a scala regionale, abbiamo ritenuto comunque utile riportarle; è noto infatti che le esotiche sono un'espressione fedele dell'influenza dell'uomo sul territorio.

Novità nomenclaturali

(a cura di Adriano SOLDANO, Fabio CONTI, Enrico BANFI & Gabriele GALASSO)

***Agrostis monteluccii* (Selvi) Banfi comb. & stat. nov.**

≡ *Agrostis canina* L. subsp. *monteluccii* F. Selvi, Webbia 49 (1): 51-58, 1994.

Riteniamo che, allo stato attuale delle conoscenze, questa entità, descritta a rango infraspecifico in base all'ipotesi di una incompleta differenziazione fenotipica rispetto ad *A. canina*, meriti di essere elevata a specie. Si tratta, infatti, di un caso parallelo a quello di *Viola calaminaria* (DC.) Lej. rispetto a *V. saxatilis* F.W. Schmidt, in cui una ben definita pressione selettiva ha determinato la formazione di un ecotipo che, alla peculiare natura del suo adattamento fisio-ecologico unisce piccole ma evidenti innovazioni fenotipiche geneticamente fissate.

***Achillea barrelieri* Ten. subsp. *oxyloba* (DC.) F. Conti & Soldano, comb. & stat. nov.**

≡ *Achillea oxyloba* (DC.) Sch. Bip., Flora 38: 15. 1855.

≡ *Ptarmica oxyloba* DC., Prodr. 6: 20. 1838.

= *Anthemis alpina* L., Cent. Pl. II 31, no. 195. 1756.

***Aquilegia magellensis* F. Conti & Soldano, sp. nova**

Diagnosis: *Herba perennis, tota glandulosa puberula. Planta alta 20-45 cm. Folia biternata. Flores 30-40 mm per medium lati. Sepala patentia, elliptica, subacuta, 20-22 mm longa, 6-8 mm lata. Carpella 10-14 mm longa, stylis 7-9 mm longis.*

Holotypus: Valle di Selva Romana near Valle dell'Inferno, Pennapiedimonte (Chieti), calcareous cliffs, 1385 m, 42°07.632' 14°07.839', 01.08.2002, n. 1768, Conti (APP).

Erba perenne con base legnosa corta ed eretta. Fusti alti 20-45 cm, glandulosi pubescenti. Foglie basali biternate; foglioline sessili, solitamente 2.0-3.5, trilobate, glandulose pubescenti, verdi nella pagina superiore, glauche in quella inferiore. Foglie cauline poche, le superiori ridotte a brattee. Fiori larghi 3-4 cm, da 2 a 7 disposti in una pannocchia irregolare e aperta. Sepali 20-22 x 6-8 mm, ellittici, subacuti, da celesti a violetti. Nettarii rotondi fino a troncati, biancastri e blu chiaro fino a tutti blu chiaro. Stami uguali al lembo dei nettarii. Follicoli lunghi 10-14 mm (escluso il rostro), suberetti, glandulosi pubescenti, con vene trasversali prominenti, ristretti in un rostro sottile lungo 7-9 mm. Base del follicolo ampia. Semi c. 2.2-2.3 mm, ovoidali-triquetri, con un'ala unilaterale, lisci e neri.

Aquilegia magellensis Huter, Porta & Rigo, nom. nud., Exs. Itin. Ital. III (1877) n°513.

***Centaurea scannensis* Anzalone, Soldano & F. Conti, sp. nova**

Typus: Gole del Sagittario (Scanno) (Abruzzo), 20.08.1960, Anzalone (Herb. Anzalone in RO). Da descrizione in latino: Anzalone, Ann. Bot. (Roma) 27 (1): 52. 1961, *sub nomine* "*Centaurea dissecta* Ten. var. *scannensis* Anzalone", nom. inval. (art. 37, ICBN).

Centaurea scannensis (Anzalone) Pignatti, Giorn. Bot. Ital. 113: 367. 1979, comb. inval. (art. 37, ICBN).

***Cerastium pospichalii* Soldano & F. Conti, nom. nov.**

≡ *Cerastium spurium* Posp., Fl. Österr. Küstenl., 1: 443. 1879., non Biroli ex Colla, Herb. Ped. 1°: 367. 1833.

***Crepis bioniana* (Rchb.) Soldano & F. Conti, comb. nova**

≡ *Barkhausia bioniana* Rchb. in Mossler, Handb., ed 2, 2 : 1408. 1828.

≡ *Barkhausia purpurea* Biv., Stirp. Rar. Sic. Descr. 4: 22. 1816., non *Crepis purpurea* Bieb., Fl. Taur.-Cauc. 2: 255. 1808. Note: Fiori (Fl. Anal. Ital. 2: 833) trascrive, quale sinonimo di *Crepis vesicaria* var. *purpurea*, un nome, *Crepis bioniana* Rchb. ex Nyman (Consp. Fl. Europ., 1879), che non è mai stato formulato in quanto Nyman stabilì invece, nell'opera citata, *Crepis purpurea* var. *bioniana* (Rchb.) Nyman. *Crepis bioniana* non può quindi essere attribuita a Fiori in quanto questo binomio risulta indicato in sinonimia di altro taxon (art. 34.1c del Codice di nomenclatura).

***Dianthus busambræ* Soldano & F. Conti, nom. nov.**

≡ *Dianthus paniculatus* Lojac., Malpighia 20 : 188. 1906., non Gleditsch, Reise 1 : 68, 110. 1787.

***Emerus majus* Mill. subsp. *emeroides* (Boiss. & Spruner) Soldano & F. Conti, comb. & stat. nov.**

≡ *Coronilla emeroides* Boiss. & Spruner, Diagn. pl. orient. 2: 100. 1843.

≡ *Hippocrepis emerus* (L.) Lassen subsp. *emeroides* (Boiss. & Spruner) Greuter & Burdet ex Lassen in Svensk Bot. Tidskr. 82 (2): 86. 1989.

***Epipactis baumanniorum* Soldano & F. Conti, nom. nov.**

≡ *Epipactis gracilis* B. & H. Baumann, Mitt. Arbeitskr. Heim. Orch. Baden-Württemberg, 20(1): 26. 1988., non Eaton, Proc. Biol. Soc. Washington 21: 64. 1908.

***Filago tyrrhenica* Chrtek & Holub ex Soldano & F. Conti**

≡ *Evax rotundata* Moris, Atti terza Riun. Sci. Ital.: 481. 1841.

≡ *Filago tyrrhenica* Chrtek & Holub in Preslia 35: 3. 1963., invalid name.

Note: il nome di Chrtek & Holub è invalido (art. 33.2, ICBN) poichè in bibliografia la citazione di *Evax rotundata* è riportata a pagina 41 invece che a pagina 481.

***Helleborus bocconeii* Ten. subsp. *istriacus* (Schiffn.) Soldano & F. Conti, comb. nova**

≡ *Helleborus odoratus* Waldst. & Kit. ex Willd. var. *istriacus* Schiffn., Bot. Jahrb. Syst. 11: 114. 1890 (in Zanotti & Cristofolini: Engl. Bot. Jahrb. 11: 114. 1889).

≡ *Helleborus multifidus* subsp. *istriacus* (Schiffn.) Merxm. & Podlech in Feddes Repert. Spec. Nov. Regni Veg. 64: 5. 1961.

***Helleborus bocconeii* Ten. subsp. *multifidus* (Vis.) Soldano & F. Conti, comb. & stat. nov.**

≡ *Helleborus multifidus* Vis., Flora 12 (Ergänzungsbl. 1): 13. 1829. (in Zanotti & Cristofolini: Pl. Rar. Dalm. 1: 18. 1829).

= *Helleborus multifidus* Vis. subsp. *bocconeii* (Ten.) B. Mathew, comb. inval. (art. 11.4, ICBN).

***Homalotrichon* Banfi, Galasso & Bracchi gen. nov.**

Diagnosis: gramen perenne, caespitosum, foliorum basalium margine cartilagineo edenticulato et ligula truncato-dentata. Gluma inferior uninervis vel trinervis, lemmatis nervi marginem superiorem non adsequentes. Aristae pars inferior (columna) intorta, uniformiter spissa cum a latere inspectatur. Paleae carinae glabrae et leves, lodiculæ spissae, ad apicem breviter bidentatae, fere breviores ovario.

Diagnosi: perenne cespitosa; margine cartilagineo delle foglie basali liscio; foglie basali con ligula troncato-dentata; gluma inferiore a 1-3 nervi; lemma con nervi non raggiungenti il margine superiore; resta cilindrica, attortigliata, con colonna di spessore costante se osservata lateralmente; carene della palea lisce e glabre; lodicole spesse, con due dentelli all'apice, di norma più brevi dell'ovario.

Etimologia: dal greco *homalós* = uniforme e *thriks, trichós* = resta, in riferimento alla colonna di quest'ultima, che appare di spessore costante in profilo.

= *Avenastrum* (Koch) Opiz subgen. *Pubavenastrum* Vierh., Verh. Ges. Deutsch. Naturforscher. Äzte 85/2: 671. 1914.

= *Avenula* (Huds.) Dumort. subgen. *Pubavenastrum* (Vierh.) Holub, Preslia 11 (3): 294. 1976.

= *Helictotrichon* Besser subgen. *Pubavenastrum* (Vierh.) Holub, in Klášterský et al.: Philipp Maximilian Opiz und seine Bedeutung für Pflanzentaxonomie: 125. 1976.

Typus generis:

Homalotrichon pubescens (Huds.) Banfi, Galasso & Bracchi **comb. nov.**

= *Avena pubescens* Huds., Fl. Angl.: 42. 1762.

Infraspecific diversity:

Homalotrichon pubescens (Huds.) Banfi, Galasso & Bracchi subsp. ***pubescens***

= *Avenastrum pubescens* (Huds.) Opiz, Seznam, 20. 1852.

= *Avenochloa pubescens* (Huds.) Holub, Acta Hort. Bot. Prag. 84. 1962.

= *Avenula pubescens* (Huds.) Dumort., Bull. Soc. Bot. Belg. 7: 68. 1868, in adnot.

= *Helictotrichon pubescens* (Huds.) Pilger, Fedde, Repert. xlv. 6. 1938.

= ? *Avena insubrica* (Asch. & Graebn.) Dalla Torre & Sarnth., Fl. Tirol VI. II. 195. 1906.

= ? *Avena sesquiteria* L., Mant. Pl. : 34. 1767.

Homalotrichon pubescens (Huds.) Banfi, Galasso & Bracchi subsp. ***laevigatum*** (Schur) Banfi, Galasso & Bracchi **comb. nov.**

= *Avena laevigata* Schur, Oesterr. Bot. Zeitschr. 10: 72, 1860.

= *Avena pubescens* Huds. subsp. *laevigata* (Schur) Asch. & Graebn., Syn. Mitteleur. Fl. 2 (1): 245. 1899.

= *Avenastrum laevigatum* (Schur) Domin, Preslia xiii -xv.: 40. 1935.

= *Avenochloa pubescens* (Huds.) Holub subsp. *laevigata* (Schur) Soó, Feddes Repert. 85 (7-8): 436. 1974.

= *Avenula pubescens* (Huds.) Dumort. subsp. *laevigata* (Schur) Holub, Fol. Geobot. Phytotax. 11: 295. 1976.

= *Helictotrichon laevigatum* (Schur) Potztal, Bot. Jahrb. ENGLER, 75 : 330. 1951.

= *Helictotrichon pubescens* (Huds.) Pilger subsp. *laevigatum* (Schur) Soó, Feddes Repert. 83: 171. 1972.

= *Avena lucida* Bertol., Fl. Ital. 1: 701. 1835.

L'evidenza di una chiara indipendenza filogenetica (biosistemica) di *Helictotrichon* subgen. *Pubavenastrum* dai sottogeneri *Pratavenastrum* (= gen. *Avenula*), *Helictotrichon* e *Tricholemma* è stata dimostrata da Grebenstein *et al.* (Grebenstein B., Röser M., Sauer W. & Hemleben V., 1998. Pl. Syst. Evol., Wien, 213 (3-4): 233-250) e da Röser *et al.* (Röser M., Winterfeld G., Grebenstein B. & Hemleben V., 2001. Mol. Phylogenet. Evol., San Diego, 21 (2): 198-217), sulla base dei marcatori ITS del DNA ribosomale nucleare. Tale conclusione è in linea col pensiero di diversi autori, tra cui gli scriventi, riguardo al riconoscimento di un genere

indipendente per le entità del subgen. *Pubavenastrum*, quale si è scelto di effettuare in questa sede. Sfortunatamente nessuno dei nomi disponibili in letteratura sembra potersi utilizzare al rango di genere, essenzialmente a causa di illegittimità (Holub J., 1976. Folia Geobot. Phytotax., Praha, 11 (3): 281-300; -, 1977. Preslia, Praha, 49 (3): 203-221); per tale motivo si è scelto di procedere all'istituzione di *Homalotrichon* e delle relative combinazioni.

Hornungia pauciflora (W.D.J. Koch) Soldano, F. Conti, Banfi & Galasso, **comb. nova**

≡ *Capsella pauciflora* W.D.J. Koch in Röhling, Deutschl. Fl., ed. 3, 4: 523. 1833.

≡ *Hymenolobus procumbens* subsp. *pauciflorus* (W.D.J. Koch) Schinz & Thell. in Vierteljahrsschr. Naturf. Ges. Zürich, 66: 285. 1921.

Hornungia revelierei (Jord.) Soldano, F. Conti, Banfi & Galasso, **comb. nova**

≡ *Hutchinsia revelierei* Jord., Diagn. esp. nouv. 337. 1864.

≡ *Hymenolobus procumbens* subsp. *revelierei* (Jord.) Greuter & Burdet, Willdenowia 13: 93. 1983.

Kalmia procumbens (L.) Gift, Kron & Stevens ex Galasso, Banfi & F. Conti, **comb. nova**

≡ *Azalea procumbens* L. in Sp. Pl.: 151. 1753.

≡ *Loiseleuria procumbens* (L.) Desv., J. Bot. Agric., 1:35. 1813.

≡ *Kalmia procumbens* (L.) Gift, Kron & Stevens, in Kron, Judd, Stevens, Crayn, Anderberg, Gadek, Quinn & Luteyn, Bot. Rev., 68 (3): 409. 2002, **comb. inval.** (art. 33.2., ICBN).

Laserpitium siler L. subsp. *siculum* (Spreng.) Santangelo, F. Conti & Gubellini, **comb. & stat. nov.**

≡ *Laserpitium siculum* Spreng., Syst. Veg. I: 918. 1824.

≡ *Laserpitium garganicum* (Ten.) Bertol. subsp. *siculum* (Spreng.) Pignatti in Giorn. Bot. Ital. 111: 48. 1977.

Muscari kernerii (Marchesetti) Soldano, **comb. nova**

≡ *Botryanthus kernerii* Marchesetti in Boll. Soc. Adr. Sci. Nat. Trieste 7: 266. 1882.

Oncostema dimartinoi (Brullo & Pavone) F. Conti & Soldano, **comb. nova**

≡ *Scilla dimartinoi* Brullo & Pavone, Candollea 42 (2): 614. 1987.

Pancratium linosae Soldano & F. Conti, **nom. nov.**

≡ *Pancratium angustifolium* Lojac., Fl. Sic. 3: 82. 1909., non M. Roem., Syn. Mon., 4: 178. 1847.

Peucedanum carvifolium-chabraei (Crantz) Soldano, **comb. nova**

≡ *Selinum carvifolium-chabraei* Crantz, Inst. II, 126. 1766.

= *Peucedanum carvifolia* Vill., Prosp. 25. 1779, **nom. illeg.**

Note: finora si riteneva, specialmente sulla base di una nota di Briquet (Fl. Alp. Maritim., 4: 208), che il nome trascritto da Crantz "*Selinum carvifolium* CHABRAEI" fosse, nella forma *Selinum carvifolium*, un omonimo posteriore a *Selinum carvifolium* L. (1762) e che l'indicazione CHABRAEI fosse in realtà una citazione, avendo questo botanico prelinneano (Chabraeus) trattato di un *Carvifolium* in una delle sue opere e, dice Briquet, che "CHABRAEI" è separato dal nome specifico (alla fine della sinonimia) da un punto. Questo è

un riferimento che può valere per la successiva (1767), ed ampia descrizione della specie, dove, in fondo alle sinonimie appare *Carvifolia*. CHABRAEI. Ma nella descrizione originale, non citata da Briquet e non contemplata nell'Index kewensis (Grande la evidenziò in Bull. Orto Bot. Napoli, 5: 123) la pianta è trattata in modo molto breve: nome specifico, sette parole di descrizione, ed il rimando a "Austr. Stirp. Fasc. III *icon et descriptio*" che uscirà l'anno successivo. Che Crantz non volesse limitare il nome specifico alle prime due parole se ne ha prova appena sopra dove egli tratta di un'altra specie, il "*Selinum carvifolium* GMELINI" per cui il CHABRAEI e il GMELINI gli servivano per tenerle separate. Quindi, secondo le regole della nomenclatura, una lineetta deve riunire gli ultimi due termini del nome, cioè *carvifolium-chabraei*. Crantz scrive sempre in maiuscolo il nome di tutti gli autori che cita, compreso il suo.

Poa nemoralis L. subsp. *glaucantha* (Gaudin) Banfi **comb. nov.**

≡ *Poa glaucantha* Gaudin, *Alpina (Winterthür)* 3 : 36. 1808.

≡ *P. glauca* Vahl subsp. *glaucantha* (Gaudin) Lindman, *Svensk Fanerogamf.*: 98. 1926.

= *P. nemoralis* L. var. *caesia* Gaudin, *Comp. Fl. Germ.*, ed. 1, 1: 127. 1825.

Morfotipi di *P. nemoralis* vistosamente glauchi in ogni parte, incluse le spighe e mediamente più robusti del morfotipo nominale, si incontrano non di rado in ambito forestale su suolo povero (*Quercion robori-petraeae*). Congruenti, a nostro avviso, sul piano biosistemico e, quindi, tassonomico, essi presentano, sia pure occasionalmente, forme di passaggio al morfotipo nominale, testimoni di un flusso genico continuo all'interno della specie. Ragione, questa,

sufficiente per la scelta del rango sottospecifico e per l'esclusione di inutili ranghi inferiori (varietale, subvarietale ecc.), spesso arbitrariamente inflazionati e ai quali non crediamo per l'attuale assenza di un convincente modello biologico di riferimento.

Prospero obtusifolia (Poir.) Speta subsp. *intermedia* (Guss.) Soldano & F. Conti
≡ *Scilla intermedia* Guss., Ind. Sem. Hort. Boccad.: 10. 1825.

Rubus pospichalii Soldano & F. Conti, **nom. nov.**

≡ *Rubus trifolius* Posp., Fl. Österr. Küstenl., 2: 270. 1898., non Noronha, Verh. Batav. Gen. V, ed. I, art. IV.26. 1790.

Senecio gibbosus (Guss.) DC. subsp. *cineraria* (DC.) Peruzzi, N.G. Passal. & Soldano, **comb. nova**

≡ *Senecio cineraria* DC., Prodr. 6: 355. 1838.

≡ *Senecio cineraria* DC. subsp. *gibbosus* (Guss.) Peruzzi & N.G. Passal., Inform. Bot. Ital. 35 1): 18, comb. inval. (art. 11., ICBN).

Senecio gibbosus (Guss.) DC. subsp. *bicolor* (Willd.) Peruzzi, N.G. Passal. & Soldano, **comb. nova**

≡ *Cineraria bicolor* Willd., Sp. Pl. 3: 2085. 1803.

≡ *Senecio cineraria* subsp. *bicolor* (Willd.) Arcang., Comp. Fl. Ital., II ed.: 672. 1894.

Silene vulgaris (Moench) Garcke subsp. *tenoreana* (Colla) Soldano & F. Conti, **comb. nova**

≡ *Silene tenoreana* Colla, Herb. Ped. 1: 328. 1833.

≡ *Silene cucubalus* subsp. *tenoreana* (Colla) A. Terracc., Prodr. Flora Lucana, 57. 1891.

= *Silene vulgaris* subsp. *angustifolia*
Hayek, Repert. Spec. Nov. Regni Veg.
Beih., 30 (1): 256. 1924.

***Sixalix atropurpurea* (L.) Greuter &
Burdet subsp. *grandiflora* (Scop.)
Soldano & F. Conti, **comb. nova**
≡ *Scabiosa grandiflora* Scop., Delic. Fl.
Fauna Insubr. 3: 29. 1788.
≡ *Scabiosa columbaria* subsp.
grandiflora (Scop.) Jan, Elenchus 24
(1831).**

= *Sixalix atropurpurea* (L.) Greuter &
Burdet subsp. *maritima* (L.) Greuter &
Burdet, Willdenowia 15: 76. 1985.

Note: le sottospecifiche stabilite da Jan
vengono qui per la prima volta
riproposte; conseguono dalla sua
annotazione nell'*Elenchus* (pag. 24) ove
il segno grafico con il quale sono
indicate (una frazione) concerne le
varietà o, alternativamente, le
sottospecie (“*varietas aut si mavis
subspecies indicant*”). Queste entità sono
quindi valide (art. 34.2, ICBN).

Stipa aquilana* Moraldo, **nom. nov.*

≡ *Stipa martinovskyi* Moraldo in Webbia
37 (1): 25. 1983. (non Klokov 1976).

PTERIDOPHYTA

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Adiantum capillus-veneris</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anogramma leptophylla</i> (L.) Link	+	+	+	+	+		+		+	0		+		+	+	+	+	+	+	+
<i>Asplenium adiantum-nigrum</i> L. subsp. <i>adiantum-nigrum</i> ⁽¹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	-	+	+	-
<i>Asplenium adulterinum</i> Milde s.l.	+	+	+				+	+												
<i>Asplenium adulterinum</i> Milde subsp. <i>adulterinum</i>	+	+	-				+	+												
<i>Asplenium adulterinum</i> Milde subsp. <i>presolanense</i> Mokry, Rasbach & Reichst.			+																	
<i>Asplenium balearicum</i> Shivas								+			+								+	+
<i>Asplenium cuneifolium</i> Viv. subsp. <i>cuneifolium</i>	+	+	+		+		+	+	+				?							
<i>Asplenium fissum</i> Kit. ex Willd.		+		?	+	+	+		+	+	?	+	+	+	+	+	+	+		
<i>Asplenium fontanum</i> (L.) Bernh. subsp. <i>fontanum</i>	+	+	+				+	+	+				?							
<i>Asplenium foreziense</i> Legrand ex Magnier	+	+	-		+		+	+												+
<i>Asplenium lepidum</i> C. Presl subsp. <i>lepidum</i>		?	+	+	+	+				+		+	+		+		+	+	?	
<i>Asplenium marinum</i> L.								+			+					+			+	+
<i>Asplenium obovatum</i> Viv. s.l.		?	0				+		+		+	?			+		+	+	+	+
<i>Asplenium obovatum</i> Viv. subsp. <i>lanceolatum</i> (Fiori) P. Silva			0				+		+		+				0			?	+	+
<i>Asplenium obovatum</i> Viv. subsp. <i>obovatum</i>		?					+		+		+	?			+		+	+	+	+
<i>Asplenium onopteris</i> L.		+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asplenium petrarchae</i> (Guérin) DC. subsp. <i>petrarchae</i>							+					+			+		+	+	+	+
<i>Asplenium ruta-muraria</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asplenium ruta-muraria</i> L. subsp. <i>dolomiticum</i> Lovis & Reichst. ⁽²⁾		+	+	+	+	+	+		+		?		?		?					
<i>Asplenium ruta-muraria</i> L. subsp. <i>ruta-muraria</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asplenium seelosii</i> Leyb. subsp. <i>seelosii</i>			+	+	+	+														
<i>Asplenium septentrionale</i> (L.) Hoffm. subsp. <i>septentrionale</i>	+	+	+	+	+	+	+	+	+	0					0		+	+	+	+
<i>Asplenium trichomanes</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asplenium trichomanes</i> L. subsp. <i>inexpectans</i> Lovis		?			+		+					+								
<i>Asplenium trichomanes</i> L. subsp. <i>pachyrachis</i> (Christ) Lovis & Reichst.		+	+	+	?	?				+		?		?					+	
<i>Asplenium trichomanes</i> L. subsp. <i>quadrialens</i> D.E. Mey.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asplenium trichomanes</i> L. subsp. <i>trichomanes</i>	+	+	+	+	+	?	+	+	+	?	?	?		?	+			?	+	
<i>Asplenium viride</i> Huds.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Athyrium distentifolium</i> Tausch ex Opiz	+	+	+	+	+	+	+	+	+											
<i>Athyrium filix-femina</i> (L.) Roth	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Azolla filiculoides</i> Lam. ⁽³⁾		+	+		+	+A		+	+		+A	+			+	+		+A	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Diphasiastrum complanatum</i> (L.) Holub		+	+	+	+	+	+		+				?							
<i>Diphasiastrum issleri</i> (Rouy) Holub		+	+	+																
<i>Diphasiastrum oellgaardii</i> Stoor, Boudrie, Jérôme, Horn & Bennert		+		+																
<i>Diphasiastrum tristachyum</i> (Pursh) Holub		+	+	0	+	-	0	0	+			?								
<i>Diphasiastrum zeilleri</i> (Rouy) Holub		+																		
<i>Dryopteris affinis</i> (Lowe) Fraser-Jenk. s.l.	+	+	+	+	+	+	+	+	+	+	?	+	+		+	+		+	+	+
<i>Dryopteris affinis</i> (Lowe) Fraser-Jenk. subsp. <i>affinis</i>		+	+				+		+			?						+	+	?
<i>Dryopteris affinis</i> (Lowe) Fraser-Jenk. subsp. <i>borreri</i> (Newman) Fraser-Jenk.	?	+	+	+	+	+	+	+	+	+	?	+	?			+		+	+	
<i>Dryopteris affinis</i> (Lowe) Fraser-Jenk. subsp. <i>cambrensis</i> Fraser-Jenk.	+	+	+	+	+	+	+	+	+	+		+						?		+
<i>Dryopteris carthusiana</i> (Vill.) H.P. Fuchs	+	+	+	+	+	+	+	+	+	?	?						-	-		
<i>Dryopteris cristata</i> (L.) A. Gray		?	?		?	+														
<i>Dryopteris dilatata</i> (Hoffm.) A. Gray	+	+	+	+	+	+	+	+	+	?		+	+		+			+		
<i>Dryopteris expansa</i> (C. Presl) Fraser-Jenk. & Jermy	+	+	+	+	+	+	+	+	+											
<i>Dryopteris filix-mas</i> (L.) Schott	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?
<i>Dryopteris oreades</i> Fomin							+	+	+											+
<i>Dryopteris pallida</i> (Bory) Maire & Petitm. subsp. <i>pallida</i>		-							-			+	+	+	+	+	+	+	+	+
<i>Dryopteris remota</i> (A. Braun ex Döll) Druce		+	+	+	+	+														
<i>Dryopteris submontana</i> (Fraser-Jenk. & Jermy) Fraser-Jenk.		+			+		+		+	+		+								
<i>Dryopteris tyrrhena</i> Fraser-Jenk. & Reichst.							+		+											+
<i>Dryopteris villarii</i> (Bellardi) Woy. ex Thell. subsp. <i>villarii</i>	+	+	+	+	+	+	+		+	?	?	+	+	+	+	+	-	-	-	-
<i>Equisetum arvense</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Equisetum arvense</i> L. subsp. <i>arvense</i>	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Equisetum arvense</i> L. subsp. <i>boreale</i> (Bong.) Tolm.				+																
<i>Equisetum fluviatile</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
<i>Equisetum hyemale</i> L.	+	+	+	+	+	+	+	+	+		?	?	+		+	+	-	?		
<i>Equisetum palustre</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Equisetum pratense</i> Ehrh.		?	+	+	+	-														
<i>Equisetum ramosissimum</i> Desf.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Equisetum sylvaticum</i> L.	+	+	+	+	+	+		+												
<i>Equisetum telmateia</i> Ehrh.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Equisetum variegatum</i> Schleich. ex Weber & D. Mohr	+	+	+	+	+	+			-			+	+		?					
<i>Gymnocarpium dryopteris</i> (L.) Newman	+	+	+	+	+	+	+	+	+	+	?	+	+	+		?				
<i>Gymnocarpium robertianum</i> (Hoffm.) Newman	+	+	+	+	+	+	+	+	+	+		+	+	+						
<i>Huperzia selago</i> (L.) Bernh. ex Schrank & Mart. subsp. <i>selago</i>	+	+	+	+	+	+	+	+	+	+		?								
<i>Hymenophyllum tunbrigense</i> (L.) Sowerby									+	-										
<i>Isoetes duriei</i> Bory						+		+				+		?	+	0		+	+	+
<i>Isoetes echinospora</i> Durieu		?	+	?																
<i>Isoetes histrix</i> Bory					0			+			+	+			+	+		+	+	+
<i>Isoetes lacustris</i> L.		?	-																	
E <i>Isoetes malinverniana</i> Ces. & De Not.		+	+																	
<i>Isoetes subinermis</i> (Durieu) Cesca & Peruzzi																		+	+	
<i>Isoetes velata</i> A. Braun s.l.								+			+								+	+
<i>Isoetes velata</i> A. Braun subsp. <i>dubia</i> (Gennari) Batt. & Trab. ⁽⁴⁾																				?
<i>Isoetes velata</i> A. Braun subsp. <i>tegulensis</i> Batt. & Trab.																			?	+
<i>Isoetes velata</i> A. Braun subsp. <i>velata</i>									+		+								+	+
<i>Lycopodiella inundata</i> (L.) Holub		+	+	+	+	+	+													
<i>Lycopodium annotinum</i> L. subsp. <i>annotinum</i>	+	+	+	+	+	+	+	+	+											
<i>Lycopodium clavatum</i> L. ⁽⁵⁾	0	+	+	+	+	+	+	+	+	0		0								
<i>Marsilea quadrifolia</i> L.		+	+	+	+	-		+	+			0			0					0
<i>Marsilea strigosa</i> Willd.																0	+			+
<i>Matteuccia struthiopteris</i> (L.) Tod.	+	+	+	+	+	+	+	+											-	
<i>Nephrolepis cordifolia</i> C. Presl							+A	+A												
<i>Notholaena marantae</i> (L.) Desv. subsp. <i>marantae</i>	+	+	+	+	+			+	+									+		
<i>Ophioglossum azoricum</i> C. Presl									+											
<i>Ophioglossum lusitanicum</i> L.									+			+			+	+		+	+	+
<i>Ophioglossum vulgatum</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+		?	?	+	+
<i>Oreopteris limbosperma</i> (All.) Holub	+	+	+	+	+	+	+	+	+			0	0						?	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Osmunda regalis</i> L.	0	+	+	?	+	0	+	+	+	?		+	0	0				+	+	+
<i>Phegopteris connectilis</i> (Michx.) Watt	+	+	+	?	+	+	+	+	+											
<i>Phyllitis sagittata</i> (DC.) Guinea & Heywood					-	-	0	+				+			+	+		?	+	+
<i>Phyllitis scolopendrium</i> (L.) Newman subsp. <i>scolopendrium</i>	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pilularia globulifera</i> L.		?	0		-	0				0		?	?			+				
<i>Pilularia minuta</i> Durieu ex A. Braun												?							0	+
<i>Polypodium cambricum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polypodium interjectum</i> Shivas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Polypodium vulgare</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	?	
<i>Polystichum aculeatum</i> (L.) Roth	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polystichum braunii</i> (Spenn.) Fée	+	+	+	+	+	+	+													
<i>Polystichum lonchitis</i> (L.) Roth	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polystichum setiferum</i> (Forssk.) T. Moore ex Woyn.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pteridium aquilinum</i> (L.) Kuhn subsp. <i>aquilinum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pteris cretica</i> L.		?	+		+		+		+			+	0		+			+	+	-
<i>Pteris multifida</i> Poir. ⁽⁶⁾							+A	+A												
<i>Pteris vittata</i> L.		?					+A	+A				+A			+			+	+	
<i>Salvinia molesta</i> D.S. Mitch. ⁽⁷⁾									+A			+A								
<i>Salvinia natans</i> (L.) All.		+	+	0	+	0		+	+	-	+	+	0		-			-		
<i>Selaginella denticulata</i> (L.) Spring							+		+	+		+	+	+	+	+	+	+	+	+
<i>Selaginella helvetica</i> (L.) Spring	+	+	+	+	+	+	+													
<i>Selaginella selaginoides</i> (L.) P. Beauv. ex Schrank & Mart.	+	+	+	+	+	+	?	+												
<i>Thelypteris palustris</i> Schott	+	+	+	+	+	+	+	+	+	0	+	+	+	+		+	+			
<i>Vandenboschia speciosa</i> (Willd.) G. Kunkel							+		+											
<i>Woodsia alpina</i> (Bolton) Gray	+	+	+	+	+	+	+	+	+				0							
<i>Woodsia ilvensis</i> (L.) R. Br.				+	+															
<i>Woodsia pulchella</i> Bertol.		+	+	+	+	+														
<i>Woodwardia radicans</i> (L.) Sm.															+			+	+	

GYMNOSPERMAE

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	<i>Abies alba</i> Mill.	+	+	+	+	+	+	+	+	+	+	+A	+A	+	+	+	-	+	+	+A	
E	<i>Abies nebrodensis</i> (Lojac.) Mattei																			+	
	<i>Cupressus sempervirens</i> L.		?A	+A			+A		+A	+A		+A	+A	+A	+A	+A		+A	+A	+A	+A
	<i>Ephedra distachya</i> L. subsp. <i>distachya</i>																+	+	+	+	+
	<i>Ephedra foeminea</i> Forssk.																+				
	<i>Ephedra fragilis</i> Desf.																		-	+	
	<i>Ephedra helvetica</i> C.A. Mey. ⁽⁸⁾	+	+		+																
	<i>Ephedra nebrodensis</i> Guss. subsp. <i>nebrodensis</i>										+	+		+			+	+	+	+	+
	<i>Ephedra negrii</i> J. Nouviant ⁽⁹⁾	+	+																		
	<i>Juniperus communis</i> L. ⁽¹⁰⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Juniperus oxycedrus</i> L. s.l.		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Juniperus oxycedrus</i> L. subsp. <i>macrocarpa</i> (Sibth. & Sm.) Neilr.		+			+			+	+		+	+	+	+	+	+	+	+	+	+
	<i>Juniperus oxycedrus</i> L. subsp. <i>oxycedrus</i>			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+
	<i>Juniperus phoenicea</i> L. s.l.		+				+		+				+			+	+	+	+	+	+
	<i>Juniperus phoenicea</i> L. subsp. <i>phoenicea</i>							+		+						+	+			+	+
	<i>Juniperus phoenicea</i> L. subsp. <i>turbinata</i> (Guss.) Nyman																+	+	+	+	+
	<i>Juniperus sabina</i> L. ⁽¹¹⁾	+	+	+	+	+	+	+			0		+	+	+			+	+		
	<i>Juniperus thurifera</i> L.		+					+A													
	<i>Larix decidua</i> Mill. ⁽¹²⁾	+	+	+	+	+	+	+	+	+		+A									
	<i>Picea abies</i> (L.) H. Karst. ⁽¹³⁾	+	+	+	+	+	+	+	+	+		+A									
	<i>Picea obovata</i> Ledeb.						?														
	<i>Pinus brutia</i> Ten.						+A												?		
	<i>Pinus cembra</i> L.	+	+	+	+	+	+A	?		?A											
	<i>Pinus halepensis</i> Mill.				+A		+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Pinus leucodermis</i> Antoine																-		+	+	
	<i>Pinus mugo</i> Turra s.l. ⁽¹⁴⁾	+	+	+	+	+	+	+	+	+			+	+		+					
	<i>Pinus mugo</i> Turra subsp. <i>mugo</i>	-	+	+	+	+	+	+		+			+	+		+					
	<i>Pinus mugo</i> Turra subsp. <i>rotundata</i> (Link) Janch. & H. Neumayer ⁽¹⁵⁾	?		+																	
	<i>Pinus mugo</i> Turra subsp. <i>uncinata</i> (Ramond ex DC.) Domin	+	+	+	+			+	+												
	<i>Pinus nigra</i> J.F. Arnold s.l.		?A		+A	+	+	+A	+A	+	+A	+A	+	+	+	+			+	+	
	<i>Pinus nigra</i> J.F. Arnold subsp. <i>laricio</i> Maire ⁽¹⁶⁾						+A			+									+	+	
	<i>Pinus nigra</i> J.F. Arnold subsp. <i>nigra</i>		?A		+A	+	+	+A	+A	+	+A	+A	+	+	+	+					
	<i>Pinus pinaster</i> Aiton s.l.		+A				+A	+	+A	+		+A	+	+A	+A	+A	+A			+	+
	<i>Pinus pinaster</i> Aiton subsp. <i>escarena</i> (Risso) K. Richt.							+												+	
	<i>Pinus pinaster</i> Aiton subsp. <i>pinaster</i>		+A				+A	+	+A	+		+A	+	+A	+A	+A	+A			+	+
	<i>Pinus pinea</i> L.					-	+A	+	+A	+		+A	+A	+A	+	+A	-	+A	-	+	+
	<i>Pinus strobus</i> L.		+A			+A				+A											
	<i>Pinus sylvestris</i> L. ⁽¹⁷⁾	+	+	+	+	+	+	+	+	+											
	<i>Taxus baccata</i> L.	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

ANGIOSPERMAE

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Abutilon theophrasti</i> Medik.		+A	+	+																
<i>Acacia dealbata</i> Link						+A	+A		+A			+A			+A			+A	+	+
<i>Acacia karroo</i> Hayne																		+A	+A	+A
<i>Acacia longifolia</i> (Andrews) Willd.					?A		+A													+A
<i>Acacia melanoxylon</i> R. Br.																				+A
<i>Acacia pycnantha</i> Benth.																				+A
<i>Acacia retinoides</i> Schlttdl.																				+A
<i>Acacia saligna</i> (Labill.) H.L.Wendl.							+A		+A					+A				+A	+A	+A
<i>Acalypha australis</i> L. ⁽¹⁸⁾				+A			+A													
<i>Acalypha virginica</i> L.			+A	+A	+A	+A	+A	+A								+A				
<i>Acanthus mollis</i> L. subsp. <i>mollis</i>			+			+A	+		+	+A	+	+A	+A	+A	+A	+	+	+	+	+
<i>Acanthus spinosus</i> L.					-				?A				-	+A	0	+	+			
<i>Acer campestre</i> L. ⁽¹⁹⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Acer cappadocicum</i> Gled. subsp. <i>lobelii</i> (Ten.) Murray ⁽²⁰⁾												+	+	+	+		+	+		
<i>Acer monspessulanum</i> L. subsp. <i>monspessulanum</i>				+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Acer negundo</i> L.			+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A					+A
<i>Acer opalus</i> Mill. s.l.			+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Acer opalus</i> Mill. subsp. <i>obtusatum</i> (Waldst. & Kit. ex Willd.) Gams ⁽²¹⁾			-			+		+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Acer opalus</i> Mill. subsp. <i>opalus</i>			+	+			+	+	+	+										
<i>Acer platanoides</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Acer pseudoplatanus</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A
<i>Achillea ageratum</i> L.				?			+	+	+	+	+	+	+	+	0	+				+
<i>Achillea atrata</i> L.		?	+	+	+	+	+													
<i>Achillea barrelieri</i> Ten. s.l.				+	+	+	+				+	+	+	+	+		+	+		
E <i>Achillea barrelieri</i> Ten. subsp. <i>barrelieri</i>											+	+	+	+	+					
E <i>Achillea barrelieri</i> Ten. subsp. <i>mucronulata</i> (Bertol.) Heimerl											+	+	+	+	?	+		+	+	
<i>Achillea barrelieri</i> Ten. subsp. <i>oxyloba</i> (DC.) F. Conti & Soldano				+	+	+	+													
<i>Achillea clavennae</i> L.				+	+	+	+													
<i>Achillea collina</i> Becker ex Rchb.		+	+	+	-	+	+	+	+	?	+	+	+	+	+	+	+	+	?	+
<i>Achillea distans</i> Waldst. & Kit. ex Willd. s.l.		0	?	+	+	+	+	0		+										
<i>Achillea distans</i> Waldst. & Kit. ex Willd. subsp. <i>distans</i>		0		+	+	+														
<i>Achillea distans</i> Waldst. & Kit. ex Willd. subsp. <i>tanacetifolia</i> Janch.		0			+				+											
<i>Achillea erba-rotta</i> All.		+	+				0													
<i>Achillea ligustica</i> All.					+		+		+			+	0	+	+	+	+	+	+	+
<i>Achillea macrophylla</i> L.		+	+	+	+	+	+	+	+											
<i>Achillea millefolium</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Achillea millefolium</i> L. subsp. <i>millefolium</i>		+	+	+	+	+	+	+		+	+	+	+	+						
<i>Achillea millefolium</i> L. subsp. <i>sudetica</i> (Opiz) Weiss			?	+	+	+	+													
<i>Achillea moschata</i> Wulfen subsp. <i>moschata</i>		+	+	+	+	+	+													
<i>Achillea nana</i> L.		+	+	+	+	+	-						?							
<i>Achillea nobilis</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+		?			
<i>Achillea nobilis</i> L. subsp. <i>neilreichii</i> (A. Kern.) Velen.													+				?			
<i>Achillea nobilis</i> L. subsp. <i>nobilis</i>		+		+				+		+	+						?			
<i>Achillea pannonica</i> Scheele				?		+														
<i>Achillea pratensis</i> Saukel & Länger ⁽²²⁾					+															
<i>Achillea ptarmica</i> L.		+	+	-	0	+	+	0	+											
<i>Achillea roseoalba</i> Ehrend.		0	+	+	?	+	+	+	+											
E <i>Achillea rupestris</i> Huter, Porta & Rigo s.l.																	+	+		
E <i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>calcareae</i> (Huter, Porta & Rigo) Greuter																		+	+	
E <i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>rupestris</i>																	-	+		
<i>Achillea setacea</i> Waldst. & Kit. subsp. <i>setacea</i>		+	+	+	-	+	+	+		+	+	+	+	+	+		+			
<i>Achillea stricta</i> (W.D.J. Koch) Schleich. ex Gremli		0	+	+	+	+	+	+	+	?	?	+	+							
E <i>Achillea tenorii</i> Grande											+	+	+	+	+	+	+	+	+	
<i>Achillea tomentosa</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	?						
<i>Achillea virescens</i> (Fenzl) Heimerl			?		+	+	+						?							
<i>Achnatherum bromoides</i> (L.) P. Beauv. ⁽²³⁾			?		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Achnatherum calamagrostis</i> (L.) P. Beauv.		+	+	+	+	+	+	+	+	0		?	+		+	+	+	+	+	
<i>Achnatherum caudatum</i> (Trin.) S.W.L. Jacobs & Everett												+A								

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Achyranthes aspera</i> L.																			+A	+A
<i>Achyranthes sicula</i> (L.) All.																		+	+	+
<i>Acinos alpinus</i> (L.) Moench s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Acinos alpinus</i> (L.) Moench subsp. <i>alpinus</i>	+	+	+	+	+	+	+	+	+	+	?	+	+		+					
<i>Acinos alpinus</i> (L.) Moench subsp. <i>meridionalis</i> (Nyman) P.W. Ball									+		+	+	+		+		+	+	+	
<i>Acinos arvensis</i> (Lam.) Dandy s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Acinos arvensis</i> (Lam.) Dandy subsp. <i>arvensis</i>		+	+	+				+			+		+							
<i>Acinos arvensis</i> (Lam.) Dandy subsp. <i>villosus</i> (Gaudin) Soják						+														
<i>Acinos rotundifolius</i> Pers.														+						
E <i>Acinos sardous</i> (Asch. & Levier) Arrigoni																				+
<i>Acinos suaveolens</i> (Sm.) Loudon												?	+		+	+	+			
<i>Aconitum angustifolium</i> Rchb.						+														
<i>Aconitum anthora</i> L.	+	+	+	+	+	+	+													
<i>Aconitum burnatii</i> Gáyer subsp. <i>burnatii</i>		+					+													
<i>Aconitum degeni</i> Gáyer s.l.	+	+	+	+	+	+	+													
<i>Aconitum degeni</i> Gáyer subsp. <i>paniculatum</i> (Arcang.) Mucher	?	+	+	+	+	+	+													
<i>Aconitum degeni</i> Gáyer subsp. <i>valesiacum</i> (Gáyer) Mucher	+	?																		
<i>Aconitum lupicida</i> Rchb.				+	+	+														
<i>Aconitum lycoctonum</i> L. emend. Koelle ⁽²⁴⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Aconitum napellus</i> L. emend. Skalický ⁽²⁵⁾	?	+	+	+	+		+													
<i>Aconitum tauricum</i> Wulfen			+	+	+	+														
<i>Aconitum variegatum</i> L. s.l.	+	+	+	+	+	+	+	+	+											
<i>Aconitum variegatum</i> L. subsp. <i>nasutum</i> (Fisch ex Rchb.) Götz	?	+	+	+		+	+	+	+											
<i>Aconitum variegatum</i> L. subsp. <i>variegatum</i>	+	+	+																	
<i>Aconogonon alpinum</i> (All.) Schur							+	+	+											
<i>Aconogonon polystachyum</i> (Wall. ex Meisn.) Small		+																		
<i>Acorus calamus</i> L.			+A		+A		+A					?A				?A				
<i>Actaea spicata</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
E <i>Adenocarpus bivonii</i> (C. Presl) C. Presl.					+				-											+
E <i>Adenocarpus brutius</i> Brullo, De Marco & Siracusa																		+		
E <i>Adenocarpus commutatus</i> Guss.																		-	+	
E <i>Adenocarpus samniticus</i> Brullo, De Marco & Siracusa									+		+									
<i>Adenophora liliifolia</i> (L.) A. DC.		+	+	+	+	+														
<i>Adenostyles alliariae</i> (Gouan) A. Kern. s.l.	+	+	+	+	+	+	+								+		?	+	+	
<i>Adenostyles alliariae</i> (Gouan) A. Kern. subsp. <i>alliariae</i>	+	+	+	+	+	+	+								+		?			
<i>Adenostyles alliariae</i> (Gouan) A. Kern. subsp. E <i>macrocephala</i> (Huter, Porta & Rigo) Wagenitz & I. Müll.																		+	+	
<i>Adenostyles glabra</i> (Mill.) DC. s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?
<i>Adenostyles glabra</i> (Mill.) DC. subsp. <i>glabra</i> ⁽²⁶⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
E <i>Adenostyles glabra</i> (Mill.) DC. subsp. <i>nebrodensis</i> (Strobl) Wagenitz & I. Müll.																				?
<i>Adenostyles leucophylla</i> (Willd.) Rchb.	+	+	+	+			0													
<i>Adonis aestivalis</i> L. s.l.	+	+	+	+	+	+	0	+	+	0	?		+	+	0					+
<i>Adonis aestivalis</i> L. subsp. <i>aestivalis</i>	+	+	+	+	+	+	0	+	?		?		+	+						
<i>Adonis aestivalis</i> L. subsp. <i>squarrosa</i> (Steven) Nyman	0	+	+	+	+	?	?								0					+
<i>Adonis annua</i> L. ⁽²⁷⁾	0	?	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Adonis distorta</i> Ten.									+	+	+	+								
<i>Adonis flammea</i> Jacq. s.l.	+	+	+	+	+	+	0	+		+	+	+	+	+	+	+				
<i>Adonis flammea</i> Jacq. subsp. <i>cortiana</i> (Jacq.) C.H. Steinb.										+		+	+	+						
<i>Adonis flammea</i> Jacq. subsp. <i>flammea</i>	+	+	+	+	+	+	0	+		+	+	+	+	+	+	+				
<i>Adonis microcarpa</i> DC. subsp. <i>microcarpa</i>		+				?		+				+			+	+	+	+	+	+
<i>Adonis vernalis</i> L.						-							+							
<i>Adoxa moschatellina</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
E <i>Adoxa moschatellina</i> L. subsp. <i>cescae</i> Peruzzi & N.G. Passal.																		+		
<i>Adoxa moschatellina</i> L. subsp. <i>moschatellina</i>	+	+	+	+	+	+	+	+	+	+	+	+		+	+		+	+		
<i>Aegialophila pumilio</i> (L.) Boiss.																+				
<i>Aegopodium podagraria</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR					
<i>Aeluropus lagopoides</i> (L.) Trin.																			+	+					
<i>Aeluropus littoralis</i> (Gouan) Parl.					+	+		+	+	+		+	0	+	+	+	+	?	+	+					
<i>Aeonium arboreum</i> (L.) Webb & Berthel. ⁽²⁸⁾								+	A				?A		+	A			+	+					
<i>Aeonium decorum</i> Webb ex Bolle ⁽²⁹⁾															+	A			+	+					
<i>Aeonium haworthii</i> Salm-Dyck ex Webb & Berth.															+	A									
<i>Aeonium simsii</i> (Sweet) Stearn ⁽³⁰⁾																			+	+					
<i>Aesculus carnea</i> Hayne						+	A																		
<i>Aesculus hippocastanum</i> L.			+	A		+	A	+	A	+	+	+	+	+	+	A		+	A	+	+	+	+	+	+
<i>Aethionema saxatile</i> (L.) R. Br. s.l.		?	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aethionema saxatile</i> (L.) R. Br. subsp. <i>ovalifolium</i> (DC.) Nymn			+																	+	+				
<i>Aethionema saxatile</i> (L.) R. Br. subsp. <i>saxatile</i>			-	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aethionema thomasianum</i> Gay		+	?																						
<i>Aethusa cynapium</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	?	+	+	+	0									
<i>Aethusa cynapium</i> L. subsp. <i>cynapium</i>		+	+	+	+	+	+	+	+	+	+		+	+	+	0									
<i>Aethusa cynapium</i> L. subsp. <i>elata</i> (Friedl. ex Fisch.) Schübl. & G. Martens			+		?				?	+	?		+												
<i>Agave americana</i> L.				+	A		+	A	+	A			+	A	+		+	A	+	A	+	+	+	+	+
<i>Agave ferox</i> K. Koch				+	A																				+
<i>Agrimonia eupatoria</i> L. s.l.		+	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Agrimonia eupatoria</i> L. subsp. <i>eupatoria</i>			?	+	+	+	+	+	+		+	+	+		+	+		+							
<i>Agrimonia eupatoria</i> L. subsp. <i>grandis</i> (Andrz. ex Asch. & Graebn.) Bornm.			?			?																			
<i>Agrimonia procera</i> Wallr.			+	?							0						+	+	?	0					
<i>Agrimonia repens</i> L.														?	A										
x <i>Agropogon littoralis</i> (Sm.) C.E. Hubb. ⁽³¹⁾						0			+							?	+								+
<i>Agropyron desertorum</i> (Fisch. ex Link) Schult.																									
<i>Agropyron pectiniforme</i> Roem. & Schult. ⁽³²⁾			+	+	+	+	A	+		+				+											
<i>Agrostemma githago</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Agrostis alpina</i> Scop.		+	+	+	+	+	+	+	+	+															
<i>Agrostis canina</i> L. s.l. ⁽³⁵⁾		+	+	+	+	+	+	+	+	+	+	+	+	+		+		+	+						
<i>Agrostis canina</i> L. subsp. <i>aspromontana</i> Brullo, Scelsi & Spamp. ⁽³³⁾																									+
<i>Agrostis canina</i> L. subsp. <i>canina</i>		+	+	+	+		+		+		+	+	+	+						+					
<i>Agrostis capillaris</i> L. ⁽³⁴⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+						
<i>Agrostis castellana</i> Boiss. & Reut.			?				+	+	+	+	+	+	+	+	+	+		+	+	+					
<i>Agrostis gigantea</i> Roth			+	+	+	+	+	+	+	+				+											
<i>Agrostis monteluccii</i> (Selvi) Banfi									+				+			+									
<i>Agrostis pourretii</i> Willd. ⁽³⁶⁾									+				+			+	+		+	+					
<i>Agrostis rupestris</i> All.		+	+	+	+	+	+	+	+	+		+	+												
<i>Agrostis schleicheri</i> Jord. & Verlot				+	-																				
<i>Agrostis schraderiana</i> Bech.		+	+	+	+	+	+	-		+				+											
<i>Agrostis stolonifera</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ailanthus altissima</i> (Mill.) Swingle		+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A
<i>Aira caryophyllea</i> L. s.l.		0	+	+	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aira caryophyllea</i> L. subsp. <i>caryophyllea</i>		0	+	+		+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aira caryophyllea</i> L. subsp. <i>multiculmis</i> (Dumort.) Bonnier & Layens						+																		+	
<i>Aira cupaniana</i> Guss.			?				+		+				+	?	+	+	+	+	+	+	+	+	+	+	+
<i>Aira elegantissima</i> Schur		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aira intermedia</i> Guss.									+		+	-			0									+	
<i>Aira praecox</i> L.		?	?																						
<i>Aira provincialis</i> Jord.							+																		
<i>Aira tenorii</i> Guss.									+		+	+			+					+			+	+	+
<i>Aiopsis tenella</i> (Cav.) Asch. & Graebn.									+															+	+
<i>Aizoon hispanicum</i> L.																							+		
<i>Ajuga chamaepitys</i> (L.) Schreb. s.l.		+	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ajuga chamaepitys</i> (L.) Schreb. subsp. <i>chamaepitys</i>		+		+	+		+	+	+	+	+	+	+	+	+		+			+			+	+	
<i>Ajuga chamaepitys</i> (L.) Schreb. subsp. <i>chia</i> (Schreb.) Arcang.														+				?		+					
<i>Ajuga genevensis</i> L.		+	+	+	+	+	+	+	+	+	+	+	+		0	+		?							
<i>Ajuga iva</i> (L.) Schreb. s.l.							+		+		?	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ajuga iva</i> (L.) Schreb. subsp. <i>iva</i>							+		+		?	+	+	+	+	+	+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Ajuga iva</i> (L.) Schreb. subsp. <i>pseudoiva</i> (DC.) Briq. ⁽³⁷⁾																			+	+
<i>Ajuga orientalis</i> L.																			+	+
<i>Ajuga pyramidalis</i> L.	+	+	+	+	+	+	+						+							
<i>Ajuga reptans</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Ajuga tenorei</i> C. Presl									?	?	+	+			+	0	?	+	+	
<i>Akebia quinata</i> Decne. ⁽³⁸⁾								+												
<i>Albizzia julibrissin</i> Durazz.					+	+		+	+	+	+	?						+	+	+
<i>Alcea biennis</i> Winterl subsp. <i>biennis</i>					+	+				+		+	+							
<i>Alcea rosea</i> L.		+	+	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Alcea setosa</i> (Boiss.) Alef.									+	+		+								
<i>Alchemilla acrodon</i> S.E. Fröhner					+															
<i>Alchemilla acutata</i> Buser			+	+	+															
<i>Alchemilla acutidens</i> Buser	?	?		-	-	?	+													
<i>Alchemilla aggregata</i> Buser	-																			
<i>Alchemilla alpigena</i> Buser ex Hegi	+	+	?						?			-		+						
<i>Alchemilla alpina</i> L. ⁽³⁹⁾	+	+	+	+		+	+	?	+				+							
E <i>Alchemilla austroitalica</i> Brullo, Scelsi & Spamp. ⁽⁴⁰⁾																			+	
<i>Alchemilla carniolica</i> (Paulin) Fritsch					+															
<i>Alchemilla cataractarum</i> S.E. Fröhner				+					+											
E <i>Alchemilla cavillieri</i> (Briquet in Burnat) Camus		+																		
E <i>Alchemilla ceroniana</i> Buser									+											
<i>Alchemilla chirophylla</i> Buser	+			+																
<i>Alchemilla cinerea</i> Buser		+			-	-	+	+	+	+		+								
<i>Alchemilla colorata</i> Buser ⁽⁴¹⁾	+	+	+	+	+	+	+			+	+	+	+	+						
<i>Alchemilla compta</i> Buser			+	+								+								
<i>Alchemilla conjuncta</i> Bab.	?																			
<i>Alchemilla connivens</i> Buser	+	+	+	+	+	+	+	+	+											
<i>Alchemilla coriacea</i> Buser	+	+	?	+	+	+						+	+	+						
<i>Alchemilla crinita</i> Buser	+	+	+	+	+	+	?													
E <i>Alchemilla cuneata</i> Gaudin	+																			
<i>Alchemilla cymatophylla</i> Juz.				+																
<i>Alchemilla decumbens</i> Buser	+	+	+	+	+	?														
<i>Alchemilla demissa</i> Buser	+	+	+	+	+			?	+			+								
E <i>Alchemilla diversiloba</i> Buser				+																
<i>Alchemilla effusa</i> Buser	+	+	+	+	+	?	+						?							
<i>Alchemilla exigua</i> Buser ex Paulin			+	+	+															
<i>Alchemilla fallax</i> Buser	+	+	+	+	+	+			+			-								
<i>Alchemilla filicaulis</i> Buser ⁽⁴²⁾		?	+	+	+	?				?		+								
<i>Alchemilla fissa</i> Günther & Schummel	+	+	+	+	+	+	+		?											
<i>Alchemilla fissimima</i> Buser	-																			
<i>Alchemilla flabellata</i> Buser	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Alchemilla flaccida</i> sensu S.E. Fröhner in Hegi non Buser				+	+															
<i>Alchemilla flavicoma</i> Buser ex Schröt.	+																			
<i>Alchemilla flavovirens</i> Buser		+							0											
<i>Alchemilla frigens</i> Buser ex Jaquet	+																			
<i>Alchemilla glabra</i> Neygenf.	+	+	+	+	+	?	+	+		+		+	+	+						
<i>Alchemilla glacialis</i> Buser	+	?																		
<i>Alchemilla glaucescens</i> Wallr.	+	+	+	+	+	+	+	+	+	+		+	+	+			+			
<i>Alchemilla glomerulans</i> Buser	+	+		+		?		?	?											
<i>Alchemilla gracillima</i> Rothm.						?														
<i>Alchemilla grossidens</i> Buser	?	?																		
<i>Alchemilla helvetica</i> Brügger	+	?		-																
<i>Alchemilla heteropoda</i> Buser ⁽⁴³⁾	-	-	-		?	-			?				?							
<i>Alchemilla hirtipes</i> Buser			+	+																
<i>Alchemilla hoppeana</i> (Rechb.) D. Torre		+		+		+														
<i>Alchemilla impexa</i> Buser	+		+	+	+				+											
<i>Alchemilla incisa</i> Buser	?	+	+	?			+		+			+								
<i>Alchemilla inconcinna</i> Buser	-	-	?										?							
<i>Alchemilla leptoclada</i> Buser	+			?																
<i>Alchemilla lineata</i> Buser		?		+	+	?	?													
<i>Alchemilla longana</i> Buser			+	+																
<i>Alchemilla longiuscula</i> Buser	+																			
E <i>Alchemilla marsica</i> Buser												+	+							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Alchemilla micans</i> Buser	?	-	+	+	+	+														
<i>Alchemilla monticola</i> Opiz	+	+	+	+	+	+		+	+	+	+	+	+	+	+					
E <i>Alchemilla nipogeton</i> Buser ex Pamp.				?	+															
<i>Alchemilla nitida</i> Buser		+	?	+			+	+	+	+	+	+	+	+	+		+	+		
<i>Alchemilla obtusa</i> Buser	?	+	+	+	+	?	+											+		
<i>Alchemilla opaca</i> Buser		+	?	?					+											
<i>Alchemilla pallens</i> Buser	+	+						?	?											
E <i>Alchemilla pampaniniana</i> Buser ex Pamp.					+															
<i>Alchemilla pentaphyllea</i> L.	+	+	+	+																
<i>Alchemilla propinqua</i> H. Lindb. ex Juz.				+																
<i>Alchemilla radiisecta</i> Buser	+																			
<i>Alchemilla reniformis</i> Buser	+	+	+	+	+		+		+											
<i>Alchemilla rubristipula</i> Buser				+																
<i>Alchemilla saxatilis</i> Buser	+	+	+				+	+	+											
<i>Alchemilla schmidelyana</i> Buser		?	?																	
<i>Alchemilla sericoneura</i> Buser		+		+	+	?														
<i>Alchemilla sinuata</i> Buser	+		+						+			+					+			
<i>Alchemilla straminea</i> Buser	+	?	+	+	+	+	-		?			+	+	+						
<i>Alchemilla strigosula</i> Buser	+	+	+	+	+	+	+	+				+	+							
<i>Alchemilla subcrenata</i> Buser	+	+	+	+	+	+	+	+		+		+	+	+						
<i>Alchemilla subglobosa</i> C.G. Westerl.				+																
<i>Alchemilla subsericea</i> Reut. em. Buser	+	+	+				+						+							
<i>Alchemilla tenuis</i> Buser	+	-	+					+				+								
<i>Alchemilla tirolensis</i> Buser ex D. Torre & Samth.				+	+	?														
<i>Alchemilla transiens</i> (Buser) Buser			-	+	?		+	+	+			+	?							
<i>Alchemilla trunciloba</i> Buser	+		+						-											
<i>Alchemilla undulata</i> Buser			+	+	+	+						+	?							
E <i>Alchemilla vaccariana</i> Buser	+																			
<i>Alchemilla velebitica</i> Borbás ex Janch.						-														
<i>Alchemilla venosula</i> Buser		?	+	+	+	?														
<i>Alchemilla versipila</i> Buser	+	+	+	+	+															
<i>Alchemilla vetteri</i> Buser	?	+					+	+	+											
<i>Alchemilla vulgaris</i> L. em. S.E. Fröhner	?	+	+	+	+	?								?						
<i>Alchemilla xanthochlora</i> Rothm.	+	+	+	+	+	+	+	+	+	+	?	+	+		+		+	+		
<i>Aldrovanda vesiculosa</i> L.	-	0	0	0	0			0	0			0				0	0			
<i>Alisma gramineum</i> Lej. subsp. <i>gramineum</i>		?	+	-	?		+													
<i>Alisma lanceolatum</i> With.		+	+	+	+	+		+	+	+	?	+	+	+	0	+	+		+	
<i>Alisma plantago-aquatica</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Alkanna lutea</i> Moris									+											+
<i>Alkanna tinctoria</i> Tausch subsp. <i>tinctoria</i>							+							+		+	+	+	+	+
<i>Alliaria petiolata</i> (M. Bieb.) Cavara & Grande	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Allium acutiflorum</i> Loisel.		?					+													
E <i>Allium aethusanum</i> Garbari																				+
E <i>Allium agrigentinum</i> Brullo & Pavone																				+
<i>Allium amethystinum</i> Tausch							+		+			+			0	+	+		+	
<i>Allium ampeloprasum</i> L.		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Allium angulosum</i> L.	+	+	+	+	+	+		?	-	-										
E <i>Allium anzalonei</i> Brullo, Pavone & Salmeri ⁽⁴⁴⁾								+				+								
E <i>Allium apulum</i> Brullo, Guglielmo, Pavone & Salmeri																+				
<i>Allium arvense</i> Guss.					+							?	+		0	+	+	+	+	
<i>Allium ascalonicum</i> L.					+	A														
<i>Allium atroviolaceum</i> Boiss.												+	+			+	+			
E <i>Allium calabrum</i> (N. Terracc.) Brullo, Pavone & Salmeri ⁽⁴⁵⁾																	+	+		
<i>Allium carinatum</i> L. s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	-		
<i>Allium carinatum</i> L. subsp. <i>carinatum</i>	?		+	+	+	+	+	+		+	+	0								
<i>Allium carinatum</i> L. subsp. <i>pulchellum</i> Bonnier & Layens		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	-		
E <i>Allium castellanense</i> (Garbari, Miceli & Raimondo) Brullo, Guglielmo, Pavone & Salmeri																				+
<i>Allium cepa</i> L.		+	A			+	A	+	A	+	A	+	A	+	A	+	A			+
<i>Allium chamaemoly</i> L. subsp. <i>chamaemoly</i>							+		+	+		+	+	+	+	+	+	+	+	+
<i>Allium commutatum</i> Guss.									+	+		+	+		+	+	?	+	+	+
<i>Allium cupanii</i> Raf. subsp. <i>cupanii</i>												+	+	+		+	+	+	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR	
<i>Allium cyrilli</i> Ten.																+	?				
<i>Allium dentiferum</i> Webb & Berthel. ⁽⁴⁶⁾			+	+	+	+	+		+	+	+	+	+	+	0			+	+	?	
E <i>Allium diomedaeum</i> Brullo, Guglielmo, Pavone & Salmeri																+					
<i>Allium ericetorum</i> Thore		+	-		-	-	+	-	-	-	-	-	-								
<i>Allium fistulosum</i> L.		?A			+A		?A	+A	?A				+A								
<i>Allium flavum</i> L. subsp. <i>flavum</i>							+			+		+	+	+	+	+	+	+	+		
E? <i>Allium francinae</i> Brullo & Pavone																				+	
E? <i>Allium hemisphaericum</i> (Sommier) Brullo																				+	
E? <i>Allium hirtovaginatam</i> Kunth																				+	
E <i>Allium insubricum</i> Boiss. & Reut.				+																	
E <i>Allium lehmannii</i> Lojac.																				+	
E <i>Allium lopadusanum</i> Bartolo, Brullo & Pavone																				+	
<i>Allium lusitanicum</i> Lam.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0		+	?	?		
<i>Allium moly</i> L.								?A													
<i>Allium moschatum</i> L.								+				?	+	+		+	+		+		
<i>Allium narcissiflorum</i> Vill.	-	+					+														
<i>Allium neapolitanum</i> Cirillo		?	+	+A	+	+	+	+	+	+A	+	+	+	+	+A	+	+	+	?	+	+
E <i>Allium nebrodense</i> Guss.																				+	
<i>Allium nigrum</i> L.		+			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Allium obtusiflorum</i> DC.																				+	
<i>Allium ochroleucum</i> Waldst. & Kit.		+	+	+	+	+		+	+	+	+	+	+								
<i>Allium oleraceum</i> L. subsp. <i>oleraceum</i>	+	+	+	+	+	+	+	+	+	+		+	+	+	+		+	?	+		
<i>Allium pallens</i> L.					+	+		+	+	+	+	+	+	+	0	+	+	?	+	+	
<i>Allium paniculatum</i> L. subsp. <i>paniculatum</i>	?	+	-		+	+	+	+	+	-	+	+	+	+	+	+	+	+	+	?	
E <i>Allium parviflorum</i> Viv. ⁽⁴⁷⁾								?												+	
<i>Allium pendulinum</i> Ten.							+	+	+	+	+	+	+	+	+	+	+	+	+	+	
E <i>Allium pentadactyli</i> Brullo, Pavone & Spamp. ⁽⁴⁸⁾																		+			
E <i>Allium permixtum</i> Guss.																			0		
<i>Allium phthioticum</i> Boiss. & Heldr. ⁽⁴⁹⁾													+								
<i>Allium porrum</i> L.							+A														
<i>Allium roseum</i> L.		?	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Allium rotundum</i> L.		+	+		+	+	+	+	+		+		+								
<i>Allium sardoum</i> Moris					+							+	-		+	+	+	+	+	+	
<i>Allium sativum</i> L.		?A				+A		+A	+A	+A	+A	+A	+A	+A	+A		+A		+A	+A	
<i>Allium savii</i> Parl.								+				?								+	
<i>Allium saxatile</i> M. Bieb. subsp. <i>tergestinum</i> (Gand.) Bedalov & Lovric						+				+	+	+	+	+	+						
<i>Allium schoenoprasum</i> L.	+	+	+	+	+	+	+	+	+			+	+								
<i>Allium scorodoprasum</i> L.		+			+	+		+	+		-		+								
<i>Allium sphaerocephalon</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Allium strictum</i> Schrad.	+	+	0	+								+	+								
<i>Allium suaveolens</i> Jacq.		?	+		+	+	+	+	0												
<i>Allium subhirsutum</i> L.							+	+				+	+		+	+	+	+	+	+	
<i>Allium subvillosum</i> Salzm.																				+	
<i>Allium tenuiflorum</i> Ten.								+	+	+	+	+	+	+	+	+	+	+	-		
<i>Allium trifoliatum</i> Cirillo							0					?	+		0	+	+	+	+		
<i>Allium triquetrum</i> L.							+	+	-	?	+	+	+	+	+	+	+	+	+	+	
<i>Allium ursinum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Allium ursinum</i> L. subsp. <i>ucrainicum</i> (Kleopow & Oxner) Bordz.										+	?	+	+		+	+	+	+	+		
<i>Allium ursinum</i> L. subsp. <i>ursinum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+							+	
<i>Allium victorialis</i> L.	+	+	+	+	+	+	0														
<i>Allium vineale</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Alnus cordata</i> (Loisel.) Loisel.					+	+A	+A	+A	+A	+A	+A	+A	+A	+A	+		+	+	+A	+A	
<i>Alnus glutinosa</i> (L.) Gaertn.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A	+	+	+	
<i>Alnus incana</i> (L.) Moench	+	+	+	+	+	+	+	+	+	+										+A	
<i>Alnus viridis</i> (Chaix) DC. subsp. <i>viridis</i>	+	+	+	+	+	+	+														
<i>Alopecurus aequalis</i> Sobol.	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Alopecurus alpinus</i> Vill. ⁽⁵⁰⁾	+	+					?	+		+	+	+	+	+			+	+			
<i>Alopecurus arundinaceus</i> Poir.													+								
<i>Alopecurus bulbosus</i> Gouan		+			+	+	0	+	+	+	+	+	+	+	+	+	+	0	+	+	
<i>Alopecurus geniculatus</i> L.		+	+	+	+	+	-	-	-	-	-	-	-	-		-	-	-	-		
<i>Alopecurus myosuroides</i> Huds.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Alopecurus pratensis</i> L. subsp. <i>pratensis</i>	?	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+
<i>Alopecurus rendlei</i> Eig. ⁽⁵¹⁾		+	+		+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Alternanthera philoxeroides</i> (Mart.) Griseb. ⁽⁵²⁾								+A												
<i>Alternanthera pungens</i> Kunth ⁽⁷⁷⁾																				
<i>Althaea cannabina</i> L.		+A	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Althaea hirsuta</i> L.	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Althaea officinalis</i> L.	-	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Athenia filiformis</i> Petit subsp. <i>filiformis</i> ⁽⁵³⁾									+						-	+	?	-	+	+
<i>Alyssoides utriculata</i> (L.) Medik.	+	+	+				+	+	+	+	+	+	+	+	+	+				
<i>Alyssum alpestre</i> L. subsp. <i>alpestre</i>	?	+																		
<i>Alyssum alyssoides</i> (L.) L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	+
E <i>Alyssum argenteum</i> All.	+	+																		
<i>Alyssum bertolonii</i> Desv. subsp. <i>bertolonii</i>			+				+	+	+											
<i>Alyssum campestre</i> (L.) L. s.l.	+	+	+		+		+	?	+	+	+	?	+	+	+	+	+	+	+	+
<i>Alyssum campestre</i> (L.) L. subsp. <i>campestre</i>	+	+	+				+	?	+	+	+		+		+	+	+	+	+	+
<i>Alyssum campestre</i> (L.) L. subsp. <i>strigosum</i> (Banks & Sol.) Jalas									?	+	?	?	+			+				
<i>Alyssum cuneifolium</i> Ten. subsp. <i>cuneifolium</i>												0	+	?						
<i>Alyssum diffusum</i> Ten.									+	?	?	+	+	+	+	+	+	+		
<i>Alyssum ligusticum</i> Breistr.		+					+													
<i>Alyssum minutum</i> DC.																	+	+	+	+
<i>Alyssum montanum</i> L. s.l.	+	+				+	+	?	+	+	+	+	+	+	+	+	+	+		
<i>Alyssum montanum</i> L. subsp. <i>montanum</i>	+	+				+	+	?	+	+	+	+	+	+	+	+	+	+		
<i>Alyssum montanum</i> L. subsp. <i>repens</i> (Baumg.) Schmalh.						?														
E <i>Alyssum nebrodense</i> Tineo subsp. <i>nebrodense</i> ⁽⁵⁴⁾																				+
<i>Alyssum ovirens</i> A. Kern.				?	+	+														
<i>Alyssum siculum</i> Jord.																				+
E <i>Alyssum tavolarae</i> Briq.																				+
<i>Alyssum wulfenianum</i> Bernh.						+														
<i>Amaranthus acutifolius</i> Uline & W.L. Bray																		?	A	
<i>Amaranthus albus</i> L.		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Amaranthus blitoides</i> S. Watson	+A	+A	+A		+A	+A	+A		+A	+A		+A	+A	+A				+A	+A	
<i>Amaranthus blitum</i> L. subsp. <i>blitum</i>	+	+A	+	+	+A	+	+	+	+	+	+A	-	+		+	+	+	+	+	?
<i>Amaranthus bouchonii</i> Thell.		+A	+A	+A		+A	+A		+A			+A								
<i>Amaranthus caudatus</i> L.						+A		+A				+A			+A				+A	
<i>Amaranthus crispus</i> (Lesp. & Thévenau) N. Terracc.		+A										+A			+A					
<i>Amaranthus cruentus</i> L.	?	A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Amaranthus deflexus</i> L.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Amaranthus graecizans</i> L. ⁽⁵⁵⁾		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	?
<i>Amaranthus hybridus</i> L.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	
<i>Amaranthus hypochondriacus</i> L.						+A		?	A	+A		+A			+A			+A		
<i>Amaranthus muricatus</i> (Moq.) Hieron.															+A			+A	+A	+A
<i>Amaranthus polygonoides</i> L.										+A		+A			+A					
<i>Amaranthus powellii</i> S. Watson				+A		+A														
<i>Amaranthus retroflexus</i> L. ⁽⁵⁶⁾	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Amaranthus rudis</i> Sauer		?	A					+A												
<i>Amaranthus spinosus</i> L.						+A	+A													
<i>Amaranthus tamariscinus</i> Nutt.						+A														
<i>Amaranthus tricolor</i> L. ⁽⁵⁷⁾		?	A			+A				+A		+A			?	A			+A	
<i>Amaranthus viridis</i> L.			+A			+A	+A		+A			+A			+A	+A		+A	+A	
<i>Amaryllis bella-donna</i> L.															+A					
<i>Ambrosia artemisiifolia</i> L.	+A	+A	+A	+A	+A	+A	+A	+A		+A		+A								
<i>Ambrosia coronopifolia</i> Torr. & A. Gray		+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A							
<i>Ambrosia maritima</i> L.					+A	+	+	+	+	0		+	+	+	+	+	+	?	+	+
<i>Ambrosia tenuifolia</i> Spreng.	?	A			+A			+A												
<i>Ambrosia trifida</i> L.		+A				+A		+A				+A			+A					
<i>Ambrosina bassii</i> L.												?						?	+	+
<i>Amelanchier lamarckii</i> F.G. Schroed.			+A																	
<i>Amelanchier ovalis</i> Medik. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+
<i>Amelanchier ovalis</i> Medik. subsp. <i>cretica</i> (Willd.) Pignatti												+	+	+	+		+	+	+	
<i>Amelanchier ovalis</i> Medik. subsp. <i>embergeri</i> Favarger & Stearn																				+
<i>Amelanchier ovalis</i> Medik. subsp. <i>ovalis</i>	+	+	+	+	+	+		+		+	+	+	+	+	+					+

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Androsace septentrionalis</i> L.	+	+																		
<i>Androsace vandellii</i> (Turra) Chiov.	+	+	+	+	?															
<i>Androsace villosa</i> L. subsp. <i>villosa</i>		+	+		+	+	-	+	+	+	+	+	+	+	+		+	+		
<i>Androsace vitaliana</i> (L.) Lapeyr. s.l. ⁽⁶⁶⁾	+	+	+	+	+	+	?			+		?	+							
<i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>cinerea</i> (Sünd.) Kress		+					?													
E <i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>praetutiana</i> (Sünd.) Kress										+		?	+							
<i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>sesleri</i> (Sünd.) Kress			+	+	+	+														
<i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>vitaliana</i>	+	+		?	+															
<i>Androsace wulfeniana</i> Sieber ex W.D.J. Koch			?	+																
<i>Andryala dentata</i> Sm.												?	+			+	+	+	+	+
<i>Andryala integrifolia</i> L. ⁽⁶⁷⁾						+	A	+		+	+	+	+	+	+	+	+	+	+	+
<i>Anemone apennina</i> L. subsp. <i>apennina</i>								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anemone baldensis</i> L.	+	+	+	+	+	+	+													
<i>Anemone coronaria</i> L.		+	-					+	+	+	+	A	+	+	+	+	+	+	+	+
<i>Anemone hortensis</i> L. subsp. <i>hortensis</i>								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anemone narcissiflora</i> L. subsp. <i>narcissiflora</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anemone nemorosa</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	
<i>Anemone palmata</i> L.																			+	+
<i>Anemone pavonina</i> Lam.							+	A	?	A	+									
<i>Anemone ranunculoides</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?		
<i>Anemone sylvestris</i> L. s.l.		-		?																
<i>Anemone trifolia</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	?	?	?		-				
E <i>Anemone trifolia</i> L. subsp. <i>brevidentata</i> Ubaldi & Puppi ⁽⁶⁸⁾			+				+	+												
<i>Anemone trifolia</i> L. subsp. <i>trifolia</i>		+	+	+	+	+			+	+	?		?							
<i>Anethum graveolens</i> L.					+	A	+	A		+	A	?	A	+	A					
<i>Angelica archangelica</i> L. subsp. <i>archangelica</i>		?	-	?								?								
<i>Angelica sylvestris</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+	?
<i>Angelica sylvestris</i> L. subsp. <i>montana</i> (Brot.) Arcang.						+														
<i>Angelica sylvestris</i> L. subsp. <i>sylvestris</i>			+			+		+		+	+	+								
<i>Antennaria carpathica</i> (Wahlenb.) Bluff & Fingerh.	+	+	+	+	+	+	+	+												
<i>Antennaria dioica</i> (L.) Gaertn.	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Anthemis abrotanifolia</i> (Willd.) Guss. ⁽⁶⁹⁾																			0	
E <i>Anthemis aetnensis</i> Schouw																				+
<i>Anthemis arvensis</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anthemis arvensis</i> L. subsp. <i>arvensis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anthemis arvensis</i> L. subsp. <i>incrassata</i> (Loisel.) Nyman ⁽⁷⁰⁾	?				+			+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Anthemis arvensis</i> L. subsp. <i>sphacelata</i> (C. Presl) R. Fern.													+			+	+	+	+	+
<i>Anthemis chia</i> L.																0		+	+	
<i>Anthemis cotula</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anthemis cretica</i> L. s.l. ⁽⁷¹⁾		+					-			+	+	+	+	+	+		+	+	+	
E <i>Anthemis cretica</i> L. subsp. <i>alpina</i> (L.) R. Fern. ⁽⁷²⁾										-	?	-	+							
E <i>Anthemis cretica</i> L. subsp. <i>calabrica</i> (Arcang.) R. Fern. ⁽⁷³⁾																			+	
<i>Anthemis cretica</i> L. subsp. <i>columnae</i> (Ten.) Franzén ⁽⁷⁴⁾										+	+		+				+			
E <i>Anthemis cretica</i> L. subsp. <i>petraea</i> (Ten.) Oberprieler & Greuter														+						
<i>Anthemis cretica</i> L. subsp. <i>saxatilis</i> (DC.) R. Fern. ⁽⁷⁵⁾		+					-													
E <i>Anthemis cupaniana</i> Tod. ex Nyman																				+
E <i>Anthemis hydruntina</i> H. Groves																+	+	+		
E <i>Anthemis ismelia</i> Lojac.																				+
E <i>Anthemis lopadusana</i> Lojac.																				+
<i>Anthemis maritima</i> L.									+			+	+		+	+	0	+	+	
E <i>Anthemis muricata</i> (DC.) Guss.																				+
<i>Anthemis secundiramea</i> Biv. s.l.												+			+	+		+	+	+
E <i>Anthemis secundiramea</i> Biv. subsp. <i>intermedia</i> (Guss.) R. Fern.																				+
<i>Anthemis secundiramea</i> Biv. subsp. <i>secundiramea</i>												+			+	+		+	+	+
<i>Anthemis tomentosa</i> L.															+	+		+	+	
E <i>Anthemis urvilleana</i> (DC.) Sommier & Caruana ⁽⁷⁶⁾																				+
<i>Anthericum liligo</i> L.	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anthericum ramosum</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+					

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Antholyza aethiopica</i> L.								+							+A				+A	
<i>Anthoxanthum aristatum</i> Boiss. s.l.		?					?	+				+			+					+
<i>Anthoxanthum aristatum</i> Boiss. subsp. <i>aristatum</i>							?	+				+			+					+
<i>Anthoxanthum aristatum</i> Boiss. subsp. <i>macranthum</i> Valdés ⁽⁷⁷⁾																				
<i>Anthoxanthum gracile</i> Biv.									0										+	+
<i>Anthoxanthum odoratum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+
<i>Anthoxanthum odoratum</i> L. subsp. <i>nipponicum</i> (Honda) Tzelevy ⁽⁷⁸⁾	+	+A	+	+	+	+	+	+A	+	+		+	+							
<i>Anthoxanthum odoratum</i> L. subsp. <i>odoratum</i>	+	+	+	+	+	+		+		+	+		+		0				+	
<i>Anthoxanthum ovatum</i> Lag.															0			+	+	+
<i>Anthriscus caucalis</i> M. Bieb.		?	+		+	+	+	+	+	+	+	+	+	+	+		+			?
<i>Anthriscus cerefolium</i> (L.) Hoffm.	+A	+A		+A	+A	+A		+A		+A	+A	?A	?A	+A			+A			+A
<i>Anthriscus nemorosa</i> (M. Bieb.) Spreng.							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Anthriscus nitida</i> (Wahlenb.) Garcke	0	+	+	+	+	+						+	+	+	+		+	+		
<i>Anthriscus sylvestris</i> (L.) Hoffm. subsp. <i>sylvestris</i> ⁽⁷⁹⁾	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+		+	+		
<i>Anthyllis barba-jovis</i> L.							+		+	0		+			+	+		+	+	+
<i>Anthyllis hermanniae</i> L.								0								+		+	0	+
<i>Anthyllis montana</i> L. s.l. ⁽⁸⁰⁾		+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+		
<i>Anthyllis montana</i> L. subsp. <i>atropurpurea</i> (Vuk.) Pignatti										+	+	+	+	+	+		+	+		
<i>Anthyllis montana</i> L. subsp. <i>jacquinii</i> (A. Kern.) Hayek			+	+	+	+							+		+		+			
<i>Anthyllis montana</i> L. subsp. <i>montana</i>		+					+		+											
<i>Anthyllis vulneraria</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anthyllis vulneraria</i> L. subsp. <i>alpestris</i> (Kit. ex Schult.) Asch. & Graebn.	+	+	+	+	+	+														
<i>Anthyllis vulneraria</i> L. subsp. <i>busambarensis</i> (Lojac.) Pignatti																				+
<i>Anthyllis vulneraria</i> L. subsp. <i>carpatica</i> (Pant.) Nyman	+	+	+	+	+	+	+						+							
<i>Anthyllis vulneraria</i> L. subsp. <i>forondae</i> (Sennen) Cullen		?					+		?											
<i>Anthyllis vulneraria</i> L. subsp. <i>maura</i> (Beck) Maire												?	+	+	+	+	+	+	+	+
<i>Anthyllis vulneraria</i> L. subsp. <i>polyphylla</i> (DC.) Nyman	+	+	+	+	+	?	+		+	+	+	+	+							
<i>Anthyllis vulneraria</i> L. subsp. <i>pulchella</i> (Vis.) Bornm.										+	+	+	+	+	+		+	?		
<i>Anthyllis vulneraria</i> L. subsp. <i>rubriflora</i> (DC.) Arcang.		+				?	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Anthyllis vulneraria</i> L. subsp. <i>valesiaca</i> (Beck) Guyot	+	+	+																	
<i>Anthyllis vulneraria</i> L. subsp. <i>vulnerarioides</i> (All.) Arcang.		+	?			+					?	?	+		+	+	?	?		
<i>Anthyllis vulneraria</i> L. subsp. <i>weldeniana</i> (Rchb.) Cullen			+		+	+	+	+	?	+	+	?	+		+	+	?	?		
<i>Antinoria insularis</i> Parl.												+		+					+	+
<i>Antirrhinum latifolium</i> Mill.		+	+				+	+	+			?	+							
<i>Antirrhinum majus</i> L. s.l.		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Antirrhinum majus</i> L. subsp. <i>majus</i>		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Antirrhinum majus</i> L. subsp. <i>tortuosum</i> (Bosc. ex Lam.) Rouy										+A		+A	+A	+A	+A	+A		+A	+A	
<i>Antirrhinum siculum</i> Mill.								+				+			+	+		+	+	
<i>Apera interrupta</i> (L.) P. Beauv.	+A	+	+	+A	+			+	+	?	+	+		0		+	?			
<i>Apera spica-venti</i> (L.) P. Beauv.	?	+	+	+	+	+	0	?	?			+	+	+			+			
<i>Aphanes arvensis</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aphanes floribunda</i> (Murb.) Rothm.																		?	+	+
<i>Aphanes inexpectata</i> Lippert		+	+					+	+			+	+	+	+	+	+	?	+	+
<i>Aphanes minutiflora</i> (Azn.) Holub								+										?	+	
<i>Aphyllanthes monspeliensis</i> L.		+	+				+													+
<i>Apios americana</i> Medik.		+A	+A					+A												
<i>Apium crassipes</i> (W.D.J. Koch ex Rchb.) Rchb. f.												+							+	+
<i>Apium graveolens</i> L.		-	-	-	+A	+	+	+	+	+A	+	+A	+	+A	+	+	+	+	+	+
<i>Apium inundatum</i> (L.) Rchb. f.		-							+			+		+	-				+	
<i>Apium leptophyllum</i> (Pers.) F. Muell.		+A	+A						+A			+A								
<i>Apium nodiflorum</i> (L.) Lag. subsp. <i>nodiflorum</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Apium repens</i> (Jacq.) Lag.			0	0				0						0						
<i>Aposeris foetida</i> (L.) Less.			+	+	+	+		+	+											
<i>Aptenia cordifolia</i> (L. f.) Schwantes								+A	+A			+A			+A				+A	
<i>Aquilegia alpina</i> L.	+	+	+	-			+	+	+											
<i>Aquilegia atrata</i> W.D.J. Koch	+	+	+	+	+	+	+	+	+				?		+			+		
<i>Aquilegia barbaricina</i> Arrigoni & E. Nardi ⁽⁸¹⁾																				+
<i>Aquilegia bertolonii</i> Schott ⁽⁸²⁾		?					+	+	+	0	?									

[illegible]

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Artemisia caerulescens</i> L. s.l.					+											+				
<i>Artemisia caerulescens</i> L. subsp. <i>caerulescens</i>						+		+	+	+		+	+	+						
E <i>Artemisia caerulescens</i> L. subsp. <i>cretacea</i> (Fiori) Brilli-Catt. & Gubellini									+	+	+	+	+							
<i>Artemisia campestris</i> L. s.l.	+	+	+	+	+	+	+	+				+	+	+	+		+	+	+	+
<i>Artemisia campestris</i> L. subsp. <i>alpina</i> (DC.) Arcang.	+																			
<i>Artemisia campestris</i> L. subsp. <i>borealis</i> (Pall.) H.M. Hall & Clem.	+	+		+																
<i>Artemisia campestris</i> L. subsp. <i>campestris</i>	+	+	+	+	+	+	+	+									+			
<i>Artemisia campestris</i> L. subsp. <i>glutinosa</i> (J. Gay ex Besser) Batt.					+								+		+					
E <i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter												+	+	+	+		+	+	+	+
<i>Artemisia chamaemelifolia</i> Vill. subsp. <i>chamaemelifolia</i>	+	+																		
<i>Artemisia gallica</i> Willd. s.l.							-		+				?							+
E <i>Artemisia gallica</i> Willd. subsp. <i>densiflora</i> (Viv.) Gamisans ⁽¹¹³⁾																				+
<i>Artemisia gallica</i> Willd. subsp. <i>gallica</i>									+											
<i>Artemisia genipi</i> Weber	+	+	+	+	+	+	-													
<i>Artemisia glacialis</i> L.	+	+					-													
<i>Artemisia lanata</i> Willd.		+						+												
<i>Artemisia nitida</i> Bertol.				+	+	+			+											
<i>Artemisia pontica</i> L. ⁽⁷⁷⁾																				
<i>Artemisia scoparia</i> Waldst. & Kit.			+	A				+	A											
<i>Artemisia tournefortiana</i> Rchb. ⁽¹¹⁴⁾						+	A													
<i>Artemisia umbelliformis</i> Lam. s.l.	+	+	+	+	+	+	-	+	+	+	+		+							
<i>Artemisia umbelliformis</i> Lam. subsp. <i>eriantha</i> (Ten.) Vallès-Xirau & Brañas		+					-			+	+		+							
<i>Artemisia umbelliformis</i> Lam. subsp. <i>umbelliformis</i>	+	+	+	+	+	+	-	+	+											
<i>Artemisia vallesiaca</i> All.	+																			
<i>Artemisia verlotiorum</i> Lamotte	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A
<i>Artemisia vulgaris</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Arthrocnemum macrostachyum</i> (Moric.) Moris					+	+	-	+	+	0		+	0		+	+	+	?	+	+
<i>Arum apulum</i> (Carano) P.C. Boyce																+				
<i>Arum cylindraceum</i> Gasp. ⁽¹¹⁵⁾										+			+	+	-	+	+	+	+	
<i>Arum italicum</i> Mill. subsp. <i>italicum</i>	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Arum maculatum</i> L.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		+
<i>Arum pictum</i> L. f.									+											+
<i>Aruncus dioicus</i> (Walter) Fernald	+	+	+	+	+	+	+	+	+											
<i>Arundo donax</i> L.		+	A	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Arundo plinii</i> Turra						+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Asarum europaeum</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	?		
<i>Asclepias fruticosa</i> L.								?	A						+	A		+	A	
<i>Asclepias syriaca</i> L.		+	A	+	A	+	A	+	A											
<i>Asparagus acutifolius</i> L. ⁽¹¹⁶⁾	0		+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asparagus albus</i> L.																+		+	+	+
<i>Asparagus aphyllus</i> L.												+			?			+	+	
<i>Asparagus maritimus</i> (L.) Mill.					+	+		+	+	0		?	+			+		?	+	
<i>Asparagus officinalis</i> L.	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	-	+	-	+	
<i>Asparagus pastorianus</i> Webb & Berthel.																			?	
<i>Asparagus stipularis</i> Forssk.																		+	+	+
<i>Asparagus tenuifolius</i> Lam.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asperugo procumbens</i> L.	+	+	+	+	+	-	0	?	0	+	+	+	+	?		+	+	-	?	?
<i>Asperula aristata</i> L. f. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asperula aristata</i> L. f. subsp. <i>longiflora</i> (Waldst. & Kit.) Hayek		+		+			+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Asperula aristata</i> L. f. subsp. <i>oreophila</i> (Briq.) Hayek	+	+	+	+	+	+	+	+	+			+	+	+						
<i>Asperula arvensis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+
E <i>Asperula calabra</i> (Fiori) Ehrend. & Krendl															-		+	+		
E <i>Asperula crassifolia</i> L.															+					-
<i>Asperula cynanchica</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Asperula deficiens</i> Viv.																				+
E <i>Asperula garganica</i> Huter, Porta & Rigo ex Ehrend. & Krendl																+				

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E <i>Asperula gussonii</i> Boiss.																			+	
<i>Asperula hexaphylla</i> All.		+					+													
<i>Asperula laevigata</i> L.							+													
E <i>Asperula neglecta</i> Guss.										+	?	+	+			+	+	+	+	+
E <i>Asperula pumila</i> Moris																				+
<i>Asperula purpurea</i> (L.) Ehrend. s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
<i>Asperula purpurea</i> (L.) Ehrend. subsp. <i>apuana</i> (Fiori) Bechi & Garbari									+											
<i>Asperula purpurea</i> (L.) Ehrend. subsp. <i>purpurea</i>	?	+	+	+	+	+	+	+		+	+	+		+	+		+			
E <i>Asperula rupestris</i> Tineo																				+
<i>Asperula rupicola</i> Jord.		?																		
<i>Asperula staliana</i> Vis. subsp. <i>diomedea</i> Korica, Lausi & Ehrend.																	+			
<i>Asperula taurina</i> L. subsp. <i>taurina</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Asperula tinctoria</i> L.		?			+			?				?			0					
<i>Asphodeline liburnica</i> (Scop.) Rchb.										+		+	+	+	+	+	+	+	+	
<i>Asphodeline lutea</i> (L.) Rchb.						0			+	+	+	+	+	+	+	+	+	+	+	+
<i>Asphodelus albus</i> Mill. subsp. <i>delphinensis</i> (Gren. & Godr.) Z. Díaz & Valdés	?	+	+		+	+								-						
<i>Asphodelus ayardii</i> Jahand. & Maire ⁽¹¹⁷⁾												?								
<i>Asphodelus cerasiferus</i> J. Gay							+	+				-			?	+		?	-	+
<i>Asphodelus fistulosus</i> L.		?	-		+	+	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Asphodelus macrocarpus</i> Parl. subsp. <i>macrocarpus</i> ⁽¹¹⁸⁾	+	+	-	+	+		+	+	+	+	+	+	+		+	+	+	+	+	+
<i>Asphodelus ramosus</i> L. subsp. <i>ramosus</i> ⁽¹¹⁹⁾							+	+	+	0	+	+	+	+	+	+	+	+	+	+
<i>Asphodelus tenuifolius</i> Cav.																+	+		+	
<i>Aster alpinus</i> L. subsp. <i>alpinus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+							
<i>Aster amellus</i> L.	+	+	+	+	+	+	0	+	0	+										
<i>Asteriscus aquaticus</i> (L.) Less. subsp. <i>aquaticus</i>		?	0				+		+		+	+	+			+	+	+	+	+
<i>Asteriscus maritimus</i> (L.) Less.								+											+	+
<i>Asterolinon linum-stellatum</i> (L.) Duby		+				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Astragalus alopecurus</i> Pall.	+	-																		
<i>Astragalus alpinus</i> L.	+	+	+	+	+	+	+													
E <i>Astragalus aquilanus</i> Anzal.													+					+		
<i>Astragalus australis</i> (L.) Lam.	+	+	+	+	+	+	-			+	?	+	+							
<i>Astragalus austriacus</i> Jacq.		+																		
<i>Astragalus boeoticus</i> L.								+				+		+	+	+		+	+	
E <i>Astragalus caprinus</i> L. subsp. <i>huetii</i> (Bunge) Podlech																			+	
<i>Astragalus cicer</i> L.	+	+	+	+	+	+	+	+	+						0					
<i>Astragalus danicus</i> Retz.	?	+									+		+							
<i>Astragalus depressus</i> L. subsp. <i>depressus</i>	0	+	+	+	+	+	+		+	+	+	+	+	+	+		+	+	+	
<i>Astragalus echinatus</i> Murray							+									+		+	+	
<i>Astragalus epiglottis</i> L. subsp. <i>epiglottis</i>															0			+	+	+
<i>Astragalus exscapus</i> L. subsp. <i>exscapus</i>	+	+	-	+																
<i>Astragalus frigidus</i> (L.) A. Gray	+	+	+	+	+	+														
<i>Astragalus glycyphyllos</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Astragalus hamosus</i> L.		+	-			A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Astragalus hypoglottis</i> L. s.l.	?	+	+	+	+	+	+	+	+	+	?		+					+		
<i>Astragalus hypoglottis</i> L. subsp. <i>gremlii</i> (Burnat) Greuter & Burdet	?	+	+	+	+	+	+	+	+	+	?		+							
<i>Astragalus hypoglottis</i> L. subsp. <i>hypoglottis</i>		+					+	+												
<i>Astragalus leontinus</i> Wulfen	+	+	+		+															
E <i>Astragalus maritimus</i> Moris																				+
<i>Astragalus monspessulanus</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Astragalus monspessulanus</i> L. subsp. <i>monspessulanus</i>	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Astragalus monspessulanus</i> L. subsp. <i>wulfenii</i> (W.D.J. Koch) Arcang.			+			+				+		+	?	+						
<i>Astragalus muelleri</i> Steud. & Hochst.								+					?							
E <i>Astragalus nebrodensis</i> (Guss.) Strobl																			+	
<i>Astragalus onobrychis</i> L.	+	+	+	+	+	+	+	+			+		+							
<i>Astragalus parnassii</i> Boiss. subsp. <i>calabricus</i> (Fisch.) S. Zarre-Mobarakeh																		+		
E <i>Astragalus pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>						0		+				+			0	+		+	+	+
<i>Astragalus penduliflorus</i> Lam.	+	+	+	+	+	+	0					+								

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Astragalus peregrinus</i> Vahl subsp. <i>warionis</i> (Gand.) Maire																				+
E <i>Astragalus raphaelis</i> Ferro																				+
<i>Astragalus scorpioides</i> Willd.									0											
<i>Astragalus sempervirens</i> Lam. ⁽¹²⁰⁾		+	+		+		+	+	+	+	+	+	+	+	+		+	+		
<i>Astragalus sesameus</i> L.							0		+	+	+	+	+	+	+	+	+	+	+	+
E <i>Astragalus siculus</i> Biv.																				+
<i>Astragalus sirinicus</i> Ten. s.l.			+				-	+		+	+	+	+	+	+		+	+		+
E <i>Astragalus sirinicus</i> Ten. subsp. <i>genargenteus</i> (Moris) Arcang. ⁽¹²¹⁾																				+
<i>Astragalus sirinicus</i> Ten. subsp. <i>sirinicus</i> ⁽¹²²⁾			+				-	+		+	+	+	+	+	+		+	+		
E <i>Astragalus terraccianoi</i> Vals. ⁽¹²³⁾																			0	+
E <i>Astragalus thermensis</i> Vals.																				+
<i>Astragalus tragacantha</i> L.																				?
E <i>Astragalus verrucosus</i> Moris																				+
<i>Astragalus vesicarius</i> L. s.l.		+	+		+	+				+	+	+	+	+	+					
<i>Astragalus vesicarius</i> L. subsp. <i>carniolicus</i> (A. Kern.) Chater						+														
<i>Astragalus vesicarius</i> L. subsp. <i>pastellianus</i> (Pollini) Arcang.		+		+	+															
<i>Astragalus vesicarius</i> L. subsp. <i>vesicarius</i>		?	?							+	+	+	+	+						
<i>Astrantia bavarica</i> F.W. Schultz						+														
<i>Astrantia carniolica</i> Jacq.						+														
<i>Astrantia major</i> L. s.l.		+	+	+	+	+	+	-	0	+	?	+	+	+						
<i>Astrantia major</i> L. subsp. <i>elatior</i> (Friv.) K. Malý								-	0	+	?	-	+	+						
<i>Astrantia major</i> L. subsp. <i>involuta</i> (W.D.J. Koch) Ces.					+	+	+													
<i>Astrantia major</i> L. subsp. <i>major</i>		+	+	+	+	+	?	+				+		+						
<i>Astrantia minor</i> L.		+	+	+	+	+		+	+	+										
E <i>Astrantia pauciflora</i> Bertol. s.l.								-	+	0		+	+	+						
E <i>Astrantia pauciflora</i> Bertol. subsp. <i>pauciflora</i>									+											
E <i>Astrantia pauciflora</i> Bertol. subsp. <i>tenorei</i> (Mariotti) Bechi & Garbari										0		+	+	+						
<i>Asyneuma limonifolium</i> (L.) Janch. subsp. <i>limonifolium</i>																+	+			
E <i>Asyneuma trichocalycinum</i> (Ten.) K. Malý												0			+		+	+	0	
E <i>Athamanta cortiana</i> Ferrarini									+											
<i>Athamanta cretensis</i> L.		+	+	+	+	+	+	+												
<i>Athamanta macedonica</i> (L.) Spreng. subsp. <i>macedonica</i>			-		-									+		+				
<i>Athamanta ramosissima</i> Port.															+		+	+		
<i>Athamanta sicula</i> L.												+	+	+	+	+	+	+	+	
<i>Athamanta turbith</i> (L.) Brot. subsp. <i>turbith</i>					+	+														
E <i>Athamanta vestina</i> A. Kern.			+	+	+															
<i>Atractylis cancellata</i> L.							0									+	+	+	+	+
<i>Atractylis gummifera</i> L.												0			+	+	+	+	+	+
<i>Atriplex elongata</i> Guss. ⁽¹²⁴⁾												?			?				?	
<i>Atriplex glauca</i> L.																				0
<i>Atriplex halimus</i> L.							+		+	+A		+A	+	+	+	+	+	+	+	+
<i>Atriplex hortensis</i> L.		+A	+A		+A	+A	+A	+A	+A	+A	?	+A	+	+			+A			
<i>Atriplex littoralis</i> L.					+	+	+	+	+	?		-								?
<i>Atriplex micrantha</i> Ledeb.							+A													
<i>Atriplex mollis</i> Desf. ⁽¹²⁵⁾																				0
<i>Atriplex oblongifolia</i> Waldst. & Kit.						0		+												
<i>Atriplex patula</i> L. ⁽¹²⁶⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Atriplex portulacoides</i> L. ⁽¹²⁷⁾				0	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+
<i>Atriplex prostrata</i> Boucher ex DC.		+	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Atriplex rosea</i> L.				0	+	+	0	+	+	0		+	+		+	+	+	0	+	+
<i>Atriplex sagittata</i> Borkh.		?				+A		+	+										+	+
<i>Atriplex tatarica</i> L.		+A			+	+A	+	+	+	0		-	?	+	+	+	+	?	+	+
<i>Atriplex tornabenei</i> Tineo															?				+	+
<i>Atropa bella-donna</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aubrieta columnae</i> Guss. s.l.							+A					+	+	+	+	+	+	+		
E <i>Aubrieta columnae</i> Guss. subsp. <i>columnae</i>							+A					+	+	+	+	+	+	+		
E <i>Aubrieta columnae</i> Guss. subsp. <i>italica</i> (Boiss.) Mattf.																+	?			
<i>Aubrieta deltoidea</i> (L.) DC.																				+
<i>Aurinia leucadea</i> (Guss.) Koch																+				

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Aurinia petraea</i> (Ard.) Schur					+															
<i>Aurinia saxatilis</i> (L.) Desv. subsp. <i>megalocarpa</i> (Hausskn.) T.R. Dudley														+	+	+	+	+		
<i>Aurinia sinuata</i> (L.) Griseb.													+	?		+				
<i>Avena barbata</i> Pott ex Link		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Avena byzantina</i> Koch					+A										+A				+A	
<i>Avena fatua</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Avena lusitanica</i> (Tab.Morais) Baum							+	+				+			+	+	+	+	+	+
<i>Avena matritensis</i> Baum ⁽¹²⁸⁾																			+	
<i>Avena sativa</i> L. s.l.					+A	+A	+A	+A	+A		+A	+A	+A	+A	+A		+A	+A	+A	+A
<i>Avena sativa</i> L. subsp. <i>macrantha</i> (Hack.) Rocha Afonso								+A	+A										+A	
<i>Avena sativa</i> L. subsp. <i>praegravis</i> (Krause) Tab. Morais								+A	+A											
<i>Avena sativa</i> L. subsp. <i>sativa</i>					+A	+A	+A	+A	+A		+A	+A	+A	+A	+A		+A	+A	+A	+A
<i>Avena sterilis</i> L. s.l.		+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	+	+
<i>Avena sterilis</i> L. subsp. <i>atherantha</i> (C. Presl) H. Scholz ⁽¹²⁹⁾		+								-					+					
<i>Avena sterilis</i> L. subsp. <i>ludoviciana</i> (Durieu) Gillet & Magne ⁽¹³⁰⁾			+	+		+				-		+	+	+	+				+	
<i>Avena sterilis</i> L. subsp. <i>sterilis</i>			+	+		+	+	+	+	-	+	+	+	+	+				+	
<i>Avena strigosa</i> Schreb.					+A															
<i>Avenula bromoides</i> (Gouan) H. Scholz		+					+	?												
<i>Avenula cincinnata</i> (Ten.) Holub															0			+	+	
E <i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti								+	+	+	+	+	+	+	+		+	+	?	
<i>Avenula praeusta</i> (Rchb.) Holub ⁽¹³¹⁾	?	+	+	+	+	+	+						?							
<i>Avenula pratensis</i> (L.) Dumort.	?	+	+	?	+	+	+	+		+	+		+							
<i>Avenula versicolor</i> (Vill.) Lainz	+	+	+	+	+	+	+		+				+							
<i>Baldellia ranunculoides</i> (L.) Parl.		+	+		?	+	+	+	+	0	?	+	+		+	+		-	0	+
<i>Ballota frutescens</i> (L.) Woods		-					+													
<i>Ballota hispanica</i> (L.) Benth.						-							+		+	+		+	+	
<i>Ballota nigra</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ballota nigra</i> L. subsp. <i>meridionalis</i> (Bég.) Bég.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Ballota nigra</i> L. subsp. <i>nigra</i>	+	?	+A					+												
<i>Ballota nigra</i> L. subsp. <i>uncinata</i> (Fiori & Bég.) Patzak								+				+	+	+		+	+	+	+	+
<i>Ballota nigra</i> L. subsp. <i>velutina</i> (Posp.) Patzak												?				+				
<i>Ballota pseudodictamnus</i> (L.) Benth.					+A			?A	+A			+A			+A	+A		+A	+A	
<i>Barbarea bracteosa</i> Guss.	+	+	+	+	+	+		+	?	+	+	+	+	+	+	+	+	+	+	+
<i>Barbarea intermedia</i> Boreau	+A	+											+							
E <i>Barbarea rupicola</i> Moris																				+
<i>Barbarea sicula</i> C. Presl																		+	+	
<i>Barbarea stricta</i> Andr.	+	?		+	+	-		+	+	?		+	+							
<i>Barbarea verna</i> (Mill.) Asch.		+	+		-		+	+	+	+	+	+	+	+	+		+			+
<i>Barbarea vulgaris</i> R. Br. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Barbarea vulgaris</i> R. Br. subsp. <i>arcuata</i> (Opiz) Hayek ⁽¹³²⁾		+	+		+					+			?				+	+		
<i>Barbarea vulgaris</i> R. Br. subsp. <i>vulgaris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+	+	+
<i>Barlia robertiana</i> (Loisel.) Greuter	0	+					+	+	+				+	+	+	+	+	+	+	+
<i>Bartsia alpina</i> L.	+	+	+	+	+	+	+													
<i>Bartsia trixago</i> L.	-			+		0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bassia hirsuta</i> (L.) Asch.					+	+		+							0	+				+
<i>Bassia hyssopifolia</i> (Pallas) Kuntze															0					
<i>Bassia laniflora</i> (S.G. Gmel.) A.J. Scott					+			+		0			0						0	
<i>Bassia prostrata</i> (L.) Beck	+	-																		
E <i>Bassia saxicola</i> (Guss.) A.J. Scott															+					+
<i>Bassia scoparia</i> (L.) A.J. Scott subsp. <i>scoparia</i>	+A	?A		+A	+A	+A	+A	+A	+A	+A		+A	+A	+A					+A	
<i>Beckmannia eruciformis</i> (L.) Host									0			+			0	+	+	?		
<i>Bellardiochloa variegata</i> (Lam.) Kerguélen s.l. ⁽¹³³⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+	+	
E <i>Bellardiochloa variegata</i> (Lam.) Kerguélen subsp. <i>aetnensis</i> (C. Presl) Giardina & Raimondo ⁽¹³⁴⁾																				+
E <i>Bellardiochloa variegata</i> (Lam.) Kerguélen subsp. <i>nebrodensis</i> Giardina & Raimondo ⁽¹³⁵⁾																				+
<i>Bellardiochloa variegata</i> (Lam.) Kerguélen subsp. <i>variegata</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+	+	
<i>Bellevia ciliata</i> (Cirillo) Nees																0				
<i>Bellevia dubia</i> (Guss.) Kunth s.l.										-			+					+	+	
<i>Bellevia dubia</i> (Guss.) Kunth subsp. <i>boissieri</i> (Freyn)													?					+		

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
Feinbr. ⁽¹³⁶⁾																				
E <i>Bellevia dubia</i> (Guss.) Kunth subsp. <i>dubia</i> ⁽¹³⁷⁾																				+
<i>Bellevia romana</i> (L.) Sweet		-	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bellevia trifoliata</i> (Ten.) Kunth					+		+					+				+				
E <i>Bellevia webbiana</i> Parl.								+	+		?									
<i>Bellidiastrum michelii</i> Cass.		+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Bellis annua</i> L. subsp. <i>annua</i>							+	+	+	?	+	+	+	+	+	+	+	+	+	+
E <i>Bellis margaritifolia</i> Huter															0		+	+	+	
<i>Bellis perennis</i> L. ⁽¹³⁸⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bellis pusilla</i> (N. Terracc.) Pignatti									+	?	?	-	+	+				+		
<i>Bellis sylvestris</i> Cirillo						?	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bellium bellidioides</i> L. ⁽¹³⁹⁾																				+
E <i>Bellium crassifolium</i> Moris																				+
<i>Bellium minutum</i> L.																				+
<i>Berardia subacaulis</i> Vill.		+																		
<i>Berberis vulgaris</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Berberis vulgaris</i> L. subsp. <i>aetnensis</i> (C. Presl) Rouy & Foucaud ⁽¹⁴⁰⁾															+		+	+	+	+
<i>Berberis vulgaris</i> L. subsp. <i>vulgaris</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+			
<i>Berteroa incana</i> (L.) DC.		+	+	+	+	+	+	?	0		?						+			
<i>Berteroa mutabilis</i> (Vent.) DC.																	+	-		
<i>Berteroa obliqua</i> (Sm.) DC. subsp. <i>obliqua</i>												+			+	+	+	?		
<i>Berula erecta</i> (Huds.) Coville		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Beta macrocarpa</i> Guss.							+								+		+		+	?
<i>Beta patellaris</i> Moq.																				+
<i>Beta trigyna</i> Waldst. & Kit.						?	A				?	A								+A
<i>Beta vulgaris</i> L. s.l.		-	-	0	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Beta vulgaris</i> L. subsp. <i>maritima</i> (L.) Arcang.			0		+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Beta vulgaris</i> L. subsp. <i>vulgaris</i>					+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Betula etnensis</i> Raf. ⁽¹⁴¹⁾																				+
<i>Betula nana</i> L. subsp. <i>nana</i>			0																	
<i>Betula pendula</i> Roth ⁽¹⁴²⁾		+	+	+	+	+	+	+	+	+		+	+	+	+					
<i>Betula pubescens</i> Ehrh. ⁽¹⁴³⁾		+	+	+	+	+	+													
<i>Biarum dispar</i> (Schott) Talavera																				+
<i>Biarum tenuifolium</i> (L.) Schott s.l. ⁽¹⁴⁴⁾												+	+	+	+	+	+	+	+	+
<i>Biarum tenuifolium</i> (L.) Schott subsp. <i>abbreviatum</i> (Schott) K. Richt.																				+
<i>Biarum tenuifolium</i> (L.) Schott subsp. <i>tenuifolium</i>												+	+	+	+	+	+	+	+	+
<i>Bidens aurea</i> (Aiton) Sherff					+	A			+	A					+	A				+
<i>Bidens bipinnata</i> L.		+	A	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Bidens cernua</i> L.		+	A	+	+	+	+	+	+			-	+	+				0		
<i>Bidens connata</i> Muhl. ex Willd.					+	A			+	A										
<i>Bidens frondosa</i> L.		+	A	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Bidens pilosa</i> L.		?	A			-	+												+	A
<i>Bidens radiata</i> Thuill.					+	A														
<i>Bidens subalternans</i> DC.			+	A		+	A		+	A										
<i>Bidens tripartita</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bidens tripartita</i> L. subsp. <i>bullata</i> (L.) Rouy		+	0		+			+	+		+									
<i>Bidens tripartita</i> L. subsp. <i>tripartita</i>		+	+	+	+	+		+		+	+		+							+
<i>Bidens vulgata</i> L.					+	A														
<i>Bifora radians</i> M. Bieb.		?	+	+	+	+	+	+	+	+	+	+	+	+	+		+	A	+	
<i>Bifora testiculata</i> (L.) Spreng.		?	+	+	A	+	-	0	+	+	+	+	+	+	+	+	+	+	+	+
<i>Biscutella ambigua</i> DC.							+			-	-	-	-	?		-	?	?		
E <i>Biscutella apuana</i> Raffaelli									+											
<i>Biscutella brevicaulis</i> Jord.		+																		
<i>Biscutella cichoriifolia</i> Loisel.		?	+		+		+	?	+	+	+	?	+	+						
<i>Biscutella didyma</i> L. s.l.									-	0		-	+				+	+	-	-
<i>Biscutella didyma</i> L. subsp. <i>apula</i> Nyman																+	+	+		
<i>Biscutella didyma</i> L. subsp. <i>didyma</i>																+	+	+	+	
E <i>Biscutella incana</i> Ten.												?				0		+		
<i>Biscutella laevigata</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
E <i>Biscutella laevigata</i> L. subsp. <i>australis</i> Raffaelli & Baldoin ⁽¹⁴⁵⁾																+				

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E <i>Biscutella laevigata</i> L. subsp. <i>hispidissima</i> (Posp.) Raffaelli & Baldoin ⁽¹⁴⁶⁾					+															
<i>Biscutella laevigata</i> L. subsp. <i>laevigata</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
E <i>Biscutella laevigata</i> L. subsp. <i>lucida</i> (Balb. ex DC.) Mach.- Laur. ⁽¹⁴⁷⁾			+	+	+															
E <i>Biscutella laevigata</i> L. subsp. <i>ossolana</i> Raffaelli & Baldoin ⁽¹⁴⁸⁾		+																		
E <i>Biscutella laevigata</i> L. subsp. <i>prinzeriae</i> Raffaelli & Baldoin ⁽¹⁴⁹⁾								+												
<i>Biscutella maritima</i> Ten. ⁽¹⁵⁰⁾							+	+				+		+	?			+	+	
E <i>Biscutella mollis</i> Loisel.									+			+								
E <i>Biscutella morisiana</i> Raffaelli ⁽¹⁵¹⁾																				+
E <i>Biscutella pichiana</i> Raffaelli s.l.									+											
E <i>Biscutella pichiana</i> Raffaelli subsp. <i>ilvensis</i> Raffaelli									+											
E <i>Biscutella pichiana</i> Raffaelli subsp. <i>pichiana</i>									+											
E <i>Biscutella prealpina</i> Raffaelli & Baldoin ⁽¹⁵²⁾					?	?														
<i>Bistorta officinalis</i> Delarbre	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Bistorta vivipara</i> (L.) Delarbre	+	+	+	+	+	+	+	+	+	+	+	+	+							
<i>Bituminaria bituminosa</i> (L.) C.H. Stirt.		+			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Bituminaria morisiana</i> (Pignatti & Metlesics) Greuter																				+
<i>Bivonaea lutea</i> (Biv.) DC.																			+	+
<i>Blackstonia acuminata</i> (W.D.J. Koch & Ziz) Domin s.l.	+		+			+			?	-		+	+	+	+			+		+
<i>Blackstonia acuminata</i> (W.D.J. Koch & Ziz) Domin subsp. <i>acuminata</i>			+			+						+	+		+					+
<i>Blackstonia acuminata</i> (W.D.J. Koch & Ziz) Domin subsp. <i>aestiva</i> (K. Malý) Zeltner										-					+			+		
<i>Blackstonia grandiflora</i> (Viv.) Pau					?														+	+
<i>Blackstonia perfoliata</i> (L.) Huds. s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Blackstonia perfoliata</i> (L.) Huds. subsp. <i>imperfoliata</i> (L.f.) Franco & Rocha Afonso												?			-			?	+	
<i>Blackstonia perfoliata</i> (L.) Huds. subsp. <i>intermedia</i> (Ten.) Zeltner			-	?	+	+	0	+	?	-	?	?	-		+	+	+	+	+	+
<i>Blackstonia perfoliata</i> (L.) Huds. subsp. <i>perfoliata</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Blysmus compressus</i> (L.) Panz. ex Link		+	+	+	+	+	+	+	+	+	+	+	+		0		+	?		?
<i>Blyxa japonica</i> (Miq.) Maxim.		?	A																	
<i>Boehmeria nivea</i> (L.) Gaudich.			+A					+A				+A								
<i>Boerhavia repens</i> L. s.l.												+A							+A	
<i>Boerhavia repens</i> L. subsp. <i>diandra</i> (L.) Maire & Weiller												+A								
<i>Boerhavia repens</i> L. subsp. <i>viscosa</i> (Choisy) Maire																			+A	
<i>Bolboschoenus maritimus</i> (L.) Palla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bombycilaena discolor</i> (Pers.) M. Lainz			?				?									+	+			
<i>Bombycilaena erecta</i> (L.) Smoljan.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+	0	+	+
<i>Bonannia graeca</i> (L.) Halácsy																+	+	+		
E <i>Borago morisiana</i> Bigazzi & Ricceri																				+
<i>Borago officinalis</i> L.		+	+A	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Borago pygmaea</i> (DC.) Chater & Greuter ⁽¹⁵³⁾									+											+
<i>Bothriochloa insculpta</i> (Hochst.) A. Camus																				+
<i>Bothriochloa ischaemum</i> (L.) Keng	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bothriochloa saccharoides</i> (Sw.) Rydb. subsp. <i>saccharoides</i>							+A													
<i>Boussingaultia cordifolia</i> Ten.							+A					+A		+A					+A	
<i>Brachiararia eruciformis</i> (Sm.) Griseb.										+			+			+			+	
<i>Brachypodium caespitosum</i> (Host) Roem. & Schult.		+	+	-	+	+	+													
<i>Brachypodium genuense</i> (DC.) Roem. & Schult.							+	+	+	+	+	+	+	+	+		+	+		
<i>Brachypodium phoenicoides</i> (L.) Roem. & Schult.		?				+A	0	+				+	+		+	+	+	+	+	
<i>Brachypodium pinnatum</i> (L.) P. Beauv.	+	+	-	+	+	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-
<i>Brachypodium retusum</i> (Pers.) P. Beauv.						+A	+	+				+	+	+	+	+	+	+	+	+
<i>Brachypodium rupestre</i> (Host) Roem. & Schult.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Brachypodium sylvaticum</i> (Huds.) P. Beauv. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Brachypodium sylvaticum</i> (Huds.) P. Beauv. subsp. <i>glauco-virens</i> Murb.	+	+	+		+								+	+						
<i>Brachypodium sylvaticum</i> (Huds.) P. Beauv. subsp. <i>sylvaticum</i>	+	+	+	+		+	+	+	+	+	+	+	+		+		+		+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	<i>Brassica elongata</i> Ehrh. s.l.																			
	<i>Brassica elongata</i> Ehrh. subsp. <i>elongata</i> ⁽⁷⁷⁾																			
	<i>Brassica elongata</i> Ehrh. subsp. <i>integrifolia</i> (Boiss.) Breistr.																			
	<i>Brassica fruticulosa</i> Cirillo subsp. <i>fruticulosa</i>																			
E	<i>Brassica glabrescens</i> Poldini																			
	<i>Brassica gravinae</i> Ten.																			
	<i>Brassica incana</i> Ten.																			
	<i>Brassica insularis</i> Moris																			
E	<i>Brassica macrocarpa</i> Guss.																			
	<i>Brassica montana</i> Pourr.																			
	<i>Brassica napus</i> L. subsp. <i>napus</i>																			
	<i>Brassica nigra</i> (L.) W.D.J. Koch																			
	<i>Brassica oleracea</i> L.																			
	<i>Brassica procumbens</i> (Poir.) O.E. Schulz																			
	<i>Brassica rapa</i> L. s.l.																			
	<i>Brassica rapa</i> L. subsp. <i>campestris</i> (L.) A.R. Clapham																			
	<i>Brassica rapa</i> L. subsp. <i>rapa</i>																			
	<i>Brassica repanda</i> (Willd.) DC. subsp. <i>repanda</i>																			
	<i>Brassica rupestris</i> Raf. s.l.																			
E	<i>Brassica rupestris</i> Raf. subsp. <i>hispida</i> Raimondo & Mazzola ⁽¹⁵⁴⁾																			
E	<i>Brassica rupestris</i> Raf. subsp. <i>rupestris</i> ⁽¹⁵⁵⁾																			
	<i>Brassica souliei</i> (Batt.) Batt. subsp. <i>amplexicaulis</i> (Desf.) Greuter & Burdet																			
	<i>Brassica tournefortii</i> Gouan																			
E	<i>Brassica tyrrhena</i> Giotta, Piccitto & Arrigoni ⁽¹⁵⁶⁾																			
E	<i>Brassica villosa</i> Biv. s.l.																			
E	<i>Brassica villosa</i> Biv. subsp. <i>bivoniana</i> (Mazzola & Raimondo) Raimondo & Mazzola ⁽¹⁵⁷⁾																			
E	<i>Brassica villosa</i> Biv. subsp. <i>brevisiliqua</i> (Raimondo & Mazzola) Raimondo & Geraci ⁽¹⁵⁸⁾																			
E	<i>Brassica villosa</i> Biv. subsp. <i>drepanensis</i> (Caruel) Raimondo & Mazzola ⁽¹⁵⁹⁾																			
E	<i>Brassica villosa</i> Biv. subsp. <i>tinei</i> (Lojac.) Raimondo & Mazzola ⁽¹⁶⁰⁾																			
E	<i>Brassica villosa</i> Biv. subsp. <i>villosa</i> ⁽¹⁶¹⁾																			
	<i>Braya alpina</i> Sternb. & Hoppe																			
	<i>Brimeura fastigiata</i> (Viv.) Chouard																			
	<i>Briza maxima</i> L.																			
	<i>Briza media</i> L.																			
	<i>Briza minor</i> L.																			
	<i>Bromus alopecuroides</i> Poir. ⁽¹⁶²⁾																			
	<i>Bromus arvensis</i> L. s.l.																			
	<i>Bromus arvensis</i> L. subsp. <i>arvensis</i>																			
	<i>Bromus arvensis</i> L. subsp. <i>segetalis</i> H. Scholz																			
	<i>Bromus benekenii</i> (Lange) Trimen																			
	<i>Bromus brachystachys</i> Hornung																			
	<i>Bromus commutatus</i> Schrad.																			
	<i>Bromus condensatus</i> Hack. s.l.																			
	<i>Bromus condensatus</i> Hack. subsp. <i>condensatus</i>																			
	<i>Bromus condensatus</i> Hack. subsp. <i>microtrichus</i> (Borbás) Poldini & Oriolo																			
	<i>Bromus diandrus</i> Roth s.l. ⁽¹⁶³⁾																			
	<i>Bromus diandrus</i> Roth subsp. <i>diandrus</i>																			
	<i>Bromus diandrus</i> Roth subsp. <i>maximus</i> (Desf.) Soó																			
	<i>Bromus erectus</i> Huds. s.l.																			
	<i>Bromus erectus</i> Huds. subsp. <i>erectus</i> ⁽¹⁶⁴⁾																			
	<i>Bromus erectus</i> Huds. subsp. <i>longiflorus</i> (Willd.ex Spreng.) Arcang.																			
	<i>Bromus fasciculatus</i> C. Presl																			
	<i>Bromus grossus</i> Desf. ex DC.																			
	<i>Bromus hordeaceus</i> L. s.l.																			
	<i>Bromus hordeaceus</i> L. subsp. <i>hordeaceus</i>																			

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Bromus hordeaceus</i> L. subsp. <i>lepidus</i> (Holmb.) Pedersen	?	+	?																	
<i>Bromus hordeaceus</i> L. subsp. <i>longipedicellatus</i> L.M.Spaltan			+																	
<i>Bromus hordeaceus</i> L. subsp. <i>molliformis</i> (Lloyd ex Godr.) Maire & Weiller		+	?	+	+	0	+	+	?		+	+			+	+	+	+	+	+
<i>Bromus hordeaceus</i> L. subsp. <i>pseudothominei</i> (P.M. Sm.) H. Scholz				+		+A														
<i>Bromus hordeaceus</i> L. subsp. <i>thominei</i> (Hardouin) Braun-Blanq.				+	+		+	+					+		+	+	+	+	+	+
<i>Bromus inermis</i> Leyss.	+	+	+	+	+	+	+	+	+	+	+	+	+	+				+		
<i>Bromus intermedius</i> Guss. s.l.			+				+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Bromus intermedius</i> Guss. subsp. <i>divaricatus</i> Bonnier & Layens			+				+	+	+				+							
<i>Bromus intermedius</i> Guss. subsp. <i>intermedius</i>							+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Bromus japonicus</i> Thunb. s.l.	+	+	+	+	+	+A	0	+	+	+		+	+	+	0		+			
<i>Bromus japonicus</i> Thunb. subsp. <i>anatolicus</i> (Boiss. & Heldr.) Pénzes						+A														
<i>Bromus japonicus</i> Thunb. subsp. <i>japonicus</i>						+A		+		+			+							
<i>Bromus japonicus</i> Thunb. subsp. <i>subsquarrosus</i> (Borb.) Pénzes						+A														
<i>Bromus lanceolatus</i> Roth							+	+	+	+	+	+	+	+	0	+	+	?	+	+
<i>Bromus madritensis</i> L.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bromus neglectus</i> (Parl.) Nyman						?						+		+	+		+	?	+	
<i>Bromus pannonicus</i> Kumm. & Sendtn.				+A		+						+			+					
<i>Bromus racemosus</i> L.		+	+	+	+	+A	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bromus ramosus</i> Huds.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bromus rubens</i> L.							+	+	+	?	?	+	+	+	+	+	+	+	+	+
<i>Bromus scoparius</i> L.						0						+		+	+		+	+	+	+
<i>Bromus secalinus</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	?	+		+A	+	+			
<i>Bromus secalinus</i> L. subsp. <i>decipiens</i> Bomble & H. Scholz						+														
<i>Bromus secalinus</i> L. subsp. <i>secalinus</i>						+		+			+		+							
<i>Bromus squarrosus</i> L.	+	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bromus sterilis</i> L. ⁽¹⁶⁵⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bromus tectorum</i> L. subsp. <i>tectorum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Broussonetia papyrifera</i> (L.) Vent.		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A		+A	+A
<i>Bryonia acuta</i> Desf.																			+	+
<i>Bryonia alba</i> L.				+	+		+													
<i>Bryonia dioica</i> Jacq.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Bryonia marmorata</i> Petit ⁽¹⁶⁶⁾																				+
<i>Buddleja davidii</i> Franch.	+A	+A	+A	+A	+A	+A	+A		+A	+A		+A								
<i>Bufonia paniculata</i> Dubois ex Delarbre	?												+							+
<i>Bufonia tenuifolia</i> L.																	+			
<i>Buglossoides arvensis</i> (L.) I.M. Johnst.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Buglossoides calabra</i> (Ten.) I.M. Johnst.																	0	+		
<i>Buglossoides incrassata</i> (Guss.) I.M. Johnst. s.l.			+							+		+	+		0	+	+	?	+	+
<i>Buglossoides incrassata</i> (Guss.) I.M. Johnst. subsp. <i>incrassata</i>				+						+		+	+		0	+	+	?	+	+
<i>Buglossoides incrassata</i> (Guss.) I.M. Johnst. subsp. <i>leithneri</i> (Heldr.) Zippel & Clermont				+																
E <i>Buglossoides minima</i> (Moris) R. Fernandes																	+	0	+	+
<i>Buglossoides purpureoaeerulea</i> (L.) I.M. Johnst.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Buglossoides tenuiflora</i> (L. fil.) I.M. Johnst.																			?	
<i>Bulbocodium vernum</i> L.	+	+		+	+		+				-		-							
<i>Bulbocodium versicolor</i> (Ker Gawl.) Spreng. ⁽¹⁰⁸⁾	+										+		+							
<i>Bunias erucago</i> L.	0	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bunias orientalis</i> L.		+	-	+A	+	+A														
<i>Bunium alpinum</i> Waldst. & Kit.														-						
<i>Bunium bulbocastanum</i> L.	+	+	+	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bunium corydalinum</i> DC.																				+
<i>Bunium macuca</i> Boiss.																			?	
E <i>Bunium petraeum</i> Ten.									+	+	?	+	+	+			?	+	+	
E <i>Bupthalmum inuloides</i> Moris																				+
<i>Bupthalmum salicifolium</i> L. s.l.		+	+	+	+	+	+	+	+			+								

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E <i>Buphthalmum salicifolium</i> L. subsp. <i>flexile</i> (Bertol.) Garbari									+											
<i>Buphthalmum salicifolium</i> L. subsp. <i>grandiflorum</i> (L.) Ces.					+															
<i>Buphthalmum salicifolium</i> L. subsp. <i>salicifolium</i>		+	+	+	+	+	+	+												
<i>Bupleurum baldense</i> Turra	0	+	+	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Bupleurum dianthifolium</i> Guss.																				+
E <i>Bupleurum elatum</i> Guss.		-																		+
<i>Bupleurum falcatum</i> L. s.l.	-	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+		?
<i>Bupleurum falcatum</i> L. subsp. <i>cernuum</i> (Ten.) Arcang.	-	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Bupleurum falcatum</i> L. subsp. <i>corsicum</i> (Coss. & Kralik) Rouy & E.G. Camus ⁽¹⁶⁷⁾																				?
<i>Bupleurum falcatum</i> L. subsp. <i>falcatum</i> ⁽¹⁶⁸⁾																				
<i>Bupleurum fruticosum</i> L.						+				-					0			+	+	
<i>Bupleurum gerardi</i> All.	0	-				+	+				+	-	+	?	0	+	?	+	+	
<i>Bupleurum gracile</i> d'Urv. ⁽¹⁶⁹⁾																			+	
E <i>Bupleurum gussonei</i> (Arcang.) S. & B. Snogerup					-	-			+				?						+	
<i>Bupleurum lancifolium</i> Hornem. ⁽¹⁷⁰⁾	?	-		?	-	?	?	?	?	-	-	-	?	+	0	?	?	-	?	-
<i>Bupleurum longifolium</i> L. subsp. <i>vapincense</i> (Vill.) Todor ⁽¹⁷¹⁾					+															
<i>Bupleurum odontites</i> L.		+							+			+					+	+	+	+
<i>Bupleurum petraeum</i> L.		+	+	+	+	+	+					+								
<i>Bupleurum praealtum</i> L.		+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bupleurum ranunculoides</i> L.	+	+	+	+	+	+	+	+			+									
<i>Bupleurum rigidum</i> L. subsp. <i>rigidum</i>		-				0						?							+	
E <i>Bupleurum rollii</i> (Monteluc.) Moraldo												+	+	+		+	+	+	+	
<i>Bupleurum rotundifolium</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	0	+	+
<i>Bupleurum semicompositum</i> L.									+	+		0				+	+	+	+	+
<i>Bupleurum stellatum</i> L.	+	+	+	+	+	+														
<i>Bupleurum subovatum</i> Link ex Spreng.			+		+	?	+	?	+	+	+	+	+			+	+	+	+	+
<i>Bupleurum tenuissimum</i> L.	+	0		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Bupleurum trichopodium</i> Boiss. & Spruner ⁽¹⁷²⁾																				+
<i>Bupleurum veronense</i> Turra			+	+	+	+														
<i>Butomus umbellatus</i> L.		+	+	+	+	+	0	+	+		+	+	+		0					+
<i>Buxus balearica</i> Lam.																				+
<i>Buxus sempervirens</i> L.	+	+	+	+	A	+	A	+	+	+	+	+	+	+	+		?			+
<i>Cachrys cristata</i> DC.																+	-	+	+	
<i>Cachrys ferulacea</i> (L.) Calest.										+	+	?	+		+	+	+	+	+	+
<i>Cachrys libanotis</i> L.															0	+	+	+	+	+
<i>Cachrys pungens</i> Jan ex Guss.														+		+		+	+	
<i>Cachrys sicula</i> L.																+	+	0	+	+
<i>Cachrys trifida</i> Mill.						0														
<i>Cakile maritima</i> Scop. subsp. <i>maritima</i>					+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Calamagrostis arundinacea</i> (L.) Roth	+	+	+	+	+	+	+	+	+		+	+	+		+				+	
<i>Calamagrostis canescens</i> (Weber) Roth		+	+	+	+	+												?		
E <i>Calamagrostis corsica</i> (Hack.) D.Prain								+	+			+	-							
<i>Calamagrostis epigejos</i> (L.) Roth	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Calamagrostis pseudophragmites</i> (Haller f.) Koeler	+	+	+	+	+	+	+	+				?	0				+			
<i>Calamagrostis varia</i> (Schrad.) Host	+	+	+	+	+	+	+		+	+		+	+	+	0					
<i>Calamagrostis villosa</i> (Chaix) J.F. Gmel.	+	+	+	+	+	+	+	+												
<i>Calamintha ascendens</i> Jord.	?	0	+	?	+	+	+		+			+		+	+					
<i>Calamintha einseleana</i> F.W. Schultz					+															
<i>Calamintha grandiflora</i> (L.) Moench		+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	+
<i>Calamintha nepeta</i> (L.) Savi s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Calamintha nepeta</i> (L.) Savi subsp. <i>nepeta</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Calamintha nepeta</i> (L.) Savi subsp. <i>sylvatica</i> (Bromf.) R. Morales	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+	+	+
<i>Calamintha subnuda</i> (Waldst. & Kit.) Host				?	?															
<i>Caldesia parnassifolia</i> (Bassi ex L.) Parl.		?	0	?			0	+		?										
<i>Calendula arvensis</i> L. ⁽¹⁷³⁾	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Calendula bicolor</i> Raf.																				+
<i>Calendula officinalis</i> L.	+	A			+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A
<i>Calendula stellata</i> Cav.																				+
<i>Calendula suffruticosa</i> Vahl s.l.									+	+					0		+	+	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Calendula suffruticosa</i> Vahl subsp. <i>fulgida</i> (Raf.) Guadagno									+	+							+	+	+	
E <i>Calendula suffruticosa</i> Vahl subsp. <i>maritima</i> (Guss.) Meikle																				+
<i>Calendula tripterocarpa</i> Rupr.																	+	?	+	+
<i>Calepina irregularis</i> (Asso) Thell.	+	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Calicotome infesta</i> (C. Presl) Guss. subsp. <i>infesta</i>							+						+				+	+	+	+
<i>Calicotome spinosa</i> (L.) Link							+		+				+		?	+	+		-	+
<i>Calicotome villosa</i> (Poir.) Link								+				+			+	+	+	+	+	+
<i>Callianthemum coriandrifolium</i> Rchb.	+	+	+	+																
<i>Callianthemum kernerianum</i> A. Kern.				+	+															
<i>Callistephus sinensis</i> (L.) Nees						+A														
<i>Callitriche brutia</i> Petagna		+	+		+				+	+	+	+	+		0	+	+	0	+	+
<i>Callitriche cophocarpa</i> Sendtn.				+	+	+						+		+						+
<i>Callitriche cribrata</i> Schotsman												?								
<i>Callitriche hamulata</i> Kütz. ex W.D.J. Koch		+	+		+	+		+	+		+	+	+	+						+
<i>Callitriche hermaphroditica</i> L.						?		+												
<i>Callitriche lenisulca</i> Clavaud			+																	+
<i>Callitriche obtusangula</i> Le Gall			+	+	+			+			+								+	+
<i>Callitriche palustris</i> L.	+	+	+	+	+	+	-	+	+	+	+	?	+	+	0	+	+	?		+
<i>Callitriche platycarpa</i> Kütz.			+		+														0	
<i>Callitriche regis-jubae</i> Schotsman																				+
<i>Callitriche stagnalis</i> Scop.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Callitriche truncata</i> Guss. s.l.									+			+			0				+	+
<i>Callitriche truncata</i> Guss. subsp. <i>occidentalis</i> (Rouy) Schotsman																			+	
<i>Callitriche truncata</i> Guss. subsp. <i>truncata</i>												+							+	+
<i>Calluna vulgaris</i> (L.) Hull	+	+	+	+	+	+	+	+	+	+	+	+								
<i>Caltha palustris</i> L. ⁽¹⁷⁴⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0		+	+		
<i>Calystegia sepium</i> (L.) R. Br. subsp. <i>sepium</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Calystegia silvatica</i> (Kit.) Griseb.		+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Calystegia soldanella</i> (L.) Roem. & Schult.					+	+	0	+	+	+		+	+	+	+	+	+	+	+	+
<i>Camelina alyssum</i> (Mill.) Thell. s.l.			0	0	0			+												
<i>Camelina alyssum</i> (Mill.) Thell. subsp. <i>alyssum</i>			0					+												
<i>Camelina alyssum</i> (Mill.) Thell. subsp. <i>integerrima</i> (Celak.) Smejkal ⁽¹⁷⁵⁾																				
<i>Camelina microcarpa</i> Andr. ex DC.	+	?	+	+	+	+	+					?								
<i>Camelina sativa</i> (L.) Crantz s.l.	0	+	+	0	+	+	+	+	+			+	+				+A	+	?	A
<i>Camelina sativa</i> (L.) Crantz subsp. <i>pilosa</i> (DC.) N.W. Zinger						+														
<i>Camelina sativa</i> (L.) Crantz subsp. <i>sativa</i>			+		+		+													
<i>Campanula alpestris</i> All.	+	+					-		+											
<i>Campanula alpina</i> Jacq.					+															
<i>Campanula barbata</i> L.	+	+	+	+	+	+	-													
E <i>Campanula bertolae</i> Colla	?	+	+																	
<i>Campanula bononiensis</i> L.	+	+	+	+	+	+	+	+	0	+	+	+	+	+	0					
<i>Campanula carnica</i> Mert. & W.D.J. Koch s.l.		-	+	+	+	+														
<i>Campanula carnica</i> Mert. & W.D.J. Koch subsp. <i>carnica</i>			+	+	+	+														
E <i>Campanula carnica</i> Mert. & W.D.J. Koch subsp. <i>puberula</i> Podlech		-	+		+															
<i>Campanula cenisia</i> L.	+	+	+	+																
<i>Campanula cervicaria</i> L.	?	+	+	+	+	+	0	+	+	+	?	+	+							
<i>Campanula cespitosa</i> Scop.				+	+	+														
<i>Campanula cochlearifolia</i> Lam.	+	+	+	+	+	+	+	+	+			+	+	+						
<i>Campanula dichotoma</i> L.													+		+	+		+	+	
E <i>Campanula elatines</i> L.		+																		
E <i>Campanula elatinoidea</i> Moretti			+		+															
<i>Campanula erinus</i> L.		+			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Campanula excisa</i> Schleich.	+	+																		
<i>Campanula foliosa</i> Ten.										+	+	+	+	+	+		+	0		
E <i>Campanula forsythii</i> (Arcang.) Bég.																				+
E <i>Campanula fragilis</i> Cirillo s.l.												+	+	+	+		+	+		
E <i>Campanula fragilis</i> Cirillo subsp. <i>cavolinii</i> (Ten.)												+	+	+	+					

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
Damboldt																				
E <i>Campanula fragilis</i> Cirillo subsp. <i>fragilis</i>												?			+		+	+		
E <i>Campanula garganica</i> Ten. subsp. <i>garganica</i>																+				
<i>Campanula glomerata</i> L. ⁽¹⁷⁶⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
E <i>Campanula isophylla</i> Moretti							+													
<i>Campanula justiniana</i> Witasek						-														
<i>Campanula latifolia</i> L.		?	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
<i>Campanula lingulata</i> Waldst. & Kit.															0					
<i>Campanula macrorrhiza</i> A. DC.		+					+													
<i>Campanula marchesettii</i> Witasek					-	-														
<i>Campanula medium</i> L.	0	+					+	+	+	+		?A								
E <i>Campanula micrantha</i> Bertol.										+	+	+	+	+	+					
E <i>Campanula morettiana</i> Rchb.				+	+	+														
<i>Campanula patula</i> L. s.l.		+	+	+	+	+	?	+				+								+
<i>Campanula patula</i> L. subsp. <i>jahorinae</i> (K. Malý) Greuter & Burdet				+	+	+														
<i>Campanula patula</i> L. subsp. <i>patula</i>		+	+	+	+	+	?	+				+								+
<i>Campanula persicifolia</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+
<i>Campanula persicifolia</i> L. subsp. <i>persicifolia</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+
<i>Campanula persicifolia</i> L. subsp. <i>sessiliflora</i> (C. Koch) Velen.						+														
<i>Campanula petraea</i> L.				+	+	+														
<i>Campanula pyramidalis</i> L.				+	+	+														
E <i>Campanula raineri</i> Perp.				+	+	-														
<i>Campanula ramosissima</i> Sibth. & Sm.			+	+	+	0														
<i>Campanula rapunculoides</i> L. subsp. <i>rapunculoides</i>		+	+	+	+	+	+	+		+	+		0							
<i>Campanula rapunculus</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
E <i>Campanula reatina</i> Lucchese												+								
<i>Campanula rhomboidalis</i> L.		+	+	+			+													
<i>Campanula rotundifolia</i> L. subsp. <i>rotundifolia</i>		+	+	+	+	+	+	+	+	+			?							
E <i>Campanula sabatia</i> De Not.							+													
<i>Campanula scheuchzeri</i> Vill. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Campanula scheuchzeri</i> Vill. subsp. <i>pollinensis</i> (Podlech) Bernardo, Gargano & Peruzzi															+		+	+	+	
E <i>Campanula scheuchzeri</i> Vill. subsp. <i>pseudostenocodon</i> (Lacaita) Bernardo, Gargano & Peruzzi										+		?	+		+		+	+		
<i>Campanula scheuchzeri</i> Vill. subsp. <i>scheuchzeri</i>		+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Campanula sibirica</i> L. s.l.			+	+	+	+		+		+	+		+							
<i>Campanula sibirica</i> L. subsp. <i>divergentiformis</i> (Jáv.) Domin										+			+							
<i>Campanula sibirica</i> L. subsp. <i>sibirica</i>				+		+		+		+	+		+							
<i>Campanula spicata</i> L.		+	+	+	+	+	-	?	+	+		+	+							
<i>Campanula stenocodon</i> Boiss. & Reut.			+				0													
E <i>Campanula tanfanii</i> Podlech										+	+	+	+	?						
<i>Campanula thyrsoides</i> L. s.l.		+	+	+	+	+														
<i>Campanula thyrsoides</i> L. subsp. <i>carniolica</i> (Sünd.) Podlech					+	+														
<i>Campanula thyrsoides</i> L. subsp. <i>thyrsoides</i>		+	+	+	+	+														
<i>Campanula trachelium</i> L. subsp. <i>trachelium</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Campanula versicolor</i> Andrews																+	+			
<i>Campanula witasekiana</i> Vierh.				+	+	+														
<i>Campanula zozsii</i> Wulfen					+	+														
<i>Camphorosma monspeliaca</i> L.					+		?	+	+			0	+		+	+	+	?	+	+
<i>Campsis radicans</i> (L.) Seem. ⁽¹⁷⁷⁾				+		+	?	?				+								
<i>Canna indica</i> L.					+							+	+		+				+	+
<i>Cannabis sativa</i> L.		?	?	+	+	+		+		+		+	+	+	+				+	+
<i>Capparis spinosa</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Capparis spinosa</i> L. subsp. <i>rupestris</i> (Sm.) Nyman					+					+	+		?		+		+	+	+	
<i>Capparis spinosa</i> L. subsp. <i>spinosa</i> ⁽¹⁷⁸⁾			+				+	+					+		+		+	+	+	
<i>Capsella bursa-pastoris</i> (L.) Medik. subsp. <i>bursa-pastoris</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Capsella grandiflora</i> (Fauché & Chaub.) Boiss.			+			?	?													
<i>Capsella rubella</i> Reut. ⁽¹⁷⁹⁾		-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Capsicum annuum</i> L.					+	+					+	+	+	+						

[illegible]

[illegible]

[illegible]

[illegible]

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	<i>Carthamus tinctorius</i> L.						+A	?A				?A									
E	<i>Carum apuanum</i> (Viv.) Grande subsp. <i>apuanum</i>									+											
	<i>Carum carvi</i> L. subsp. <i>carvi</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	?						
E	<i>Carum flexuosum</i> (Ten.) Nyman							+	+	+	+	+	+	+	+			+			
	<i>Carum multiflorum</i> (Sibth. & Sm.) Boiss. subsp. <i>multiflorum</i>																+	+			
	<i>Castanea sativa</i> Mill.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Castellia tuberculosa</i> (Moris) Bor ⁽¹⁹⁸⁾																			+	+
	<i>Catabrosa aquatica</i> (L.) P. Beauv.	+	+	0	+	+		?	+	+	+	+	+	+	+	0	+	+	?	+	+
	<i>Catalpa bignonioides</i> Walter		+A		+A		+A			?A											
	<i>Catananche caerulea</i> L.		+					+													
	<i>Catananche lutea</i> L.									+			+	+	+	0	+	+	+	+	+
	<i>Catapodium balearicum</i> (Willk.) H. Scholz					?	+	+		+	+		+	?	+	+	+	+	+	+	+
	<i>Catapodium hemipoa</i> (Delile ex Spreng.) Lainz					-	-	0		+	+	?	+	+	+	+	+	+	?	+	
	<i>Catapodium pauciflorum</i> (Merino) Brullo, Giusso, Minissale & Spamp. ⁽¹⁹⁹⁾							+		+			+			+	+		+	+	+
	<i>Catapodium rigidum</i> (L.) C.E. Hubb. ex Dony s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Catapodium rigidum</i> (L.) C.E. Hubb. ex Dony subsp. <i>majus</i> (C. Presl) Perring & Sell ⁽²⁰⁰⁾							+		+			+			+	+		+	+	+
	<i>Catapodium rigidum</i> (L.) C.E. Hubb. ex Dony subsp. <i>rigidum</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Catapodium zwierleinii</i> (Lojac.) Brullo ⁽²⁰¹⁾												+				+			+	
	<i>Caucalis platycarpus</i> L.	+	+	+	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	
	<i>Celosia argentea</i> L.						+A		+A					+A				?A		+A	
E?	<i>Celtis aetnensis</i> Strobl																			+	
	<i>Celtis australis</i> L. subsp. <i>australis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Celtis occidentalis</i> L.					+A															
	<i>Cenchrus ciliaris</i> L.																				+
	<i>Cenchrus incertus</i> Curtis		?A			+A			+A	+A	+A		+A	+A	+A	+A	+A				
	<i>Cenchrus longispinus</i> (Hack.) Fernald						+A														
	<i>Centaurea acaulis</i> L.																				+A
E	<i>Centaurea aeolica</i> Guss. ex Lojac. s.l.												+								+
E	<i>Centaurea aeolica</i> Guss. ex Lojac. subsp. <i>aeolica</i>																				+
E	<i>Centaurea aeolica</i> Guss. ex Lojac. subsp. <i>pandataria</i> (Fiori & Bég. ex Fiori) Anzal. ⁽²⁰²⁾												+								
E	<i>Centaurea aetaliae</i> (Sommier) Bég.									+											
E	<i>Centaurea ambigua</i> Guss. s.l. ⁽²⁰³⁾									+	+	?	+	+	+	+		?		?	
E	<i>Centaurea ambigua</i> Guss. subsp. <i>ambigua</i>									-	+	?	+	+	+	?					
E	<i>Centaurea ambigua</i> Guss. subsp. <i>laciniata</i> (Guss.) Arcang.									+				+							
E	<i>Centaurea ambigua</i> Guss. subsp. <i>nigra</i> (Fiori) Pignatti									-	+	?	+	+	+						
	<i>Centaurea apolepa</i> Moretti s.l.		+	-				+	+	+											
E	<i>Centaurea apolepa</i> Moretti subsp. <i>apolepa</i>		?					+	+	+											
E	<i>Centaurea apolepa</i> Moretti subsp. <i>bertolonii</i> (Arrigoni) Greuter								+												
E	<i>Centaurea apolepa</i> Moretti subsp. <i>levantina</i> (Arrigoni) Greuter								+												
E	<i>Centaurea arrigonii</i> Greuter									+	+	+									
	<i>Centaurea aspera</i> L. subsp. <i>aspera</i>		?	-		+		+		+			+							+	+
E	<i>Centaurea aspromontana</i> Brullo, Scelsi & Spamp. ⁽²⁰⁴⁾																		+		
	<i>Centaurea brachtii</i> Rchb. f.					+															
E	<i>Centaurea brulla</i> Greuter																+	+			
E	<i>Centaurea bugellensis</i> (Soldano) Soldano ⁽²⁰⁵⁾			+																	
E	<i>Centaurea busambarensis</i> Guss.																			+	
	<i>Centaurea calcitrapa</i> L.		?	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Centaurea centauroides</i> L.														+	0	+	+			
	<i>Centaurea cineraria</i> L. s.l.									?A			+			+		+	+	+	
E	<i>Centaurea cineraria</i> L. subsp. <i>cineraria</i>												+			+		+	+		
E	<i>Centaurea cineraria</i> L. subsp. <i>circae</i> (Sommier) Cela-Renzoni & Viegi ⁽²⁰⁶⁾												+								
	<i>Centaurea collina</i> L. subsp. <i>collina</i>	?						+									+				
	<i>Centaurea cristata</i> Bartl.						+														
	<i>Centaurea debeauxii</i> Gren. & Godr. subsp. <i>thuilleri</i> Dostál		+	?	+	+		0		+	?	+	+								
	<i>Centaurea deusta</i> Ten. s.l. ⁽²⁰⁷⁾		+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?

[illegible]

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOI	CAM	PUG	BAS	CAL	SIC	SAR
Reut.) Melderis																				
<i>Centaureum erythraea</i> Rafn subsp. <i>rumelicum</i> (Velen.) Melderis									+	?	?	-	-		+	+	?	+		+
<i>Centaureum littorale</i> (Turner) Gilmour subsp. <i>littorale</i>					+	+														
<i>Centaureum maritimum</i> (L.) Fritsch							+	+	+	+	+	+	+		+	+	+	+	+	+
<i>Centaureum pulchellum</i> (Sw.) Druce subsp. <i>pulchellum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Centaureum spicatum</i> (L.) Fritsch			+		+	+	0	+	+	+	+	+	+		0	+	+	+	+	+
<i>Centaureum tenuiflorum</i> (Hoffmanns. & Link) Fritsch s.l.					+	+	+	+	+		+	+	+	+	+	+	+	+	+	+
<i>Centaureum tenuiflorum</i> (Hoffmanns. & Link) Fritsch subsp. <i>acutiflorum</i> (Schott) Zeltner						+			+		+		+						+	
<i>Centaureum tenuiflorum</i> (Hoffmanns. & Link) Fritsch subsp. <i>tenuiflorum</i>								+	+										+	+
E <i>Centranthus amazonum</i> Fridl. & A. Raynal																				+
<i>Centranthus angustifolius</i> (Mill.) DC. subsp. <i>angustifolius</i>		+		+			?			+	?		+							
<i>Centranthus calcitrapae</i> (L.) Dufr. subsp. <i>calcitrapae</i>							+		+	+	+	+			+	+	+	+	+	+
<i>Centranthus macrosiphon</i> Boiss.									+			+	A			+	A			
<i>Centranthus ruber</i> (L.) DC. subsp. <i>ruber</i>	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Centranthus trinervis</i> (Viv.) Bég. ⁽²³³⁾																				-
<i>Cephalanthera damasonium</i> (Mill.) Druce	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cephalanthera longifolia</i> (L.) Fritsch		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cephalanthera rubra</i> (L.) Rich.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cephalaria alpina</i> (L.) Roem. & Schult.		+					+													
<i>Cephalaria joppensis</i> (Rechb.) Coult.															+			?	+	
<i>Cephalaria leucantha</i> (L.) Roem. & Schult.		+			+	+	+	?	+	+	+	+	+	+	+	+	+	+		
E <i>Cephalaria squamiflora</i> (Sieber) Greuter subsp. <i>mediterranea</i> (Viv.) Pignatti ⁽²³⁴⁾																				+
<i>Cephalaria syriaca</i> (L.) Roem. & Schult.								?	A	+	A									+
<i>Cephalaria transsylvanica</i> (L.) Roem. & Schult.			+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cerastium alpinum</i> L. s.l.			+	+	+	+		+												
<i>Cerastium alpinum</i> L. subsp. <i>alpinum</i>			+	+	?	+	+	+												
<i>Cerastium alpinum</i> L. subsp. <i>lanatum</i> (Lam.) Ces.				+	+															
<i>Cerastium arvense</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+				?	
<i>Cerastium arvense</i> L. subsp. <i>arvense</i>	?	+	+	+	+	+			+		?	+	+	+	+					
<i>Cerastium arvense</i> L. subsp. <i>molle</i> (Vill.) Arcang.	+	+	+	?			+													
<i>Cerastium arvense</i> L. subsp. <i>strictum</i> (W.D.J. Koch) Schinz & R. Keller	+	+	+	+	+	+	+	+		?	?	+	?	+	+					
<i>Cerastium arvense</i> L. subsp. <i>suffruticosum</i> (L.) Ces.	+	+	+	?	+		+	+	+	+	+	+	+	+						
<i>Cerastium balearicum</i> F. Herm.						+						-		+		+				
<i>Cerastium boissierianum</i> Greuter & Burdet																				+
<i>Cerastium brachypetalum</i> Desp. ex Pers. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cerastium brachypetalum</i> Desp. ex Pers. subsp. <i>brachypetalum</i>		+	+	+		+	+	+	+	+	+	+		+	+				+	
<i>Cerastium brachypetalum</i> Desp. ex Pers. subsp. <i>roeseri</i> (Boiss. & Heldr.) Nyman		+	+				+		+	+	?	+	+	+	+	+	+	+	+	
<i>Cerastium brachypetalum</i> Desp. ex Pers. subsp. <i>tauricum</i> (Spreng.) Murb.		+		+			+		+	+	+	+	+				+		+	+
<i>Cerastium brachypetalum</i> Desp. ex Pers. subsp. <i>tenoreanum</i> (Ser.) Soó & Jáv.		+	+	+	+	+			+	+	+	+	+	+	+	+	+	+	+	+
<i>Cerastium carinthiacum</i> Vest s.l.				+	+	+														
<i>Cerastium carinthiacum</i> Vest subsp. <i>austroalpinum</i> (Kunze) Janch.				+	+	+	+													
<i>Cerastium carinthiacum</i> Vest subsp. <i>carinthiacum</i>				+	+	+	+													
<i>Cerastium cerastoides</i> (L.) Britton	+	+	+	+	+	+	+	+				+	+	+						
<i>Cerastium diffusum</i> Pers. s.l.					+				+	+		?	+	+	+		+		+	+
<i>Cerastium diffusum</i> Pers. subsp. <i>diffusum</i>					+				+	+		?	+				+		+	+
<i>Cerastium diffusum</i> Pers. subsp. <i>gussonei</i> (Lojac.) P.D. Sell & Whitehead														+	+		+		+	
<i>Cerastium dubium</i> (Bastard) Guépin		?	+	-	+	-											+		+	
<i>Cerastium fontanum</i> Baumg.				+	+	+	+													+
<i>Cerastium glomeratum</i> Thuill.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cerastium glutinosum</i> Fr.	+	+	+	+	+	+		+	+	+		+	+	+	+	+	+	+	+	+
E <i>Cerastium granulatum</i> (Huter, Porta & Rigo) Chiov.															+		+	+	+	+
<i>Cerastium holosteoides</i> Fr.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E <i>Cerastium lacaitae</i> Barberis, Bechi & Miceli																				
<i>Cerastium latifolium</i> L.	+	+	+	?	-								?							
<i>Cerastium ligusticum</i> Viv.		+	+		+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cerastium lineare</i> All.	+	+																		
<i>Cerastium lucorum</i> (Schur) Möschl					+	+	+													
E <i>Cerastium palustre</i> Moris																				+
<i>Cerastium pedunculatum</i> Gaudin	+	+	+	+	+		-													
<i>Cerastium pentandrum</i> L.														+	0		+	+	+	+
E <i>Cerastium pospichalii</i> Soldano & F. Conti						+														
<i>Cerastium pumilum</i> Curtis	?	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Cerastium scaranii</i> Ten.									+	+	?	+	+	+	+		+	+	-	
<i>Cerastium semidecandrum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cerastium siculum</i> Guss.									+			+	+	+	+	+	+	?	+	0
<i>Cerastium subtriflorum</i> (Rchb.) Pacher						+														
E <i>Cerastium supramontanum</i> Arrigoni																				+
<i>Cerastium sylvaticum</i> Waldst. & Kit.		?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?		
E <i>Cerastium thomassii</i> Ten. ⁽²³⁵⁾							+					+	+							
E <i>Cerastium tomentosum</i> L. ⁽²³⁶⁾		+A		+A	+A	+A		+A		+	+	+	+	+	+		+	+	+	
<i>Cerastium uniflorum</i> Clairv.	+	+	+	+	+	+	?													
E <i>Cerastium utriense</i> Barberis ⁽²³⁷⁾		+					+													
<i>Ceratocephala falcata</i> (L.) Pers. ⁽²³⁸⁾		0	+				0	0	?	+	+	?	+			+				
<i>Ceratochloa carinata</i> (Hook. & Arn.) Tutin				+A		+A														
<i>Ceratochloa cathartica</i> (Vahl) Herter		+A	+A	+A	+A	+A	+A			+A		+A	+A		+A				+A	
<i>Ceratonia siliqua</i> L.						+A	+	+					+	+	+A	+	+	+	+	+
<i>Ceratophyllum demersum</i> L.		+	+	+	+	+	+	+	+	0	+	+	+		0	+	+	+	+	+
<i>Ceratophyllum submersum</i> L. subsp. <i>submersum</i>		+	+	+	+	+	-	+	+			+	+			+			+	
<i>Cerastostigma plumbaginoides</i> Bunge		+A					+A			+A										
<i>Cercis siliquastrum</i> L. subsp. <i>siliquastrum</i>		-	+	+	+	+A		+	+	+	+A	+	+	+	+	+A	+	+	+A	+A
<i>Cerinthe glabra</i> Mill. subsp. <i>glabra</i>	+	+	+	+	+	+	+	+	+				?				?			
<i>Cerinthe major</i> L. s.l.							+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cerinthe major</i> L. subsp. <i>gymnandra</i> (Gasp.) Rouy													+		+		+			
<i>Cerinthe major</i> L. subsp. <i>major</i>								+		+	+	+	+	+			+			
<i>Cerinthe minor</i> L. s.l.		+	+	+	+	+	+	+	+	+		+	+	+	+		+	+	+	+
<i>Cerinthe minor</i> L. subsp. <i>auriculata</i> (Ten.) Domac		+								+		+	+		+		+	+	+	
<i>Cerinthe minor</i> L. subsp. <i>minor</i>		+	+	+		+		+		+		+	+	+			+			
<i>Cestrum parqui</i> L'Hér.												+A	+A	+A	+A	+A	+A	+A		
<i>Chaenorhinum minus</i> (L.) Lange s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+
<i>Chaenorhinum minus</i> (L.) Lange subsp. <i>litorale</i> (Willd.) Hayek					+	+		+	+	+										
<i>Chaenorhinum minus</i> (L.) Lange subsp. <i>minus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+
<i>Chaenorhinum organifolium</i> (L.) Kostel. subsp. <i>organifolium</i>		+																		
<i>Chaenorhinum rubrifolium</i> (Robill. & Castagne ex DC.) Fourr. subsp. <i>rubrifolium</i>												+	+	+					+	+
<i>Chaerophyllum aromaticum</i> L.			0					+												
<i>Chaerophyllum aureum</i> L.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Chaerophyllum bulbosum</i> L. subsp. <i>bulbosum</i>		+A																		
<i>Chaerophyllum hirsutum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+		+		+	+		
<i>Chaerophyllum hirsutum</i> L. subsp. <i>elegans</i> (Gaudin) Ces.	+	+																		
<i>Chaerophyllum hirsutum</i> L. subsp. <i>hirsutum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0		+	+		
E <i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti							+	+	+	?	?	+	+		+		+	+		
<i>Chaerophyllum hirsutum</i> L. subsp. <i>villarsii</i> (W.D.J. Koch) Arcang.	+	+	+	+	+	+	+													
<i>Chaerophyllum temulum</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chaetonychchia cymosa</i> (L.) Sweet																				+
<i>Chaetopogon fasciculatus</i> (Link) Hayek					+			0								+				
<i>Chamaemelum fuscatum</i> (Brot.) Vasc.								+	+			+			+			+	+	
<i>Chamaemelum nobile</i> (L.) All.												+A								
<i>Chamaerops humilis</i> L.						+A	+	+				+			+			+	+	+
<i>Chamaesyce canescens</i> (L.) Prokh. s.l.	+	+	+		+	+A	+	+	+	+	+	+	+	+	0	+	+	+	+	+
<i>Chamaesyce canescens</i> (L.) Prokh. subsp. <i>canescens</i>		+	+		+		+	+	+	-	+	+	-		0	+	+	+	+	+
<i>Chamaesyce canescens</i> (L.) Prokh. subsp. <i>massiliensis</i>					+	+A	+	+	+			+								

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
(DC.) Soják																				
<i>Chamaesyce glyptosperma</i> (Engelm.) Small ⁽²³⁹⁾		+A						+A												
<i>Chamaesyce humifusa</i> (Willd. ex Schltr.) Prokh.		+A	+A	+A	+A	+A		+A	+A		+A	+A	+A	+A	+A		+A		+A	+A
<i>Chamaesyce hypericifolia</i> (L.) Millsp. ⁽²⁴⁰⁾																				
<i>Chamaesyce maculata</i> (L.) Small	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A	+A
<i>Chamaesyce nutans</i> (Lag.) Small		+A	+A	+A	+A	+A		+A	+A	+A	+A	+A			+A				+A	
<i>Chamaesyce peplis</i> (L.) Prokh.					+	0						+	+	+	+	+	+	+	+	+
<i>Chamaesyce prostrata</i> (Aiton) Small	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Chamaesyce serpens</i> (Kunth) Small ⁽²⁴¹⁾							+A													
<i>Chamorchis alpina</i> (L.) Rich.	+	+	+	+	+	+														
<i>Charybdis maritima</i> (L.) Speta ⁽²⁴²⁾							+		+			-	-		-	-	-	-	-	-
<i>Charybdis pancration</i> (Steinh.) Speta ⁽²⁴³⁾												+	+		+	+	+	+	+	+
<i>Charybdis undulata</i> (Desf.) Speta																				+
<i>Chelidonium majus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chenopodium album</i> L. s.l. ⁽²⁴⁴⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chenopodium album</i> L. subsp. <i>album</i>		+	+	+		+		+			+			+					+	+
<i>Chenopodium album</i> L. subsp. <i>borbastii</i> (J. Murr) Soó				+																
<i>Chenopodium album</i> L. subsp. <i>pedunculare</i> (Bertol.) Arcang.				+		+														
<i>Chenopodium ambrosioides</i> L.	?A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Chenopodium aristatum</i> L.						+A	+A													
<i>Chenopodium bonus-henricus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chenopodium botryoides</i> Sm.			-		+	+						+			+					
<i>Chenopodium botrys</i> L.	+	+	+	+	+	+A	+	+	+	?	+	+	+	+	+	+	+	+	+	+
<i>Chenopodium capitatum</i> (L.) Asch.	?A	-	?	+A																
<i>Chenopodium ficifolium</i> Sm.		+	+	+	+	+									+	+			+	?
<i>Chenopodium foliosum</i> Asch.			-	+	+	+A														
<i>Chenopodium glaucum</i> L.	+A	?	+	+	+	+	+													?
<i>Chenopodium hybridum</i> L.	+	+	+	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Chenopodium multifidum</i> L.								+A	+A	+A		+A	+A		+A	+A		+A	+A	+A
<i>Chenopodium murale</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chenopodium opulifolium</i> Schrad. ex W.D.J. Koch & Ziz	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chenopodium polyspermum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A	+	+	+	+	+
<i>Chenopodium probstii</i> Aellen						+A														
<i>Chenopodium rubrum</i> L.		+	+	+	+	+	+	+	+			?	?	+			+			+
<i>Chenopodium strictum</i> Roth s.l.			+	+	+	+						?		?						?
<i>Chenopodium strictum</i> Roth subsp. <i>striatiforme</i> (Murr) Uotila ⁽²⁴⁵⁾																				
<i>Chenopodium strictum</i> Roth subsp. <i>strictum</i> ⁽²⁴⁶⁾													?							
<i>Chenopodium suecicum</i> Murr ⁽²⁴⁷⁾			+	+	+	?							?	?	+					
<i>Chenopodium urbicum</i> L.	0	+	+	0	+	+	+	+	+	+	+	+	+	+	+A	+	+	+	+	+
<i>Chenopodium vulvaria</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Chiliadenus lopadusanus</i> Brullo																				+
<i>Chondrilla chondrilloides</i> (Ard.) H. Karst.			+	+	+	+		-					?							
<i>Chondrilla juncea</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chorispora tenella</i> (Pallas) DC.						+A														
<i>Chowardia litardierei</i> (Breistr.) Speta ⁽²⁴⁸⁾					0															
<i>Chrozophora tinctoria</i> (L.) Raf.		+			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chrysanthemoides monilifera</i> (L.) Norl.																			?	A
<i>Chrysopogon gryllus</i> (L.) Trin.	+	+	+	+	+	+	+	+	+	+	+	+				+		?		
<i>Chrysosplenium alternifolium</i> L.	+	+	+	+	+	+	+	+	+	+		+	+	?						
<i>Chrysosplenium dubium</i> Gay ex Ser.																+		+	+	
<i>Cicendia filiformis</i> (L.) Delarbre		?							+		+	+			0	+			+	+
<i>Cicer arietinum</i> L.		?A			+A	+A			?A		+A	+A	+A	+A			+A	+A	+A	+A
<i>Cichorium endivia</i> L. s.l.			?A			+A		+A	+A	+A	+A	+A			+A	+A		+A	+A	
<i>Cichorium endivia</i> L. subsp. <i>endivia</i>								+A			+A	+A			+A	+A				
<i>Cichorium endivia</i> L. subsp. <i>pumilum</i> (Jacq.) Cout.			?A						+A		?A	+A			+A	?A		+A	+A	
<i>Cichorium intybus</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cichorium intybus</i> L. subsp. <i>glabratum</i> (C. Presl) Arcang.																				+
<i>Cichorium intybus</i> L. subsp. <i>intybus</i>		+	+	+		+		+		+	+		+							+
<i>Cichorium spinosum</i> L.																				+
<i>Cicuta virosa</i> L.		?	+	+	+															
<i>Circaea alpina</i> L. subsp. <i>alpina</i> ⁽²⁴⁹⁾	+	+	+	+	+	+	+	+	+				?							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Circaea lutetiana</i> L. subsp. <i>lutetiana</i> ⁽²⁵⁰⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cirsium acaule</i> Scop. subsp. <i>acaule</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Cirsium alpis-lunae</i> Brilli-Catt. & Gubellini ⁽²⁵¹⁾								+	+	+	A									
<i>Cirsium alsophilum</i> (Pollini) Soldano	?	+	+	+	+	+	+	+				0								
<i>Cirsium arvense</i> (L.) Scop.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Cirsium bertolonii</i> Spreng.								+	+	-	-									
<i>Cirsium canum</i> (L.) All.		?	+	?	+	+	-	?												
<i>Cirsium carniolicum</i> Scop.			+	+	+	+														
<i>Cirsium creticum</i> (Lam.) d'Urv. s.l.								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cirsium creticum</i> (Lam.) d'Urv. subsp. <i>creticum</i>								+	+	-	-		+		?	+	+	+	+	+
<i>Cirsium creticum</i> (Lam.) d'Urv. subsp. <i>triumfetti</i> (Lacaita) Werner									+	+	+	+	+	+	+	+	+	+	+	+
<i>Cirsium echinatum</i> (Desf.) DC.																			+	
<i>Cirsium eriophorum</i> (L.) Scop. s.l.	+	+	+	+	+	+	+	+	+		?	-	-	+	+		?			
<i>Cirsium eriophorum</i> (L.) Scop. subsp. <i>erriophorum</i>	+	?	+	+	+	+	+	+	+		?	-	-		+					
<i>Cirsium eriophorum</i> (L.) Scop. subsp. <i>spathulatum</i> (Moretti) Ces. ⁽²⁵²⁾	+	+	+	?	+	+	+	+												
<i>Cirsium erisithales</i> (Jacq.) Scop.	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+					
<i>Cirsium ferox</i> (L.) DC.	?	+					+													
<i>Cirsium heterophyllum</i> (L.) Hill	+	+	+	+	+	+	-													
<i>Cirsium italicum</i> DC. ⁽²⁵³⁾					+		?	+	+	0	+	+	+	+	+	+	+	?	+	+
E <i>Cirsium lacaitae</i> Petr.															+					
E <i>Cirsium lobelii</i> Ten.											+	+	+	+	+		?			
E <i>Cirsium misilmerense</i> Ces., Pass. & Gibelli ⁽²⁵⁴⁾																			+	
<i>Cirsium monspessulanum</i> (L.) Hill		+	?		+		+	+				+	+							
<i>Cirsium morisianum</i> Rechb.		+					+	+	+	+	+	-	+	+	+					
<i>Cirsium oleraceum</i> (L.) Scop.	0	+	+	+	+	+	-	+	+	+		+	+							
<i>Cirsium palustre</i> (L.) Scop.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0		+	+		
<i>Cirsium pannonicum</i> (L. f.) Link		+	+	+	+	+		+	+	+		?					+			
<i>Cirsium rivulare</i> (Jacq.) All.			-																	
<i>Cirsium scabrum</i> (Poir.) Bonnet & Barratte																+		+	+	+
<i>Cirsium spinosissimum</i> (L.) Scop.	+	+	+	+	+	+	-													
E <i>Cirsium tenoreanum</i> Petr.								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cirsium tuberosum</i> (L.) All.	?	+	+		?	+														
E <i>Cirsium vallis-demonis</i> Lojac.																		+	+	
<i>Cirsium vulgare</i> (Savi) Ten.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cistus albidus</i> L.		+	+		+		+	+				?								+
<i>Cistus clusii</i> Dunal																+		-	+	
<i>Cistus creticus</i> L. s.l.					+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cistus creticus</i> L. subsp. <i>corsicus</i> (Loisel.) Greuter & Burdet																				+
<i>Cistus creticus</i> L. subsp. <i>creticus</i>								+	0			+	+	+	+	+			+	
<i>Cistus creticus</i> L. subsp. <i>eriocephalus</i> (Viv.) Greuter & Burdet					+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cistus crispus</i> L.							+				?								+	
<i>Cistus laurifolius</i> L.				0				+												
<i>Cistus monspeliensis</i> L.							+	+			+	+	+	+	+	+	+	+	+	+
<i>Cistus parviflorus</i> Lam.																?			+	
<i>Cistus salvifolius</i> L.		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Citrullus colocynthis</i> (L.) Schrad.																				+
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	+A				+A	+A		+A	+A		+A	+A	+A		+A		+A		+A	+A
<i>Cladanthus mixtus</i> (L.) Chevall.	+						0	+	+	?	+	+	+	+	+	+	+	+	+	+
<i>Cladium mariscus</i> (L.) Pohl	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+
<i>Claytonia perfoliata</i> Donn ex Willd.					+A															
<i>Clematis alpina</i> (L.) Mill.	+	+	+	+	+	+	+	0												
<i>Clematis cirrhosa</i> L.																+		+	+	+
<i>Clematis flammula</i> L.			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Clematis integrifolia</i> L.						0														
<i>Clematis orientalis</i> L.	?	A																		
<i>Clematis recta</i> L.		+	+	+	+	+	0	+	?	+	+	+	+			+	+	-		
<i>Clematis tangutica</i> (Maxim.) Korsh.					+A															
<i>Clematis vitalba</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Clematis viticella</i> L.		?	+		+	+		+	+	+	?		+	?		+	+	+		

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Cleome spinosa</i> Jacq.				+A	+A				+A		?A									
<i>Clerodendrum trichotomum</i> Thunb.					+A															
<i>Clinopodium vulgare</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Clinopodium vulgare</i> L. subsp. <i>arundanum</i> (Boiss.) Nyman						+	?		+	+	?	?	?	+	+	+	+	+	+	+
<i>Clinopodium vulgare</i> L. subsp. <i>vulgare</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Chypeola jonthlaspi</i> L. s.l.					+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Chypeola jonthlaspi</i> L. subsp. <i>jonthlaspi</i>					+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Chypeola jonthlaspi</i> L. subsp. <i>microcarpa</i> (Moris) Arcang.																			+	+
<i>Cneorum tricoccon</i> L.							+		+			?								+
<i>Cnicus benedictus</i> L.		-	-						+			?A	?	+A	+	+				+
<i>Cnidium silaifolium</i> (Jacq.) Simonk. subsp. <i>silaifolium</i>		+	+			+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Cochlearia glastifolia</i> L.		+A																		
<i>Cochlearia officinalis</i> L. subsp. <i>officinalis</i>					+A							+A								
<i>Coeloglossum viride</i> (L.) Hartm.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>cheiranthos</i> (Franco) Aedo, Leadlay & Muñoz Garm.	+	+	+				+	+	+											+
<i>Coincya richeri</i> Greuter & Burdet	+	+																		
<i>Coix lacryma-jobi</i> L.																			+A	
E <i>Colchicum actupii</i> Fridlender																				+
<i>Colchicum alpinum</i> Lam. & DC. s.l.	+	+	+		+		+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Colchicum alpinum</i> Lam. & DC. subsp. <i>alpinum</i>				+				+		+	+								+	
E <i>Colchicum alpinum</i> Lam. & DC. subsp. <i>parvulum</i> (Ten.) Arcang. ⁽²⁵⁵⁾													+				+	+		+
<i>Colchicum autumnale</i> L.	+	+	+	+	+	+	+	+	+											+
<i>Colchicum bivonae</i> Guss.														+		+	+	+	+	+
E <i>Colchicum corsicum</i> Baker ⁽²⁵⁶⁾																				+
<i>Colchicum cupanii</i> Guss.							+							+		+	+	+	+	+
E <i>Colchicum gonarei</i> Camarda																				+
<i>Colchicum kochii</i> Parl.					-															
<i>Colchicum lusitanum</i> Brot.		?	+				+	+	+	+	+	+	+	+	+	+		+		+
<i>Colchicum neapolitanum</i> (Ten.) Ten.		+					+		+			+	+	+	+	+	+	+	+	+
<i>Colchicum triphyllum</i> G. Kunze																				+
<i>Coleanthus subtilis</i> (Tratt.) Seidel					0															
<i>Coleostephus myconis</i> (L.) Cass. ex Rchb. f.		?A			+	-	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Collomia linearis</i> Nutt.					+A															
<i>Colocasia esculenta</i> (L.) Schott																			+A	+A
<i>Colutea arborescens</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A	+
<i>Colutea brevilata</i> Lange			+																	
<i>Comastoma nanum</i> (Wulfen) Toyokuni ⁽²⁵⁷⁾				+	?															
<i>Comastoma tenellum</i> (Rottb.) Toyokuni ⁽²⁵⁸⁾	+	+	+	+	+	+	?													
<i>Commelina communis</i> L.	+A	+A	+A	+A	+A	+A	+A	+A				?A	+A		+A					
<i>Commelina virginica</i> L.					+A		+A													
<i>Conium maculatum</i> L. subsp. <i>maculatum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Conopodium capillifolium</i> (Guss.) Boiss.									+			+	+		0			+		
<i>Conopodium majus</i> (Gouan) Loret subsp. <i>majus</i>		+				+														
<i>Conringia austriaca</i> (Jacq.) Sweet					-					+	+	+	+	+						-
<i>Conringia orientalis</i> (L.) Andr. ex DC.	+A	+	-	+A	+	+	?	+	+	+	+	+	+	+			+		+	
<i>Consolida ajacis</i> (L.) Schur	+	+		+	+A	+	+	+	+A	+A	+	+	+	+	+	+	+	+	+A	+A
<i>Consolida hispanica</i> (Costa) Greuter & Burdet					+A		+A		+A										+A	
<i>Consolida pubescens</i> (DC.) Soó							?					+				+	+	+	0	
<i>Consolida regalis</i> Gray s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Consolida regalis</i> Gray subsp. <i>paniculata</i> (Host) Soó			+		+			+				+	+						?	
<i>Consolida regalis</i> Gray subsp. <i>regalis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+					+	
<i>Convallaria majalis</i> L.	+	+	+	+	+	+	+	+	+	+		+	+	+	+					
<i>Convolvulus althaeoides</i> L.						+		+		?	+	+	+	+	+	+	+	+	+	+
<i>Convolvulus arvensis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Convolvulus betonicifolius</i> Mill.																			?A	
<i>Convolvulus cantabrica</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Convolvulus cneorum</i> L.									+		?			+				+	+	+
<i>Convolvulus elegantissimus</i> Mill.									+	+	+	+	+	+	+	+	+	+	+	+
<i>Convolvulus humilis</i> Jacq.						0														+
<i>Convolvulus lineatus</i> L.						0						+	+		+	+		+	+	+
<i>Convolvulus pentapetaloides</i> L.						+		+			+		+	+	+	+	+	+	+	+

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Cotoneaster integerrimus</i> Medik.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
E <i>Cotoneaster nebrodensis</i> (Guss.) C. Koch	-	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	
<i>Cotoneaster tomentosus</i> (Aiton) Lindl.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Cotula coronopifolia</i> L.												+A								+A
<i>Cotyledon orbiculata</i> L. ⁽²⁶⁵⁾							?A								+A					
<i>Crambe hispanica</i> L.																+	?	+	+	+
<i>Crambe tatarica</i> Sebeók						+														
<i>Crassula lycopodioides</i> Lam.																				+A
<i>Crassula ovata</i> (Mill.) Druce ⁽²⁶⁶⁾															+A					
<i>Crassula tetragona</i> L.																				+A
<i>Crataegus azarolus</i> L. ⁽²⁶⁷⁾								+A	+A							+A		+A	+A	+A
<i>Crataegus crus-galli</i> L.																				
<i>Crataegus laevigata</i> (Poir.) DC.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?
<i>Crataegus mollis</i> Scheele																				
<i>Crataegus monogyna</i> Jacq. ⁽²⁶⁸⁾	+	+	+	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	+
<i>Crataegus orientalis</i> M. Bieb. s.l.																				+
<i>Crataegus orientalis</i> M. Bieb. subsp. <i>orientalis</i>																				+
<i>Crataegus orientalis</i> M. Bieb. subsp. <i>presliana</i> K.I. Chr.																				+
<i>Crataegus rhipidophylla</i> Gand.																				+
<i>Crataegus submollis</i> Sarg.																				
<i>Crepis albida</i> Vill. subsp. <i>albida</i>		+					+													
<i>Crepis alpestris</i> (Jacq.) Tausch	?	+	+	+	+			+	+			+								
E <i>Crepis aspromontana</i> Brullo, Scelsi & Spamp. ⁽²⁶⁹⁾																				+
<i>Crepis aurea</i> (L.) Cass. s.l.	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+			+	+	
<i>Crepis aurea</i> (L.) Cass. subsp. <i>aurea</i>	+	+	+	+	+	+	-													
<i>Crepis aurea</i> (L.) Cass. subsp. <i>glabrescens</i> (Caruel) Arcang.	?							+	+	+	+	+	+	+	+			+	+	
<i>Crepis bellidifolia</i> Loisel.									+											+
<i>Crepis biennis</i> L.	+	+	+	+	+	+	+	+		+		+	+	+	+			+	+	+
<i>Crepis bithynica</i> Boiss. ⁽²⁷⁰⁾													+							
E <i>Crepis bioniana</i> (Rchb.) Soldano & F. Conti ⁽²⁷¹⁾																				+
E <i>Crepis brulla</i> Greuter																	+	+	+	
E <i>Crepis bursifolia</i> L.							+		+			+			+	+A	+	+	+	
<i>Crepis capillaris</i> (L.) Wallr.	+	+	+	+	+	+	+	+	+			+	+	?	+		?			
<i>Crepis chondrilloides</i> Jacq.							+													
<i>Crepis conyzifolia</i> (Gouan) A. Kern.	+	+	+	+	+	+	0	+	+											
<i>Crepis corymbosa</i> Ten.													+	?	+	+	+	+	+	
<i>Crepis dioscoridis</i> L.																				
<i>Crepis foetida</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Crepis froelichiana</i> DC.																				
<i>Crepis jacquinii</i> Tausch subsp. <i>kernerii</i> (Rech. f.) Merxm.																				
E <i>Crepis lacera</i> Ten.																				
<i>Crepis leontodontoides</i> All.	?	+						+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Crepis mollis</i> (Jacq.) Asch. s.l.		?	?	+	+															
<i>Crepis mollis</i> (Jacq.) Asch. subsp. <i>mollis</i>																				
<i>Crepis mollis</i> (Jacq.) Asch. subsp. <i>succisiifolia</i> (All.) Jáv.																				
<i>Crepis neglecta</i> L.		?	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Crepis nicaeensis</i> Balb.		?	+				+													
<i>Crepis paludosa</i> (L.) Moench	+	+	+	+	+	+	+	+	+			+	+							+
<i>Crepis pontana</i> (L.) Dalla Torre	?	+	+	+	+	+														
<i>Crepis praemorsa</i> (L.) Walther																				
<i>Crepis pulchra</i> L. subsp. <i>pulchra</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
<i>Crepis pygmaea</i> L. subsp. <i>pygmaea</i>	+	+	+	+			-			+	+	?	+	+						
<i>Crepis pyrenaica</i> (L.) Greuter	+	+	+	+	+	+	+													
<i>Crepis rhaetica</i> Hegetschw.																				
<i>Crepis rhoeadifolia</i> M. Bieb. ⁽²⁷²⁾		+				+														
<i>Crepis rubra</i> L.																				
<i>Crepis sancta</i> (L.) Bab. subsp. <i>sancta</i> ⁽²⁷³⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Crepis setosa</i> Haller f.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Crepis slovenica</i> Holub ⁽²⁷⁴⁾			?	+	+	+														
E <i>Crepis sprengeli</i> Nicotra																			0	+
<i>Crepis suffreniana</i> (DC.) Steud.																				
<i>Crepis tectorum</i> L. subsp. <i>tectorum</i>		?	+	+	+	+	0	+		0	?		+		0		+	?		

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Crepis terglouensis</i> (Hacq.) A. Kern.			+	+	+	+														
<i>Crepis vesicaria</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Crepis vesicaria</i> L. subsp. <i>hyemalis</i> (Biv.) Bab.																			+	+
<i>Crepis vesicaria</i> L. subsp. <i>taraxacifolia</i> (Thuill.) Thell.	+	+	+	+	+	+	+	+			+						?		?	
<i>Crepis vesicaria</i> L. subsp. <i>vesicaria</i>		+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Crepis zacintha</i> (L.) Loisel.		?		-	+	0	0	+	+	+	+	+	+		+	+	+	+	+	+
<i>Cressa cretica</i> L.												+				+	+	0	+	+
<i>Crithmum maritimum</i> L.		+	0		+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Crocus biflorus</i> Mill.		+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Crocus corsicus</i> Vanucchi ex Maw ⁽²⁷⁵⁾																				-
E <i>Crocus etruscus</i> Parl.								+	+											
E <i>Crocus imperati</i> Ten.											?	?	+		+		?	?		
<i>Crocus ligusticus</i> Mariotti		+					+													
<i>Crocus longiflorus</i> Raf.												+			+	+	+	+	+	+
<i>Crocus minimus</i> DC.									0											+
<i>Crocus reticulatus</i> Steven ex Adams subsp. <i>reticulatus</i>						+							+							
E <i>Crocus siculus</i> Tineo																			+	
E <i>Crocus suaveolens</i> Bertol.											?	+			+					
<i>Crocus thomasi</i> Ten.																+	+	+		
<i>Crocus vernus</i> (L.) Hill s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Crocus vernus</i> (L.) Hill subsp. <i>albiflorus</i> (Kit.) Ces.	+	+	+	+	+	+	+	+	+	-	?	?	+	?	+		+	+	+	
<i>Crocus vernus</i> (L.) Hill subsp. <i>vernus</i>	+	+				+	+	+	+	+	+	+	+	+			+			
<i>Crocus versicolor</i> Ker Gawl.		+					+													-
<i>Crocus weldeni</i> Hoppe & Fürnr.						+														
<i>Crucianella angustifolia</i> L.	?	?					+	+				+	+	+	+	+	+	+	+	+
<i>Crucianella latifolia</i> L.							+	+	+	+	+	0	+	+	+	+	+	+	+	+
<i>Crucianella maritima</i> L.							0	+				+		+	+			?	+	+
<i>Crucianella rupestris</i> Guss.																			+	
<i>Cruciata glabra</i> (L.) Ehrend. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cruciata glabra</i> (L.) Ehrend. subsp. <i>glabra</i>			+					+			+		+							
<i>Cruciata glabra</i> (L.) Ehrend. subsp. <i>hirticaulis</i> (Beck) Natali & Jeanm.									+				?							+
<i>Cruciata laevipes</i> Opiz	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cruciata pedemontana</i> (Bellardi) Ehrend.	+	+	+	+	+			+		+	+	+	+	+	+	+	+	+	+	+
<i>Crupina crupinastrum</i> (Moris) Vis.							+	-	+	+	+	+	+	+	+	+	+	+	+	+
<i>Crupina vulgaris</i> Cass.	+	+	+	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Crypsis aculeata</i> (L.) Aiton					+	+	0	+	+	+		+			+	+	+	?	+	+
<i>Crypsis alopecuroides</i> (Piller & Mitterp.) Schrad.	+	+		+	+	0	+	+		+	+	0	+	+	+				+	+
<i>Crypsis schoenoides</i> (L.) Lam.	+	+		+		0	+	+	+	+	+	0		+	+				+	+
<i>Cucubalus baccifer</i> L.	+	+	-	+	+	+	+	+	+	?	+	+	+	+						
<i>Cucumis melo</i> L.					+	A	+	A	+	A	+	A	+				+	A	+	A
<i>Cucumis sativus</i> L.					+	A	+	A	+	A	+	A	+				+	A	+	A
<i>Cucurbita maxima</i> Duchesne	?	A			+	A	+	A	+	A	+	+	+	+	+	+	+	+	+	+
<i>Cucurbita pepo</i> L. ⁽²⁷⁶⁾	?	A			+	A	+	A	+	A	+	+	+	+	+	+	+	+	+	+
<i>Cullen americanum</i> (L.) Rydb. ⁽²⁷⁷⁾																?	A			
<i>Cuscuta approximata</i> Bab. s.l.	?						+	+											+	+
<i>Cuscuta approximata</i> Bab. subsp. <i>approximata</i>	?						+	+											+	+
<i>Cuscuta approximata</i> Bab. subsp. <i>macranthera</i> (Boiss.) Feinbrun & Greuter																			+	
<i>Cuscuta brevistyla</i> A. Rich.	?	+		+														0	+	
<i>Cuscuta campestris</i> Yunck.	+	A	+	A	?	A	+	A	+	A	+	A	+		+	A	+	+	+	
<i>Cuscuta epilinum</i> Weihe		+	A	+		+	A	+	+	+	+	?	A	+	+			+	+	+
<i>Cuscuta epithymum</i> (L.) L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Cuscuta epithymum</i> (L.) L. subsp. <i>corsicana</i> (Yunck.) Lambinon ⁽²⁷⁸⁾																				+
<i>Cuscuta epithymum</i> (L.) L. subsp. <i>epithymum</i>	+	+	+	+		+	+	+	+	+	+	+	+				+	+		
<i>Cuscuta epithymum</i> (L.) L. subsp. <i>kotschy</i> (Des Moul.) Arcang. ⁽²⁷⁹⁾	?	+	+	+				+		+		+	+		+		+	+	+	+
<i>Cuscuta europaea</i> L. ⁽²⁸⁰⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cuscuta gronovii</i> Willd. ex Roem. & Schult.	?	A	+		+	A		+	A											
<i>Cuscuta monogyna</i> Vahl subsp. <i>monogyna</i>			+																	
<i>Cuscuta palaestina</i> Boiss. subsp. <i>palaestina</i>													+					+	+	
<i>Cuscuta planiflora</i> Ten.	?	+	?				+	+			?	+	+	+	+		+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Cuscuta scandens</i> Brot. s.l.		+	+	+	+	+A	+	+	+	+	+	+	+	+A	+	+	+	+	+	
<i>Cuscuta scandens</i> Brot. subsp. <i>cesattiana</i> (Bertol.) Greuter & Burdet		+	+	+	+	+A	+	+	+	+	+	+	+	+A	+	+	+	+	+	
<i>Cuscuta scandens</i> Brot. subsp. <i>scandens</i>					+		?						+		0	+			+	
<i>Cuscuta suaveolens</i> Ser.		?A			+A			+A		+A										
<i>Cutandia divaricata</i> (Desf.) Benth.							0					+	0		0				+	+
<i>Cutandia maritima</i> (L.) Barbey							0		+	+		+	+	+	+	+	+	+	+	+
<i>Cyanus depressus</i> (Marsch.-Bieb.) Soják																				+A
<i>Cyanus montanus</i> (L.) Hill		?	+	+	-	+	+	+	+	+	+	-	?	0						
<i>Cyanus segetum</i> Hill		+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cyanus triumfetti</i> (All.) Dostál ex Á. & D. Löve ⁽²⁸¹⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cyclamen hederifolium</i> Aiton s.l.			+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cyclamen hederifolium</i> Aiton subsp. <i>confusum</i> (Grey-Wilson) Grey-Wilson																		+	+	
<i>Cyclamen hederifolium</i> Aiton subsp. <i>hederifolium</i>			+	+			+	+	+	+	+	+	+	+	+	+	+	+	-	+
<i>Cyclamen purpurascens</i> Mill. subsp. <i>purpurascens</i>		+	+	+	+	+	+	+												+
<i>Cyclamen repandum</i> Sm. subsp. <i>repandum</i>								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cyclanthera pedata</i> L.				+A																
<i>Cycloloma atriplicifolium</i> (Spreng.) J.M. Coult.		?A	+A		+A			+A	?A	+A										+A
<i>Cydonia oblonga</i> Mill.		+A			+A	+A			+A	+A	+A	+A	+A	+A	+A		+A		+A	
<i>Cymbalaria aequitriloba</i> (Viv.) A. Chev. subsp. <i>aequitribiloba</i> ⁽²⁸²⁾							?		+											+
E <i>Cymbalaria glutinosa</i> Bigazzi & Raffaelli s.l.												+	+	+	+		-	-	-	
E <i>Cymbalaria glutinosa</i> Bigazzi & Raffaelli subsp. <i>brevicalcarata</i> Bigazzi & Raffaelli													-		+					
E <i>Cymbalaria glutinosa</i> Bigazzi & Raffaelli subsp. <i>glutinosa</i>												+	+	+						
E <i>Cymbalaria muelleri</i> (Moris) A. Chev.																				+
<i>Cymbalaria muralis</i> Gaertn., B. Mey. & Scherb s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cymbalaria muralis</i> Gaertn., B. Mey. & Scherb subsp. <i>muralis</i>		+	+	+	+	+	+	+	+	+	+	+		+	+	+	+	+	+	+
<i>Cymbalaria muralis</i> Gaertn., B. Mey. & Scherb subsp. <i>visianii</i> D.A. Webb												+	+	+	+			+		
E <i>Cymbalaria pallida</i> (Ten.) Wettst.												+	+	+	-					
E <i>Cymbalaria pubescens</i> (J. Presl) Cufod.																				+
<i>Cymodocea nodosa</i> (Ucria) Asch.					+	+	+	+	+	+		+	?		+	+	+	+	+	+
<i>Cynanchum acutum</i> L. subsp. <i>acutum</i>					+											+	+	+	+	+
<i>Cynara cardunculus</i> L. s.l.						+A			+	+A	+A	+	+	+	+	+	+	+	+	+
<i>Cynara cardunculus</i> L. subsp. <i>cardunculus</i>									+			+	+	+	+	+	+	+	+	+
<i>Cynara cardunculus</i> L. subsp. <i>flavescens</i> Wiklund																				+
<i>Cynara cardunculus</i> L. subsp. <i>scolymus</i> (L.) Hayek						+A			+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A
<i>Cynodon dactylon</i> (L.) Pers.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cynoglossum cheirifolium</i> L. subsp. <i>cheirifolium</i>													+	+	+	+	+	+	+	+
<i>Cynoglossum clandestinum</i> Desf.																		+	+	+
<i>Cynoglossum columnae</i> Ten.									+	0		+	+	+	+		+	+	+	
<i>Cynoglossum creticum</i> Mill.		+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cynoglossum dioscoridis</i> Vill.		?																		+
<i>Cynoglossum germanicum</i> Jacq. ⁽²⁸³⁾					-	-														
E <i>Cynoglossum magellense</i> Ten.									+	+	+	+		+			+	+		
<i>Cynoglossum montanum</i> L.		?	?					+	+	+	+	+	+	+	+		+	+		
<i>Cynoglossum nebrodense</i> Guss.																				+
<i>Cynoglossum officinale</i> L.	+	+	+	+	+	+	+	+	0	+	+	+	+	?	+					+
<i>Cynoglossis barrelieri</i> (All.) Vural & Kit Tan subsp. <i>barrelieri</i>		+					+	+	+	+	+	+	+	+	+		+	+		
<i>Cynomorium coccineum</i> L. subsp. <i>coccineum</i>																	+		+	+
<i>Cynosurus cristatus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cynosurus echinatus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cynosurus effusus</i> Link ⁽²⁸⁴⁾									+	+	+	+	+	+	+	+	+	+	+	+
<i>Cyperus badius</i> Desf.							+		+			+	+	+	+		+	+	+	+
<i>Cyperus brevifolius</i> (Rottb.) Hassk. ⁽⁷⁷⁾																				
<i>Cyperus capitatus</i> Vand.					+	+	0	+	+	+		+	+	+	+	+	+	+	+	+
<i>Cyperus congestus</i> Vahl		?A	+A		+A															
<i>Cyperus difformis</i> L.		+A	+A		+A	+A		+A	+A											+A
<i>Cyperus eragrostis</i> Lam.		+A	+A			+A	+A		+A	+A		+A								

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Cyperus esculentus</i> L.		+	+	+A	+	+A	+	+A	+			+A		+	+		+	+	+	
<i>Cyperus flavescens</i> L.	+	+	+	+	+	+	+	+	+	+	?	+	+		+	+	+	+	+	+
<i>Cyperus flavidus</i> Retz.						0														
<i>Cyperus fuscus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cyperus glaber</i> L.		?	+		+	-	0	+	-						0	+	+	+	+	
<i>Cyperus glomeratus</i> L.	+A	+A	+A	+A	+A	+A	+A	+A		+A										
<i>Cyperus hamulosus</i> M. Bieb.						+A														
<i>Cyperus involucratus</i> Rottb.												+A								
<i>Cyperus laevigatus</i> L. s.l.						-		0				+			+	+		?	+	+
<i>Cyperus laevigatus</i> L. subsp. <i>distachyos</i> (All.) Ball												+				+			+	+
<i>Cyperus laevigatus</i> L. subsp. <i>laevigatus</i>																				+
<i>Cyperus longus</i> L.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cyperus michelianus</i> (L.) Link		+A	+	0	+	+		+	+			+	+							+
<i>Cyperus microiria</i> Steud.		+A	+A			+A		+A												
E <i>Cyperus papyrus</i> L. subsp. <i>siculus</i> (Parl.) Chiov. ⁽²⁸⁵⁾																				+
<i>Cyperus polystachyus</i> Rottb.												+			+					+
<i>Cyperus rotundus</i> L.			+			+A	+		+	+	?	+	+	+	+	+	+	+	+	+
<i>Cyperus serotinus</i> Rottb.		+	+	0	+	+	0	+	+	+	?	+	0					?	+	
<i>Cyperus squarrosus</i> L.		+A	+A		+A			+A												
<i>Cyperus strigosus</i> L.		+A	+A		+A															
<i>Cypripedium calceolus</i> L.	+	+	+	+	+	+							+							
<i>Cytinus hypocistis</i> (L.) L.			+		+		+		+	-	+	+		+	+	+	+	+	+	+
<i>Cytinus ruber</i> Fourr. ex Fritsch									+	+	+	+		+		+	+		+	+
<i>Cytisophyllum sessilifolium</i> (L.) O. Lang		+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+		
E <i>Cytisus aeolicus</i> Guss.															?					+
<i>Cytisus ardoini</i> E. Fourn.			-																	
<i>Cytisus decumbens</i> (Durande) Spach									+			+	+	+	+	+	+	+		
<i>Cytisus emeriflorus</i> Rchb.			+			+														
<i>Cytisus hirsutus</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Cytisus hirsutus</i> L. subsp. <i>hirsutus</i>		+	+	+			+		+			+								
<i>Cytisus hirsutus</i> L. subsp. <i>polytrichus</i> (M. Bieb.) Hayek	+		+	+	?					+	+			+						
<i>Cytisus hirsutus</i> L. subsp. <i>pumilus</i> (De Not.) Briq.		+											?							
<i>Cytisus nigricans</i> L. s.l.	+	+	+	+	+	+	+	+	+	+			+				+			?
<i>Cytisus nigricans</i> L. subsp. <i>atratus</i> (Schur) Nyman					+	+														
<i>Cytisus nigricans</i> L. subsp. <i>nigricans</i>	+	+	+			?		+	+	+			+							
E <i>Cytisus proteus</i> Zumagl.		+																		
<i>Cytisus pseudoprocumbens</i> Markgr.			+		+	+														
<i>Cytisus purpureus</i> Scop.			+	+	+	+														
<i>Cytisus scoparius</i> (L.) Link subsp. <i>scoparius</i>	+	+	+	+		+A	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Cytisus spinescens</i> C. Presl										+	+	+	+	+	+	+	+	+		
<i>Cytisus supinus</i> L.	+	+		?		+														
<i>Cytisus villosus</i> Pourr.		?					+		+	-		+	+	+	+	+	+	+	+	+
<i>Dactylis glomerata</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Dactylis glomerata</i> L. subsp. <i>glomerata</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+		
<i>Dactylis glomerata</i> L. subsp. <i>hackelii</i> (Asch. & Graebn.) Cif. & Giacom. ⁽²⁸⁶⁾									+			?								
<i>Dactylis glomerata</i> L. subsp. <i>hispanica</i> (Roth) Nyman ⁽²⁸⁷⁾	+	+				+	+	+	+	?	+	+	+		+	+	+	+	+	+
<i>Dactylis glomerata</i> L. subsp. <i>lobata</i> (Drejer) Lindb. f.			-	+	+	+	?	+	+											
<i>Dactylis glomerata</i> L. subsp. <i>reichenbachii</i> (Hausm.) Stebbins & Zohari			+	+																
<i>Dactylis glomerata</i> L. subsp. <i>slovenica</i> (Domin) Domin ⁽²⁸⁸⁾						+	+	+		+										
<i>Dactyloctenium aegyptium</i> (L.) Richt.		?A										+A			+A			+A	+A	
<i>Dactylorhiza elata</i> (Poir.) Soó subsp. <i>sesquipedalis</i> (Willd.) Soó																				+
<i>Dactylorhiza incarnata</i> (L.) Soó s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Dactylorhiza incarnata</i> (L.) Soó subsp. <i>cruenta</i> (O.F. Müll.) P.D. Sell	+	+	+	+	+	+														
<i>Dactylorhiza incarnata</i> (L.) Soó subsp. <i>incarnata</i>	+	+	+	+	+	+		+		+		+	+	+						
<i>Dactylorhiza insularis</i> (Sommier) Landwehr								+	+										0	+
<i>Dactylorhiza maculata</i> (L.) Soó s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>fuchsii</i> (Druce) Hyl.	+	+	+	+	+	+	+	+	+	+	+	+	+							
<i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>maculata</i>	+	+	?	+			+	+											+	

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Delphinium pictum</i> Willd. subsp. <i>requienii</i> (DC.) Arcang.						+							?							+
<i>Delphinium staphysagria</i> L.							?	+				?			0	+	+	+	+	+
<i>Deschampsia cespitosa</i> (L.) P. Beauv. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+	+	
<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>brevifolia</i> (R. Br.) Tzvelev			+																	
<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>cespitosa</i>		+	+			+		+			+	+	+	+						
<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>parviflora</i> (Thuill.) Dumort.			+																	
<i>Deschampsia flexuosa</i> (L.) Trin. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+		+	+	+	+
<i>Deschampsia flexuosa</i> (L.) Trin. subsp. <i>flexuosa</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+		+	+	+	+
<i>Deschampsia flexuosa</i> (L.) Trin. subsp. <i>montana</i> (L.) K. Richter	+	+	+	+	+	+	+	+	+											
<i>Deschampsia littoralis</i> (Gaudin) Reut.			-			?														
<i>Deschampsia media</i> (Gouan) Roem. & Schult.							-	+												
<i>Descurainia sophia</i> (L.) Webb ex Prantl	+	+	+	+	+	+	0	+	?	?	?	+	+	?	+	+	+		0	
E <i>Desmazeria pignattii</i> Brullo & Pavone ⁽²⁹³⁾																				+
<i>Desmazeria sicula</i> (Jacq.) Dumort. ⁽²⁹⁴⁾																		+	+	+
<i>Deutzia gracilis</i> Sieb. & Zucc.						+A														
<i>Deutzia scabra</i> Thunb.		+A	+A		+A															
<i>Dianthus armeria</i> L. subsp. <i>armeria</i>	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Dianthus arrostii</i> C. Presl																	?	+	+	+
<i>Dianthus balbisii</i> Ser. s.l.		+	+			+	+	+	+	+	-	+		+	+	+	+	+	?	
<i>Dianthus balbisii</i> Ser. subsp. <i>balbisii</i>		?	+				+	+	+		-	+		+						
<i>Dianthus balbisii</i> Ser. subsp. <i>liburnicus</i> (Bartl.) Pignatti						+				+	+			+	+	+	+	+	?	
<i>Dianthus barbatus</i> L. s.l.		+	+	+	+	+		+		+		+	+	+	+		+			
<i>Dianthus barbatus</i> L. subsp. <i>barbatus</i>			+	+		+							?							
<i>Dianthus barbatus</i> L. subsp. <i>compactus</i> (Kit.) Heuff. ⁽²⁹⁵⁾												+	+	+	+					
E <i>Dianthus brutius</i> Brullo, Scelsi & Spamp. s.l. ⁽²⁹⁶⁾																			+	-
E <i>Dianthus brutius</i> Brullo, Scelsi & Spamp. subsp. <i>brutius</i> ⁽²⁹⁷⁾																			+	-
E <i>Dianthus brutius</i> Brullo, Scelsi & Spamp. subsp. <i>pentadactyli</i> Brullo, Scelsi & Spamp. ⁽²⁹⁸⁾																			+	-
E <i>Dianthus busambrae</i> Soldano & F. Conti																				+
<i>Dianthus carthusianorum</i> L. s.l.	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Dianthus carthusianorum</i> L. subsp. <i>atrorubens</i> (All.) Hegi ⁽²⁹⁹⁾	?	+	+	?	+			+												
<i>Dianthus carthusianorum</i> L. subsp. <i>carthusianorum</i>	+	+	+	+	+		+	+	+			+								+
E <i>Dianthus carthusianorum</i> L. subsp. <i>tenorei</i> (Lacaita) Pignatti										+	+	+	+	+	+		+	+		
<i>Dianthus carthusianorum</i> L. subsp. <i>vaginatus</i> (Chaix) Hegi ⁽³⁰⁰⁾	+	+	+	?																
<i>Dianthus caryophyllus</i> L.								?	A											
<i>Dianthus ciliatus</i> Guss. subsp. <i>ciliatus</i>								?	+	+		+	+		+					
<i>Dianthus deltoides</i> L. subsp. <i>deltoides</i>		+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Dianthus ferrugineus</i> Mill.													?		+			+		
<i>Dianthus furcatus</i> Balb. s.l.	+	+					+													
E <i>Dianthus furcatus</i> Balb. subsp. <i>dissimilis</i> (Burnat) Pignatti ⁽³⁰¹⁾		?																		
<i>Dianthus furcatus</i> Balb. subsp. <i>furcatus</i>		+					+													
E <i>Dianthus furcatus</i> Balb. subsp. <i>lereschii</i> (Burnat) Pignatti	+	+					+													
E? <i>Dianthus garganicus</i> (Ten.) Brullo																+				
<i>Dianthus glacialis</i> Haenke subsp. <i>glacialis</i>			+	+																
<i>Dianthus gratianopolitanus</i> Vill. ⁽³⁰²⁾		?																		
E <i>Dianthus japigicus</i> Bianco & Brullo																+				
<i>Dianthus monspessulanus</i> L. ⁽³⁰³⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+					

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Doronicum clusii</i> (All.) Tausch	+	+	+	+	+	+	?													
<i>Doronicum columnae</i> Ten.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Doronicum glaciale</i> (Wulfen) Nyman			?	+	+	+														
<i>Doronicum grandiflorum</i> Lam.	+	+	+	+	+	+	-													
<i>Doronicum orientale</i> Hoffm.												+		+	+	+	+	+	+	
<i>Doronicum pardalianches</i> L.		+	+				+	+	+			+	?	?						
<i>Doronicum plantagineum</i> L.																		+		
<i>Dorycnium germanicum</i> (Gremli) Rikli			+			+														
<i>Dorycnium herbaceum</i> Vill.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+
<i>Dorycnium hirsutum</i> (L.) Ser.			+	+		0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Dorycnium pentaphyllum</i> Scop.		+	-	-	+	-	+	+	+		-	+	+	+	+	+	+	+	+	+
<i>Dorycnium rectum</i> (L.) Ser.							+		+	?	+	+	+	+	+	+	+	+	+	+
<i>Dorycnopsis gerardii</i> (L.) Boiss.								0												+
<i>Draba aizoides</i> L. subsp. <i>aizoides</i>	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+		+			
<i>Draba aspera</i> Bertol.								+	?		+	+	?	+		+	+	+	+	
<i>Draba dolomitica</i> Buttl.			+	+	+															
<i>Draba dubia</i> Suter subsp. <i>dubia</i>	+	+	+	+	+	+	-					+								
<i>Draba fladnizensis</i> Wulfen	+	+	+	+	+	+	-													
<i>Draba hoppeana</i> Rechb.	+	+	+	+	+	+														
<i>Draba muralis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Draba nemorosa</i> L.		+	+	+	+															
E <i>Draba olympicoides</i> Strobl																			+	
<i>Draba siliquosa</i> M. Bieb.	+	+	+	+	+	+	+													
<i>Draba thomasii</i> W.D.J. Koch			+	+	+															
<i>Draba tomentosa</i> Clairv. subsp. <i>tomentosa</i>	+	+	+	+	+	+						+								
<i>Dracocephalum austriacum</i> L.	0	+		+																
<i>Dracocephalum ruyschiana</i> L.	+	+		+																
<i>Dracunculus vulgaris</i> Schott		?	+		+	+	+	+	+	+	?	+	0	+	+	0		+	+	+
<i>Drosera anglica</i> Huds.		+	+	+	+	0		-												
<i>Drosera intermedia</i> Hayne		+	+	+	+	0		-	+											
<i>Drosera rotundifolia</i> L.	+	+	+	+	+	+	+	+	+											
<i>Dryas octopetala</i> L. subsp. <i>octopetala</i>	+	+	+	+	+	+	+	0	+	+	+	+	+	+	-					
<i>Drypis spinosa</i> L. s.l.						+				+	+	+	+		-		+	+		
<i>Drypis spinosa</i> L. subsp. <i>jacquiniana</i> Wettst. & Murb.					+															
<i>Drypis spinosa</i> L. subsp. <i>spinosa</i>										+	+	+	+				+	+		
<i>Ecballium elaterium</i> (L.) A. Rich.	-	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Echinaria capitata</i> (L.) Desf.							-	0	+	+	+	+	+	+	0	+	+	?	+	+
<i>Echinochloa colona</i> (L.) Link						+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Echinochloa crus-galli</i> (L.) P. Beauv.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Echinochloa hispidula</i> (Retz.) Nees ex Royle	+	+	+			+	+													
<i>Echinochloa muricata</i> (P.Beauv.) Fernald subsp. <i>microstachya</i> (Wiegand) Jauzein	+	+	+																	
<i>Echinochloa oryzicola</i> (Vasing.) Vasing.	+	+					+													
<i>Echinochloa oryzoides</i> (Ard.) Fritsch	?	+	+		+															
<i>Echinocystis lobata</i> (Michx.) Torr. & A. Gray					+	+														
<i>Echinophora spinosa</i> L.					+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Echinophora tenuifolia</i> L. subsp. <i>tenuifolia</i>																+	+	0	+	
<i>Echinops exaltatus</i> Schrad.					+	+														
<i>Echinops ritro</i> L. s.l.	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Echinops ritro</i> L. subsp. <i>ritro</i>	+	+				+	+	+	-	?		+		+	+	?	+			
<i>Echinops ritro</i> L. subsp. <i>ruthenicus</i> (M. Bieb.) Nyman					+				+	+										
E <i>Echinops ritro</i> L. subsp. <i>siculus</i> (Strobl) Greuter								+	+	?	?	+	+	+	+	+	+	+	+	+
<i>Echinops sphaerocephalus</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Echinops sphaerocephalus</i> L. subsp. <i>albidus</i> (Boiss. & Spruner) Kozuharov												+		?		+				
<i>Echinops sphaerocephalus</i> L. subsp. <i>sphaerocephalus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+				
<i>Echinops spinosissimus</i> Turra s.l.																+			+	
<i>Echinops spinosissimus</i> Turra subsp. <i>spinosissimus</i>																				+
<i>Echinops spinosissimus</i> Turra subsp. <i>spinosus</i> Greuter																				+
E <i>Echium anchusoides</i> Bacch., Brullo & Selvi																				+
<i>Echium arenarium</i> Guss.									+			?			+	+	+	+	+	+
<i>Echium asperrimum</i> Lam.												0			+	+	+	+		
<i>Echium candicans</i> L. fil.							+	+							+	+				

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Echium creticum</i> L. s.l.																		-	-	+
<i>Echium creticum</i> L. subsp. <i>coyncianum</i> (Lacaita) R. Fern.																				+
<i>Echium creticum</i> L. subsp. <i>creticum</i>																				+
<i>Echium italicum</i> L. s.l.		+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Echium italicum</i> L. subsp. <i>biebersteinii</i> (Lacaita) Greuter & Burdet ⁽³¹²⁾																				
<i>Echium italicum</i> L. subsp. <i>italicum</i>			+			+		+			+	+	+	+			+			
E <i>Echium italicum</i> L. subsp. <i>siculum</i> (Lacaita) Greuter & Burdet																				+
<i>Echium parviflorum</i> Moench						+	+		+			+	+	?	+	+	+	+	+	+
<i>Echium plantagineum</i> L.		+	-	-	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Echium sabulicola</i> Pomel subsp. <i>sabulicola</i>																		+	+	+
<i>Echium spurium</i> Lojac. ⁽³¹³⁾																				+
<i>Echium vulgare</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Echium vulgare</i> L. subsp. <i>pustulatum</i> (Sm.) Em. Schmid & Gams ⁽³¹⁴⁾						+			+		?		+		+			+	+	
<i>Echium vulgare</i> L. subsp. <i>vulgare</i>			+	+		+					+		+				+			
<i>Eclipta prostrata</i> (L.) L.												+A			+A				+A	+A
<i>Edraianthus graminifolius</i> (L.) A. DC. s.l.										+	+	+	+	+	+		+	+	+	
<i>Edraianthus graminifolius</i> (L.) A. DC. subsp. <i>graminifolius</i>										+	+	+	+	+	+		+		+	
E <i>Edraianthus graminifolius</i> (L.) A. DC. subsp. <i>siculum</i> (Strobl) Greuter & Burdet														-	+		+	+	+	
<i>Egeria densa</i> Planch.		+A	+A																	
<i>Ehrharta erecta</i> Lam. ⁽³¹⁵⁾												?	A		+A					+A
<i>Eichornia crassipes</i> (Mart.) Solms						+A						+A								+A
<i>Elaeagnus angustifolia</i> L.						+A	+A			+A		+A	+A							
<i>Elaeagnus commutata</i> Bernh. ex Rydb.							+A													
<i>Elaeagnus pungens</i> Thunb.							+A													
<i>Elaeoselinum asclepium</i> (L.) Bertol. s.l.												+	+	+	+	+	+	+	+	+
<i>Elaeoselinum asclepium</i> (L.) Bertol. subsp. <i>asclepium</i>												+	+	+	+	+	+	+	+	+
<i>Elaeoselinum asclepium</i> (L.) Bertol. subsp. <i>meoides</i> (Desf.) Maire															+				+	+
<i>Elatine alsinastrum</i> L.		0	+					?	0		?	+	+						+	+
<i>Elatine ambigua</i> Wight		+A	+A				+A													
<i>Elatine hexandra</i> (Lapierre) DC.		+A	+		+	-	-	+												
<i>Elatine hydropiper</i> L.		?		+																
<i>Elatine macropoda</i> Guss.													?			+			+	+
<i>Elatine triandra</i> Schkuhr		+A	+					+											+	
<i>Eleocharis acicularis</i> (L.) Roem. & Schult.		+	+	+	+	+	+	-	+	+		+	+				+	+		
<i>Eleocharis atropurpurea</i> (Retz.) C. Presl ⁽³¹⁶⁾		?	A	+A		+A		+A												+A
<i>Eleocharis carniolica</i> Koch		0	+	+		?	+													+
<i>Eleocharis flavescens</i> (Poir.) Urb.		+A	+A																	
<i>Eleocharis geniculata</i> (L.) Roem. & Schult.										+A									?	+A
<i>Eleocharis mamillata</i> H. Lindb. s.l.		+	+	+	+	+	+													
<i>Eleocharis mamillata</i> H. Lindb. subsp. <i>austriaca</i> (Hayek) Strandh.		+	+	+	+	+	+													
<i>Eleocharis mamillata</i> H. Lindb. subsp. <i>mamillata</i>		?				+														
<i>Eleocharis multicaulis</i> (Sm.) Desv.		+				0	0	0	+		?	?								+
<i>Eleocharis obtusa</i> (Willd.) Schult.		+A	+A		+A	+A														
<i>Eleocharis ovata</i> (Roth) Roem. & Schult.		+	+		+			+											0	
<i>Eleocharis palustris</i> (L.) Roem. & Schult. subsp. <i>palustris</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Eleocharis parvula</i> (Roem. & Schult.) Link ex Bluff, Nees & Schauer		?			+	+	-													+
<i>Eleocharis quinqueflora</i> (Hartmann) O. Schwarz		+	+	+	+	+	?	+	+	?	+	+	+						+	
<i>Eleocharis uniglumis</i> (Link) Schult. subsp. <i>uniglumis</i>		+	?	+	+	+	+	+	+	+		+	+	+	0					
<i>Eleusine indica</i> (L.) Gaertn. s.l.		+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A	+A	+A	+A			+A	+A
<i>Eleusine indica</i> (L.) Gaertn. subsp. <i>africana</i> (Kennedy-O'Byrne) S.M. Philips																				
<i>Eleusine indica</i> (L.) Gaertn. subsp. <i>indica</i>		+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A	+A	+A	+A			+A	+A
<i>Eleusine tristachya</i> (Lam.) Lam.												+A								
<i>Elide asparagoides</i> (L.) Kerguelen ⁽³¹⁷⁾																			?	A
<i>Elodea canadensis</i> Michx.		+A	+A	+A	+A	+A	+A	+A	+A		+A	+A	+A	+A	+A					

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Elodea nuttallii</i> (Planch.) H. St. John			+A																	
<i>Elsholtzia ciliata</i> (Thunb.) Hyl.						+A														
E <i>Elymus acutus</i> (DC.) Thiébaud ⁽³¹⁸⁾									+											+
<i>Elymus athericus</i> (Link) Kerguelén	+	?	0	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Elymus caninus</i> (L.) L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Elymus caninus</i> (L.) L. subsp. <i>biflorus</i> (Brignoli) Á.Löve						+														
<i>Elymus caninus</i> (L.) L. subsp. <i>caninus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Elymus corsicus</i> (Hack.) Kerguelén ⁽³¹⁹⁾																				+
<i>Elymus elongatus</i> (Host) Runemark subsp. <i>elongatus</i>					+	+		+	+						0	+	+		-	+
<i>Elymus farctus</i> (Viv.) Runemark ex Melderis subsp. <i>farctus</i>					+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Elymus flaccidifolius</i> (Boiss. & Heldr.) Melderis																			+	
<i>Elymus hispidus</i> (Opiz) Melderis s.l.	+	+	+	+	+	+	+	+		+		+	+		+				+	
<i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>barbulatus</i> (Schur) Á. Löve			+			+														
<i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>hispidus</i>	+	+	+	+	+	+	+	+		+		+	+		+				+	
<i>Elymus obtusiflorus</i> (DC.) Conert				+A																
<i>Elymus x oliveri</i> (Druce) Melderis & McClintock					+		+	+	+											
<i>Elymus panormitanus</i> (Parl.) Tzvelev																	+	+	+	
<i>Elymus repens</i> (L.) Gould. subsp. <i>repens</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Emerus majus</i> Mill. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Emerus majus</i> Mill. subsp. <i>emeroides</i> (Boiss. & Spruner) Soldano & F. Conti	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Emerus majus</i> Mill. subsp. <i>majus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Emex spinosa</i> (L.) Campd.																+		+	+	+
<i>Empetrum hermaphroditum</i> Hagerup	+	+	+	+	+	+		+	+											
<i>Empetrum nigrum</i> L.	?	+	?	-				-	-				-							
<i>Epilobium alpestre</i> (Jacq.) Krock.	+	+	+	+	+	+								+						
<i>Epilobium alsinifolium</i> Vill.	+	+	+	+	+	+	+	+	+	+	?	+	+							
<i>Epilobium anagallidifolium</i> Lam.	+	+	+	+	+	+	-	+	+		-									
<i>Epilobium angustifolium</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Epilobium ciliatum</i> Raf.	+A			+A	+A	+A														
<i>Epilobium collinum</i> C.C. Gmel.	+	+	+	+	+	+	+		+			?						+		+
<i>Epilobium dodonaei</i> Vill.	+	+	+	+	+	+	+	+	+	+	+	+	+	?	0		+	+	+	
<i>Epilobium fleischeri</i> Hochst.	+	+	+	+		+														
<i>Epilobium hirsutum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Epilobium lanceolatum</i> Sebast. & Mauri	0	+	+	+		+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Epilobium montanum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Epilobium nutans</i> F.W. Schmidt	+	+	+	+	+	+														
<i>Epilobium obscurum</i> Schreb.		+	+	+			+	+	+			+	?					0		+
<i>Epilobium palustre</i> L.	+	+	+	+	+	+	+	+	+			+			0		+	+		
<i>Epilobium parviflorum</i> Schreb.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Epilobium roseum</i> Schreb. subsp. <i>roseum</i>	+	+	+	+	+	+	+	+	+			+	?							+
<i>Epilobium tetragonum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Epilobium tetragonum</i> L. subsp. <i>lamyi</i> (F.W. Schulz) Nyman		+	+		+		+		+	+	+	+	+					+	+	
<i>Epilobium tetragonum</i> L. subsp. <i>tetragonum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Epilobium tetragonum</i> L. subsp. <i>tournefortii</i> (Michalet) H. Lév.										+			+	+	0		+		+	+
<i>Epimedium alpinum</i> L.		+	+	+	+	+														
E <i>Epipactis aspromontana</i> Bartolo, Pulv. & Robatsch																			+	
<i>Epipactis atrorubens</i> (Hoffm. ex Bernh.) Besser	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Epipactis baumanniorum</i> Soldano & F. Conti								+	+	+	+	+	+	+	+		+	+		+
E <i>Epipactis flaminia</i> P.R. Savelli & Aless.								+	+											+
<i>Epipactis helleborine</i> (L.) Crantz s.l. ⁽³²⁰⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Epipactis helleborine</i> (L.) Crantz subsp. <i>helleborine</i>		+	+	+	+	+		+		+	+	+	+							
E <i>Epipactis helleborine</i> (L.) Crantz subsp. <i>latina</i> W. Rossi & E. Klein									+	+	+	+	+		+		+	+		
<i>Epipactis helleborine</i> (L.) Crantz subsp. <i>orbicularis</i> (K. Richt.) E. Klein	+	+	+	+	+															
<i>Epipactis helleborine</i> (L.) Crantz subsp. <i>tremolsii</i> (Pau) E. Klein								+											+	+
<i>Epipactis leptochila</i> (Godfery) Godfery ⁽³²¹⁾		+	+	+	+	+		+		?		+	+							
E <i>Epipactis meridionalis</i> H. Baumann & R. Lorenz												+	+		+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Epipactis microphylla</i> (Ehrh.) Sw.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Epipactis muelleri</i> Godfery ⁽³²²⁾			+	+	+	+		+	+	+		+	+	+		+				
<i>Epipactis palustris</i> (L.) Crantz	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Epipactis placentina</i> Bongiorni & Grünanger							+	+	+	+		+			+			+	+	
<i>Epipactis viridiflora</i> Hoffm. ex Krock.			+					+		+			+					+		
<i>Epipogium aphyllum</i> Sw.		+	+	+	+	+		+	+	+		+	+	+	+		?	+	+	
<i>Eragrostis barrelieri</i> Daveau ⁽³²³⁾			+	+	A	+						+								+
<i>Eragrostis caroliniana</i> (Biehler) Scribn.					+	A													+	A
<i>Eragrostis cilianensis</i> (All.) Vignolo Lutati ex Janch. ⁽³²⁴⁾	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Eragrostis curvula</i> (Schrud.) Nees		+	A									+	A							
<i>Eragrostis frankii</i> C.A. Mey. ex Steud. ⁽³²⁵⁾			+	A	+	A	+													
<i>Eragrostis mexicana</i> (Hornem.) Link subsp. <i>virescens</i> (J. Presl) S.D. Koch & Sánchez Vega ⁽³²⁶⁾			+	A	+	A	+													
<i>Eragrostis minor</i> Host	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+				+	+
<i>Eragrostis pectinacea</i> (Michx.) Nees	+	A	+	A	+	+	+	+	+	+	+	+	+	+	+				+	A
<i>Eragrostis pilosa</i> (L.) P. Beauv. ⁽³²⁷⁾	0	+	+	+	+	+	+	0	+	+	+	+	+	+	+	0	+		+	+
<i>Eranthis hyemalis</i> (L.) Salisb.		+	+		+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	
<i>Erianthus hostii</i> Griseb.			0		+															
<i>Erianthus ravennae</i> (L.) P. Beauv.					+	+	0	+	+	0		+	+	+	+	+	+	+	+	+
<i>Erica arborea</i> L.		+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Erica carnea</i> L. subsp. <i>carnea</i>	+	+	+	+	+	+	+	+	+			?								
<i>Erica cinerea</i> L.		+					+													
<i>Erica forskalii</i> Vitm.																+			-	
<i>Erica multiflora</i> L.							-		+	+	+	+	?	+	+	+	+	+	+	+
<i>Erica scoparia</i> L. subsp. <i>scoparia</i>							+	+	+	+	+	+	+		0					+
<i>Erica sicula</i> Guss. subsp. <i>sicula</i>																			+	
<i>Erica terminalis</i> Salisb.												?			+					+
<i>Erica tetralix</i> L.				+	A															
<i>Erigeron acris</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Erigeron acris</i> L. subsp. <i>acris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+				+	
<i>Erigeron acris</i> L. subsp. <i>angulosus</i> (Gaudin) Vacc. ⁽³²⁸⁾	+	+	-	+	+	+						+	+							
<i>Erigeron alpinus</i> L. subsp. <i>alpinus</i>	+	+	+	+	+	+	+	+	+			?	+		0					
<i>Erigeron annuus</i> (L.) Desf. ⁽³²⁹⁾	+	A	+	A	+	+	+	+	+	+	+	+	+	+	+					+
<i>Erigeron atticus</i> Vill.	+	+	+	+	+	+	-					+	+	+						
<i>Erigeron bonariensis</i> L.		+	A	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Erigeron canadensis</i> L.	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Erigeron epiroticus</i> (Vierh.) Halácsy										+	+	+	+	+						
<i>Erigeron gaudinii</i> Brügger	+	+	+	+	+	+	+	+	+											
<i>Erigeron glabratus</i> Bluff & Fingerh.	0	+	+	+	+	+	-	+	+	?	+	-	+	+						
<i>Erigeron karvinskianus</i> DC.	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+				+	A
<i>Erigeron neglectus</i> A. Kern.	0	+	+	+	+	+														
<i>Erigeron sumatrensis</i> Retz.		+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Erigeron uniflorus</i> L.	+	+	+	+	+	+	+	+	+	?	?		+	+						
<i>Erinus alpinus</i> L.	-	+	A	0	?		+					?	+							+
<i>Eriobotrya japonica</i> (Thunb.) Lindl.					+	A	+	+	+	+	+	+	+					+	A	
<i>Eriocaulon cinereum</i> R. Br.		?	A																	
<i>Eriocephalus africanus</i> L.							+	A												
<i>Eriophorum angustifolium</i> Honck.	+	+	+	+	+	+	+	+	+			0								
<i>Eriophorum gracile</i> W.D.J. Koch ex Roth				+	+				+											
<i>Eriophorum latifolium</i> Hoppe	+	+	+	+	+	+	+	+	+	+	?	+	+							
<i>Eriophorum scheuchzeri</i> Hoppe	+	+	+	+	+	+	+	+	+											
<i>Eriophorum vaginatum</i> L.	+	+	+	+	+	+	-													
<i>Eritrichium nanum</i> (L.) Schrad. ex Gaudin	+	+	+	+	+	+														
<i>Erodium acaule</i> (L.) Bech. & Thell.							+		+		+	+	+	+	+	+	+	0	+	+
<i>Erodium alnifolium</i> Guss.								+				0	+	0	+	+	?	+	+	
E <i>Erodium alpinum</i> L'Hér.									+	+	+	+					?			
<i>Erodium botrys</i> (Cav.) Bertol.							+		+	0	+	+			+	+	+	+	+	+
<i>Erodium chium</i> (L.) Willd.									?			+		?	+	+	+	+	+	+
<i>Erodium ciconium</i> (L.) L'Hér.	+	+	-		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Erodium cicutarium</i> (L.) L'Hér.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Erodium corsicum</i> Léman ⁽³³⁰⁾																				+
<i>Erodium glaucophyllum</i> (L.) L'Hér.																+	+	A		
<i>Erodium gruinum</i> (L.) L'Hér.							-		0							?			?	

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Euphorbia akenocarpa</i> Guss.															-			0	+	+
<i>Euphorbia aleppica</i> L.																+	+	0	+	
<i>Euphorbia amygdaloides</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Euphorbia amygdaloides</i> L. subsp. <i>amygdaloides</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?		
E <i>Euphorbia amygdaloides</i> L. subsp. <i>arbuscula</i> Meusel																		+	+	+
E <i>Euphorbia amygdaloides</i> L. subsp. <i>semiperfoliata</i> (Viv.) Radcl.-Sm.																				+
<i>Euphorbia angulata</i> Jacq.			+	+	+	+							?							
<i>Euphorbia apios</i> L.																+	+	+		
<i>Euphorbia barrelieri</i> Savi s.l.		+					+		+			+			+	+	+	+		
E <i>Euphorbia barrelieri</i> Savi subsp. <i>barrelieri</i>									+			+								
<i>Euphorbia barrelieri</i> Savi subsp. <i>thessala</i> (Formánek) Bornm.																		+		
<i>Euphorbia bivonae</i> Steud. subsp. <i>bivonae</i>																				+
<i>Euphorbia brittingeri</i> Opiz ex Samp.		+	+	+	+	+	+	+	+	+		?	+		+					
<i>Euphorbia carniolica</i> Jacq.		+	+	+	+	+		+												
E <i>Euphorbia ceratocarpa</i> Ten.																+		+	+	
<i>Euphorbia characias</i> L. ⁽³³⁴⁾						+	+		+	+	+	+	+	+	+	+	+	+	+	+
E <i>Euphorbia corallioides</i> L.												+		+	+		+	+	+	
<i>Euphorbia cuneifolia</i> Guss.									+		-	+			+			0	+	+
<i>Euphorbia cyparissias</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+					+
<i>Euphorbia dendroides</i> L.							+		+	+		+			+	+	+	+	+	+
<i>Euphorbia dentata</i> Michx. ⁽³³⁵⁾		?	A			+	A	+	A											
<i>Euphorbia dulcis</i> L. ⁽³³⁶⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+			?		
<i>Euphorbia epithymoides</i> L.									+											
<i>Euphorbia esula</i> L. s.l.		+A	+	+	+	+	+	0	+	0		+								
<i>Euphorbia esula</i> L. subsp. <i>esula</i>				+	+	+	+		+			+								
<i>Euphorbia esula</i> L. subsp. <i>tommasiniana</i> (Bertol.) Kuzmanov		+A	+			+			0											
<i>Euphorbia exigua</i> L. subsp. <i>exigua</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Euphorbia falcata</i> L. subsp. <i>falcata</i> ⁽³³⁷⁾		?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Euphorbia flavicomma</i> DC. subsp. <i>flavicomma</i>		+	+		-		+	+	+				-		-					
<i>Euphorbia fragifera</i> Jan						+														
E <i>Euphorbia gasparrinii</i> Boiss. s.l.										+			+	+				0	+	
E <i>Euphorbia gasparrinii</i> Boiss. subsp. <i>gasparrinii</i>																		0	+	
E <i>Euphorbia gasparrinii</i> Boiss. subsp. <i>samnitica</i> (Fiori) Pignatti										+			+	+						
<i>Euphorbia gayi</i> Salis ⁽³³⁸⁾																				+
<i>Euphorbia helioscopia</i> L. subsp. <i>helioscopia</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Euphorbia hirsuta</i> L.							+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Euphorbia hyberna</i> L. s.l. ⁽³³⁹⁾			+				+		+											+
<i>Euphorbia hyberna</i> L. subsp. <i>canuti</i> (Parl.) Tutin			-				+													
E <i>Euphorbia hyberna</i> L. subsp. <i>gibelliana</i> (Peola) Raffaelli			+																	
<i>Euphorbia hyberna</i> L. subsp. <i>insularis</i> (Boiss.) Briq.			+				+		+											+
<i>Euphorbia illirica</i> Lam. subsp. <i>Illirica</i>		+	+	-	-	+	?					?			?			+		
<i>Euphorbia lagascae</i> Spreng.																			?	+
<i>Euphorbia lathyris</i> L.		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	?	A				+A
<i>Euphorbia lucida</i> Waldst. & Kit.								+												
<i>Euphorbia marginata</i> Pursh						+A	+A			+A			+A							
<i>Euphorbia myrsinites</i> L. subsp. <i>myrsinites</i>							-	+		+	+	+	+	+	+	+	+	+	+	+
<i>Euphorbia nicaeensis</i> All. s.l.				+	+	+	+		+	+	?	+	+		+	+	+	+	+	+
E <i>Euphorbia nicaeensis</i> All. subsp. <i>japygica</i> (Ten.) Arcang.													?			+				
<i>Euphorbia nicaeensis</i> All. subsp. <i>nicaeensis</i>			+	+		+					?		?							
E <i>Euphorbia nicaeensis</i> All. subsp. <i>prostrata</i> (Fiori) Arrigoni									+											
<i>Euphorbia palustris</i> L.		?	+	0	+	+		+	+	0		+	+	+	0	?				
E <i>Euphorbia papillaris</i> (Boiss.) Raffaelli & Ricceri ⁽³⁴⁰⁾																				+
<i>Euphorbia paralias</i> L.					+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Euphorbia peplus</i> L. ⁽³⁴¹⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Euphorbia phymatosperma</i> Boiss. subsp. <i>cernua</i> (Coss. & Durieu ex Boiss.) Vindt												+			+		+	+		
<i>Euphorbia pithyusa</i> L. s.l.							+		+			?							+	+
E <i>Euphorbia pithyusa</i> L. subsp. <i>cupanii</i> (Guss. ex Bertol.) Radcl.-Sm. ⁽³⁴²⁾							+		+			?							+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Euphorbia pithyusa</i> L. subsp. <i>pithyusa</i>						0	+						?							+
<i>Euphorbia platyphyllos</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Euphorbia platyphyllos</i> L. subsp. <i>literata</i> (Jacq.) Holub ⁽³⁴³⁾						+							+							
<i>Euphorbia platyphyllos</i> L. subsp. <i>platyphyllos</i>						+		+		+	+		+							
<i>Euphorbia pterococca</i> Brot.									+			+		+	+	+		0	+	+
<i>Euphorbia rigida</i> M. Bieb.													?		+		+	+	+	
<i>Euphorbia segetalis</i> L. ⁽³⁴⁴⁾						+A	+		+	0		+	+		+	+	+A	+	+	+
<i>Euphorbia seguieriana</i> Neck. subsp. <i>seguieriana</i>		+	+	+	+		+	+	?			-	?	+	+	+				
<i>Euphorbia serrata</i> L.		+	+		+A		+	+	+	+		+			-				+	?
<i>Euphorbia spinosa</i> L. s.l.			+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Euphorbia spinosa</i> L. subsp. <i>ligustica</i> (Fiori) Pignatti			?	+			+	+												
<i>Euphorbia spinosa</i> L. subsp. <i>spinosa</i>							+		+	+	+	+	+	+	+	+	+	+		+
<i>Euphorbia stricta</i> L.			+	+	?	+	-	+	+			?	+					0	+	
<i>Euphorbia sulcata</i> Lens ex Loisel.			+		+		+													
<i>Euphorbia taurinensis</i> All.		+					+													
<i>Euphorbia terracina</i> L.							+		+	+		+	+	+	+	+	+	+	+	+
<i>Euphorbia triflora</i> Schott, Nyman & Kotschy subsp. <i>kernerii</i> (Huter ex A. Kern.) Poldini ⁽³⁴⁵⁾					+	+														
<i>Euphorbia valloniana</i> Belli			+				+													
<i>Euphorbia variabilis</i> Ces.				+	+															
<i>Euphrasia alpina</i> Lam.		+	+	+	+		+	+	+	+			?							
<i>Euphrasia cisalpina</i> Pugsley			+	+																
<i>Euphrasia genargentea</i> (Feoli) Diana																				+
<i>Euphrasia hirtella</i> Jord.		+	+	+	+		0											+		
<i>Euphrasia illyrica</i> Wettst.				?		+					+	+	+							
<i>Euphrasia italica</i> Wettst.						+						+	+	+	+			+		
<i>Euphrasia liburnica</i> Wettst.					+			+		+	+	+	+	+	+		+			
<i>Euphrasia marchesettii</i> Wettst.				+		+	+													
<i>Euphrasia micrantha</i> Rchb.		?											?							
<i>Euphrasia minima</i> Jacq. ex DC.		+	+	+	+	+	+	+	+			+	?	+						+
<i>Euphrasia officinalis</i> L. s.l.		+	+	+	+	+	+	+	+	+	?	?	+				?			
<i>Euphrasia officinalis</i> L. subsp. <i>kernerii</i> (Wettst.) Eb. Fisch.				+	+	+	+	+	+	+		?	+							
<i>Euphrasia officinalis</i> L. subsp. <i>picta</i> (Wimm.) Oborny		+	+	+	+	+	+	0												
<i>Euphrasia officinalis</i> L. subsp. <i>rostkoviana</i> (Hayne) Towns.		+	+	+	+	+	+	+	+	?	?	?	+				?			
<i>Euphrasia portae</i> Wettst.				?	+	+	+													
<i>Euphrasia salisburgensis</i> Funck ex Hoppe		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	0		
<i>Euphrasia stricta</i> D. Wolff ex J.F. Lehm.		0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Euphrasia tricuspidata</i> L. s.l.				+	+	+	+		?											
<i>Euphrasia tricuspidata</i> L. subsp. <i>cuspidata</i> (Host) Hartl				+	-	+	+		?											
<i>Euphrasia tricuspidata</i> L. subsp. <i>tricuspidata</i>				+	+	+	+													
<i>Euthamia graminifolia</i> (L.) Nutt.		+A																		
<i>Evacidium discolor</i> (DC.) Maire																			+	
<i>Exaculum pusillum</i> (Lam.) Caruel									?			+							+	+
<i>Fagonia cretica</i> L.																			+	+
<i>Fagopyrum esculentum</i> Moench		-	-	-	+	+A	?A	?	?		+A	+A								+A
<i>Fagopyrum tataricum</i> (L.) Gaertn.		?A				+A														
<i>Fagus sylvatica</i> L. subsp. <i>sylvatica</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Falcaria vulgaris</i> Bernh.		?	+	0		0	0						+			+				
<i>Fallopia baldschuanica</i> (Regel) Holub		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A				
<i>Fallopia convolvulus</i> (L.) Á. Löve		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fallopia dumetorum</i> (L.) Holub		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fallopia japonica</i> (Houtt.) Ronse Decr.		+A	+A	+A	+A	+A	+A	+A	+A											
<i>Fallopia sachalinensis</i> (F. Schmidt) Ronse Decr.		+A		+A		+A		+A												
<i>Fedia graciliflora</i> Fisch. & C.A. Mey.								+							+	+		+	+	+
<i>Ferula arrigonii</i> Bocchieri																				+
<i>Ferula communis</i> L.							+	+	+	+A	+	+	+	+	+	+	+	+	+	+
<i>Ferula glauca</i> L.							+		+	+	+	+	+	+	+	+	+		+	
<i>Ferulago campestris</i> (Besser) Grecescu			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ferulago nodosa</i> (L.) Boiss.																				+
<i>Ferulago sylvatica</i> (Besser) Rchb.								+					+	+	+	?	+	0		
<i>Festuca acuminata</i> Gaudin		+	+	+																
<i>Festuca alfrediana</i> Foggi & Signorini								+	+	+	?	+	+	+	+	+		+		+

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	<i>Festuca alpestris</i> Roem. & Schult.			+	+	+	+														
	<i>Festuca alpina</i> Suter subsp. <i>alpina</i>	+	+	+	+	+	+														
	<i>Festuca altissima</i> All.	?	+	+	+	+	+	?	+	+		+	+	+	+	+					
	<i>Festuca amethystina</i> L. subsp. <i>amethystina</i>		+																		
E	<i>Festuca apuanica</i> Markgr.-Dann.									+											
	<i>Festuca arundinacea</i> Schreb. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Festuca arundinacea</i> Schreb. subsp. <i>arundinacea</i>	?	+	+	+		+	+	+	+	+	+	+	+	+					+	
	<i>Festuca arundinacea</i> Schreb. subsp. <i>corsica</i> (Hoek.) Kerguélen									+											
	<i>Festuca arundinacea</i> Schreb. subsp. <i>jenas</i> (Lag.) Arcang.	?	+	+	+	+	-	+	+	+	?		+	+	+	+	+	+	+	+	+
	<i>Festuca arundinacea</i> Schreb. subsp. <i>mediterranea</i> (Hack.) K. Richt.									+			+								
	<i>Festuca arundinacea</i> Schreb. subsp. <i>uechtritiziana</i> (Wiesb.) Hegi	+	?							+											+
	<i>Festuca arvernensis</i> Auquier subsp. <i>costei</i> (St.-Yves) Auquier & Kerguélen		+					+	?												
E	<i>Festuca austrodolomitica</i> Pils & Prosser				+	+															
	<i>Festuca billyi</i> Kerguélen & Plonka								+	+											
	<i>Festuca bosniaca</i> Kumm. & Sendtn. subsp. <i>bosniaca</i>												+	+	+	+		+	+		
E	<i>Festuca calabrica</i> Huter, Porta & Rigo															+		+	+		
	<i>Festuca calva</i> K. Richt.						+														
	<i>Festuca cenisia</i> (Hack.) K. Richt.		+																		
E	<i>Festuca centro-apenninica</i> (Markgr.-Dann.) Foggi, F. Conti & Pignatti									+	+	+	?	+							
	<i>Festuca cinerea</i> Vill.	+	+	+				+	+	+			+								
	<i>Festuca circummediterranea</i> Patzke		+	?	-	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Festuca coerulescens</i> Desf.																+			+	
	<i>Festuca cyrnea</i> (Litard. & St.-Yves) Signorini, Foggi & Nardi								+	+	+	?	?	+		+		+	?		+
	<i>Festuca dimorpha</i> Guss.		+					+		+	+	+	+	+	+	?		+	+		
	<i>Festuca exaltata</i> C. Presl		+										+	+	+	+	+	+	+	+	
	<i>Festuca filiformis</i> Pourr.	+	+	+	+	+	+	+	+	+			?								
	<i>Festuca flavescens</i> Bellardi	+	+					+													
E	<i>Festuca gamisansii</i> Kerguélen subsp. <i>aethaliae</i> Signorini & Foggi									+											
	<i>Festuca gigantea</i> (L.) Vill.		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
	<i>Festuca gracilior</i> (Hack.) Markgr.-Dann.	+	+					+	+	+											
	<i>Festuca halleri</i> All. s.l.	+	+	+	+	+		+	+	+						?					
	<i>Festuca halleri</i> All. subsp. <i>halleri</i>	+	+	+	+			+													
	<i>Festuca halleri</i> All. subsp. <i>yesii</i> Kerguélen & Plonka								+												
	<i>Festuca heteromalla</i> Pourr.		+	+	+	+	-	+	+	+			+		+						
	<i>Festuca heteropachys</i> (St.-Yves) Patzke ex Auquier		?		?																
	<i>Festuca heterophylla</i> Lam.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Festuca humifusa</i> Brullo & Guarino																				+
E	<i>Festuca imperatrix</i> Catonica ⁽³⁴⁶⁾												+								
E	<i>Festuca inops</i> De Not.							+	+	+	+	+	+	+	+						
	<i>Festuca intercedens</i> (Hack.) Lüdi ex Bech.			+	+	+	+														
	<i>Festuca jeanpertii</i> (St.-Yves) Markgr.-Dann. subsp. <i>campana</i> (N. Terracc.) Markgr.-Dann.														+	+	+	+			
	<i>Festuca laevigata</i> Gaudin s.l.	+	+	+	+	+		+	-	-	+	+	+	+	+	+		+	?		
	<i>Festuca laevigata</i> Gaudin subsp. <i>crassifolia</i> (Gaudin) Kerguélen & Plonka	+	+											+							
	<i>Festuca laevigata</i> Gaudin subsp. <i>laevigata</i>	+	+	+	+							+	+								
	<i>Festuca laxa</i> Host					+	+														
	<i>Festuca marginata</i> (Hack.) Richt. subsp. <i>gallica</i> (Hack. ex Charrel) Breistr.		?					+													
	<i>Festuca melanopsis</i> Foggi, Graz. Rossi & Signorini	+	?	+	+	+	+	?													
	<i>Festuca microphylla</i> (St.-Yves ex Coste) Patzke		+	+					+		+	+	+	+		+		?	+	+	
E	<i>Festuca morisiana</i> Parl.																				+
	<i>Festuca nitida</i> Kit. ex Schult. subsp. <i>nitida</i>				+	+	+														
	<i>Festuca norica</i> (Hack.) K. Richt.			+	+	+	+														
	<i>Festuca ovina</i> L. s.l.	+	+	+	+	+		+	+	?											
	<i>Festuca ovina</i> L. subsp. <i>guestfalica</i> (Rchb.) K. Richt.		?	+	+	+		+	+	?											

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	<i>Festuca ovina</i> L. subsp. <i>supina</i> (Shur) Oborny	+	+	+	+															
	<i>Festuca paniculata</i> (L.) Schinz & Thell. subsp. <i>paniculata</i>	+	+	+	+	+	+	+	+	+	+	+	+				+	+		
	<i>Festuca picturata</i> Pils				+	+	+													
E	<i>Festuca pignattiorum</i> Markgr.-Dann.																			+
	<i>Festuca pratensis</i> Huds. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+	?	+	+
	<i>Festuca pratensis</i> Huds. subsp. <i>apennina</i> (De Not.) Hegi				+	+	+		+	+	+		+							
	<i>Festuca pratensis</i> Huds. subsp. <i>pratensis</i>	+	+	+	+	+	+	+	+											
	<i>Festuca pseudodura</i> Steud.				+	+	+						+							
	<i>Festuca pseudovaria</i> Vetter subsp. <i>pseudovaria</i>					+														
	<i>Festuca pulchella</i> Schrad. s.l.			+	+	+														
	<i>Festuca pulchella</i> Schrad. subsp. <i>jurana</i> (Gren.) Markgr.-Dann.			+	+	+														
	<i>Festuca pulchella</i> Schrad. subsp. <i>pulchella</i>			?	+															
	<i>Festuca quadriflora</i> Honck.	+	+	+	+	+	+	?												
E	<i>Festuca riccerii</i> Foggi & Graz. Rossi								+	+										
E	<i>Festuca robustifolia</i> Markgr.-Dann.		?				?	?	+			-	-	-	-		-	-	-	
	<i>Festuca rubra</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Festuca rubra</i> L. subsp. <i>commutata</i> (Gaudin) Markgr.-Dann.	+		+	+	+	+		+	+	+		+	+						
	<i>Festuca rubra</i> L. subsp. <i>juncea</i> (Hack.) K. Richt.			+	+	+	+		+	+		+		+						
	<i>Festuca rubra</i> L. subsp. <i>rubra</i>	+	+	+	+	+	+	+	+			+		+	+					
E	<i>Festuca sardoa</i> (Hack. in Barbey) K. Richt. ⁽³⁴⁷⁾																			+
	<i>Festuca scabriculumis</i> (Hack.) K. Richt. s.l.	+	+	+	+		?													
	<i>Festuca scabriculumis</i> (Hack.) K. Richt. subsp. <i>luedii</i> Markgr.-Dann.	+	+	+	+															
	<i>Festuca scabriculumis</i> (Hack.) K. Richt. subsp. <i>scabriculumis</i>	?	+																	
	<i>Festuca spectabilis</i> Jan ex Bertol. s.l.			+	+	+	+	+	+											
	<i>Festuca spectabilis</i> Jan ex Bertol. subsp. <i>carniolica</i> (Hack.) Hayek						+													
	<i>Festuca spectabilis</i> Jan ex Bertol. subsp. <i>spectabilis</i>			+	+	+	+	+	+											
	<i>Festuca stenantha</i> (Hack.) K. Richt.			+	+	+	+													
	<i>Festuca stricta</i> Host s.l.	?	+	+	+	+	+	+	+	+	+		+							
	<i>Festuca stricta</i> Host subsp. <i>bauzanina</i> Pils				+															
	<i>Festuca stricta</i> Host subsp. <i>sulcata</i> (Hack.) Patzke		+	+	+	+				+	+									
	<i>Festuca stricta</i> Host subsp. <i>trachyphylla</i> (Hack.) Patzke ex Pils	?		+	+	+	-	+	+	+	+		+							
E	<i>Festuca ticinensis</i> (Markgr.-Dann.) Markgr.-Dann.		+	+																
	<i>Festuca trichophylla</i> (Ducros ex Gaudin) K. Richt. s.l.	?	+	+	+	+	+	+	+	+	+		+		+			+	+	
	<i>Festuca trichophylla</i> (Ducros ex Gaudin) K. Richt. subsp. <i>asperifolia</i> (St.-Yves) Al-Bermani				+			+	+	+	+		+		+			+	+	
	<i>Festuca trichophylla</i> (Ducros ex Gaudin) K. Richt. subsp. <i>trichophylla</i>	?		+	+		+		+	+								+		
	<i>Festuca valesiaca</i> Schleich. ex Gaudin subsp. <i>valesiaca</i>	+	+	+	+	+	+													
E	<i>Festuca veneris</i> Graz. Rossi, Foggi & Signorini						+													
	<i>Festuca violacea</i> Schleich. ex Gaudin s.l.	+	+	-	-	-	-	+	+	+	+	+	+	+	+		+	+		
E	<i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>italica</i> Foggi, Graz. Rossi & Signorini									+	+	+	+	+	+		+	+		
E	<i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>puccinellii</i> (Parl.) Foggi, Graz. Rossi & Signorini		-	-	-	-	-	+	+	-		-	-							
	<i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>violacea</i>	+	+	-																
	<i>Fibigia clypeata</i> (L.) Medik.			-	+	+		+	0	+	+	+	+							
	<i>Ficus carica</i> L.	+A	+A	+	+	+	+	+	+	+	+A	+A	+	+	+	+A	+	+	+	+
	<i>Filago arvensis</i> L.	+	+	+	+	+		+	+	0			+	?	+		+	+	+	+
	<i>Filago asterisciflora</i> (Lam.) Chrték & Holub								+			+			0	+		+	+	+
	<i>Filago congesta</i> Guss.																+		+	+
	<i>Filago eriocephala</i> Guss.								+			+	+		+	+	+	+	+	+
	<i>Filago gallica</i> L.	?	+	+		+		+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Filago heterantha</i> Raf.											-					+	+	+	+
E	<i>Filago lojaconoi</i> (Brullo) Greuter																			+
	<i>Filago lutescens</i> Jord. subsp. <i>lutescens</i>	+	+	+	+	+	-		+								?		+	
	<i>Filago minima</i> (Sm.) Pers.	+	+	+	+	+	0	+	+	+	+	+	+					+		+
	<i>Filago neglecta</i> (Soy.-Will.) DC.						-		0											
	<i>Filago pygmaea</i> L.							0		+	0		+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Filago pyramidata</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Filago tyrrhenica</i> Chrtk & Holub ex Soldano & F. Conti (348)																				+
<i>Filago vulgaris</i> Lam.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Filipendula ulmaria</i> (L.) Maxim. (349)	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+		
<i>Filipendula vulgaris</i> Moench	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
<i>Fimbristylis annua</i> (All.) Roem. & Schult.		?A	+	0	+	+	0		0				0							
<i>Fimbristylis bisumbellata</i> (Forssk.) Bubani		?A	+		+	0	0	+	+		?	+	0					+	+	
<i>Fimbristylis cioniana</i> Savi									+A											
<i>Fimbristylis squarrosa</i> Vahl		?A							+											
<i>Foeniculum vulgare</i> Mill. (350)	+A	+	+	+A	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fontanesia phillyraeoides</i> Labill.																		?	+	
<i>Fragaria moschata</i> Duchesne	?	+	+	+	+	+		+	+	+			+							
<i>Fragaria vesca</i> L. subsp. <i>vesca</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fragaria virginiana</i> Duchesne							+A			+A										
<i>Fragaria viridis</i> Duchesne subsp. <i>viridis</i>	?	+	+	+	+	+	+	+	+	+	?	+	+		+	+	+	+		
<i>Frangula alnus</i> Mill. subsp. <i>alnus</i>	+	+	+	+	+	+	+	+	+	+	+	+			+					
<i>Frangula rupestris</i> (Scop.) Schur						+				+										
<i>Frankenia hirsuta</i> L.								-	+			+				+		+	+	+
<i>Frankenia laevis</i> L. subsp. <i>laevis</i>								-	+			-			0	+	+	0	-	+
<i>Frankenia pulverulenta</i> L. subsp. <i>pulverulenta</i>						+A	0		+			+			+	+	+	-	+	+
<i>Fraxinus angustifolia</i> Vahl s.l.		+	+		+	+		+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Fraxinus angustifolia</i> Vahl subsp. <i>angustifolia</i> (351)																				+
<i>Fraxinus angustifolia</i> Vahl subsp. <i>oxycarpa</i> (Willd.) Franco & Rocha Afonso			+		+	+		+	+	+	?	+	+	+	+	+	+	+	-	+
<i>Fraxinus excelsior</i> L. subsp. <i>excelsior</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+A
<i>Fraxinus ornus</i> L. subsp. <i>ornus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Freesia refracta</i> (Jacq.) Ecklon ex Klatt															+A				+A	
<i>Fritillaria involucrata</i> All.		?					+													
<i>Fritillaria meleagris</i> L. subsp. <i>burnatii</i> (Planch.) Rix (352)																				
<i>Fritillaria messanensis</i> Raf.																		?	+	+
<i>Fritillaria montana</i> Hoppe ex Koch (353)	+	+	+	+		+		+	+	+	+	+	+	+	+		+	+		
<i>Fritillaria persica</i> L.								?A				+A								
<i>Fritillaria tubiformis</i> Gren. & Godr. s.l.	+	+	+	+		+		+	+	+	+	+	+	+	+					
<i>Fritillaria tubiformis</i> Gren. & Godr. subsp. <i>moggridgei</i> (Boiss. & Reuter ex Planch.) Rix		+					+													
<i>Fritillaria tubiformis</i> Gren. & Godr. subsp. <i>tubiformis</i>	+	+	+	+																
<i>Fuirena pubescens</i> (Poir.) Kunth							0											-		+
<i>Fumana arabica</i> (L.) Spach									+	+		+		+	+	+		+	+	+
<i>Fumana ericoides</i> (Cav.) Gand.	+	+	+	+	+	+		+	+	+	?	+	+	+	+		+	+	+	+
<i>Fumana juniperina</i> (Lag. ex Dunal) Pau (354)															+				+	
<i>Fumana laevipes</i> (L.) Spach							+	+	-		+		+	+		+	+	+	+	+
<i>Fumana laevis</i> (Cav.) Pau (355)							+	+				+			+				+	
<i>Fumana procumbens</i> (Dunal) Gren. & Godr.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fumana scoparia</i> Pomel								+							0				+	
<i>Fumana thymifolia</i> (L.) Spach ex Webb		0				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fumaria agraria</i> Lag.		?				+		-				+		+	+		+	+	+	+
<i>Fumaria barnolae</i> Sennen & Pau subsp. <i>barnolae</i>						+		+	+	?	+		+		+			?	+	
<i>Fumaria bastardii</i> Boreau								+	+		+		+	+	+	+	?	+	+	
<i>Fumaria bicolor</i> Nicotra								+			+		+	+					+	+
<i>Fumaria capreolata</i> L. subsp. <i>capreolata</i>	+A	+	+	+A		+	?	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fumaria densiflora</i> DC.		+				+			?	?	?	+	+	+	+	+	+	+	+	+
<i>Fumaria flabellata</i> Gasp.								+	+		+	+	+	0	+	+	+	+	+	+
<i>Fumaria gaillardotii</i> Boiss.												+	+	+		+	?	+	+	+
<i>Fumaria judaica</i> Boiss. subsp. <i>judaica</i>															+			0		
<i>Fumaria kralikii</i> Jord.																				+A
<i>Fumaria muralis</i> W.D.J. Koch subsp. <i>muralis</i>									+						+					+
<i>Fumaria officinalis</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fumaria officinalis</i> L. subsp. <i>officinalis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+		+	+
<i>Fumaria officinalis</i> L. subsp. <i>wirtgenii</i> (W.D.J. Koch) Arcang.				+	+	+	+	+		+		+	+	+	+			+	+	
<i>Fumaria parviflora</i> Lam.		+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Fumaria petteri</i> Rchb. subsp. <i>petteri</i>									+			+		+						

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Fumaria schleicheri</i> Soy.-Will.	0	+A	+	+	+		+													+
<i>Fumaria vaillantii</i> Loisel.	+	+	+	+	+	+	+		+	+			+		+	+	+		+	+
<i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f. ⁽³⁵⁶⁾									+		+	+	+				?	+	+	+
<i>Gagea chrysantha</i> Schult. & Schult. f.																+	+	+	+	+
<i>Gagea foliosa</i> (J. & C. Presl) Schult. & Schult. f.									-				?	?		?	?		+	+
<i>Gagea fragifera</i> (Vill.) Ehr. Bayer & G. López	+	+	+	+	+	+	0	?	+		+	+	+	+	+	+	+	+	+	+
<i>Gagea granatellii</i> (Parl.) Parl.									?	+			+	+		+	+	+	+	+
E <i>Gagea lacaitae</i> A. Terracc.																			?	
<i>Gagea lutea</i> (L.) Ker Gawl. ⁽³⁵⁷⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Gagea mauritanica</i> Durieu																+	?		?	
<i>Gagea minima</i> (L.) Ker Gawl.				+	+	+				+		+							+	
<i>Gagea pratensis</i> (Pers.) Dumort.	-	+	+	+		+				+	+	+	+				?	+	+	
<i>Gagea pusilla</i> (F.W. Schmidt) Schult. & Schult.f.		?			?	+			+			+					?			
E <i>Gagea ramulosa</i> A. Terracc. ⁽³⁵⁸⁾																			+	
<i>Gagea reverchonii</i> Degen ⁽³⁵⁹⁾		?																		
<i>Gagea soleirolii</i> Schultz subsp. <i>soleirolii</i>																				+
<i>Gagea spathacea</i> (Hayne) Salisb.					0															
<i>Gagea trinervia</i> (Viv.) Greuter																			+	
<i>Gagea villosa</i> (M. Bieb.) Sweet	+	+	+	+	+	+	?	+	+	+	+	+	+	+	?	+	+	+		
<i>Galactites elegans</i> (All.) Soldano ⁽³⁶⁰⁾							+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galanthus nivalis</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	-	
<i>Galanthus reginae-olgae</i> Orph. s.l.																		+	+	
<i>Galanthus reginae-olgae</i> Orph. subsp. <i>reginae-olgae</i>																			+	
<i>Galanthus reginae-olgae</i> Orph. subsp. <i>vernalis</i> Kamari																		+	+	
<i>Galatella linoisyris</i> (L.) Rchb.f. subsp. <i>linoisyris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Galatella sedifolia</i> (L.) Greuter subsp. <i>sedifolia</i>		+					+	+					+	?		+				
E <i>Galatella sorrentinoides</i> Tod. ⁽³⁶¹⁾																				+
<i>Galega officinalis</i> L.		+	+	+A	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galeopsis angustifolia</i> Hoffm. subsp. <i>angustifolia</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?		
<i>Galeopsis bifida</i> Boenn.		?	+	+	+	+	+													
<i>Galeopsis ladanum</i> L.	+	+	+	+	+	+	+	+	+		+	?	+	+	+		+	+		
<i>Galeopsis pubescens</i> Besser subsp. <i>pubescens</i>	+	+	+	+	+	+	+	+	+		?	+		+						
<i>Galeopsis reuteri</i> Rchb. f.		+					-													
<i>Galeopsis segetum</i> Neck.	?	0	+	-	+	-						-	+							
<i>Galeopsis speciosa</i> Mill.		+	+	+	+	+	+	+	+	+		-	+							
<i>Galeopsis tetrahit</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Galinsoga ciliata</i> (Raf.) S.F. Blake	+A	+A	+A	+A	+A	+A		+A	+A	+A		+A	+A	+A	+A	+A			+A	
<i>Galinsoga parviflora</i> Cav.	+A	+A	+A	+A	+A	+A	+A	+A	+A			+A	+A	+A	+A			+A	+A	+A
E <i>Galium aetnium</i> Biv. ⁽¹⁰⁵⁾									-			+	+					?	+	
<i>Galium anisophyllum</i> Vill.	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+		
<i>Galium aparine</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galium aristatum</i> L.	?	+	+	+	+	+	+		+						?					
<i>Galium austriacum</i> Jacq.		+							+											
E <i>Galium baldense</i> Spreng.			+	+	+	+	+													
<i>Galium boreale</i> L.	+	+	+	+	+	+	-													
E <i>Galium caprarium</i> Natali ⁽³⁶²⁾									+											
<i>Galium carmineum</i> P. Beauv.		?	+	+	+		?	+	+											
<i>Galium centroniae</i> Cariot	+	?	+	+	+	+		+	+											
<i>Galium cinereum</i> All.		0					-													
<i>Galium corrudifolium</i> Vill.	?	+		0		+	+	+	+	+	+	+	+	+	+	+	+	+	+	
E <i>Galium corsicum</i> Spreng. ⁽³⁶³⁾																				+
<i>Galium debile</i> Desv.			+		+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Galium divaricatum</i> Lam.		+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Galium glaucophyllum</i> Em. Schmid																				+
<i>Galium glaucum</i> L.		+	+	-	+	+		?	+		?	-		+	+	+	+	0		
<i>Galium laevigatum</i> L.	+	+	+	+	+	+	+	+	+		?	+	+	?	+	+	+	+		
E <i>Galium litorale</i> Guss.																				+
<i>Galium lucidum</i> All. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galium lucidum</i> All. subsp. <i>lucidum</i>	+		+	+		+		+		+	+		+							+
E <i>Galium lucidum</i> All. subsp. <i>venustum</i> (Jord.) Arcang. ⁽³⁶⁴⁾													+		+		+	+	+	
E <i>Galium magellense</i> Ten.										+	+	+	+	+	+			+		
E <i>Galium margaritaceum</i> A. Kern.				+	+	+														
<i>Galium megalospermum</i> All.	+	+	+	+	+								?							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Galium minutulum</i> Jord.									+											+
<i>Galium mollugo</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	+
<i>Galium mollugo</i> L. subsp. <i>erectum</i> Syme	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	+
<i>Galium mollugo</i> L. subsp. <i>mollugo</i>	+	+	+			+		+		+	+		+							
<i>Galium mollugo</i> L. subsp. <i>pycnotrichum</i> (Heinr. Braun) O. Schwarz				?	+	?														
E <i>Galium montis-arerae</i> Merxm. & Ehrend.			+																	
<i>Galium murale</i> (L.) All.							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Galium noricum</i> Ehrend.					+	+														
<i>Galium obliquum</i> Vill.	0	+	+				+	+	+											
<i>Galium odoratum</i> (L.) Scop.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Galium palaeoitalicum</i> Ehrend.									+						+		+	+		
<i>Galium palustre</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galium palustre</i> L. subsp. <i>elongatum</i> (C. Presl) Lange		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galium palustre</i> L. subsp. <i>palustre</i>	+	+	+	+	+	+	+				+		+							
<i>Galium parisiense</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galium pseudohelveticum</i> Ehrend.	?	+																		
<i>Galium pumilum</i> Murray	+	+	?	+	+	?	+		+											
<i>Galium pusillum</i> L.		+			+															
<i>Galium rotundifolium</i> L. subsp. <i>rotundifolium</i> ⁽³⁶⁵⁾	+	+	+	+	+	+	+		+	+		+	+	?	+		+	+	+	+
<i>Galium rubioides</i> L.					+A															
<i>Galium rubrum</i> L.	+	+	+	+	+	+	+	+												
<i>Galium saxatile</i> L.				+	+	+A							?							
<i>Galium scabrum</i> L.							+		+				-	+				+	-	+
E <i>Galium schmidii</i> Arrigoni																				+
<i>Galium schultesii</i> Vest			+		?															
<i>Galium setaceum</i> Lam.																			+	+
<i>Galium spurium</i> L.	+	+	+	+	+	+	+	+	+	+	?	-	+	+	+	+	+	?	+	+
<i>Galium sylvaticum</i> L.	?	+	+	+	+	?	+	+	+											
<i>Galium tendae</i> Rechb.		+					?													
<i>Galium tricornutum</i> Dandy	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galium tunetanum</i> Lam.																			?	
<i>Galium uliginosum</i> L.			+	+	+	+	-		?											
<i>Galium verrucosum</i> Huds. s.l.		-	-				+		+	+		+	+	+	+	+	+	+	+	+
E <i>Galium verrucosum</i> Huds. subsp. <i>halophilum</i> (Ponzo) Lambinon ⁽³⁶⁶⁾									+										+	+
<i>Galium verrucosum</i> Huds. subsp. <i>verrucosum</i>									+	+		+							+	
<i>Galium verticillatum</i> Dant. ⁽¹⁰⁶⁾									0			+						+	+	
<i>Galium verum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galium verum</i> L. subsp. <i>verum</i>	+	+	+	+			+	+	+	+	+	+	+	+	+		+		+	
<i>Galium verum</i> L. subsp. <i>wirtgeni</i> (F.W. Schultz) Oborny	?	?	+	+	+	+														
<i>Gastridium phleoides</i> (Nees & Meyen) C.E. Hubb. ⁽³⁶⁷⁾												+		+		+		+	+	+
<i>Gastridium scabrum</i> C. Presl ⁽³⁶⁸⁾												+		+		+		+	+	+
<i>Gastridium ventricosum</i> (Gouan) Schinz & Thell.		+	-		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Gaudinia fragilis</i> (L.) P. Beauv.			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Gaura biennis</i> L.						+A														
<i>Gaura sinuata</i> Nutt.									+A											+A
E <i>Genista aetnensis</i> (Biv.) DC.														+A	+A			+A	+	+
<i>Genista anglica</i> L. ⁽³⁶⁹⁾																		+		
E <i>Genista arbusensis</i> Vals.																				+
E <i>Genista aristata</i> C. Presl																			+	
<i>Genista aspalathoides</i> Lam.																			+	
E <i>Genista cadasonensis</i> Vals.																				+
E <i>Genista cilentina</i> Vals.															+					
<i>Genista cinerea</i> (Vill.) DC.		+					+													
E <i>Genista corsica</i> (Loisel.) DC. ⁽³⁷⁰⁾																				+
E <i>Genista cupanii</i> Guss.																			+	
E <i>Genista demarcoi</i> Brullo, Scelsi & Siracusa																			+	
E <i>Genista desoleana</i> Vals.							+		+											+
E <i>Genista ephedroides</i> DC.															-				-	+
E <i>Genista gasparrinii</i> (Guss.) C. Presl															+				+	
<i>Genista germanica</i> L.	+	+	+	+	+	+	+	+	+	0	+	+								
<i>Genista hispanica</i> L. subsp. <i>hispanica</i>							+													

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Gentianella austriaca</i> (A. & J. Kern.) Holub					+															
<i>Gentianella campestris</i> (L.) Börner subsp. <i>campestris</i>	+	+	+	+	+		+	+	+	+	?	+	+	?	+					
<i>Gentianella columnae</i> (Ten.) Holub										+	+	+	+	+	+		+	+		
<i>Gentianella crispata</i> (Vis.) Holub																	+	+		
<i>Gentianella engadinensis</i> (Wettst.) Holub			+	+	+						?		?							
<i>Gentianella germanica</i> (Willd.) E.F.Warb.		?	+	+	+	+	?	-	-											
<i>Gentianella insubrica</i> (Kunz) Holub		+	+																	
<i>Gentianella lutescens</i> (Velen.) Holub						+														
<i>Gentianella pilosa</i> (Wettst.) Holub				+	+	+														
<i>Gentianella ramosa</i> (Hegetschw.) Holub	+	+	+	+																
<i>Gentianopsis ciliata</i> (L.) Ma subsp. <i>ciliata</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-					
<i>Geranium argenteum</i> L.			+	+	+	+		+	+	0										
<i>Geranium asphodeloides</i> Burm. f. subsp. <i>asphodeloides</i>														+	+	+	+	+	+	+
<i>Geranium austroapenninum</i> Aedo ⁽³⁸³⁾										?	-	+	+	+	+		+	+		
<i>Geranium bohemicum</i> L.		?		0					+			?								
<i>Geranium columbinum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium dissectum</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium divaricatum</i> Ehrh.	?	+	+	+	+															
<i>Geranium lanuginosum</i> Lam.			+	+	+	+	+	+	+	+	?	?			+		+		0	+
<i>Geranium lucidum</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium macrorrhizum</i> L.		?	+	+	+	+	-	+			?	+	+	+	+					
<i>Geranium molle</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium nodosum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Geranium palustre</i> L.		+	+	+		+														
<i>Geranium phaeum</i> L. ⁽³⁸⁴⁾	+	+	+	+	+	+	0	+	+			+								
<i>Geranium pratense</i> L. subsp. <i>pratense</i>	?	+	+	+	+	+	+	+	+											
<i>Geranium purpureum</i> Vill.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium pusillum</i> L.	+	+	+	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Geranium pyrenaicum</i> Burm. f. subsp. <i>pyrenaicum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium reflexum</i> L.										+	+	+	+	+	+					
<i>Geranium rivulare</i> Vill.	+	+	+	+	+		-	+												
<i>Geranium robertianum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium rotundifolium</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium sanguineum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Geranium sibiricum</i> L.		+A	+A	+A	+A	+A														
<i>Geranium sylvaticum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+		
<i>Geranium tuberosum</i> L. subsp. <i>tuberosum</i>							0	+	0	+	+	+	+	+		+	+		+	+
<i>Geranium versicolor</i> L.										+	-	+	+	+	+		+	+	+	+
<i>Geropogon glaber</i> L.							+		+	0	?	+	+	+	+	+	+	+	+	+
<i>Geum heterocarpum</i> Boiss. ⁽³⁸⁵⁾													+				?			
<i>Geum molle</i> Vis. & Pancic										+	+	+	+	+	+		+	+		
<i>Geum montanum</i> L.	+	+	+	+	+	+	+	+	+											
<i>Geum reptans</i> L.	+	+	+	+	+	+	-													
<i>Geum rivale</i> L.	+	+	+	+	+	+	+	+	+	+	?	+	+	?	0		+	+		
<i>Geum sylvaticum</i> Pourr.																			0	
<i>Geum urbanum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A
<i>Gladiolus communis</i> L. s.l.			+		+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Gladiolus communis</i> L. subsp. <i>byzantinus</i> (Mill.) A.P. Ham.									+			+	+	+	+	+	+	+	+	+
<i>Gladiolus communis</i> L. subsp. <i>communis</i>			+				+	+		+	+	+	+	+						
<i>Gladiolus dubius</i> Guss.									+			+		+	+	+	+	+	+	+
<i>Gladiolus illyricus</i> Koch						+														+
<i>Gladiolus imbricatus</i> L.		+	+			+	+													
<i>Gladiolus inarimensis</i> Guss.									+						+					+
<i>Gladiolus italicus</i> Mill.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Gladiolus palustris</i> Gaudin	+	+	+	+	+	+	+	+	+											
<i>Glaucium corniculatum</i> (L.) Rudolph subsp. <i>corniculatum</i>												+	+		0	+		+	+	+
<i>Glaucium flavum</i> Crantz		+				+	+	?	+	+		+	+	+	+	+	+	+	+	+
<i>Glebionis coronaria</i> (L.) Spach					+A	+		+	+A		+	+A	+	+	+	+	+	+	+	+
<i>Glebionis segetum</i> (L.) Fourr.		?	-		+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Glechoma hederacea</i> L.	+	+	+	+	+	+	+	+	+	-	?	+	+	+	+			0		
<i>Glechoma hirsuta</i> Waldst. & Kit.		0	+	?	+	+		+	+	+	+	+	+	+	?	+	+	+	+	+
<i>Glechoma sardoa</i> (Bég.) Bég. ⁽³⁸⁶⁾																				

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Hedysarum brigantiacum</i> Bournérias, Chas & Kerguélen		+																		
<i>Hedysarum confertum</i> Desf.								+												
<i>Hedysarum hedysaroides</i> (L.) Schinz & Thell. s.l.	+	+	+	+	+	+	+	+												
<i>Hedysarum hedysaroides</i> (L.) Schinz & Thell. subsp. <i>exaltatum</i> (A. Kern.) Zertová	-	-	+	+	+	+														
<i>Hedysarum hedysaroides</i> (L.) Schinz & Thell. subsp. <i>hedysaroides</i>	+	+	+	+	+	+	+	+												
<i>Helianthemum aegyptiacum</i> (L.) Mill.												+				+	+	+	+	+
<i>Helianthemum apenninum</i> (L.) Mill. subsp. <i>apenninum</i>		+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Helianthemum caput-felis</i> Boiss.																				+
<i>Helianthemum cinereum</i> (Cav.) Pers. subsp. <i>rotundifolium</i> (Dunal) Greuter & Burdet ⁽³⁹⁵⁾															0		+	+	+	
<i>Helianthemum croceum</i> (Desf.) Pers.							+		+			?	+	+	+		+	+	+	+
<i>Helianthemum jonium</i> Lacaita								+						+		+	+			
<i>Helianthemum ledifolium</i> (L.) Mill.															+		?	+	+	
E <i>Helianthemum lunulatum</i> (All.) DC.		+				+														
E <i>Helianthemum morisianum</i> Bertol.																				+
<i>Helianthemum nummularium</i> (L.) Mill. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>berteroanum</i> (Bertol.) Breistr.		+					+	+												+
<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>glabrum</i> (W.D.J. Koch) Wilczek		+	+	?	+		+	+				+	+	+	+		+			
<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>grandiflorum</i> (Scop.) Schinz & Thell.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>nummularium</i>	+	+	+	?	+		+	+				+	+	+			+		+	+
<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>obscurum</i> (Celak.) Holub	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>semiglabrum</i> (Badarò) M. Proctor		+					+					+								
<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>tomentosum</i> (Scop.) Schinz & Thell.	+	+	+	+	+		-		+	-	?	+	+		+	+	+	+	+	+
<i>Helianthemum oelandicum</i> (L.) Dum. Cours. s.l.	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+
E <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>allionii</i> (Tineo) Greuter & Burdet																			+	+
<i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>alpestre</i> (Jacq.) Ces.	+	+	+	+	+	+	+			+	+	+	+	+			+			
<i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>incanum</i> (Willk.) G. López	+	?	+	+	+	+	0	+	?	+	+	+	+	+	+	+	+	+	+	+
<i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>italicum</i> (L.) Ces.	-	+	+	?	+		+	+	+	?	+	+	+	+						
E <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>nebrodense</i> (Guss.) Greuter & Burdet																				+
<i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>pouretii</i> (Timb.-Lagr.) Greuter & Burdet ⁽³⁹⁶⁾																				
<i>Helianthemum pilosum</i> (L.) Pers.							+	+		?							+			
<i>Helianthemum salicifolium</i> (L.) Mill. ⁽³⁹⁷⁾		+	+	0	+		0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Helianthemum sanguineum</i> (Lag.) Lag. ex Dunal							?													+
<i>Helianthemum sessiliflorum</i> (Desf.) Pers.																+		-	+	
<i>Helianthemum syriacum</i> (Jacq.) Dum. Cours. subsp. <i>thibaudii</i> (Pers.) Meikle ⁽³⁹⁸⁾							0									0				
<i>Helianthus annuus</i> L.		+A				+A	+A	+A	+A		+A	+A	+A	+A	+A		+A		+A	+A
<i>Helianthus decapetalus</i> L.		?A																		
<i>Helianthus multiflorus</i> L.						+A														
<i>Helianthus pauciflorus</i> Nutt. subsp. <i>pauciflorus</i>		?A			+A	+A	?A	+A	+A	+A	+A	+A	+A			+A	+A	?A	+A	+A
<i>Helianthus tuberosus</i> L.		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Helichrysum barrelieri</i> (Ten.) Greuter																				+
E <i>Helichrysum frigidum</i> (Labill.) Willd. ⁽³⁹⁹⁾																				+
E <i>Helichrysum hyblaenum</i> Brullo																				+
<i>Helichrysum italicum</i> (Roth) G. Don s.l.		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Helichrysum italicum</i> (Roth) G. Don subsp. <i>italicum</i>		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Helichrysum italicum</i> (Roth) G. Don subsp. <i>microphyllum</i> (Willd.) Nyman																				+
<i>Helichrysum litoreum</i> Guss. ⁽⁴⁰⁰⁾									+			+			+				+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	Brullo ⁽⁴⁰⁵⁾																			
	Herniaria glabra L. s.l.																			
	Herniaria glabra L. subsp. glabra																			
	Herniaria glabra L. subsp. nebrodensis Jan ex Nyman																			
	Herniaria hirsuta L. s.l.																			
E	Herniaria hirsuta L. subsp. aprutia Chaudhri ⁽⁴⁰⁶⁾																			
	Herniaria hirsuta L. subsp. hirsuta																			
	Herniaria incana Lam.																			
E	Herniaria litardierei (Gamisans) Greuter & Burdet ⁽⁴⁰⁷⁾																			
	Herniaria permixta Guss.																			
E	Hesperis cupaniana Guss.																			
	Hesperis laciniata All. subsp. laciniata																			
	Hesperis matronalis L. s.l.																			
	Hesperis matronalis L. subsp. candida (Kit.) Hegi & Em. Schmid																			
	Hesperis matronalis L. subsp. matronalis																			
	Heteranthera limosa Willd.																			
	Heteranthera reniformis Ruiz & Pav.																			
	Heteranthera rotundifolia (Kunth) Griseb.																			
	Heteropogon contortus (L.) P. Beauv.																			
	Hibiscus palustris L.																			
	Hibiscus syriacus L.																			
	Hibiscus trionum L.																			
E	Hieracium acanthodontoides Arv.-Touv. & Belli (bifidum > racemosum)																			
	Hieracium adenophyton (Zahn) Zahn (atratum - bocconeii)																			
	Hieracium adriaticiforme (Zahn) Zahn (piloselloides > peleterianum)																			
	Hieracium aletschense Zahn (niphostribes > peleterianum)																			
	Hieracium alpicola Schleich. ex Steud. & Hochst. ⁽⁴⁰⁹⁾																			
	Hieracium alpinum L. ⁽⁴¹⁰⁾																			
	Hieracium amphipolium (Nägeli & Peter) Soest (velutinum - saussureoides)																			
E	Hieracium amphisericophorum Zahn (tomentosum - piliferum)																			
	Hieracium amplexicaule L. ⁽⁴¹¹⁾																			
	Hieracium anhusoides (Arv.-Touv.) Arv.-Touv. (zizianum > pilosella)																			
	Hieracium angustifolium Hoppe																			
	Hieracium annae-toutoniae Zahn (dollineri - schmidtii)																			
E	Hieracium antholzense Zahn (bocconeii > valdepilosum)																			
	Hieracium aphyllum Nägeli & Peter (piliferum - dentatum)																			
	Hieracium apricorum Wiesb. (glaucum - murorum)																			
	Hieracium argothrix Nägeli & Peter (tomentosum - valdepilosum) ⁽⁴¹²⁾																			
	Hieracium aridum Freyn (piloselloides - pilosella) ⁽⁴¹³⁾																			
	Hieracium armerioides Arv.-Touv. (piliferum = bifidum) ⁽⁴¹⁴⁾																			
	Hieracium arnoserioides Nägeli & Peter (piloselloides - macranthum)																			
	Hieracium arolae (Murr) Zahn (alpinum = pallescens)																			
	Hieracium arpadianum Zahn (jurassicum - amplexicaule)																			
	Hieracium atratum Fr. (alpinum < murorum) ⁽⁴¹⁵⁾																			
	Hieracium aurantellum Nägeli & Peter (aurantiacum - angustifolium)																			
	Hieracium aurantiacum L.																			
	Hieracium auriculiforme Fr. (lactucella - peleterianum) ⁽⁴¹⁶⁾																			
	Hieracium australe Fr. (racemosum - laevigatum)																			
	Hieracium balbisianum Arv.-Touv.& Briq. (humile - bifidum) ⁽⁴¹⁷⁾																			
	Hieracium basifurcum Peter (sphaerocephalum - pilosella)																			
	Hieracium bastrerianum Zahn (brevifolium - taurinense)																			
	Hieracium bauhini Schult.																			

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	<i>Hieracium benzanum</i> Murr & Zahn (<i>pallescens</i> - <i>lachenalii</i>)																			
	<i>Hieracium bernardii</i> Rouy (<i>racemosum</i> - <i>amplexicaule</i>) ⁽⁴¹⁸⁾																			
E	<i>Hieracium beyeri</i> Zahn (<i>tomentosum</i> - <i>lawsonii</i>)																			
	<i>Hieracium bicknellianum</i> Arv.-Touv. & Belli (<i>lawsonii</i> > <i>pedemontanum</i>)																			
	<i>Hieracium bifidum</i> Kit. ex Hornem. ⁽⁴¹⁹⁾																			
	<i>Hieracium biflorum</i> Arv.-Touv. (<i>guthnickianum</i> = <i>pilosella</i>) ⁽⁴²⁰⁾																			
	<i>Hieracium blyttianum</i> Fr. (<i>aurantiacum</i> - <i>lactucella</i>)																			
	<i>Hieracium bocconeii</i> Griseb. (<i>alpinum</i> - <i>lachenalii</i>)																			
	<i>Hieracium borealiforme</i> P.D. Sell & C. West (<i>porrifolium</i> - <i>sabaudum</i>)																			
E	<i>Hieracium bornetii</i> Burnat & Gremli (<i>humile</i> > <i>tomentosum</i>)																			
	<i>Hieracium brachiatum</i> Bertol. ex DC. (<i>piloselloides</i> < <i>pilosella</i>)																			
	<i>Hieracium brachycomum</i> Nägeli & Peter (<i>sphaerocephalum</i> - <i>lactucella</i>)																			
	<i>Hieracium brevifolium</i> Tausch (<i>umbellatum</i> = <i>racemosum</i>)																			
	<i>Hieracium bupleuroides</i> C.C. Gmel.																			
	<i>Hieracium burnatii</i> Arv.-Touv. (<i>glaucum</i> > <i>tomentosum</i>)																			
	<i>Hieracium caesioides</i> Arv.-Touv. (<i>pictum</i> - <i>bifidum</i>)																			
	<i>Hieracium caesium</i> (Fr.) Fr.																			
	<i>Hieracium caespitosum</i> Dumort.																			
E	<i>Hieracium calabrum</i> Nägeli & Peter (<i>piloselloides</i> - <i>pseudopilosella</i>)																			
	<i>Hieracium calocymum</i> Zahn (<i>laevigatum</i> - <i>onosmoides</i>)																			
	<i>Hieracium calodon</i> Tausch ex Peter (<i>echioides</i> - <i>piloselloides</i>) ⁽⁴²¹⁾																			
	<i>Hieracium cavillieri</i> Zahn (<i>prenanthoides</i> > <i>bifidum</i>)																			
	<i>Hieracium chlorifolium</i> Arv.-Touv. (<i>valdepiosum</i> - <i>glaucum</i>)																			
	<i>Hieracium chloropsis</i> Gren. & Godr. (<i>chondrillifolium</i> > <i>tomentosum</i>)																			
	<i>Hieracium chondrillifolium</i> Fr. (<i>villosum</i> - <i>bifidum</i> - <i>glaucum</i>) ⁽⁴²²⁾																			
	<i>Hieracium cinerosiforme</i> Zahn (<i>piloselloides</i> = <i>saussureoides</i>)																			
E	<i>Hieracium cirritogenes</i> Zahn (<i>cirritum</i> - <i>schmidtii</i>)																			
	<i>Hieracium cirritum</i> Arv.-Touv. (<i>bifidum</i> > <i>piliferum</i>) ⁽⁴²³⁾																			
	<i>Hieracium cochlearioides</i> Zahn (<i>piliferum</i> - <i>alpinum</i>) ⁽⁴²⁴⁾																			
	<i>Hieracium conicum</i> Arv.-Touv. (<i>umbellatum</i> - <i>prenanthoides</i>) ⁽⁴²⁵⁾																			
E	<i>Hieracium cophanense</i> Lojac. (<i>lucidum</i> - <i>symphytifolium</i>)																			
	<i>Hieracium coronariifolium</i> Arv.-Touv. (<i>tomentosum</i> - <i>verbascifolium</i>)																			
	<i>Hieracium cottetii</i> Godet ex Christener (<i>humile</i> > <i>murorum</i>) ⁽⁴²⁶⁾																			
	<i>Hieracium cryptadenum</i> Arv.-Touv. (<i>villosum</i> - <i>humile</i>)																			
	<i>Hieracium ctenodon</i> Nägeli & Peter (<i>villosum</i> - <i>lachenalii</i>)																			
	<i>Hieracium cydonifolium</i> Vill. (<i>prenanthoides</i> > <i>villosum</i>) ⁽⁴²⁷⁾																			
	<i>Hieracium cymosum</i> L. ⁽⁴²⁸⁾																			
	<i>Hieracium dasytrichum</i> Arv.-Touv. (<i>piliferum</i> - <i>villosum</i>) ⁽⁴²⁹⁾																			
	<i>Hieracium densiflorum</i> Tausch (<i>bauhini</i> - <i>cymosum</i>)																			
	<i>Hieracium dentatum</i> Hoppe (<i>villosum</i> = <i>bifidum</i>) ⁽⁴³⁰⁾																			
	<i>Hieracium dermatophyllum</i> Arv.-Touv. (<i>prenanthoides</i> - <i>bifidum</i>)																			
	<i>Hieracium diaphanoides</i> Lindeb. (<i>murorum</i> > <i>lachenalii</i>)																			
	<i>Hieracium digenum</i> Burn. & Gremli (<i>amplexicaule</i> - <i>tomentosum</i>)																			

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Hieracium dolichaetum</i> Zahn (<i>intybaceum</i> < <i>murorum</i>)			+	+																
<i>Hieracium dollineri</i> Sch. Bip. ex Neilr. (<i>glaucum</i> - <i>bifidum</i>)			+	+	+	+														
<i>Hieracium daronicifolium</i> Arv.-Touv. (<i>valdepilosum</i> > <i>jurassicum</i>)	?					+														
<i>Hieracium dragicola</i> (Nägeli & Peter) Zahn (<i>porrifolium</i> - <i>brevifolium</i>)			+			+														
<i>Hieracium dunkelii</i> Gottschl. (<i>vetteri</i> - <i>amplexicaule</i>)				+																
<i>Hieracium erioleucum</i> Zahn (<i>tomentosum</i> - <i>villosum</i>)	+	+					+					+								
<i>Hieracium fainense</i> Soest (<i>velutinum</i> - <i>hoppeanum</i>)				+																
<i>Hieracium fallacinum</i> F.W. Schultz (<i>densiflorum</i> = <i>pilosella</i>)				+																
<i>Hieracium fastuosum</i> Zahn (<i>picroides</i> < <i>bocconeae</i>)				+		+														
<i>Hieracium faurei</i> (Arv.-Touv.) Arv.-Touv. (<i>angustifolium</i> - <i>saussureoides</i>) ⁽⁴³¹⁾	+	+	+																	
<i>Hieracium flagelliferum</i> Ravaud (<i>sabaudum</i> - <i>lachenalii</i>)		?				+														
<i>Hieracium frigidarium</i> Nägeli & Peter (<i>piloselloides</i> > <i>angustifolium</i>)				+																
<i>Hieracium fulcratum</i> Arv.-Touv. (<i>oxyodon</i> - <i>humile</i>)	+																			
<i>Hieracium fulvisetum</i> Bertol. (<i>piloselloides</i> > <i>pseudopilosella</i>)							+	+							+				+	
<i>Hieracium fuscescens</i> (Nägeli & Peter) Zahn (<i>cymosum</i> - <i>fuscum</i>)			+	+																
<i>Hieracium fuscum</i> Vill. (<i>aurantiacum</i> > <i>lactucella</i>)	0	+	+	+		+														
<i>Hieracium geilingeri</i> Zahn (<i>porrifolium</i> > <i>murorum</i>)			+																	
<i>Hieracium glabratum</i> Hoppe ex Willd. (<i>villosum</i> - <i>glaucum</i>)			+	+	+	+						+	+		?					
<i>Hieracium glaciellum</i> Nägeli & Peter (<i>angustifolium</i> - <i>pilosella</i>)	+	+	+	+																
<i>Hieracium glaucinum</i> Jord. (<i>schmidtii</i> - <i>murorum</i>) ⁽⁴³²⁾	+	+	+	+	+		+						+							
<i>Hieracium glaucopsis</i> Gren. & Godr. (<i>chondrillifolium</i> > <i>cydoniifolium</i>)		+																		
<i>Hieracium glaucum</i> All. ⁽⁴³³⁾	0	+	+	+	+	+		+	+	?			+	+						
<i>Hieracium gnaphalodes</i> Arv.-Touv. (<i>tomentosum</i> - <i>chloropsis</i>)		+											-							
<i>Hieracium gombense</i> Lagerger ex Christener (<i>macilentum</i> - <i>atratum</i>) ⁽⁴³⁴⁾				+		+														
<i>Hieracium graecum</i> Boiss. & Heldr. (<i>pannosum</i> < <i>naegelianum</i>)														-						
<i>Hieracium grovesianum</i> Arv.-Touv. ex Belli (<i>racemosum</i> = <i>murorum</i>) ⁽⁴³⁵⁾		+			+		+	+	+	+	+	+					+	+		
<i>Hieracium guthnickianum</i> Hegetschw. (<i>cymosum</i> - <i>aurantiacum</i>) ⁽⁴³⁶⁾	+	+	+	+																
<i>Hieracium haematopodium</i> Zahn (<i>umbrosum</i> - <i>lachenalii</i>)	+	+	+	+	+															
<i>Hieracium hayekii</i> Murr (<i>porrifolium</i> - <i>lachenalii</i>)			+																	
<i>Hieracium hispidulum</i> Arv.-Touv. (<i>humile</i> > <i>scorzonerifolium</i>)							+													
<i>Hieracium hoppeanum</i> Schult. ⁽⁴³⁷⁾			+	+	+	+					+	+	+		+		+	?	+	
<i>Hieracium huberi</i> (Zahn) Soest (<i>piloselloides</i> < <i>velutinum</i>)				+																
<i>Hieracium humile</i> Jacq. ⁽⁴³⁸⁾	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Hieracium hybridum</i> Chaix (<i>cymosum</i> > <i>peleterianum</i>)		+																		
<i>Hieracium hypeuryum</i> Peter (<i>hoppeanum</i> - <i>pilosella</i>)			+	+	+	+							+							
<i>Hieracium illyricum</i> Fr. (<i>porrifolium</i> = <i>lachenalii</i>)		+	+	+	+															
<i>Hieracium intertextum</i> Arv.-Touv. (<i>vogesiacum</i> > <i>schmidtii</i>)							?													
<i>Hieracium intybaceum</i> All.	+	+	+	+	+	+														
<i>Hieracium inuloides</i> Tausch (<i>prenanthoides</i> - <i>laevigatum</i>) ⁽⁴³⁹⁾	+	+		+																
<i>Hieracium jordanii</i> Arv.-Touv. (<i>tomentosum</i> - <i>bifidum</i>)	+	+										+	+							
<i>Hieracium jurassicum</i> Griseb. (<i>prenanthoides</i> = <i>murorum</i>)	+	+	+	+	+	+		+				+	+	+						
<i>Hieracium juratzkae</i> Zahn (<i>saxatile</i> > <i>austriacum</i>)						?														
<i>Hieracium kalksburgense</i> Wiesb. (<i>cymosum</i> < <i>pilosella</i>)	+			+	+	+														
<i>Hieracium kalsianum</i> Huter (<i>villosum</i> > <i>picroides</i>)				+																
<i>Hieracium kofelicum</i> Gottschl. (<i>schmidtii</i> > <i>villosum</i>)				+																

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Hieracium nothum</i> Huter (<i>aurantiacum</i> - <i>sphaerocephalum</i>)			+	+	+	+														
<i>Hieracium oligodon</i> Nägeli & Peter (<i>porrifolium</i> - <i>glabratum</i>)				?																
<i>Hieracium onosmoides</i> Fr. (<i>schmidtii</i> > <i>lachenalii</i>)	+		+																	
<i>Hieracium oxyodon</i> Fr. (<i>glaucum</i> > <i>bifidum</i>) ⁽⁴⁵³⁾	+	+	+	+	+	+														
<i>Hieracium pachycymigerum</i> Gottschl. (<i>cymosum</i> > <i>hoppeanum</i>)				+																
<i>Hieracium pachypilon</i> Peter (<i>sphaerocephalum</i> - <i>hoppeanum</i>)			+	+	+	+														
<i>Hieracium pallescens</i> Waldst. & Kit. (<i>bifidum</i> = <i>dentatum</i>) ⁽⁴⁵⁴⁾	0		+	+	+	+		+					+					+		
<i>Hieracium pallidiflorum</i> Jord. ex F.W. Schultz (<i>intybaceum</i> > <i>prenanthoides</i>)		+	+	+																
<i>Hieracium pamphilei</i> Arv.-Touv. (<i>scorzonerifolium</i> > <i>tomentosum</i>)	+	+																		
<i>Hieracium pavichii</i> Heuff.													?							
<i>Hieracium pedemontanum</i> Burnat & Gremli (<i>amplexicaule</i> > <i>tomentosum</i>)		+					+													
<i>Hieracium peleterianum</i> Mérat ⁽⁴⁵⁵⁾	+	+	+				+				+									
<i>Hieracium pellitum</i> Fr. (<i>tomentosum</i> < <i>bifidum</i>) ⁽⁴⁵⁶⁾	0	+					+			?			+							
<i>Hieracium periphanoïdes</i> Zahn (<i>peleterianum</i> - <i>saussureoides</i>)	+	+																		
<i>Hieracium permutatum</i> Nägeli & Peter (<i>sphaerocephalum</i> - <i>angustifolium</i>)	+		+	+																
<i>Hieracium peterianum</i> Käser ex Zahn (<i>fuscum</i> < <i>pilosella</i>)				+																
<i>Hieracium picroides</i> Vill. (<i>prenanthoides</i> - <i>intybaceum</i>) ⁽⁴⁵⁷⁾	+	+	+	+	+	+														
<i>Hieracium pictum</i> Pers. ⁽⁴⁵⁸⁾	0	+					+						?							+
<i>Hieracium pietroszense</i> Degen & Zahn (<i>alpinum</i> = <i>bifidum</i>)			+																	
<i>Hieracium piliferum</i> Hoppe ⁽⁴⁵⁹⁾	+	+	+	+	+	+	?	+	+											
<i>Hieracium pilosella</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?		
<i>Hieracium piloselloides</i> Vill. ⁽⁴⁶⁰⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+
<i>Hieracium pilosum</i> Schleich. ex Froel. ⁽⁴⁶¹⁾	+	+	+	+	+	+			+	+		+	+	+						
<i>Hieracium pizense</i> Zahn (<i>glaucum</i> - <i>glaucinum</i>)		+																		
<i>Hieracium plaicense</i> Wol. (<i>guthnickianum</i> - <i>lactucella</i>)			+																	
<i>Hieracium plantagineum</i> Arv.-Touv. (<i>dentatum</i> - <i>scorzonerifolium</i>)								?												
<i>Hieracium platyphyllum</i> (Arv.-Touv.) Arv.-Touv. (<i>racemosum</i> - <i>sabaudum</i>) ⁽⁴⁶²⁾		+		+	+	+														+
<i>Hieracium porrectum</i> Fr. (<i>valdepilosum</i> > <i>bifidum</i>)		?		+	+															
<i>Hieracium porrifolium</i> L.		+	+	+	+	+			+											
<i>Hieracium portanum</i> Belli (<i>gymnocephalum</i> > <i>heterogynum</i>)																	+	+		
<i>Hieracium pospichalii</i> Zahn (<i>porrifolium</i> = <i>racemosum</i>) ⁽⁴⁶³⁾			+	+	+	+														
<i>Hieracium praealtum</i> Vill. ex Gochnat ⁽⁴⁶⁴⁾	+	+	+	+	+	+	+	+	+		?					+				+
<i>Hieracium praestans</i> Arv.-Touv. & Gaut. (<i>glauopsis</i> - <i>chloropsis</i>)		+																		
<i>Hieracium predilense</i> (Nägeli & Peter) Zahn (<i>porrifolium</i> > <i>bifidum</i>)			+	+		+														
<i>Hieracium prenanthoides</i> Vill. ⁽⁴⁶⁵⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Hieracium prinzii</i> (Käser ex Zahn) Zahn (<i>murorum</i> > <i>humile</i>)			+	+																
<i>Hieracium profetanum</i> Belli (<i>pellitum</i> - <i>schmidtii</i>)													+							
<i>Hieracium pseudocerinthe</i> (Gaudin) Koch (<i>amplexicaule</i> - <i>lawsonii</i>)	+	+																		
<i>Hieracium pseudopilosella</i> Ten.		+					+					+			+		+	+		
<i>Hieracium pseudoprasinops</i> Zahn (<i>caesioides</i> - <i>murorum</i>) ⁽⁴⁶⁶⁾							+													
<i>Hieracium pseudostenoplectum</i> Zahn (<i>jurassicum</i> - <i>picroides</i>)	+		+																	
<i>Hieracium pseudotrichodes</i> Zahn (<i>laggeri</i> > <i>pilosella</i>)		+	+	+																

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Hieracium pteropogon</i> Arv.-Touv. (<i>tomentosum</i> > <i>villosum</i>)	+	+					+						+							
<i>Hieracium pujatii</i> Gottschl. (<i>bocconeii</i> - <i>racemosum</i>)				+																
<i>Hieracium pulchellum</i> Gren. ex Griseb. (<i>pictum</i> = <i>tomentosum</i>) ⁽⁴⁶⁷⁾	+	+					+													
<i>Hieracium racemosum</i> Waldst. & Kit. ex Willd. ⁽⁴⁶⁸⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A		+	+		+
<i>Hieracium ramosissimum</i> Schleich. ex Hegetschw. (<i>prenanthoides</i> - <i>amplexicaule</i>) ⁽⁴⁶⁹⁾	+	+	+									+	+							+
<i>Hieracium ramosum</i> Waldst. & Kit. ex Willd. (<i>caesium</i> - <i>laevigatum</i>)				?																
<i>Hieracium rapunculoides</i> Arv.-Touv. (<i>prenanthoides</i> = <i>lachenalii</i>)	+	+	+	+		+														
<i>Hieracium rohacsense</i> Kit. (<i>alpinum</i> < <i>bifidum</i>) ⁽⁴⁷⁰⁾			+	+		+														
<i>Hieracium rostanii</i> Nägeli & Peter (<i>villosum</i> - <i>alpinum</i>)		+		+																
<i>Hieracium rubrum</i> Peter (<i>aurantiacum</i> > <i>pilosella</i>)	+																			
<i>Hieracium rupestre</i> All. (<i>pictum</i> - <i>humile</i>)		+					+						-							
<i>Hieracium rupicoliforme</i> Zahn (<i>schmidtii</i> - <i>pallescens</i>)				+																
<i>Hieracium rupigenum</i> Arv.-Touv. (<i>amplexicaule</i> < <i>humile</i>)		?																		
<i>Hieracium ruprechtii</i> Boiss. (<i>bauhini</i> < <i>macranthum</i>)							?													
<i>Hieracium sabaudum</i> L. ⁽⁴⁷¹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
<i>Hieracium salernicola</i> Vetter & Zahn (<i>piloselloides</i> - <i>brachycomum</i>)				+																
<i>Hieracium saussureoides</i> (Arv.-Touv.) St.-Lag.	+	+				+						?	+		+					
<i>Hieracium saxatile</i> Jacq. (<i>glaucum</i> - <i>laevigatum</i>)			+			+														
<i>Hieracium saxifragum</i> Fr. (<i>schmidtii</i> - <i>lachenalii</i>)	+		+																	
<i>Hieracium schmidtii</i> Tausch ⁽⁴⁷²⁾	+	+	+	+	+	+	+	+	+	+	+		+		+		+	?	+	+
<i>Hieracium schultesii</i> F.W. Schultz (<i>lactucella</i> - <i>pilosella</i>)	+	+	+	+		+														+
<i>Hieracium sciadophorum</i> Nägeli & Peter (<i>cymosum</i> - <i>lactucella</i>)			+	+	+															
<i>Hieracium scorzonrifolium</i> Vill. (<i>villosum</i> = <i>bupleuroides</i>) ⁽⁴⁷³⁾	+	+	+	+	+	+						+	+	+						
<i>Hieracium segurum</i> Arv.-Touv. (<i>jurassicum</i> = <i>cirritum</i>)	+	+																		
<i>Hieracium serratum</i> Nägeli & Peter (<i>alpinum</i> = <i>dentatum</i>)			+	+		+														
<i>Hieracium silsinum</i> Nägeli & Peter (<i>valdepilosum</i> - <i>lachenalii</i>)						+														
<i>Hieracium simia</i> (Huter ex Zahn) Zahn (<i>bocconeii</i> - <i>lachenalii</i>)				+																
<i>Hieracium soleirolianum</i> Arv.-Touv. & Briq.																				+
<i>Hieracium sparsiramum</i> Nägeli & Peter (<i>bupleuroides</i> / <i>glaucum</i> > <i>villosum</i>)						+														
<i>Hieracium sparsum</i> Friv.				+		+														
<i>Hieracium speciosum</i> Willd. ex Hornem. (<i>scorzonrifolium</i> > <i>umbellatum</i>)			+																	
<i>Hieracium sphaerocephalum</i> Froel. ⁽⁴⁷⁴⁾			+	+	+	+														
<i>Hieracium spurium</i> Chaix ex Froel. (<i>cymosum</i> > <i>pilosella</i>)				+			?													
<i>Hieracium stenoplectum</i> Arv.-Touv. & Huter (<i>prenanthoides</i> > <i>intybaceum</i>)	+			+	?															
<i>Hieracium sterzingense</i> Zahn (<i>bocconeii</i> - <i>umbrosum</i>)				+																
<i>Hieracium stoloniflorum</i> Waldst. & Kit. (<i>aurantiacum</i> = <i>pilosella</i>)				+																
<i>Hieracium strafforelloanum</i> Zahn (<i>cydoniifolium</i> - <i>caesioides</i>)		+																		
<i>Hieracium subcaesiiforme</i> (Zahn) Zahn (<i>bifidum</i> > <i>humile</i>)	+			+																
<i>Hieracium subpamphilei</i> Zahn (<i>pamphilei</i> - <i>chloropsis</i>)		+																		
<i>Hieracium subrubens</i> (Arv.-Touv.) St.-Lag. (<i>angustifolium</i> - <i>peleterianum</i>)	+																			
<i>Hieracium substoloniflorum</i> Waldst. & Kit. (<i>aurantiacum</i> = <i>hoppeanum</i>)			+	+																
<i>Hieracium subtardans</i> (Nägeli & Peter) Zahn (<i>pilosella</i> - <i>saussureoides</i>)	+	+				+														
<i>Hieracium subtilissimum</i> Zahn (<i>prenanthoides</i> = <i>schmidtii</i>)	+																			
<i>Hieracium sulphureum</i> Döll (<i>piloselloides</i> - <i>lactucella</i>)	+		+																	
<i>Hieracium symphytifolium</i> Froelich in DC. (<i>lucidum</i> - <i>racemosum</i>)																				+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Hieracium tardiusculum</i> Peter (<i>lactucella</i> - <i>saussureoides</i>)		+																		
<i>Hieracium taurinense</i> Jord. (<i>racemosum</i> - <i>prenanthoides</i>) ⁽⁴⁷⁵⁾		+		+		+								+	+					
<i>Hieracium tendinum</i> Nägeli & Peter (<i>laggeri</i> - <i>lactucella</i>)	+	+	+	+																
<i>Hieracium tenuiflorum</i> Arv.-Touv.	+	+	+	+	+	+	+	+				+		+						
<i>Hieracium tephrocephalum</i> Vuk. (<i>bauhini</i> = <i>macranthum</i>)													+							
<i>Hieracium tephrodermum</i> Zahn (<i>boccone</i> - <i>bifidum</i> - <i>villosum</i>)				+		+														
<i>Hieracium tephrodes</i> Nägeli & Peter (<i>piloselloides</i> > <i>saussureoides</i>)		+					+													
<i>Hieracium tephropogon</i> Zahn (<i>pallescent</i> - <i>dollineri</i>) ⁽⁴⁷⁶⁾			+	+	+	+														
<i>Hieracium tessellatum</i> Arv.-Touv. & Faure (<i>velutinum</i> - <i>peleterianum</i>)	+																			
<i>Hieracium tinctilingua</i> Zahn (<i>laggeri</i> - <i>triplex</i>)		+																		
E <i>Hieracium tolstoii</i> Fen. & Zahn (<i>porrifolium</i> - <i>australe</i>)			0	+																
<i>Hieracium tomentosum</i> (L.) L. ⁽⁴⁷⁷⁾	+	+	+				+	+	?	+		+	+							
E <i>Hieracium tonalense</i> Gottschl. (<i>conicum</i> - <i>umbrosum</i>)			+																	
<i>Hieracium triplex</i> Peter (<i>faurei</i> - <i>lactucella</i>)		+																		
<i>Hieracium umbellatum</i> L. ⁽⁴⁷⁸⁾	+	+	+	+	+	+	+	+	+		+	+	+		?		?			
<i>Hieracium umbrosum</i> Jord. (<i>prenanthoides</i> < <i>murorum</i>) ⁽⁴⁷⁹⁾	+	+	+	+	+	+	+													
<i>Hieracium urticaceum</i> Arv.-Touv. & Ravaut (<i>amplexicaule</i> - <i>humile</i>)									+											
<i>Hieracium valdepiosum</i> Vill. (<i>villosum</i> - <i>prenanthoides</i>) ⁽⁴⁸⁰⁾	+	+	+	+		+	+													
<i>Hieracium valoddae</i> (Zahn) Zahn (<i>humile</i> - <i>pallescent</i>) ⁽⁴⁸¹⁾				+	+												+	-		
<i>Hieracium velutellum</i> Nägeli & Peter (<i>angustifolium</i> - <i>velutinum</i>)		+																		
<i>Hieracium velutinum</i> Hegetschw. ⁽⁴⁸²⁾	+	+	+	+	?	-														
E <i>Hieracium venostorum</i> (Zahn) Gottschl. (<i>ilyricum</i> - <i>schmidtii</i>)			+																	
<i>Hieracium verbascifolium</i> Vill. (<i>tomentosum</i> - <i>prenanthoides</i>) ⁽⁴⁸³⁾		+																		
<i>Hieracium vetteri</i> Ronn. (<i>sparsum</i> > <i>picroides</i>)			+																	
<i>Hieracium villosum</i> Jacq.	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Hieracium viride</i> Arv.-Touv. (<i>umbrosum</i> <i>schmidtii</i>)		+																		
<i>Hieracium viridifolium</i> Peter (<i>lactucella</i> - <i>hoppeanum</i>)			+	+	+	+														
<i>Hieracium viscosum</i> Arv.-Touv. (<i>prenanthoides</i> < <i>amplexicaule</i>)	+	+																		
<i>Hieracium visianii</i> (F.W. Schultz & Sch. Bip.) Schinz & Thell. (<i>piloselloides</i> > <i>pilosella</i>)	+	+		+	+	+	?						+			+	+	?		
<i>Hieracium vogesiacum</i> (Kirschl.) Fr. (<i>cerinthoides</i> - <i>murorum</i>)		+																		
E <i>Hieracium volaiense</i> Gottschl. (<i>umbellatum</i> - <i>intybaceum</i>)					+															
<i>Hieracium vollmannii</i> Zahn (<i>boccone</i> - <i>murorum</i>)			+																	
<i>Hieracium vulgatum</i> Fr. (<i>bifidum</i> = <i>lachenalii</i>) ⁽⁴⁸⁴⁾	0		+	+	+	+	+		?											
<i>Hieracium wiesbaurianum</i> Uechtr. (<i>schmidtii</i> /glaucinum - <i>bifidum</i>) ⁽⁴⁸⁵⁾	+	+			+		+						+	+			+			+
<i>Hieracium wilczekianum</i> Arv.-Touv. (<i>valdepiosum</i> = <i>bifidum</i>)	+	+	+	+	+															
<i>Hieracium zizianum</i> Tausch (<i>piloselloides</i> - <i>cymosum</i>) ⁽⁴⁸⁶⁾	+	+	+	+	+											+				+
<i>Hierochloë australis</i> (Schröd.) Roem. & Schult.			+	+	+	+														
<i>Hierochloë hirta</i> (Schröd.) Borbás subsp. <i>arctica</i> (C. Presl) Weimarck				+	+	-														
<i>Hierochloë odorata</i> (L.) P. Beauv.			0	+																
<i>Himantoglossum adriaticum</i> H. Baumann		+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Himantoglossum hircinum</i> (L.) Spreng.							+	+							+	+	+	+	+	+
<i>Hippocrepis biflora</i> Spreng.						+	A	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hippocrepis ciliata</i> Willd.							+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hippocrepis comosa</i> L. subsp. <i>comosa</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hippocrepis glauca</i> Ten.			?									+	+	+	+	+	+	+	+	+
<i>Hippocrepis multisiliquosa</i> L.																			+	+
<i>Hippophaë fluviatilis</i> (Soest) Rivas Mart.	+	+	+	+	+	+	+	+	+	+	+				0					
<i>Hippuris vulgaris</i> L.		+	+	+	+	+	?	+	+		+	+	0		0					

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Hirschfeldia incana</i> (L.) Lagr.-Foss. subsp. <i>incana</i>		+		+A		+A	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Holcus lanatus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Holcus mollis</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	0		+	+		
E <i>Holcus notarisii</i> Nyman							0													
<i>Holcus setigulus</i> Boiss. & Reut.								+												
<i>Holosteum umbellatum</i> L. s.l.	+	+	+	+	+	+	?	+	+	+	+	?	+	+	+	+	+	+	+	+
<i>Holosteum umbellatum</i> L. subsp. <i>glutinosum</i> (M. Bieb.) Nyman				-	+								+							
<i>Holosteum umbellatum</i> L. subsp. <i>umbellatum</i>	+	+	+	+	+	+		+		+	+	?	+	+					+	+
<i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi s.l.	+	+	+	+	+	+	+	+			+	+	+	+	+			?		
<i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi subsp. <i>laevigatum</i> (Schur) Banfi, Galasso & Bracchi				+	+								+							
<i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi subsp. <i>pubescens</i>	+	+	+	+				+			+	+	+	+						
<i>Homogyne alpina</i> (L.) Cass.	+	+	+	+	+	+	+	+	+											
<i>Homogyne discolor</i> (Jacq.) Cass.				+	+	+														
<i>Homogyne sylvestris</i> (Scop.) Cass.					+	+														
<i>Honorius boucheanus</i> (Kunth) J. Holub				+A									-							
<i>Honorius nutans</i> S.F. Gray	?	A		+A				+A	?	A	?	A	?	A	?	A				
<i>Hordeum europaeus</i> (L.) Harz	+			+A	+		-	+	+	+		+	+	+	+	+	+	+	+	+
<i>Hordeum bulbosum</i> L.	?					+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hordeum jubatum</i> L.				+A	+A															
<i>Hordeum marinum</i> Huds. s.l.					+	+	0	+	+	+	+	+	+	+		+	+	+	+	+
<i>Hordeum marinum</i> Huds. subsp. <i>gussoneanum</i> (Parl.) K. Richt. ⁽⁴⁸⁷⁾						+A						+					+		+	
<i>Hordeum marinum</i> Huds. subsp. <i>marinum</i>					+	+	0	+	+	+	+	+	+	+		+	+	+	+	+
<i>Hordeum murinum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hordeum murinum</i> L. subsp. <i>glaucum</i> (Steud.) Tzvelev									+			+						+	+	+
<i>Hordeum murinum</i> L. subsp. <i>leporinum</i> (Link) Arcang. ⁽⁴⁸⁸⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hordeum murinum</i> L. subsp. <i>murinum</i>	+	+	+	+	+	+			?	+	+	+								
<i>Hordeum secalinum</i> Schreb.	-				+	0	+	+	+	+	+	+	+	+	+	+	+	?	+	
<i>Hordeum vulgare</i> L. ⁽⁴⁸⁹⁾					+	+A		+		+	+A			+A					+A	
<i>Horminum pyrenaicum</i> L.	+	+	+	+	+	+	-	-	+											
<i>Hormuzakia aggregata</i> (Lehm.) Gusul. ⁽⁴⁹⁰⁾																			+	
<i>Hornungia alpina</i> (L.) O. Appel s.l. ⁽⁴⁹¹⁾	+	+	+	+	+	+	?	+	+	?	+	+								
<i>Hornungia alpina</i> (L.) O. Appel subsp. <i>alpina</i> ⁽⁴⁹²⁾	+	+	+	+	+	+	?	+	+	?	+	+								
<i>Hornungia alpina</i> (L.) O. Appel subsp. <i>austroalpina</i> (Trpin) O. Appel ⁽⁴⁹³⁾			+	+		+														
<i>Hornungia alpina</i> (L.) O. Appel subsp. <i>brevicaulis</i> (Spreng.) O. Appel ⁽⁴⁹⁴⁾	+	+	+	+	+	+							+							
<i>Hornungia pauciflora</i> (W.D.J. Koch) Banfi, Galasso, Soldano & F. Conti	?	+	+	+	+					+			+				?	+	+	
<i>Hornungia petraea</i> (L.) Rchb. subsp. <i>petraea</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hornungia procumbens</i> (L.) Hayek	?		+	+	+	+		+	-		?					+	+	-	+	?
E <i>Hornungia revelierei</i> Soldano, F. Conti, Banfi & Galasso ⁽⁴⁹⁵⁾																			+	?
<i>Hottonia palustris</i> L.	+	+	0	+	+	?	+	+		-	+									
<i>Huetia cynapioides</i> (Guss.) P.W. Ball subsp. <i>cynapioides</i>												?	+		+	+	+			
<i>Hugueninia tanacetifolia</i> (L.) Rchb. subsp. <i>tanacetifolia</i>	+	+					?													
<i>Humulus japonicus</i> Siebold & Zucc.	+A	+A		+A				+A	+A											
<i>Humulus lupulus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hyacinthoides hispanica</i> (Mill.) Rothm.				+A				+A				?	A		+A					
<i>Hyacinthoides italica</i> (L.) Rothm.	+						+													
<i>Hyacinthoides non-scripta</i> (L.) Chouard ex Rothm.					+A			+A												
<i>Hyacinthus orientalis</i> L.						+A	+A	+A												+A
<i>Hydrilla verticillata</i> (L. f.) Royle					+A															
<i>Hydrocharis morsus-ranae</i> L.	+	+	+	+	+	+	+	+	0	+	+	?		0						
<i>Hydrocotyle bonariensis</i> Lam. ⁽⁷⁷⁾									+		+			0			?	0	+	
<i>Hydrocotyle ranunculoides</i> L. f.					+															
<i>Hydrocotyle sibthorpioides</i> Lam.																				
<i>Hydrocotyle vulgaris</i> L.	?	+		+	+		+	+		+	+			+	+		+	0	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOI	CAM	PUG	BAS	CAL	SIC	SAR
<i>Hylotelephium anacampseros</i> (L.) H. Ohba ⁽⁴⁹⁶⁾	+	+	+	+	?		+	+	+				+							?
<i>Hylotelephium maximum</i> (L.) Holub ⁽⁴⁹⁷⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?		+
<i>Hymenocarpus circinnatus</i> (L.) Savi							0		+		+	+		+	+	+	+	+	+	+
<i>Hyoscyamus albus</i> L.		+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hyoscyamus niger</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hyoseris baetica</i> (Kunze) Font Quer									+						0	+		-	?	
<i>Hyoseris radiata</i> L. subsp. <i>radiata</i>		+		+	+		+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Hyoseris scabra</i> L.						?	0		+	0		+	+	+	+	+	+	+	+	+
E <i>Hyoseris taurina</i> (Pamp.) Martinoli																		+	+	+
<i>Hyperhemia hirta</i> (L.) Stapf subsp. <i>hirta</i>							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Hyperhemia sinaica</i> (Delile) Llauradó ex G. López ⁽⁴⁹⁸⁾																		+	+	+
<i>Hypecoum imberbe</i> Sm.												+				+		?	+	+
<i>Hypecoum procumbens</i> L. subsp. <i>procumbens</i>							0		+			+			0	+		+	+	+
<i>Hypecoum torulosum</i> Á.E. Dahl																		+	+	
<i>Hypericum aegypticum</i> L.																			+	+
<i>Hypericum androsaemum</i> L.			+	+	-	+	+	+	+	+	+	+	+	+	+A	+	+	+	+	+
<i>Hypericum annulatum</i> Moris																				+
<i>Hypericum australe</i> Ten.							+		+		+	+	+		+	+	+	+	+	+
<i>Hypericum balearicum</i> L. ⁽⁷⁷⁾																				
E <i>Hypericum calabricum</i> Spreng.																			+	
<i>Hypericum calycinum</i> L.		+A			+A					+A	+A	+A	+A		+A				?	A
<i>Hypericum coris</i> L.	?	+	+	+	+		+	+	+											
<i>Hypericum elodes</i> L.							0		+											
<i>Hypericum hircinum</i> L. s.l.							0		+	+		+	?	+	+	+	+	+	+	+
<i>Hypericum hircinum</i> L. subsp. <i>hircinum</i>							0		+						+		+			+
<i>Hypericum hircinum</i> L. subsp. <i>majus</i> (Aiton) N. Robson										+					+					+
<i>Hypericum hirsutum</i> L.			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	
<i>Hypericum humifusum</i> L.			+	+	+		+	+	+	+	+							+		+
<i>Hypericum hyssopifolium</i> Chaix							+			+	+	+	+	+						
<i>Hypericum inodorum</i> Mill.															+					
<i>Hypericum maculatum</i> Crantz subsp. <i>maculatum</i>	+	+	+	+	+	+	?						?							
<i>Hypericum montanum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		?
<i>Hypericum mutilum</i> L.		+A	+A						+A											
<i>Hypericum nummularium</i> L.							?													
<i>Hypericum perforatum</i> L.									+		+	+	+	+	+	+	+	+	+	+
<i>Hypericum perforatum</i> L. ⁽⁴⁹⁹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hypericum pubescens</i> Boiss.																				+
<i>Hypericum pulchrum</i> L.		?					-													
<i>Hypericum richeri</i> Vill. subsp. <i>richeri</i>	+	+	+				+	+	+	+	+	+	+	+	+		+			
<i>Hypericum sprunerii</i> Boiss.																+	+			
<i>Hypericum tetrapterum</i> Fr.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hypericum tomentosum</i> L.							+								+		+			+
<i>Hypericum triquetrifolium</i> Turra												+		+		+	+	+	+	+
<i>Hypericum xylosteifolium</i> (Spach) N. Robson ⁽⁵⁰⁰⁾																				
<i>Hypochaeris achyrophorus</i> L.							+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Hypochaeris cretensis</i> (L.) Bory & Chaub.										+	+	+	+	+	+	+	+	+	-	+
E <i>Hypochaeris facchiniana</i> Ambrosi				+	+	+														
<i>Hypochaeris glabra</i> L.	0	+	+		+	+A	+	+	+	+	+	+	+		+	+	+	+	+	+
<i>Hypochaeris laevigata</i> (L.) Ces., Pass. & Gibelli												?			?		+	+	+	+
<i>Hypochaeris maculata</i> L.	+	+	+	+	+	+	+	+	+	+										
<i>Hypochaeris radicata</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Hypochaeris sardoa</i> Bacch., Brullo & Terrasi ⁽⁵⁰¹⁾																				+
<i>Hypochaeris uniflora</i> Vill.	+	+	+	+	+	+	+													
<i>Hyssopus officinalis</i> L. s.l.	+A	+	+	+	+	+	+	+		+A	+	+	+	+	+		+	+		
<i>Hyssopus officinalis</i> L. subsp. <i>aristatus</i> (Godr.) Nyman			+	+	+	+					+	+	+	+	0		+	+		
<i>Hyssopus officinalis</i> L. subsp. <i>officinalis</i>	+A	+					+	+		+A	+				+					
<i>Iberis amara</i> L. subsp. <i>amara</i> ⁽⁵⁰²⁾		+A			+A	+A														
<i>Iberis aurosica</i> Chaix subsp. <i>nana</i> (All.) Moreno		+					-													
<i>Iberis carnosa</i> Willd. subsp. <i>carnosa</i>												+	+	+	+	+	+	+	+	+
E <i>Iberis integerrima</i> Moris ⁽⁵⁰³⁾																				+
<i>Iberis linifolia</i> L. s.l.						+	0													
<i>Iberis linifolia</i> L. subsp. <i>linifolia</i>						+														
<i>Iberis linifolia</i> L. subsp. <i>stricta</i> (Jord.) P. Fourn.						0														

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Iberis pinnata</i> L.	+	+				0		+				+							?	
<i>Iberis saxatilis</i> L. subsp. <i>saxatilis</i>	+						+			+	+	+	+							
<i>Iberis semperflorens</i> L.								?				?	+	+A	+				+	
<i>Iberis sempervirens</i> L.		+	+				+	+	+			?	+		+		+	+		
<i>Iberis umbellata</i> L.		+			+A	+A	+	+	+		+	+	+	+	+			+	+A	
<i>Ilex aquifolium</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Illecebrum verticillatum</i> L.		+	+						+	0		+	+							+
<i>Impatiens balfourii</i> Hook. f.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A	+A						
<i>Impatiens balsamina</i> L.		+A			+A	+A	+A	?A												
<i>Impatiens glandulifera</i> Royle	+A	+A	+A	+A	+A	+A	+A													
<i>Impatiens noli-tangere</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+		
<i>Impatiens parviflora</i> DC.		+A	+A	+A	+A	+A	+A					+A								
<i>Imperata cylindrica</i> (L.) P. Beauv.							+		+	0	+	+	+	+	+	+	+	+	+	+
<i>Inula bifrons</i> (L.) L.		+	+				+	+		+		?	+							
<i>Inula britannica</i> L.		+	+	+	+	+	+	+	+	+	+	?	+				+			
<i>Inula conyzae</i> (Griess.) Meikle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Inula ensifolia</i> L.		0	+	+	+	+	+													
<i>Inula helenium</i> L.		+	-	-	+	+A	+	+	?A	+A	+	+A	+	+	+	+	+			+
<i>Inula helvetica</i> Weber		+																		
<i>Inula hirta</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-		+			
<i>Inula montana</i> L.	+	+	+		+		+	+	+	+	+	+	+	+	0	+		?	+	
<i>Inula salicina</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?		+
<i>Inula spiraeifolia</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+	0		
<i>Inula verbascifolia</i> (Willd.) Hausskn. subsp. <i>verbascifolia</i>																				+
<i>Ipeion uniflorum</i> (Graham) Raf. ⁽¹⁰⁹⁾					?A	+A	+A		+A			?A	+A			+A				
<i>Ipomoea acuminata</i> (Vahl) Roem. & Schult. ⁽⁵⁰⁴⁾							+A					+A			+A	+A				
<i>Ipomoea imperati</i> (Vahl) Griseb.															0				+	
<i>Ipomoea nil</i> (L.) Roth ⁽⁵⁰⁵⁾																+A				
<i>Ipomoea purpurea</i> (L.) Roth		+A	+A	+A		+A	+A	+A	?A	+A		+A	+A	+A	+A	+A		+A		
<i>Ipomoea sagittata</i> Poir.												+				+		+	+	
<i>Ipomoea tricolor</i> Cav.															+A					
<i>Iris albicans</i> Lange												+A			+A					
<i>Iris aphylla</i> L.	+	+		?																
E <i>Iris bicapitata</i> Colas. ⁽⁵⁰⁶⁾																	+			
<i>Iris cengialti</i> Ambrosi ex A. Kern. s.l.			+	+	+	+														
E <i>Iris cengialti</i> Ambrosi ex A. Kern. subsp. <i>cengialti</i>			+	+																
<i>Iris cengialti</i> Ambrosi ex A. Kern. subsp. <i>illyrica</i> (Asch. & Graebn.) Poldini						+														
E <i>Iris cengialti</i> Ambrosi ex A. Kern. subsp. <i>veneta</i> (Pamp.) Trinajstić ⁽⁵⁰⁷⁾					+															
<i>Iris foetidissima</i> L.		+	+	+A	+	+A	+	+	+	+A	+	+	+	+	+	+	+	+	+	+
<i>Iris germanica</i> L. ⁽⁵⁰⁸⁾	+A	?A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Iris graminea</i> L.		+	+	+	+	+	+	+	+	+		+								
<i>Iris japonica</i> Thunb.												+A								
<i>Iris juncea</i> Poir.						0													0	
<i>Iris lorea</i> Janka ⁽⁵⁰⁹⁾														+	+	+	+	+	+	
<i>Iris lutescens</i> Lam.		+					+		+			+	+		0					
E <i>Iris marsica</i> I. Ricci & Colas.										+	+	+	+							
<i>Iris pallida</i> Lam.				-	-	?		+	+	+A		+A								
<i>Iris planifolia</i> (Mill.) Fiori																			+	+
<i>Iris pseudacorus</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Iris pseudopumila</i> Tineo														+	0	+	+	+		
E <i>Iris relicta</i> Colas.												+		+				+		
E <i>Iris revoluta</i> Colas.																+				
E <i>Iris sabina</i> N. Terracc.												+								
E <i>Iris setina</i> Colas. ⁽⁵¹⁰⁾												+								
<i>Iris sibirica</i> L.	+	+	+	+	+	+										-				
<i>Iris xiphium</i> L.							+			+A		+								+
<i>Isatis apennina</i> Ten. ex Grande		+	+							+	+	+	+							
<i>Isatis praecox</i> Tratt. ⁽⁵¹¹⁾			+																	
<i>Isatis tinctoria</i> L. subsp. <i>tinctoria</i>	+A	+A	+	0	+		+	+	+	+	+A	+	+	+	+	+	+	+	+	+
<i>Isolepis cernua</i> (Vahl) Roem. & Schult.		+	0	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Isolepis fluitans</i> (L.) R. Br.		?				0			0											

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Isolepis pseudosetacea</i> (Daveau) Lainz									0			0								
<i>Isolepis setacea</i> (L.) R. Br.	+	+	+	+	+	+	+	+	?	?		+						+	-	-
<i>Isopyrum thalictroides</i> L.		+	+	-	+	+	-	+	+	+		?								
<i>Jasione laevis</i> Lam. subsp. <i>laevis</i>																				+
<i>Jasione montana</i> L.	+	+	+	+	+		+	+	+	+	+	+	+					+	+	+
<i>Jasione orbiculata</i> Griseb.																	+			
E <i>Jasione sphaerocephala</i> Brullo, Marcenò & Pavone																		+		
<i>Jasminum fruticans</i> L.							+	A											+	A
<i>Jasminum mesnyi</i> Hance			+	A																
<i>Jasminum nudiflorum</i> Lindl.				+	A	+	A													
<i>Jasminum officinale</i> L.		?	A			+	A	+	A	?	A	+	A	+	A	+	A			
<i>Jonopsidium acaule</i> (Desf.) Rchb.					+	A														
<i>Jonopsidium albiflorum</i> Durieu																0	+		+	
E <i>Jonopsidium savianum</i> (Caruel) Arcang.									+		+	+								
<i>Jovibarba allionii</i> (Jord. & Fourr.) D.A. Webb	-	+					0													
<i>Jovibarba arenaria</i> (Koch) Opiz			?	+	+	+														
<i>Jovibarba globifera</i> (L.) J. Parn. subsp. <i>hirta</i> (L.) J. Parn.		-	+	+	+	+	0													
<i>Juglans cinerea</i> L. ⁽⁵¹²⁾		?	A																	
<i>Juglans nigra</i> L.		+	A			+	A	+	A	+	+	+								
<i>Juglans regia</i> L.	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	+	+	+	+	+
<i>Juncus acutiflorus</i> Ehrh. ex Hoffm.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+
<i>Juncus acutus</i> L. subsp. <i>acutus</i>					+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Juncus alpinoarticulatus</i> Chaix	+	+	+	+	+	+	+	+	+			+	+							
<i>Juncus ambiguus</i> Guss.	0		+									+		+			+			
<i>Juncus anceps</i> Laharpe									+			+		+						+
<i>Juncus arcticus</i> Willd.	+	+	+	+	+							+	+							
<i>Juncus articulatus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Juncus atratus</i> Krock.					+															
<i>Juncus bufonius</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Juncus bulbosus</i> L.	-	+	+	+	+	+		+	+		+	+			0			+		?
<i>Juncus capitatus</i> Weigel	0	+	+				0		+	+	+	+			0		+	+	+	+
<i>Juncus castaneus</i> Sm.			+																	
<i>Juncus compressus</i> Jacq.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Juncus conglomeratus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	?
<i>Juncus effusus</i> L. subsp. <i>effusus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Juncus filiformis</i> L.	+	+	+	+	+	+	+	+				0								
<i>Juncus foliosus</i> Desf.												?			+		+		+	+
<i>Juncus fontanesii</i> J. Gay subsp. <i>fontanesii</i>							+	?	+	+		+	+	+		+		?	+	+
<i>Juncus gerardii</i> Loisel.			+		+	+	0	+	+	-		+	0		+	+	+		+	
<i>Juncus heterophyllus</i> Desf.								+	+		?	+						+	+	+
<i>Juncus hybridus</i> Brot.					+	0	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Juncus inflexus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Juncus jacquinii</i> L.	+	+	+	+	+	+	-	+	-											
<i>Juncus littoralis</i> C.A. Mey. ⁽⁵¹³⁾					+	+	+	+	+	+		+	+	+		+	+		+	
<i>Juncus maritimus</i> Lam.					+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Juncus minutulus</i> Krecz. & Gontch.					+															
<i>Juncus pygmaeus</i> Rich. ex Thuill.									+		+	+				+			+	+
<i>Juncus ranarius</i> Songeon & E.P.Perrier						+														
<i>Juncus rigidus</i> Desf. ⁽⁵¹⁴⁾																?			?	
<i>Juncus sorrentinii</i> Parl.									+										+	+
<i>Juncus sphaerocarpus</i> Nees	+	?		+																
<i>Juncus squarrosus</i> L. subsp. <i>squarrosus</i>		?	0																	
<i>Juncus striatus</i> Schousb. ex E. Mey.									+		?	+	+		+	+	+	+	+	+
<i>Juncus subnodulosus</i> Schrank	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Juncus subulatus</i> Forssk.									+			+	0	+		+	+	+	+	+
<i>Juncus tenageja</i> Ehrh.	+	+	+		+	0	+	+	+		+	+						0	+	+
<i>Juncus tenuis</i> Willd.	+	+	+	+	+	+	A	A	+	+								+		
<i>Juncus thomasii</i> Ten.																	+	+		
<i>Juncus tingitanus</i> Maire & Weiller															0					+
<i>Juncus trifidus</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Juncus trifidus</i> L. subsp. <i>monanthos</i> (Jacq.) Asch. & Graebn.	?	+	+	+	+	+	?			+	+	+	+	+						
<i>Juncus trifidus</i> L. subsp. <i>trifidus</i>	+	+	+	+	+	+	+	+	+			?	?							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Juncus triglumis</i> L.	+	+	+	+	+	+	-						+							
E <i>Jurinea bocconii</i> (Guss.) DC.																			+	
<i>Jurinea mollis</i> (L.) Rchb. subsp. <i>mollis</i> ⁽⁵¹⁵⁾						+				?	-	+	+	+	+	+	+			
<i>Justicia adhatoda</i> L. ⁽⁷⁷⁾																				
<i>Kalanchoe daigremontiana</i> Hamet & H. Perrier																			+A	
<i>Kalmia procumbens</i> (L.) Gift, Kron & Stevens ex Galasso, Banfi & F. Conti	+	+	+	+	+	+	-													
<i>Kengia serotina</i> (L.) Packer ⁽⁵¹⁶⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+
<i>Kernera saxatilis</i> (L.) Sweet subsp. <i>saxatilis</i>	+	+	+	+	+	+	+		+	+	+	+	+	+			+			
<i>Kerria japonica</i> (L.) DC.		?A				+A														
<i>Kickxia cirrhosa</i> (L.) Fritsch									+			+			0				+	+
<i>Kickxia commutata</i> (Bernh. ex Rchb.) Fritsch s.l.					+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Kickxia commutata</i> (Bernh. ex Rchb.) Fritsch subsp. <i>commutata</i>					+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Kickxia commutata</i> (Bernh. ex Rchb.) Fritsch subsp. <i>graeca</i> (Bory & Chaub.) R. Fern.									?				+		+				?	
<i>Kickxia elatine</i> (L.) Dumort. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Kickxia elatine</i> (L.) Dumort. subsp. <i>crinita</i> (Mabille) Greuter						+	+		+	+		+			+	+	+	+	+	+
<i>Kickxia elatine</i> (L.) Dumort. subsp. <i>elatine</i>		?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Kickxia lanigera</i> (Desf.) Hand.-Mazz.																			?	
<i>Kickxia spuria</i> (L.) Dumort. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Kickxia spuria</i> (L.) Dumort. subsp. <i>integrifolia</i> (Brot.) R. Fern.							+						+					+	+	
<i>Kickxia spuria</i> (L.) Dumort. subsp. <i>spuria</i>			+			+	+	+	+	+	+	+	+							
<i>Klasea flavescens</i> (L.) Holub s.l.									+		?	+	+	+	+	+	+	+	+	+
E <i>Klasea flavescens</i> (L.) Holub subsp. <i>cichoracea</i> (L.) Greuter & Wagenitz									+		?	+	+	+	+	+	+	+	+	+
<i>Klasea flavescens</i> (L.) Holub subsp. <i>mucronata</i> (Desf.) Cantó & Rivas Mart.																			+	
<i>Klasea lycopifolia</i> (Vill.) Á. & D. Löve								+					+							
<i>Klasea nudicaulis</i> (L.) Fourr.		?		+			-			+	+	+	+							
<i>Klasea radiata</i> (Waldst. & Kit.) Á. & D. Löve subsp. <i>radiata</i>						?														
<i>Kleinia mandraliscae</i> Tineo																			+A	
<i>Knautia arvensis</i> (L.) Coult.	+	+	+	+	+	+	+	+	+	-	-	?	-	+	+	+	-			
E <i>Knautia baldensis</i> Borbás			+	+	+															
<i>Knautia calycina</i> (C. Presl) Guss.										?	+	+	+	+	+		+	+	+	
E <i>Knautia dinarica</i> (Murb.) Borbás subsp. <i>silana</i> (Grande) Ehrend.																	+	+		
<i>Knautia dipsacifolia</i> Kreutzer s.l.	+	+	+	+	+	+	+							+						
<i>Knautia dipsacifolia</i> Kreutzer subsp. <i>dipsacifolia</i>		+	+	+		+	+													
<i>Knautia dipsacifolia</i> Kreutzer subsp. <i>sixtina</i> (Briq.) Ehrend.	+	+	-																	
<i>Knautia drymeia</i> Heuff. s.l.	+	+	+	+	+	+	+	+	+	+		+	+	-						
<i>Knautia drymeia</i> Heuff. subsp. <i>centrifrons</i> (Borbás) Ehrend.	+	+	+	+	+		+	+	+	?		+	+							
<i>Knautia drymeia</i> Heuff. subsp. <i>drymeia</i>				?	+	+		+												
<i>Knautia drymeia</i> Heuff. subsp. <i>intermedia</i> (Pernh. & Wettst.) Ehrend.				+	+	+	+	+	+											
<i>Knautia drymeia</i> Heuff. subsp. <i>tergestina</i> (Beck) Ehrend.						+														
<i>Knautia fleischmannii</i> (Hladnik ex Rchb.) Pacher						+														
E <i>Knautia gussonei</i> Szabó													+							
<i>Knautia illyrica</i> Beck			+	+	+	+		+	+			?	?							
<i>Knautia integrifolia</i> (L.) Bertol. subsp. <i>integrifolia</i>		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Knautia longifolia</i> (Waldst. & Kit.) Koch			+	+	+	+														
E <i>Knautia lucana</i> (Lacaita) Szabó																	+			
<i>Knautia mollis</i> Jord.	?	+					+													
E <i>Knautia persicina</i> A. Kern.			+	+	+															
<i>Knautia purpurea</i> (Vill.) Borbás	?	+		+	?		+	+	+	+	+	+	+	+	+		+	+	?	
<i>Knautia ressmannii</i> (Pacher) Briq.					+	+														
<i>Knautia subcanescens</i> Jord.		0																		
<i>Knautia transalpina</i> (Christ) Dalla Torre		+	+																	
E <i>Knautia velutina</i> Briq.			+	+	+															

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Kobresia myosuroides</i> (Vill.) Fiori	+	+	+	+	+	+	+					+	+							
<i>Kobresia simpliciuscula</i> (Wahlenb.) Mack.	?	+	+	+	+															
<i>Koeleria cenisia</i> Reut.	+	+					0													
<i>Koeleria cristata</i> (L.) Roem. & Schult. ⁽⁵¹⁷⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Koeleria eriostachya</i> Pancic			+	+	+	+														
<i>Koeleria hirsuta</i> (DC.) Gaudin	+	+	+	+	+	+	0													
<i>Koeleria lobata</i> (M. Bieb.) Roem. & Schult. ⁽⁵¹⁸⁾	?	?	+		+	+			+	+	+	+	+	+	+	+	+	+	-	+
<i>Koeleria pyramidata</i> (Lam.) Domin	+	+	+	+	+	+	+	+	+											
<i>Koeleria vallesiana</i> (Honck.) Gaudin s.l.	+	+	+				+	+												
<i>Koeleria vallesiana</i> (Honck.) Gaudin subsp. <i>alpicola</i> (Gren.& Godr.) Asch.& Graebn.	+	+																		
<i>Koeleria vallesiana</i> (Honck.) Gaudin subsp. <i>vallesiana</i>	+	+	+				+	+												
<i>Kosteletzkya pentacarpos</i> (L.) Ledeb.					+A			0	0			+			0	+				
<i>Kruberia peregrina</i> (L.) Hoffm.							0									+	+	0	+	+
<i>Kundmannia sicula</i> (L.) DC.							+		+			+			+	+		+	+	+
<i>Laburnum alpinum</i> (Mill.) Bercht. & J. Presl	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+		+	+		
<i>Laburnum anagyroides</i> Medik. s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Laburnum anagyroides</i> Medik. subsp. <i>alschingeri</i> (Vis.) Hayek						+														
<i>Laburnum anagyroides</i> Medik. subsp. <i>anagyroides</i>	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Lactuca alpina</i> (L.) A. Gray	+	+	+	+	+	+	+	+	+											
<i>Lactuca longidentata</i> Moris																				+
<i>Lactuca macrophylla</i> (Willd.) A. Gray subsp. <i>uralensis</i> (Rouy) N. Kilian & Greuter														+A						
<i>Lactuca muralis</i> (L.) Gaertn.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lactuca perennis</i> L. subsp. <i>perennis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Lactuca quercina</i> L. subsp. <i>quercina</i>		+				+	+	+												
<i>Lactuca saligna</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lactuca sativa</i> L.					+A	+A		+A	+A		+A	+A	+A	+A	+A		+A		+A	+A
<i>Lactuca serriola</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lactuca tenerrima</i> Pourr.	?	?										0								
<i>Lactuca viminea</i> (L.) J. & C. Presl s.l.	+	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lactuca viminea</i> (L.) J. & C. Presl subsp. <i>chondrilliflora</i> (Boreau) Bonnier									?	+	?	+	+				?			
<i>Lactuca viminea</i> (L.) J. & C. Presl subsp. <i>ramosissima</i> (All.) Arcang.							-		+								?	+		
<i>Lactuca viminea</i> (L.) J. & C. Presl subsp. <i>viminea</i>	+	+	+			+	+	+	+	+	+	+	+	+	?	+	+	+	+	+
<i>Lactuca virosa</i> L.	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Lagarosiphon major</i> (Ridl.) Moss		+A	+A	+A	+A															
<i>Lagenaria siceraria</i> (Molina) Standl.		+A				+A														
<i>Lagoecia cuminoides</i> L.															?					
<i>Lagurus ovatus</i> L. s.l.			-		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lagurus ovatus</i> L. subsp. <i>nanus</i> (Guss.) Messeri																			+	
<i>Lagurus ovatus</i> L. subsp. <i>ovatus</i>						+		+		+	+		+		+			+	+	+
<i>Lagurus ovatus</i> L. subsp. <i>vestitus</i> (Messeri) H. Scholz																				+
<i>Lamarckia aurea</i> (L.) Moench						+		0				+	+	+	+	+	+	+	+	+
<i>Lamium album</i> L. subsp. <i>album</i>	0	+	+	+	+	+	+	?	+		-	?	+	+	+		+	+		+
<i>Lamium amplexicaule</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lamium argentatum</i> (Smejkal) Henker ex G.H. Loos				+		+A														
<i>Lamium bifidum</i> Cirillo s.l.									+	+	+	+	+	+	+	+	+	+	+	+
<i>Lamium bifidum</i> Cirillo subsp. <i>balcanicum</i> Velen.									+		+	+								
<i>Lamium bifidum</i> Cirillo subsp. <i>bifidum</i>									+	+	+	+	+	+	+		+			+
<i>Lamium flexuosum</i> Ten.										?		+	+	+	+	+	+	+	+	+
<i>Lamium galeobdolon</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+		
<i>Lamium galeobdolon</i> L. subsp. <i>flavidum</i> (F. Herm.) A. Löve & D. Löve	+	+	+	+	+	+	+	+	+	+	?			0						
<i>Lamium galeobdolon</i> L. subsp. <i>galeobdolon</i>												+	+							
<i>Lamium galeobdolon</i> L. subsp. <i>montanum</i> (Pers.) Hayek		+		+		+	+		+	+	?	+	+	+	+	+	+	+		
<i>Lamium garganicum</i> L. s.l.		+					+		+	+	+	+	+	+	+	+	+	+	?	+
<i>Lamium garganicum</i> L. subsp. <i>corsicum</i> (Gren. & Godr.) Arcang. ⁽⁵¹⁹⁾																				+
<i>Lamium garganicum</i> L. subsp. <i>garganicum</i>												0			+	+	+	+		
<i>Lamium garganicum</i> L. subsp. <i>laevigatum</i> Arcang.		+					+		+	+	+	+	+	+	+	+	+	+		

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Lathyrus pratensis</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lathyrus pratensis</i> L. subsp. <i>lusseri</i> (Heer ex W.D.J. Koch) Soják				+																
<i>Lathyrus pratensis</i> L. subsp. <i>pratensis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lathyrus sativus</i> L.		?A				+A	+A	+A	+A		+A	+A	+A	+A	+A		+A		+A	+A
<i>Lathyrus saxatilis</i> (Vent.) Vis.												+				+	+	+	+	+
<i>Lathyrus setifolius</i> L.		?	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Lathyrus sphaericus</i> Retz.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lathyrus sylvestris</i> L. subsp. <i>sylvestris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lathyrus tingitanus</i> L.																				
<i>Lathyrus tuberosus</i> L.	+	+	+	+	+	+	+	+	+		?									
<i>Lathyrus venetus</i> (Mill.) Wohlf.		+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lathyrus vernus</i> (L.) Bernh. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Lathyrus vernus</i> (L.) Bernh. subsp. <i>flaccidus</i> (Ser.) Arcang. ⁽⁵²⁵⁾			+	+		+														
<i>Lathyrus vernus</i> (L.) Bernh. subsp. <i>vernus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Launaea nudicaulis</i> (L.) Hook. f.																			+	
<i>Launaea resedifolia</i> (L.) Kuntze																			+	
<i>Laurus nobilis</i> L.	+A	+	+	+A	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+A
<i>Lavandula angustifolia</i> Mill. subsp. <i>angustifolia</i>		+			+	+A	+		+	-	+	+A	+				+	+	+A	
<i>Lavandula dentata</i> L.																+A				
<i>Lavandula latifolia</i> Medik.							+	+	+		+A	+A			+		+		+A	
<i>Lavandula multifida</i> L.																		+	+	
<i>Lavandula stoechas</i> L. subsp. <i>stoechas</i>							+		+			+			+		+	+	+	+
E <i>Lavatera agrigentina</i> Tineo																		?	+	
<i>Lavatera arborea</i> L.							+		+	+	+	+	+	+A	+	+	+	+	+	+
<i>Lavatera bryoniifolia</i> Mill.							0												0	
<i>Lavatera cretica</i> L.						+A	+		+	+	?	+	+	+	+	+	+	+	+	+
<i>Lavatera maritima</i> Gouan s.l.							+		+			+					+			+
<i>Lavatera maritima</i> Gouan subsp. <i>bicolor</i> Rouy ⁽⁵²⁶⁾																				
<i>Lavatera maritima</i> Gouan subsp. <i>maritima</i>												+					+			
<i>Lavatera olbia</i> L.							+		+		+	+			+	+	+	+	+	+
E <i>Lavatera plazzae</i> Atzei ⁽⁵²⁷⁾																				+
<i>Lavatera punctata</i> All.						+	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Lavatera thuringiaca</i> L. s.l.												+	+	+	+		+	+		
<i>Lavatera thuringiaca</i> L. subsp. <i>ambigua</i> (DC.) Nyman												+	+	+	+		+	+		
<i>Lavatera thuringiaca</i> L. subsp. <i>thuringiaca</i>															+					
<i>Lavatera triloba</i> L. s.l.																				+
<i>Lavatera triloba</i> L. subsp. <i>palescens</i> (Moris) Nyman																				+
<i>Lavatera triloba</i> L. subsp. <i>triloba</i>																				+
<i>Lavatera trimestris</i> L.						+	0					?						+	+	+
<i>Leersia oryzoides</i> (L.) Sw.		+	+	+	+	+	+	+	+	+	+	+						+A		
<i>Legousia castellana</i> (Lange) Samp.																				+
<i>Legousia falcata</i> (Ten.) Janch. ⁽⁵²⁸⁾						+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Legousia hybrida</i> (L.) Delarbre				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Legousia speculum-veneris</i> (L.) Chaix	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lemna aequinoctialis</i> Welw.		?A	+A		+A															
<i>Lemna gibba</i> L.		?	+	+	+	+	0	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Lemna minor</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lemna minuta</i> Kunth ⁽⁵²⁹⁾			+A	+A	+A	+A		+A												
<i>Lemna trisulca</i> L.		+	+	+	+	+	0	+	+		+	+	+	+	0	+	+		+	+
<i>Lens culinaris</i> Medik.					+A			?A	+A		+A	+A	+A		+A		+A		+A	+A
<i>Lens ervoides</i> (Brign.) Grande						+		?	+	+	+	+	+	+	+	+	+	0	+	+
<i>Lens lamottei</i> Czeff. ⁽⁵³⁰⁾																				
<i>Lens nigricans</i> (M. Bieb.) Godr.		-		0	+	+	-		+		+	?	+		+	+	+	0	+	+
E <i>Leontodon anomalus</i> Ball							+	+	+											
E <i>Leontodon apulus</i> (Fiori) Brullo ⁽⁵³¹⁾																+	+			
<i>Leontodon autumnalis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+	+	+
<i>Leontodon berinii</i> (Bartl.) Roth					+	+														
<i>Leontodon cichoraceus</i> (Ten.) Sanguin.								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Leontodon crispus</i> Vill. subsp. <i>crispus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Leontodon helveticus</i> Mérat emend. Widder	+	+	+	+	+	+	+	+	+			?								
<i>Leontodon hispidus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E	<i>Leucanthemum tridactylites</i> (Kern. & Huter) Huter, Porta & Rigo												+	+	+						
	<i>Leucanthemum virgatum</i> (Desr.) Clos		+					+													
	<i>Leucanthemum vulgare</i> Lam. subsp. <i>vulgare</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+
	<i>Leucojum aestivum</i> L. s.l.			+		+	+	+	+	+											+
	<i>Leucojum aestivum</i> L. subsp. <i>aestivum</i>				+	+	+	+	+	+											
	<i>Leucojum aestivum</i> L. subsp. <i>pulchellum</i> (Salisb.) Briq.																				+
	<i>Leucojum autumnale</i> L.																			+	+
	<i>Leucojum nicaense</i> Ardoino							+													
E	<i>Leucojum roseum</i> F. Martin ⁽⁵³⁷⁾																				+
	<i>Leucojum vernum</i> L.	+	+	+	+	+	+	+	+	+	+			+							
	<i>Levisticum officinale</i> W.D.J. Koch	+A	?A			+A	+A														
	<i>Leycesteria formosa</i> Wall.			+A																	
	<i>Ligusticum ferulaceum</i> All.		+	?	?				-												
	<i>Ligusticum lucidum</i> Mill. s.l.		?	+	+	+	+		+				+	+	+						
E	<i>Ligusticum lucidum</i> Mill. subsp. <i>cuneifolium</i> (Guss.) Tammaro												+	+	+						
	<i>Ligusticum lucidum</i> Mill. subsp. <i>seguieri</i> (Jacq.) Leute		?	+	+	+	+		+												
	<i>Ligusticum mutellina</i> (L.) Crantz	+	+	+	+	+	+	+													
	<i>Ligusticum mutellinoides</i> (Crantz) Vill.	+	+	+	+	+	+	+													
	<i>Ligustrum japonicum</i> Thunb.							+A													
	<i>Ligustrum lucidum</i> Aiton		+A		+A		+A			+A	+A		+A	+A			+A				+A
	<i>Ligustrum ovalifolium</i> Hassk.		+A				+A		+A												+A
	<i>Ligustrum sinense</i> Lour.							+A													
	<i>Ligustrum vulgare</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A	+	+	+	+
	<i>Lilium bulbiferum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
	<i>Lilium bulbiferum</i> L. subsp. <i>bulbiferum</i>				?	+	+	+													
	<i>Lilium bulbiferum</i> L. subsp. <i>croceum</i> (Chaix) Jan	+	+	+	+			+	+	+	+	+	+	+	+	+	+	+	+		
	<i>Lilium candidum</i> L.									+A			+A	+A	+A	+A		+A			+A
	<i>Lilium carniolicum</i> Bernh.					+	+														
	<i>Lilium chalconicum</i> L.									?A											
	<i>Lilium martagon</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
	<i>Lilium pomponium</i> L.							+													
	<i>Limbarda crithmoides</i> (L.) Dumort. s.l.					+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
	<i>Limbarda crithmoides</i> (L.) Dumort. subsp. <i>crithmoides</i>					+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
	<i>Limbarda crithmoides</i> (L.) Dumort. subsp. <i>longifolia</i> (Arcang.) Greuter ⁽⁵³⁸⁾									+						0			?	?	
	<i>Limodorum abortivum</i> (L.) Sw.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Limodorum brulloi</i> Bartolo & Pulv.																		+		
	<i>Limodorum trabutianum</i> Batt.								+			+	+							+	+
	<i>Limoniastrum monopetalum</i> (L.) Boiss.												+A				+		0	+	+
E	<i>Limonium acutifolium</i> (Rchb.) Salmon								-												+
E	<i>Limonium aegusae</i> Brullo																			+	
E	<i>Limonium albidum</i> (Guss.) Pignatti																			+	
E	<i>Limonium algusae</i> (Brullo) Greuter																			+	
E	<i>Limonium ampuriense</i> Arrigoni & Diana																				+
E	<i>Limonium amynclaeum</i> Pignatti											+									
E	<i>Limonium angustifolium</i> (Tausch) Degen																				+
E	<i>Limonium articulatum</i> (Loisel.) Kuntze								0												+
	<i>Limonium awei</i> (De Not.) Brullo & Erben							+									?			?	+
	<i>Limonium bellidifolium</i> (Gouan) Dumort.					+	+		+	-	0		?	?		-	+				+
E	<i>Limonium bocconeii</i> (Lojac.) Litard.																			+	
E	<i>Limonium bosanum</i> Arrigoni & Diana																				+
E	<i>Limonium brutium</i> Brullo																		+		
E	<i>Limonium calabrum</i> Brullo																		+		
E	<i>Limonium calcarae</i> (Tod.) Pignatti																			+	
	<i>Limonium cancellatum</i> (Bertol.) Kuntze								-								+				
E	<i>Limonium capitis-eliae</i> Erben																				+
E	<i>Limonium capitis-marci</i> Arrigoni & Diana																				+
E	<i>Limonium caralitanum</i> Erben																				+
E	<i>Limonium carisae</i> Erben																				+
E	<i>Limonium catanense</i> (Tineo ex Lojac.) Brullo																			0	
E	<i>Limonium catanzaroi</i> Brullo																				+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E <i>Limonium circaei</i> Pignatti												+								
E <i>Limonium contortirameum</i> (Mabille) Erben									+											+
<i>Limonium cordatum</i> (L.) Mill.							+													
E <i>Limonium cornusianum</i> Arrigoni & Diana																				+
E <i>Limonium cosyrense</i> (Guss.) Kuntze																			+	
E <i>Limonium cumanum</i> (Ten.) Kuntze															+					
E <i>Limonium cunicularium</i> Arrigoni & Diana																				+
<i>Limonium densiflorum</i> (Guss.) Kuntze								-											+	+
<i>Limonium densissimum</i> (Pignatti) Pignatti					+	+		+											+	+
E <i>Limonium dianium</i> Pignatti									+											
E <i>Limonium dictyocladum</i> (Boiss. in A. DC.) Kuntze ⁽⁵³⁹⁾																				+
E <i>Limonium diomedaeum</i> Brullo																+				
<i>Limonium divaricatum</i> (Rouy) Brullo																			+	+
E <i>Limonium dolcheri</i> (Pignatti) Pignatti																				+
E <i>Limonium doriae</i> (Sommier) Pignatti									+											
E <i>Limonium dubium</i> (Guss.) Litard. ⁽⁵⁴⁰⁾																			+	+
<i>Limonium echioides</i> (L.) Mill.							?									-			+	+
E <i>Limonium etruscum</i> Arrigoni & Rizzotto									+											
<i>Limonium ferulaceum</i> (L.) Chaz.																				+
E <i>Limonium flagellare</i> (Lojac.) Brullo																				+
E <i>Limonium furnarii</i> Brullo																				+
E <i>Limonium gallurensae</i> Arrigoni & Diana																				+
E <i>Limonium glomeratum</i> (Tausch) Erben																			+	+
E <i>Limonium gorgonae</i> Pignatti									+											
E <i>Limonium herculis</i> Pignatti									+											
E <i>Limonium hermaeum</i> (Pignatti) Pignatti																				+
E <i>Limonium hyblaeum</i> Brullo																				+
E <i>Limonium ilvae</i> Pignatti									+											
E <i>Limonium inarimense</i> (Guss.) Pignatti												-			+					
E <i>Limonium insulare</i> (Bég. & Landi) Arrigoni & Diana																				+
E <i>Limonium intermedium</i> (Guss.) Brullo																			0	
E <i>Limonium ionicum</i> Brullo																				+
E <i>Limonium japygicum</i> (H. Groves) Pignatti																+		-		
E <i>Limonium lacinium</i> Arrigoni																		+		
E <i>Limonium laetum</i> Pignatti																				+
E <i>Limonium lausianum</i> Pignatti																				+
E <i>Limonium lilybaeum</i> Brullo																				+
E <i>Limonium lojaconi</i> Brullo																				+
E <i>Limonium lopadusanum</i> Brullo																				+
E <i>Limonium malfatanicum</i> Erben																				+
E <i>Limonium mazarae</i> Pignatti																				+
E <i>Limonium melancholicum</i> Brullo, Marcenò & S.Romano																				+
E <i>Limonium merxmülleri</i> Erben																				+
E <i>Limonium minutiflorum</i> (Guss.) Kuntze																		-	+	
E <i>Limonium montis-christi</i> Rizzotto									+											
E <i>Limonium morisianum</i> Arrigoni																				+
E <i>Limonium multifforme</i> Pignatti									+						-					
E <i>Limonium multifurcatum</i> Erben																				+
<i>Limonium narbonense</i> Mill.					+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
E <i>Limonium nymphaeum</i> Erben																				+
E <i>Limonium optimae</i> Raimondo																				+
E <i>Limonium opulentum</i> (Lojac.) Brullo																				+
E <i>Limonium oristanum</i> Mayer																				+
E <i>Limonium pachynense</i> Brullo																				+
E <i>Limonium pandatariae</i> Pignatti												+								
E <i>Limonium panormitanum</i> (Tod.) Pignatti																				+
E <i>Limonium parvifolium</i> (Tineo) Pignatti																				+
E <i>Limonium pavonianum</i> Brullo																				+
E <i>Limonium peucetium</i> Pignatti																0				
E <i>Limonium planesiae</i> Pignatti									+											
E <i>Limonium pontium</i> Pignatti												+								
E <i>Limonium ponzoii</i> (Fiori & Bég.) Brullo																			+	+
E <i>Limonium protohermaeum</i> Arrigoni & Diana																				+

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOI	CAM	PUG	BAS	CAL	SIC	SAR
E	<i>Limonium pseudolaetum</i> Arrigoni & Diana																				+
E	<i>Limonium pulviniforme</i> Arrigoni & Diana																				+
E	<i>Limonium racemosum</i> (Lojac.) Diana																				+
	<i>Limonium ramosissimum</i> (Poir.) Maire																			+	+
E	<i>Limonium remotispiculum</i> (Lacaita) Pignatti															+		+	+		
E	<i>Limonium retirameum</i> Greuter & Burdet																				+
E	<i>Limonium secundirameum</i> (Lojac.) Brullo																			+	
E	<i>Limonium selinuntinum</i> Brullo																			+	
	<i>Limonium sibthorpiatum</i> (Guss.) Kuntze																			+	+
	<i>Limonium sinuatum</i> (L.) Mill. s.l.			-	-								0						+	+	+
	<i>Limonium sinuatum</i> (L.) Mill. subsp. <i>bonduellei</i> (T. Lestib.) Sauvage & Vindt																			+A	
	<i>Limonium sinuatum</i> (L.) Mill. subsp. <i>sinuatum</i>			-															+	+	+
E	<i>Limonium sommierianum</i> (Fiori) Arrigoni ⁽⁵⁴¹⁾									+											
E	<i>Limonium strictissimum</i> (Salzm.) Arrigoni ⁽⁵⁴²⁾																				+
E	<i>Limonium sulcitanum</i> Arrigoni																				+
E	<i>Limonium syracusanum</i> Brullo																			+	
E	<i>Limonium tauromenitanum</i> Brullo																			+	
E	<i>Limonium tenoreanum</i> (Guss.) Pignatti															+					
E	<i>Limonium tenuiculum</i> (Tineo) Pignatti																			+	
E	<i>Limonium tenuifolium</i> (Bertol. ex Moris) Erben																				+
E	<i>Limonium tharrosonianum</i> Arrigoni & Diana																				+
E	<i>Limonium tibulatum</i> (Pignatti) Pignatti																				+
E	<i>Limonium tigulianum</i> Arrigoni & Diana																				+
E	<i>Limonium todaroanum</i> Raimondo & Pignatti																			+	
E	<i>Limonium trojae</i> Pignatti									+											
E	<i>Limonium tyrrhenicum</i> Arrigoni & Diana																				+
E	<i>Limonium ursanum</i> Erben																				+
E	<i>Limonium viniolae</i> Arrigoni & Diana																				+
	<i>Limonium virgatum</i> (Willd.) Fourr.					+	+		+	-			+	+		+	+	+	+	+	+
	<i>Limosella aquatica</i> L.		?	+	+	?	0		-	+										+	
	<i>Linaria alpina</i> (L.) Mill.	+	+	+	+	+	+	?		+	+	+	?	+							
	<i>Linaria angustissima</i> (Loisel.) Borbás	+	+	+	+	+	+	+													
E	<i>Linaria arcuangelii</i> Atzei & Camarda																				+
	<i>Linaria arvensis</i> (L.) Desf.		+	+	-	+		+	+	+			+	+		0	+	+	+	?	+
E	<i>Linaria capraria</i> Moris & De Not.									+											
	<i>Linaria chalepensis</i> (L.) Mill.			-		+	+	+		+	+	+	+	+	+	0	+	+	?	+	+
	<i>Linaria cossonii</i> Barratte								+												
	<i>Linaria dalmatica</i> (L.) Mill.															?	+	+			
E	<i>Linaria flava</i> (Poir.) Desf. subsp. <i>sardoa</i> (Sommier) A. Terracc. ⁽⁵⁴³⁾																				+
	<i>Linaria genistifolia</i> (L.) Mill.		-		?		+A	0													
	<i>Linaria heterophylla</i> Desf.																		+	+	
	<i>Linaria micrantha</i> (Cav.) Hoffmanns. & Link																+	+			+
	<i>Linaria multicaulis</i> (L.) Mill. s.l.																		+	+	
E	<i>Linaria multicaulis</i> (L.) Mill. subsp. <i>aetnensis</i> Giardina & Zizza ⁽⁵⁴⁴⁾																				+
E	<i>Linaria multicaulis</i> (L.) Mill. subsp. <i>humilis</i> (Guss.) De Leon., Giardina & Zizza ⁽⁵⁴⁵⁾																				+
E	<i>Linaria multicaulis</i> (L.) Mill. subsp. <i>multicaulis</i> ⁽⁵⁴⁶⁾																			+	+
	<i>Linaria pelisseriana</i> (L.) Mill.		+					+		+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Linaria pseudolaxiflora</i> Lojac. ⁽⁵⁴⁷⁾																				+
E	<i>Linaria purpurea</i> (L.) Mill.								+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Linaria reflexa</i> (L.) Desf. s.l.															0	+		+	+	+
	<i>Linaria reflexa</i> (L.) Desf. subsp. <i>lubbockii</i> (Batt.) Brullo																			+	
	<i>Linaria reflexa</i> (L.) Desf. subsp. <i>reflexa</i>																			+	
	<i>Linaria repens</i> (L.) Mill.	?	+			+A	+		+												
	<i>Linaria sibthorpiana</i> Boiss. & Heldr. ex Boiss.																			-	
	<i>Linaria simplex</i> (Willd.) DC.	+	+			+	+A	+	+	+	+	+	+	+	+	0	+	+	+	+	+
	<i>Linaria supina</i> (L.) Chaz. subsp. <i>supina</i>		+	+				+	+												
E	<i>Linaria tonzigii</i> Lona			+																	
	<i>Linaria triphylla</i> (L.) Mill.		?					0		+							+		0	+	+
	<i>Linaria vulgaris</i> Mill. subsp. <i>vulgaris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Lindernia anagallidea</i> (Michx.) Pennell		?A	+A		+A															
<i>Lindernia dubia</i> (L.) Pennell		+A	+A					+A												
<i>Lindernia palustris</i> Hartmann		+	+	-	+	-		0												
<i>Linnaea borealis</i> L.	+	-	+	-	+															
<i>Linum alpinum</i> Jacq. ⁽⁵⁴⁸⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
<i>Linum austriacum</i> L. s.l.	+	0		+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Linum austriacum</i> L. subsp. <i>austriacum</i>	+			+A																
<i>Linum austriacum</i> L. subsp. <i>collinum</i> (Boiss.) Nyman							+												+	
<i>Linum austriacum</i> L. subsp. <i>tommasinii</i> (Rchb.) Greuter & Burdet ⁽⁵⁴⁹⁾					+	+	?	+	+	+	+	+	+	+	+	+	+	+		
<i>Linum bienne</i> Mill.		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Linum campanulatum</i> L.		+	+				+	+	0											
<i>Linum capitatum</i> Kit. ex Schult. subsp. <i>serrulatum</i> (Bertol.) Hartvig								+		+	+	+	+	+	+		+	+		
<i>Linum catharticum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Linum catharticum</i> L. subsp. <i>catharticum</i>		?	+	+	+	+	+	+	+	?	+	+	+		+	+	+	+		
<i>Linum catharticum</i> L. subsp. <i>suecicum</i> (Murb. ex Hayek) Hayek ⁽⁵⁵⁰⁾		?	+	+	+	+	?		+	+			?							
<i>Linum corymbulosum</i> Rchb.		+				+	+	+	+	+	+	+	+		+	+	+	+	+	+
<i>Linum decumbens</i> Desf.																+	+	+		+
<i>Linum flavum</i> L.		?	0		?	+														
<i>Linum hirsutum</i> L. ⁽⁵⁵¹⁾			+			-		-					-							
<i>Linum maritimum</i> L. s.l.					+	+	0	+	+	+		+	+			+	+		+	+
<i>Linum maritimum</i> L. subsp. <i>ligusticum</i> (Rouy) P. Fourn. ⁽⁵⁵²⁾							0													
<i>Linum maritimum</i> L. subsp. <i>maritimum</i>					+	+		+	+	+		+	+			+	+		+	+
E <i>Linum muelleri</i> Moris																				+
<i>Linum narbonense</i> L.		+			+	+	+	+		+	+	+	+						+	
<i>Linum nodiflorum</i> L.						+	0		+	+	+	+	+		0					
E <i>Linum punctatum</i> C. Presl subsp. <i>punctatum</i>																				+
<i>Linum strictum</i> L. s.l.		+	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Linum strictum</i> L. subsp. <i>spicatum</i> (Pers.) Nyman ⁽⁵⁵³⁾										+	+	+	+	+	+		+			
<i>Linum strictum</i> L. subsp. <i>strictum</i>			+							+	+	+	+	+			+			
<i>Linum suffruticosum</i> L. subsp. <i>appressum</i> (Caball.) Rivas Mart.		+	+				+													
<i>Linum tenuifolium</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Linum trigynum</i> L.		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Linum usitatissimum</i> L. ⁽⁵⁵⁴⁾		+A			+A	+A	+A	+A	+A		?A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Linum viscosum</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+				
<i>Liparis loeselii</i> (L.) Rich.		0	+	+		+														
<i>Lippia triphylla</i> (L'Hér.) Kuntze																+A				
<i>Liriodendron tulipifera</i> L.					+A			?A												
<i>Listera cordata</i> (L.) R. Br.	0	+	+	+	+	+	+	+	+										0	
<i>Listera ovata</i> (L.) R. Br.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lithodora rosmarinifolia</i> (Ten.) I.M. Johnst.															+				+	
<i>Lithospermum officinale</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Littorella uniflora</i> (L.) Asch.		?	+		?		0													+
<i>Lloydia serotina</i> (L.) Rchb.	+	+	+	+	+	+	?													
<i>Lobularia libyca</i> (Viv.) Meisn.																				+
<i>Lobularia maritima</i> (L.) Desv. subsp. <i>maritima</i>	-	+	-	-	+	+A	+	?	+	0	?A	+	+	+	+	+	+	+	+	+
<i>Loeflingia hispanica</i> L.																				+
<i>Lolium multiflorum</i> Lam. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lolium multiflorum</i> Lam. subsp. <i>gaudini</i> (Parl.) Schinz & Thell.		?			+	+			+	+	?	+	+	+	+	+	+	+	+	+
<i>Lolium multiflorum</i> Lam. subsp. <i>multiflorum</i>	+	+	+		+	+		+	+	+	+	+	+	+						
<i>Lolium perenne</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lolium remotum</i> Schrank		?A			+A		?A	+A							+A					
<i>Lolium rigidum</i> Gaudin s.l.	0	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lolium rigidum</i> Gaudin subsp. <i>lepturoides</i> (Boiss.) Sennen & Mauricio ⁽⁵⁵⁵⁾										+			+		0	+		+	+	
<i>Lolium rigidum</i> Gaudin subsp. <i>rigidum</i>	0		+				+	+			+	+	+	+	+				+	
<i>Lolium siculum</i> Parl.									+			+				+	+	+	+	+
<i>Lolium temulentum</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Lolium temulentum</i> L. subsp. <i>gussonei</i> (Parl.) Arcang.																			+	
<i>Lolium temulentum</i> L. subsp. <i>temulentum</i>		+	+	+	+	+		+	+	+	+		+		+				+	
<i>Lomatogonium carinthiacum</i> (Wulfen) Rchb.		?	-	+	+	+														
<i>Lomelosia argentea</i> (L.) Greuter & Burdet			+		+	+		+	+	+	+	+	+		0	+	+	+	+	
<i>Lomelosia brachiata</i> (Sm.) Greuter & Burdet							-									+	+	+		
<i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet s.l.										+		+	+	+	+	+	+	+	+	
<i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>crenata</i>															-		+		+	
<i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>dallaportae</i> (Boiss.) Greuter & Burdet																+				
E <i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>pseudisetensis</i> (Lacaita) Greuter & Burdet										+			+	+	+		+			
<i>Lomelosia cretica</i> (L.) Greuter & Burdet									+						0			+	+	
<i>Lomelosia divaricata</i> (Jacq.) Greuter & Burdet																			-	
<i>Lomelosia graminifolia</i> (L.) Greuter & Burdet subsp. <i>graminifolia</i>		+	+	+	+	+	+		+	+	+	+	+	+						
<i>Lomelosia prolifera</i> (L.) Greuter & Burdet ⁽⁵⁵⁶⁾							+A													
<i>Lomelosia simplex</i> (Desf.) Raf. subsp. <i>simplex</i>																				+
<i>Lonas annua</i> (L.) Vines & Druce																			+	+
<i>Loncomelos brevistylus</i> (Wolfn.) Dostál		+	+		+	+		+	+	+	+	+	+	+	+	+	+			
<i>Loncomelos narbonensis</i> (Torn. in L.) Raf.		?	?		+	-	+	+	+	-	+	+	+	+	+	+	+	+	+	+
<i>Loncomelos pyrenaicus</i> (L.) Hrouda ex J. Holub s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Loncomelos pyrenaicus</i> (L.) Hrouda ex J. Holub subsp. <i>pyrenaicus</i>	+	+	+	+		+				+	+			+	+	+	+	+		+
<i>Loncomelos pyrenaicus</i> (L.) Hrouda ex J. Holub subsp. <i>sphaerocarpus</i> (A. Kern.) Holub				-	+	+	+	+	+	+		+								
<i>Lonicera alpigena</i> L. subsp. <i>alpigena</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Lonicera biflora</i> Desf.															+A					
<i>Lonicera caerulea</i> L. subsp. <i>caerulea</i>	+	+	+	+	+	+	-		?											
<i>Lonicera caprifolium</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Lonicera etrusca</i> Santi ⁽⁵⁵⁷⁾	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lonicera implexa</i> Aiton subsp. <i>implexa</i>							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Lonicera japonica</i> Thunb.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A							
<i>Lonicera nigra</i> L.	+	+	+	+	+	+	+	+	+	+	+			+						
<i>Lonicera perichlymenum</i> L.	?	+	+		+		+		+											
E <i>Lonicera stabiana</i> Pasquale															+					
<i>Lonicera xylosteum</i> L. ⁽⁵⁵⁸⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	?	0	+	+	0	+	
<i>Loranthus europaeus</i> Jacq.		0			+		+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Lotus angustissimus</i> L.		?			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lotus conimbricensis</i> Brot.								+				+			0		+	+	+	+
<i>Lotus corniculatus</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lotus corniculatus</i> L. subsp. <i>alpinus</i> (DC.) Rothm.	+	+	+	+	+	+	+		+			+	+							+
<i>Lotus corniculatus</i> L. subsp. <i>corniculatus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lotus corniculatus</i> L. subsp. <i>delortii</i> (Timb.-Lagr.) O. Bolòs & Vigo	?	?	?			+														
<i>Lotus corniculatus</i> L. subsp. <i>preslii</i> (Ten.) P. Fourn.					+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lotus creticus</i> L.							+		+			?	+	+	0	+	+	+	+	
<i>Lotus cytisoides</i> L. s.l.							+		+			+			+	+	+	+	+	+
E <i>Lotus cytisoides</i> L. subsp. <i>conradiae</i> Gamisans ⁽⁵⁵⁹⁾																				+
<i>Lotus cytisoides</i> L. subsp. <i>cytisoides</i>									+									+	+	
<i>Lotus drepanocarpus</i> Durieu															+A					
<i>Lotus edulis</i> L.							+		+	+		+	+	+	+	+	+	+	+	+
<i>Lotus halophilus</i> Boiss. & Spruner																+		+	+	
<i>Lotus hispidus</i> DC.							+		+			+			0	+			+	+
<i>Lotus longisiliquosus</i> R. Roem.																				+
<i>Lotus ornithopodioides</i> L.						+A	+	?	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lotus parviflorus</i> Desf.									+			+			+	+	+	+	+	+
<i>Lotus pedunculatus</i> Cav.	+	+	+	+	+	+		+	+		?	+	+	+	+	+	+	+		+
<i>Lotus peregrinus</i> L.																				+
<i>Lotus tenuis</i> Waldst. & Kit. ex Willd.	+	?	+	+	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ludwigia palustris</i> (L.) Elliott			+	-	+	+	+	+	+		+	+			+			+		+
<i>Ludwigia uruguayensis</i> (Camb.) Hara			+A		+A		+A													
<i>Lunaria annua</i> L. ⁽⁵⁶⁰⁾	+A	+		+A	+	+	+	+	+	+	+	+	+	+A	+		+	+	+A	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Lunaria rediviva</i> L.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Lupinus albus</i> L. subsp. <i>albus</i>						+A	?A	+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Lupinus angustifolius</i> L. ⁽⁵⁶¹⁾						+A	+	+		?	+	?			+	+	+	+	+	+
<i>Lupinus cosentinii</i> Guss.							?								+			0	+	+
<i>Lupinus graecus</i> Boiss. & Spruner ⁽⁵⁶²⁾									+	-		+						+	+	
<i>Lupinus gussoneanus</i> Agardh ⁽⁵⁶³⁾							0	+				+			+	+	+	+	+	+
<i>Lupinus luteus</i> L.												+			+	+		+	+	+
<i>Lupinus polyphyllus</i> Lindl. ⁽⁵⁶⁴⁾				+A		+A		+A												
<i>Luronium natans</i> (L.) Raf.					?															
<i>Luzula alpina</i> Hoppe		+	+	+	+	+														
<i>Luzula alpinopilosa</i> (Chaix) Breistr. subsp. <i>alpinopilosa</i>	+	+	+	+	+	+	0	+	+			?								
<i>Luzula campestris</i> (L.) DC.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Luzula congesta</i> (Thuill.) Lej.			+					+				+								
<i>Luzula forsteri</i> (Sm.) DC.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Luzula glabrata</i> (Hoppe) Desv.			+	-																
<i>Luzula lutea</i> (All.) DC. subsp. <i>lutea</i>	+	+	+	+	+		+	+	+											
<i>Luzula luzulina</i> (Vill.) D. Torre & Sarnth.	+	?	+	+	+	+		?	+											
<i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott s.l.	?	+	+	+	+	+	+	+	+											
<i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott subsp. <i>luzuloides</i>		+	+	+	+	+		+												
<i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott subsp. <i>rubella</i> (Mert. & W.D.J. Koch) Holub				+	+	+		+												
<i>Luzula multiflora</i> (Ehrh.) Lej.	+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+		
<i>Luzula nivea</i> (L.) DC.	+	+	+	+	+	+	+	+	+	+										
<i>Luzula nutans</i> (Vill.) Duval-Jouve		+					?													
<i>Luzula pedemontana</i> Boiss. & Reut.		+					+	+	+											
<i>Luzula pilosa</i> (L.) Willd.	+	+	+	+	+	+	+	+	+	+	+	+	+	?				+		+
<i>Luzula pindica</i> (Hauskn.) Chrték & Krísa																		+		
E <i>Luzula sicula</i> Parl.													+		+		+	+	+	
<i>Luzula spicata</i> (L.) DC. s.l.	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+		+			+
<i>Luzula spicata</i> (L.) DC. subsp. <i>bulgarica</i> Chrték & Krísa										+	+	+	+	+			+			
E <i>Luzula spicata</i> (L.) DC. subsp. <i>italica</i> (Parl.) Arcang. ⁽⁵⁶⁵⁾											+									+
<i>Luzula spicata</i> (L.) DC. subsp. <i>mutabilis</i> Chrték & Krísa	+	?	+	+	+	+		?	+											
<i>Luzula spicata</i> (L.) DC. subsp. <i>spicata</i>		+		+			+													
<i>Luzula sudetica</i> (Willd.) Schult.	+	+	+	+	+	+	+	?	+											
<i>Luzula sylvatica</i> (Huds.) Gaudin s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0		+	+	+	
<i>Luzula sylvatica</i> (Huds.) Gaudin subsp. <i>sieberi</i> (Tausch) K. Richt.	+	+	+	+	+	+	+	+	+	?	+	?	+	+	0		+	+	+	
<i>Luzula sylvatica</i> (Huds.) Gaudin subsp. <i>sylvatica</i>	+	+	+	?	+	+	+		+	+	+	+	+							
<i>Lycium afrum</i> L.																+A	+A			
<i>Lycium barbarum</i> L.				+A	+A	+A														
<i>Lycium chinense</i> Mill.		+A			+A	+A						+A								
<i>Lycium europaeum</i> L.					+	+	+A	+A	+A	-	+	+	+	+	+	+	+	+	+	+
<i>Lycium intricatum</i> Boiss.																		?A	+A	
<i>Lycopsis arvensis</i> L. ⁽⁵⁶⁶⁾	+	+	+	+	+	+	+	+	0	-		-	+	+	-		-	-	-	-
<i>Lycopus europaeus</i> L. s.l. ⁽⁵⁶⁷⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lycopus europaeus</i> L. subsp. <i>europaeus</i>		+	+	+	+	+	+	+	+	+	+		+		+	+	+	+	+	+
<i>Lycopus europaeus</i> L. subsp. <i>menthaefolius</i> (Mabille) Skalický							+													
<i>Lycopus exaltatus</i> Ehrh.		+	+	0	+	+		+	+	0	+	+			0					
<i>Lygeum spartum</i> L.												0			+	+	+	+	+	+
<i>Lysimachia nemorum</i> L.	?	+	+	+		+	+	+	+			+	0		+		+	+	+	
<i>Lysimachia nummularia</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0					
<i>Lysimachia punctata</i> L.		+	+	+A		+	+	+	+	+	+	+	+							
<i>Lysimachia vulgaris</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+
<i>Lythrum acutangulum</i> Lag.															0				0	
<i>Lythrum hyssopifolia</i> L.	+	+	+	0	+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+
<i>Lythrum junceum</i> Banks & Sol.							+	+				+		+	+	+	+	+	+	+
<i>Lythrum salicaria</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Lythrum thesioides</i> M. Bieb.			0		0		0													
<i>Lythrum thymifolia</i> L.												-				+	?	0		+
<i>Lythrum tribracteatum</i> Spreng.		?	+		+			+	+	+		+		+	+	+		0	+	+
<i>Lythrum virgatum</i> L.		0	+					+	+											

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Maclura pomifera</i> (Raf.) C.K. Schneid.		+A		+A	+A	+A	+A	+A	?A	+A		+A	+A	+A		+A		+A	+A	
<i>Magnolia grandiflora</i> L.					+A				?A											
<i>Magydaris pastinacea</i> (Lam.) Paol.												+							+	+
<i>Mahonia aquifolium</i> (Pursh) Nutt.		+A		+A	+A	+A		+A	+A		+A		+A			+A			+A	
<i>Maianthemum bifolium</i> (L.) Schmidt	+	+	+	+	+	+	+	+	+					?						
<i>Malaxis monophyllos</i> (L.) Sw.			0	+	+	+														
<i>Malcolmia africana</i> (L.) R. Br.						+A													?	
<i>Malcolmia flexuosa</i> (Sm.) Sm.																+				
<i>Malcolmia littorea</i> (L.) R. Br.												+							0	
<i>Malcolmia maritima</i> (L.) R. Br.						+A				0	?					+		+	?	
<i>Malcolmia nana</i> (DC.) Boiss.								?		0	+	0	+			+	+	+	+	
<i>Malcolmia orsiniana</i> (Ten.) Ten. subsp. <i>orsiniana</i>										+	?		+							
<i>Malcolmia ramosissima</i> (Desf.) Gennari							+		+	0		+	+	+	+	+		+	+	+
<i>Malope malacoides</i> L.							-		+	+	+	+	+	+	+	+	+	+	+	+
<i>Malus dasyphylla</i> Borkh.					+A															
<i>Malus domestica</i> (Borkh.) Borkh.		+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Malus florentina</i> (Zuccagni) C.K. Schneid.								+	+	+	+	+	+	+	+		+	+		
<i>Malus sylvestris</i> (L.) Mill.	?	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Malva alcea</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			+
<i>Malva cretica</i> Cav. s.l.							+		+		?	+		+	+	+	+	+	+	+
<i>Malva cretica</i> Cav. subsp. <i>althaeoides</i> (Cav.) Bég.																?				
<i>Malva cretica</i> Cav. subsp. <i>cretica</i>							+		+		?	+		+	+	+	+	+	+	+
<i>Malva moschata</i> L.	0	+		+A	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Malva neglecta</i> Wallr.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		?	+
<i>Malva nicaeensis</i> All.			-			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Malva oxyloba</i> Boiss.																			+	
<i>Malva parviflora</i> L.		?	-			0	+		+			+	+		+	+	+	+	+	+
<i>Malva pusilla</i> Sm.		+	+		+	0		+					+							
<i>Malva sylvestris</i> L. subsp. <i>sylvestris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Malva verticillata</i> L. ⁽⁵⁶⁸⁾		?A			+A	+A														
<i>Mandragora autumnalis</i> Bertol.												?	0		0	+	+	+	+	+
<i>Mandragora officinarum</i> L.	0	-			?					0	?									
<i>Mantisalca duriaei</i> (Spach) Briq. & Cavill.									0	-			+	+		+	+	+	+	+
<i>Mantisalca salmantica</i> (L.) Briq. & Cavill.							0		?	0		?		?	0		?	+	+	
<i>Marrubium alysson</i> L.																+			+	+
<i>Marrubium incanum</i> Desr.					+	+			+	+	+	+	+	+	0	+			+	+
<i>Marrubium peregrinum</i> L.				+A	+A							+A								
<i>Marrubium vulgare</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Matricaria aurea</i> (Loefl.) Sch. Bip.																			+	
<i>Matricaria chamomilla</i> L.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Matricaria discoidea</i> DC.	+A	+A	+A	+A	+A	+A	+A	+A		+A		+A	+A	+A						
<i>Matthiola fruticulosa</i> (L.) Maire s.l.	+	+	+	+	+	+						+	+			+	+	+	+	
<i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>fruticulosa</i>												+	+			+	+	+	+	
<i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>valesiaca</i> (Gay ex Gaudin) P.W. Ball ⁽⁵⁶⁹⁾	+	+	+	+	+	+						+	+							
<i>Matthiola incana</i> (L.) R. Br. s.l.						+	+		+	+		+	+	+A	+	+	+	+	+	+
<i>Matthiola incana</i> (L.) R. Br. subsp. <i>incana</i>						+	+		+	+		+	+	+A				+	+	+
E <i>Matthiola incana</i> (L.) R. Br. subsp. <i>pulchella</i> (Conti) Greuter & Burdet																			+	
E <i>Matthiola incana</i> (L.) R. Br. subsp. <i>rupestris</i> (Raf.) Nyman													?		?			+	+	
<i>Matthiola sinuata</i> (L.) R. Br. ⁽⁵⁷⁰⁾							0		+			+			+	+	+	+	+	+
<i>Matthiola tricuspidata</i> (L.) R. Br.									+			+			+	+	+	+	+	+
<i>Mazus miquelii</i> Makino			+A																	
<i>Medicago arabica</i> (L.) Huds.		+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Medicago arborea</i> L.							+A		+	+A		+			+	?		?	+	+
<i>Medicago blanchiana</i> Boiss. ⁽⁵⁷¹⁾									?A											
<i>Medicago carstiensis</i> Wulfen				+	+	+	+													
<i>Medicago constricta</i> Durieu																			-	
<i>Medicago coronata</i> (L.) Bartal.																+	+	+	+	
<i>Medicago disciformis</i> DC.							+					+	+	+	+	+	+	+	+	
<i>Medicago dolciata</i> Carmign.							+		+		?	+			+	+	+	+	+	+
<i>Medicago falcata</i> L. subsp. <i>falcata</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A	+	+	+	+	+
<i>Medicago glutinosa</i> M. Bieb.			+				+	+	+	+								?		

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Melissa officinalis</i> L. subsp. <i>altissima</i> (Sm.) Arcang.							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Melissa officinalis</i> L. subsp. <i>officinalis</i>			+A	+A			+A	+A	+A	+A	?A	+A	+A	+A	+A					+A
<i>Melittis melissophyllum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Melittis melissophyllum</i> L. subsp. <i>albida</i> (Guss.) P.W. Ball														+	+	+		+	+	+
<i>Melittis melissophyllum</i> L. subsp. <i>melissophyllum</i>	+	+	+	+			+	+	+	+	+	+	+	+			+			
<i>Melomphis arabica</i> (L.) Raf.									+			+			0	+A			+	+
<i>Mentha aquatica</i> L. subsp. <i>aquatica</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Mentha arvensis</i> L.	+	+	+	+	+	+	+	+	+			+	+	?	+		+	?	+	
<i>Mentha cervina</i> L.												+A								
<i>Mentha x gracilis</i> Sole			+			+														
<i>Mentha longifolia</i> (L.) Huds.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Mentha microphylla</i> Koch												-	+	+	+	+	+	?	+	+
<i>Mentha x piperita</i> L.		?A	+A	+A	+A	+A				+A		+A	+A	+A	+A				+A	+A
<i>Mentha pulegium</i> L. subsp. <i>pulegium</i>	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Mentha requienii</i> Benth. s.l. ⁽⁵⁷⁵⁾									+						0					+
E <i>Mentha requienii</i> Benth. subsp. <i>bistaminata</i> Mannocci & Falconcini ⁽⁵⁷⁶⁾									+											
E <i>Mentha requienii</i> Benth. subsp. <i>requienii</i> ⁽⁵⁷⁷⁾																				+
<i>Mentha x smithiana</i> R.A. Graham							?A	+A	+A											
<i>Mentha spicata</i> L. ⁽⁵⁷⁸⁾	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Mentha suaveolens</i> Ehrh. s.l.		+	+	0	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Mentha suaveolens</i> Ehrh. subsp. <i>insularis</i> (Req.) Greuter									+										+	+
<i>Mentha suaveolens</i> Ehrh. subsp. <i>suaveolens</i>		+	+	0	+		+	+	+	+	+	+	+	+	+	+			+	+
<i>Mentha x verticillata</i> L.		?A	+	+	+	+	0	+												
<i>Menyanthes trifoliata</i> L.	+	+	+	+	+	+	+	+	+			+	+	+	+	0		+		
<i>Mercurialis annua</i> L.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Mercurialis corsica</i> Coss. & Kralil ⁽⁵⁷⁹⁾																				+
<i>Mercurialis ovata</i> Sternb. & Hoppe			+	+	+	+		+				+	+	+	+		+			
<i>Mercurialis perennis</i> L.	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Mesembryanthemum cristallinum</i> L.							+A		+							+			+	+
<i>Mesembryanthemum hispidum</i> L.																				+A
<i>Mesembryanthemum nodiflorum</i> L.							+		+			+			+A	+	+	+	+	+
<i>Mespilus germanica</i> L. ⁽⁵⁸⁰⁾	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A
<i>Meum athamanticum</i> Jacq.	+	+	+	+			+	+	+	+	+	+	+	?	0		+	+		
<i>Mibora minima</i> (L.) Desv.		?	0				-									+				
E <i>Micromeria canescens</i> (Guss.) Benth.												-		+	-	+	?	+	+	
E <i>Micromeria consentina</i> (Ten.) N. Terracc.												?		0		?	+	+		
E <i>Micromeria filiformis</i> (Aiton) Benth. subsp. <i>cordata</i> (Bertol.) Pignatti																				+
<i>Micromeria fruticosa</i> (L.) Druce						?										+				
<i>Micromeria fruticulosa</i> (Bertol.) Šilic															+	+	?	+	+	
<i>Micromeria graeca</i> (L.) Benth. ex Rchb. s.l.							+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>graeca</i>							+		+	+		+	+	+	+		+	?	+	+
E <i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>imperica</i> Chater ⁽⁵⁸¹⁾							+													
E <i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>longiflora</i> (C. Presl) Nyman ⁽⁵⁸²⁾																		+	+	
<i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>micrantha</i> (Brot.) Greuter & Burdet ⁽⁵⁸³⁾																				+
E <i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>tenuifolia</i> (Ten.) Nyman								+	+		+	+	+	+	+		+	+	+	+
<i>Micromeria juliana</i> (L.) Benth. ex Rchb.							+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Micromeria marginata</i> (Sm.) Chater		+					+													
<i>Micromeria microphylla</i> (d'Urv.) Benth.												+				+			+	
<i>Micromeria nervosa</i> (Desf.) Benth.															+	+		+	+	
<i>Micromeria thymifolia</i> (Scop.) Fritsch						+														
<i>Micropyrum tenellum</i> (L.) Link ⁽⁵⁸⁴⁾		+	+				+	0	+			+			0			+	+	+
<i>Middendorfia borysthena</i> (Schränk) Trautv.									?			+							+	+
<i>Milium effusum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Milium vernale</i> M. Bieb. s.l.											+	+	+	+	+	+	+	+	+	+
<i>Milium vernale</i> M. Bieb. subsp. <i>montianum</i> (Parl.) Jahand. & Maire												+							+	
<i>Milium vernale</i> M. Bieb. subsp. <i>vernale</i>										+	+		+						+	

[illegible]

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E	<i>Myosotis decumbens</i> Host subsp. <i>florentina</i> Grau									+	+	+	+	+	+						
	<i>Myosotis discolor</i> Pers. subsp. <i>discolor</i>	0	+	+		+	+		+	+	+	+	+	+		+		+	?	+	+
	<i>Myosotis gussoni</i> Jan									+		+	+	0		+				+	+
	<i>Myosotis incrassata</i> Guss.										+	+	+	+			+	+	+	+	
	<i>Myosotis laxa</i> Lehm. ⁽⁵⁹²⁾			+	+	+	+	+		+		+	+	+	+				?		
	<i>Myosotis nemorosa</i> Besser			+	+	+	+	?	+	+	+	+	+	+	+	0	+	+	+	+	+
	<i>Myosotis pusilla</i> Loisel.										+			?				?			+
	<i>Myosotis ramosissima</i> Rochel ex Schult. subsp. <i>ramosissima</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Myosotis rehsteineri</i> Wartm.			+	+																
	<i>Myosotis scorpioides</i> L. subsp. <i>scorpioides</i>	+	+	+	+	+	+	+		+	+	+	+	+	+	0		+			
E	<i>Myosotis soleirolii</i> Godr. ⁽⁵⁹³⁾																				+
	<i>Myosotis speluncicola</i> (Boiss.) Rouy										0			+							
	<i>Myosotis stricta</i> Link ex Roem. & Schult.	+	?	+	+	+	+			?	?		+	+	+					?	
	<i>Myosotis sylvatica</i> Hoffm. s.l.	+	+	+	+	+	+	+	+	+	-	?	?	+		+	+	+	+	+	+
	<i>Myosotis sylvatica</i> Hoffm. subsp. <i>cyanea</i> (Hayek) Vestergren															0	+				
E	<i>Myosotis sylvatica</i> Hoffm. subsp. <i>elongata</i> (Strobl) Grau															+		+	+	+	
	<i>Myosotis sylvatica</i> Hoffm. subsp. <i>subarvensis</i> Grau										-			+			+				+
	<i>Myosotis sylvatica</i> Hoffm. subsp. <i>sylvatica</i>	+	+	+	+	+	+	+	+	+	-	?		+		+					
	<i>Myosurus minimus</i> L.		?	0					0	?				+	+		-			+	
	<i>Myricaria germanica</i> (L.) Desv.	+	+	+	+	+	+	0	+	+	0		+	+							
	<i>Myriophyllum alterniflorum</i> DC.			+						+		+							+	+	+
	<i>Myriophyllum aquaticum</i> (Velloso) Verdc. ⁽⁵⁹⁴⁾								+A			+A									
	<i>Myriophyllum spicatum</i> L.		+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+	+	+
	<i>Myriophyllum verticillatum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+
	<i>Myrrhis odorata</i> (L.) Scop.		+	+	+	+	+	+	+	+											
	<i>Myrrhoides nodosa</i> (L.) Cannon									+	+	+	+	+	+	0	?	+	+	+	+
	<i>Myrtus communis</i> L. s.l.						+	+	-	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Myrtus communis</i> L. subsp. <i>communis</i>						+	+		+	+	+	+	+	+	+	+	+	+	+	+
	<i>Myrtus communis</i> L. subsp. <i>tarentina</i> (L.) Nyman									?			+A			0	+A				+
	<i>Najas gracillima</i> (A. Braun) Magnus		+	+																	
	<i>Najas graminea</i> Delile		+A	+A		+A	?A		+A				?A								
	<i>Najas marina</i> L. subsp. <i>marina</i>		+	+	+	+	+		+	+	+	+	+			+				0	+
	<i>Najas minor</i> All.		+	+	+	+	+	+	+	+		+	+								
E	<i>Nananthea perpusilla</i> (Loisel.) DC.																				+
E	<i>Narcissus etruscus</i> Parl.									+											
	<i>Narcissus incomparabilis</i> Mill.		+A			+A				+A											
	<i>Narcissus jonquilla</i> L.			+A		+A			+A	+A		+A			+A		+A				
	<i>Narcissus medioluteus</i> Mill.		+A			+A	+A		+A	+A	+A	?A	+A				+A	+A			
	<i>Narcissus odoratus</i> L.									+A											
	<i>Narcissus papyraceus</i> Ker Gawl.							+			-										+
	<i>Narcissus poeticus</i> L. ⁽⁵⁹⁵⁾	+	+	+	+A	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	
	<i>Narcissus pseudonarcissus</i> L.	+A	?A			+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A			
	<i>Narcissus serotinus</i> L.								+				+		?	+	+	+	+	+	+
	<i>Narcissus tazetta</i> L. s.l.		+	+			0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Narcissus tazetta</i> L. subsp. <i>aureus</i> (Loisel.) Baker							+		+			+			+			+		+
	<i>Narcissus tazetta</i> L. subsp. <i>italicus</i> (Ker Gawl.) Baker									0	+		+			+		+		+	+
	<i>Narcissus tazetta</i> L. subsp. <i>tazetta</i>			+				+	+	+	+	+	+	+		+	+	+	+	+	+
	<i>Nardus stricta</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0		+	+	+	
	<i>Nassella mucronata</i> (Kunth) R.W. Pohl ⁽⁵⁹⁶⁾												+A								
	<i>Nassella trichotoma</i> (Nees) Hack. ⁽⁵⁹⁷⁾							+A		+A											
	<i>Nasturtium microphyllum</i> Boenn. ex Rchb.		+	+	+	+	+														
	<i>Nasturtium officinale</i> R. Br. subsp. <i>officinale</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Neatostema apulum</i> (L.) I.M. Johnst.							+	?	+	+	?	+	+	?	0	+	+	+	+	+
	<i>Nectaroscilla hyacinthoides</i> (L.) Parl. ⁽⁵⁹⁸⁾					+A		+A		+A	+A		+A	+A					+A		+A
	<i>Nectaroscordum siculum</i> (Ucria) Lindley								?		+							+		+	+
	<i>Nelumbo nucifera</i> Gaertn.		+A	+A						+A			+A								+A
	<i>Neotinea maculata</i> (Desf.) Stearn							+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Neottia nidus-avis</i> (L.) Rich.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Nepeta apuleii</i> Ucria																				+
	<i>Nepeta cataria</i> L.	+	+	-	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	
E	<i>Nepeta foliosa</i> Moris																				

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Oenothera depressa</i> Green					+A				+A											
<i>Oenothera fallacoides</i> Soldano & Rostanski ⁽⁶⁰⁷⁾		+A	+A	+A	?A		+A		+A											
<i>Oenothera glazioviana</i> Micheli		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A				+A	+A
<i>Oenothera grandiflora</i> L'Hér.						+A														
<i>Oenothera italica</i> Rostanski & Soldano ⁽⁶⁰⁸⁾						?A	+A		+A											
<i>Oenothera laciniata</i> Hill ⁽⁶⁰⁹⁾		?A							+A											
<i>Oenothera marinellae</i> Soldano ⁽⁶¹⁰⁾							+A		+A											
<i>Oenothera oakesiana</i> (A. Gray) Robbins ex S. Watson & J.M. Coult. ⁽⁶¹¹⁾		+A			+A	+A				+A				+A						
<i>Oenothera ehlkersi</i> Kappus ex Rostanski ⁽⁶¹²⁾		+A	+A						+A											
<i>Oenothera pedemontana</i> Soldano ⁽⁶¹³⁾		+A																		
<i>Oenothera pellegrini</i> Soldano ⁽⁶¹⁴⁾									+A											
<i>Oenothera rosea</i> L'Hér.		?A							+A		?A								+A	+A
<i>Oenothera royfraseri</i> R.R. Gates ⁽⁶¹⁵⁾			+A		+A	+A														
<i>Oenothera sesitensis</i> Soldano ⁽⁶¹⁶⁾		+A	+A					+A												
<i>Oenothera stricta</i> Link									+A			?A			+A				+A	
<i>Oenothera stueckii</i> Soldano ⁽⁶¹⁷⁾		+	+	+	+	+	+	+	+	+	+			+	+					
<i>Oenothera suaveolens</i> Desf. ex Pers. ⁽⁶¹⁸⁾		+A	+A	+A	+A	+A	+A	+A	+A	+A			+A			+A				
<i>Olea europaea</i> L.		-	-	+A	+	+A	+	+	+A	+A	+	+	+A	+A	+	+	+A	+	+	+
<i>Omphalodes verna</i> Moench		+	+	-	+	+	+	+	+A											
<i>Oncostema cerulea</i> (Raf.) Speta ⁽⁶¹⁹⁾																				+
<i>Oncostema dimartinoi</i> (Brullo & Pavone) F. Conti & Soldano	E																			+
<i>Oncostema elongata</i> (Parl.) Speta ⁽⁶²⁰⁾								+							+A	+A	+	?	+	+
<i>Oncostema hughii</i> (Tineo ex Guss.) Speta ⁽⁶²¹⁾															?				+	
<i>Oncostema sicula</i> (Tineo ex Guss.) Speta ⁽⁶²²⁾	E				+	+														
<i>Onobrychis aequidentata</i> (Sm.) d'Urv.															+	+	+	+	+	+
<i>Onobrychis alba</i> (Waldst. & Kit.) Desv. s.l.											+	+	+	+	+	+	+	+	+	
<i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>alba</i>											+	+	+	+	+	+	+	+	+	
<i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>echinata</i> (G. Don) P.W. Ball																	+	+	+	
<i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>pentelica</i> (Hausskn.) Nyman																+	+	+	+	
<i>Onobrychis arenaria</i> (Kit.) DC. s.l.		+	?	+	+	+	+	+			+	+	+	+		+		+		
<i>Onobrychis arenaria</i> (Kit.) DC. subsp. <i>arenaria</i>		+	?	+	+	+	+	+			+	+	+	+						
<i>Onobrychis arenaria</i> (Kit.) DC. subsp. <i>taurERICA</i> Hand.-Mazz.						+														
<i>Onobrychis arenaria</i> (Kit.) DC. subsp. <i>tommasinii</i> (Jord.) Asch. & Graebn.							+				+			+		+				
<i>Onobrychis caput-galli</i> (L.) Lam.								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Onobrychis montana</i> DC. subsp. <i>montana</i>		+	+	+	+	+	+	+	+	+	+	?	+	+		+				
<i>Onobrychis saxatilis</i> (L.) Lam.		-	+					+												
<i>Onobrychis supina</i> (Vill.) DC.			+	+				+	+											
<i>Onobrychis viciifolia</i> Scop.		+	+	+	+	+	+	+	+	+	+A	+	+	+	+A	+	+	+	+	+A
<i>Ononis alba</i> Poir. subsp. <i>alba</i>								0			0			+	?	+	+	+	+	+
<i>Ononis alopecuroides</i> L. subsp. <i>exalopecuroides</i> (G. López) Greuter & Burdet								0							0		+	+	+	
<i>Ononis biflora</i> Desf.																	+		+	+
<i>Ononis cristata</i> Mill. s.l.		?	+					-			+			+						
<i>Ononis cristata</i> Mill. subsp. <i>apennina</i> Tammaro & Catonica	E										+			+						
<i>Ononis cristata</i> Mill. subsp. <i>cristata</i>		?	+					-												
<i>Ononis dentata</i> Lowe																			+	+
<i>Ononis diffusa</i> Ten.										?			+			+	+		+	+
<i>Ononis hispida</i> Desf. subsp. <i>hispida</i>																			+	
<i>Ononis masquillierii</i> Bertol.	E							+	+	+										
<i>Ononis minutissima</i> L.		?	+	+				+	+				+						+	+
<i>Ononis mitissima</i> L.								0		+	+		?	+	+	+	+	+	+	+
<i>Ononis natrix</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+	?	+	+
<i>Ononis natrix</i> L. subsp. <i>natrix</i>		+	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+	?		+
<i>Ononis natrix</i> L. subsp. <i>ramosissima</i> (Desf.) Batt.								0										0	+	+
<i>Ononis oligophylla</i> Ten. ⁽⁶²³⁾	E									+			+	+	+	+	+	+	+	+
<i>Ononis ornithopodioides</i> L.										+		+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Ononis pendula</i> Desf. subsp. <i>boissieri</i> (Širj.) Devesa																			+	?
<i>Ononis pubescens</i> L.																				+
<i>Ononis pusilla</i> L. subsp. <i>pusilla</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ononis reclinata</i> L. ⁽⁶²⁴⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ononis rotundifolia</i> L.	+	+	+	+	+		-	+					+							
<i>Ononis serrata</i> Forssk.																				+
<i>Ononis sicula</i> Guss.															0			0	+	+
<i>Ononis sieberi</i> DC.														?	+	+	+	+	+	+
<i>Ononis spinosa</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ononis spinosa</i> L. subsp. <i>antiquorum</i> (L.) Arcang.		+	+		+	+	+	+	+	?		+	+		+	+	+	+	+	+
<i>Ononis spinosa</i> L. subsp. <i>arvensis</i> (L.) Greuter & Burdet		?													+					
<i>Ononis spinosa</i> L. subsp. <i>austriaca</i> (Beck) Gams	+	+	+	+	+	+	+	+	?						+					
<i>Ononis spinosa</i> L. subsp. <i>maritima</i> (Dumort.) P. Fourn.	+	+	+	+	+	+	+	?	+											
<i>Ononis spinosa</i> L. subsp. <i>spinosa</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Ononis variegata</i> L.									+	+		+	+	+	+	+	+	+	+	+
<i>Ononis viscosa</i> L. subsp. <i>breviflora</i> (DC.) Nyman ⁽⁶²⁵⁾							+	?	+	+	+	+	+	+	+	+	+	+	+	+
<i>Onopordum acanthium</i> L. subsp. <i>acanthium</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
<i>Onopordum argolicum</i> Boiss.																				+
<i>Onopordum illyricum</i> L. s.l.						+A			+	+	+	+	+	+	+	+	+	+	+	+
<i>Onopordum illyricum</i> L. subsp. <i>horridum</i> (Viv.) Franco									?		+		+	+	+	+	+	?	+	+
<i>Onopordum illyricum</i> L. subsp. <i>illyricum</i>						+A				+	+	+	+	+	+		+			+
<i>Onopordum tauricum</i> Willd.										+	+				0	+				
<i>Onosma angustifolia</i> Lehm.																+		+		
<i>Onosma arenaria</i> Waldst. & Kit. subsp. <i>pennina</i> Braun-Blanq.	-	+			-	-							-					-		
E <i>Onosma canescens</i> C. Presl															0				+	
<i>Onosma dalmatica</i> Scheele						+						?								
E <i>Onosma echioides</i> (L.) L.		0			+	-			+	+	+	+	+	+	+	+	+	+	+	-
<i>Onosma fastigiata</i> (Braun-Blanq.) Lacaita subsp. <i>fastigiata</i>		+				+														
<i>Onosma helvetica</i> Boiss. em. Teppner s.l.	+	+	+	+	+	+	+	+					+				+	+		
<i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>fallax</i> (Borbás) Teppner						+														
<i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>helvetica</i> ⁽⁶²⁶⁾	+	+	-	+	+		+	+				+							-	
E <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>lucana</i> (Lacaita) Peruzzi, Aquaro & Cesca																	+	+		
<i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>tridentina</i> (Wettst.) Teppner				+	+	+														
<i>Onosma stellulata</i> Waldst. & Kit.						-						?								
<i>Onosma visianii</i> Clementi						+A														
<i>Ophrys apifera</i> Huds.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Ophrys benacensis</i> (Reisigl) O. Danesch, E. Danesch & Ehrend.		+	+	+	+	+	+	+												+
<i>Ophrys bertolonii</i> Moretti									+	+	+	+	+	+	+	+	+	+	+	+
E <i>Ophrys bertoloniformis</i> O. & E. Danesch												+				+				
E <i>Ophrys biscutella</i> O. & E. Danesch																+	+	+	+	+
<i>Ophrys bombyliflora</i> Link							+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Ophrys calliantha</i> Bartolo & Pulv.																				+
E <i>Ophrys crabronifera</i> Mauri ⁽⁶²⁷⁾									+	+	+	+	+	+	+					
E <i>Ophrys discors</i> Bianca																				+
<i>Ophrys exaltata</i> Ten. s.l.							+		+			+	+		+	+	+	+	+	+
<i>Ophrys exaltata</i> Ten. subsp. <i>archipelagi</i> (Gözl & H.R. Reinhard) Del Prete												+			+	+				
E <i>Ophrys exaltata</i> Ten. subsp. <i>exaltata</i>															+			+	+	
E <i>Ophrys exaltata</i> Ten. subsp. <i>morisii</i> (Martelli) Del Prete ⁽⁶²⁸⁾																				+
E <i>Ophrys exaltata</i> Ten. subsp. <i>tyrrhena</i> (Gözl & H.R. Reinhard) Del Prete							+		+			+								+
E <i>Ophrys explanata</i> (Lojac.) P. Delforge																				+
<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench s.l. ⁽⁶²⁹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>apulica</i> O. & E. Danesch										+		+				+	+	+	+	
<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>candica</i> E. Nelson ex Soó																+	+		+	+

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E	<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>chestermanii</i> (J.J. Wood) Blatt & M. Wirth																				+
	<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>fuciflora</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+
E	<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>parvimaculata</i> O. & E. Danesch								?					+			+	+		?	?
	<i>Ophrys fusca</i> Link s.l. ⁽⁶³⁰⁾		+	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Ophrys fusca</i> Link subsp. <i>fusca</i>		+	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Ophrys fusca</i> Link subsp. <i>iricolor</i> (Desf.) K. Richt. ⁽⁶³¹⁾														+					+	+
	<i>Ophrys incubacea</i> Bianca					+	+	+		+	+	+	+	+	+	+	+	+	+	+	+
	<i>Ophrys insectifera</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
	<i>Ophrys lacaitae</i> Lojac. ⁽⁶³²⁾												+		+	+	+	+	+	+	
E	<i>Ophrys lunulata</i> Parl.																			+	
	<i>Ophrys lutea</i> Cav. ⁽⁶³³⁾						+		+	0			+	+	+	+	+	+	+	+	+
E	<i>Ophrys mirabilis</i> Geniez & Melki																			+	
	<i>Ophrys ortuabis</i> M.P. Grasso & L. Manca ⁽⁶³⁴⁾																				+
E	<i>Ophrys oxryrhynchos</i> Tod.													?			+	+	+	+	
	<i>Ophrys pallida</i> Raf.																			+	
E	<i>Ophrys panattensis</i> Scrugli, Cogoni & Pessei																			+	+
E	<i>Ophrys panormitana</i> (Tod.) Soó																			+	
E	<i>Ophrys promontorii</i> O. & E. Danesch												+	+		+	+			+	
	<i>Ophrys scolopax</i> Cav. s.l.		+				0	+						+		+	+	+	?	+	+
	<i>Ophrys scolopax</i> Cav. subsp. <i>cornuta</i> (Steven) E.G. Camus ⁽⁶³⁵⁾																+				
	<i>Ophrys scolopax</i> Cav. subsp. <i>scolopax</i> ⁽⁶³⁶⁾		+					+						+		+	+	+		+	+
	<i>Ophrys speculum</i> Link ⁽¹¹²⁾								+	+		+	+	+			+	+		+	+
	<i>Ophrys sphegodes</i> Mill. s.l. ⁽⁶³⁷⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Ophrys sphegodes</i> Mill. subsp. <i>garganica</i> E. Nelson ⁽⁶³⁸⁾								+				+	+	+	+	+	+	+	+	+
E	<i>Ophrys sphegodes</i> Mill. subsp. <i>majellensis</i> Helga & Herm. Deiss								+				+	+	+	+					
E	<i>Ophrys sphegodes</i> Mill. subsp. <i>praecox</i> Corrias ⁽⁶³⁹⁾																				+
	<i>Ophrys sphegodes</i> Mill. subsp. <i>sphegodes</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Ophrys tardans</i> O. & E. Danesch																+			+	
E	<i>Ophrys tarentina</i> Gözl & H.R. Reinhard																+	+	+		
	<i>Ophrys tenthredinifera</i> Willd.		?						+			+	+	+	+	+	+	+	+	+	+
	<i>Ophrys tetraloniae</i> W.P. Teschner ⁽⁶⁴⁰⁾			+	+	+			+	+	+		+	+	+	+		+	+	+	
	<i>Oplismenus undulatifolius</i> (Ard.) P. Beauv.	+	+	+	+	+							+	+	+	+		+	+	+	
	<i>Opopanax chironium</i> (L.) W.D.J. Koch						0	+		+	+	+	+	+	+	+	+	+	+	+	+
	<i>Opopanax hispidus</i> (Friv.) Griseb.															-	?	?	?	?	
	<i>Opuntia amyclaea</i> Ten.								+	A			+	A		+	A	+	A	+	+
	<i>Opuntia dillenii</i> (Ker-Gawler) Haworth																		+	A	+
	<i>Opuntia elatior</i> Mill.							+	A												
	<i>Opuntia ficus-indica</i> (L.) Mill.					+	A	+	A	+		+	A	+	+	+	+	+	+	+	+
	<i>Opuntia humifusa</i> (Raf.) Raf.	+	A	+	A	+	+	+	+	+				+	A	+	A	+	+	+	+
	<i>Opuntia monacantha</i> (Willd.) Haw.																			+	A
	<i>Opuntia robusta</i> Wendland																			+	A
	<i>Opuntia scheeri</i> Weber							+	A												
	<i>Opuntia stricta</i> (Haworth) Haworth					+	A	+	A											+	A
	<i>Opuntia tuna</i> (L.) Mill.			+	A	+	A								+	A		+	A	+	+
	<i>Orchis anthropophora</i> (L.) All.		+	+		?		+	+	+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Orchis brancifortii</i> Biv.																		+	+	+
	<i>Orchis collina</i> Banks & Sol. ex Russell																+	+	+	+	+
	<i>Orchis coriophora</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Orchis italica</i> Poir.								+	+	+	+	+	+	+	+	+	+	+	-	
	<i>Orchis lactea</i> Poir.								+						?	+	+	+	+	+	+
	<i>Orchis laxiflora</i> Lam.		+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Orchis longicornu</i> Poir.																			+	+
	<i>Orchis mascula</i> (L.) L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
E	<i>Orchis mascula</i> (L.) L. subsp. <i>ichnusae</i> Corrias																				+
	<i>Orchis mascula</i> (L.) L. subsp. <i>mascula</i>	+	+	+	+	+	+		+	+	+	+	+	+		+		+	+		
	<i>Orchis mascula</i> (L.) L. subsp. <i>olbiensis</i> (Reut. ex Gren.) Asch. & Graebn.							+													?
	<i>Orchis militaris</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+						-	
	<i>Orchis morio</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOI	CAM	PUG	BAS	CAL	SIC	SAR
<i>Orchis pallens</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Orchis palustris</i> Jacq.			0		+	+	0	+	+	0		+	+	+	+	+	+	0	0	
<i>Orchis papilionacea</i> L.	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Orchis patens</i> Desf.							+												0	
<i>Orchis pauciflora</i> Ten.			-			+		-	+	+	+	+	+	+	+	+	+	+	?	
<i>Orchis provincialis</i> Balb. ex Lam. & DC.	?	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	+
<i>Orchis purpurea</i> Huds.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Orchis quadripunctata</i> Cirillo ex Ten.													+		+	+	+	+	-	
<i>Orchis simia</i> Lam.						+	+	+	+	+	+	+	+	+	+		+	+	?	
<i>Orchis spitzelii</i> Saut. ex W.D.J. Koch			+	+		+				+		+	+				+			
<i>Orchis tridentata</i> Scop. ⁽⁶⁴¹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Orchis ustulata</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Oreochloa disticha</i> (Wulfen) Link		+	+	+	+	+	-													
<i>Oreochloa seslerioides</i> (All.) Richt.		+					-													
<i>Origanum majorana</i> L.					+A	+A		+A	?A		+A		+A			+A	+A		+A	+A
<i>Origanum onites</i> L.																			+	
<i>Origanum vulgare</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Origanum vulgare</i> L. subsp. <i>prismaticum</i> Gaudin				?		+														
<i>Origanum vulgare</i> L. subsp. <i>viridulum</i> (Martin-Donos) Nyman								+						+	+	+	+	+	+	+
<i>Origanum vulgare</i> L. subsp. <i>vulgare</i>	+	+	+	+		+	+	+	+	+	+	+	+	+						
<i>Orlaya daucoides</i> (L.) Greuter			+		+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Orlaya daucorlaya</i> Murb.												?	+							
<i>Orlaya grandiflora</i> (L.) Hoffm.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
<i>Ornithogalum collinum</i> Guss.							?		?							+		?	+	
<i>Ornithogalum comosum</i> L.						+	0	+	+	+	+	+	+		0	+	+	?	+	
E <i>Ornithogalum corsicum</i> Jord. & Fourr. ⁽⁶⁴²⁾																				+
<i>Ornithogalum divergens</i> Boreau			+	?	+	+	+	+	+	+	+	+	+		+	+	-	+	+	+
E <i>Ornithogalum etruscum</i> Parl.									+	+		+		+						
E <i>Ornithogalum exscapum</i> Ten.							+	+	+			+	+	+	+	+	+	+	+	+
<i>Ornithogalum gussonei</i> Ten.			+	-	-	-	-	+	+	+	?	-	-	-	+	+	+	+	?	+
<i>Ornithogalum kochii</i> Parl.	+	+	+	+	+	+												+		
<i>Ornithogalum montanum</i> Cirillo												-	+		+	+	+	+	+	+
<i>Ornithogalum monticulum</i> Jord. & Fourr.	+	+				+														
E <i>Ornithogalum orthophyllum</i> Ten.									-	-	?	-	+		-		0	+		
<i>Ornithogalum refractum</i> Kit. ex Willd. ⁽⁶⁴³⁾						+				+		+	+		0	+	+	+	+	+
<i>Ornithogalum umbellatum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Ornithogalum umbratile</i> Tornad. & Garbari ⁽⁶⁴⁴⁾															+					
<i>Ornithopus compressus</i> L.		+					+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ornithopus perpusillus</i> L.		+	+				+	?	+	+	+	+	?				?			+
<i>Ornithopus pinnatus</i> (Mill.) Druce						+A	+		+			+			+			+	+	+
<i>Orobanche aegyptiaca</i> Pers.																				+
<i>Orobanche alba</i> Stephan ex Willd.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Orobanche amethystea</i> Thuill. subsp. <i>amethystea</i>		+	+	-					+	?			+		+	+	+	+	+	+
<i>Orobanche arenaria</i> Borkh.	+	+	+						+						+					
<i>Orobanche artemisiae-campestris</i> Gaudin ⁽⁶⁴⁵⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+
<i>Orobanche bartlingii</i> Griseb.			+	+			+													
<i>Orobanche canescens</i> C. Presl												?	+	+	+	+	+	+	+	+
<i>Orobanche caryophyllacea</i> Sm.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Orobanche caudata</i> De Not. ⁽⁶⁴⁶⁾							+													
<i>Orobanche cernua</i> L. in Loefl.	+			0												+	+		+	
E <i>Orobanche chironii</i> Lojac.																			?	
<i>Orobanche crenata</i> Forssk.			+		+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Orobanche crinita</i> Viv. ⁽⁶⁴⁷⁾																	?	?	+	+
<i>Orobanche cumana</i> Wallr.																	+			
<i>Orobanche densiflora</i> Salzm. ex Reut.																			?	+
E <i>Orobanche denudata</i> Moris																				+
E <i>Orobanche ebuli</i> Huter & Rigo ⁽⁶⁴⁸⁾												+	+							
<i>Orobanche elatior</i> Sutton			0	+	+		+	+	+			?			0					
<i>Orobanche flava</i> Mart. ex F.W. Schultz			+	+	+	+				+		+	+	+						
<i>Orobanche fuliginosa</i> Jord. ⁽⁶⁴⁹⁾									+										0	
<i>Orobanche gracilis</i> Sm.			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Orobanche hederæ</i> Duby	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Orobanche laserpitii-sileris</i> Reut. ex Jord.				+	+	+														
<i>Orobanche lavandulacea</i> Rchb.							+		+			+			+	+	+		+	+
<i>Orobanche lucorum</i> A. Braun ex Koch			+	+	+	+	0		0		?						-			
<i>Orobanche lutea</i> Baumg.		+	+	+	+	+	+	+	+	+	+	+		+	+	+	+	+	+	+
<i>Orobanche minor</i> Sm.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Orobanche pubescens</i> d'Urv.								+				+		+	+	+	+			
<i>Orobanche purpurea</i> Jacq.	+	+	+	+			-	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Orobanche ramosa</i> L. s.l.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Orobanche ramosa</i> L. subsp. <i>mutelii</i> (F.W. Schultz) Cout.	+						+	+	+	?	+	+	+		+	+	+	+	+	+
<i>Orobanche ramosa</i> L. subsp. <i>nana</i> (Reut.) Cout.		+	?				+	+	+	-	?	+	-	+	+	+	+	+	+	+
<i>Orobanche ramosa</i> L. subsp. <i>ramosa</i>	0	+	+	+		+				+		+							+	+
<i>Orobanche rapum-genistae</i> Thuill. s.l.		+	+	+	+		+	+	+	+	+	+	+		+	+	+		+	+
<i>Orobanche rapum-genistae</i> Thuill. subsp. <i>benthamii</i> (Timb.-Lagr.) P. Fourn. ⁽⁶⁵⁰⁾	?	+																	+	
<i>Orobanche rapum-genistae</i> Thuill. subsp. <i>rapum-genistae</i>		+	+	+	+		+	+	+	+	+	+	+		+		+		+	+
<i>Orobanche rapum-genistae</i> Thuill. subsp. <i>rigens</i> (Loisel.) P. Fourn.																			+	+
<i>Orobanche reticulata</i> Wallr. ⁽⁶⁵¹⁾		+	+	+	+	+			+			+	+		+		+			
<i>Orobanche rosmarina</i> Beck ⁽⁶⁵²⁾																				
<i>Orobanche salviae</i> F.W. Schultz ex Koch	?	+	+	+	+	+		+												
<i>Orobanche sanguinea</i> C. Presl														+	+	+	+	+	+	+
<i>Orobanche schultzei</i> Mutel																+			+	+
<i>Orobanche teucarii</i> Holandre	+	+	+	+	+		+		+	+		+				+				
<i>Orobanche variegata</i> Wallr.		+	+		+		+	+	+	+		+	+	+	+		+	+	+	+
<i>Ortega hispanica</i> L.		-																		
<i>Orthilia secunda</i> (L.) House	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Oryza sativa</i> L.	?	A	A		A	A		A	A											A
<i>Ostrya carpinifolia</i> Scop.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Osyris alba</i> L.					+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Otanthus maritimus</i> (L.) Hoffmanns. & Link subsp. <i>maritimus</i>							0		+	+		0	+	+	+	+	+	+	+	+
<i>Ottelia alismoides</i> (L.) Pers.		A	A																	
<i>Oxalis acetosella</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Oxalis amoena</i> Salisb.							A													
<i>Oxalis articulata</i> Savigny			A		A	A		A	A	A		A	A	A					A	
<i>Oxalis corniculata</i> L.	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Oxalis debilis</i> Kunth			A		A		A		A	A			A		A	A				
<i>Oxalis latifolia</i> Kunth			A		A				A			A							A	
<i>Oxalis pes-caprae</i> L.							A		A	A		A	A	A	A	A	A	A	A	A
<i>Oxalis purpurata</i> Jacq.					A		A					A							A	
<i>Oxalis purpurea</i> L.									A										A	
<i>Oxalis stricta</i> L.	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A		A		A	
<i>Oxalis violacea</i> L. non Thunb.							A	A							A					
<i>Oxybaphus nyctagineus</i> (Michx.) Sweet			A																	
<i>Oxyria digyna</i> (L.) Hill	+	+	+	+	+	+	-													
<i>Oxytropis campestris</i> (L.) DC. ⁽⁶⁵³⁾	+	+	+	+	+	+				+	+	+	+	+	+		+			
<i>Oxytropis fetida</i> (Vill.) DC.	+	+	?																	
<i>Oxytropis halleri</i> W.D.J. Koch s.l.	+	+	+	+	+															
<i>Oxytropis halleri</i> W.D.J. Koch subsp. <i>halleri</i>	+	+	+	+																
<i>Oxytropis halleri</i> W.D.J. Koch subsp. <i>velutina</i> (Schur) O. Schwarz	+	+	+	+																
<i>Oxytropis helvetica</i> Scheele	+	+					+													
<i>Oxytropis jacquinii</i> Bunge	?	+	+	+	+	+														
<i>Oxytropis lapponica</i> (Wahlenb.) J. Gay	+	+	+	+																
<i>Oxytropis neglecta</i> Ten.		+	+	+	+	+	?					+								
<i>Oxytropis pilosa</i> (L.) DC. s.l.	+	+	+	+						+	+	+	+		+		+			
<i>Oxytropis pilosa</i> (L.) DC. subsp. <i>caputoi</i> (Moraldo & La Valva) Brilli-Catt., Di Massimo & Gubellini										+	+	+	+		+		+			
<i>Oxytropis pilosa</i> (L.) DC. subsp. <i>pilosa</i>	+	+	+																	
<i>Paederota bonarota</i> (L.) L.			+	+	+	+														
<i>Paederota lutea</i> Scop.				+	+	+														
<i>Paeonia coriacea</i> Boiss.																				+
<i>Paeonia mascula</i> (L.) Mill. ⁽⁶⁵⁴⁾		-		+	+			+				+			0	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E <i>Paenonia morisii</i> Cesca, Bernardo & N.G. Passal.																			?	+
<i>Paenonia officinalis</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+							
<i>Paenonia officinalis</i> L. subsp. <i>banatica</i> (Rochel) Soó						+														
<i>Paenonia officinalis</i> L. subsp. <i>huthii</i> Soldano		-					+	+	+	-	-	-	-							
E <i>Paenonia officinalis</i> L. subsp. <i>italica</i> N.G. Passal. & Bernardo										+	+	+	+							
<i>Paenonia officinalis</i> L. subsp. <i>officinalis</i>	+	+	+	+	+	+		+	+											
<i>Paenonia peregrina</i> Mill.													-				+	+		
<i>Paliurus spina-christi</i> Mill.		+A	+	+A	+	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+
<i>Pallenis spinosa</i> (L.) Cass. subsp. <i>spinosa</i>		+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pancratium illyricum</i> L.									+											+
E <i>Pancratium linosae</i> Soldano & F. Conti																				+
<i>Pancratium maritimum</i> L.							+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Panicum capillare</i> L.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A							
<i>Panicum dichotomiflorum</i> Michx.	+A	+A	+A	+A	+A	+A		+A		+A						+A				
<i>Panicum gattereri</i> Nash						+A														
<i>Panicum maximum</i> Jacq.																				+A
<i>Panicum miliaceum</i> L.		+A		+A	+A	+A		+A	+A	+A	+A	+A	+A			+A	+A		+A	+A
<i>Panicum repens</i> L.							0		+			+			+		+	+	+	+
<i>Papaver alpinum</i> L. s.l.	-	?	+	+	+	+	-			+	-	+	+							
<i>Papaver alpinum</i> L. subsp. <i>ernersti-mayeri</i> Markgr. ⁽⁶⁵⁵⁾						+				+		+	+							
<i>Papaver alpinum</i> L. subsp. <i>kernerii</i> (Hayek) Fedde ⁽⁶⁵⁶⁾					-	+				-	-	-	-							
<i>Papaver alpinum</i> L. subsp. <i>rhaeticum</i> (Leresche) Markgr.	-	?	+	+	+	+	-													
<i>Papaver apulum</i> Ten.		?A	+	+	+	+			+	+		+	+		+	+	+	+	+	+
<i>Papaver argemone</i> L. subsp. <i>argemone</i> ⁽¹⁰³⁾	+	+	+	+	+	+	+	+	+	?	+	+	+							+
<i>Papaver atlanticum</i> (Ball) Cosson subsp. <i>atlanticum</i>		?A																		
<i>Papaver dubium</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Papaver dubium</i> L. subsp. <i>dubium</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Papaver dubium</i> L. subsp. <i>lecoqii</i> (Lamotte) Syme	?	?																		+
<i>Papaver hybridum</i> L.		?A	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Papaver pinnatifidum</i> Moris							+		+								+		+	+
<i>Papaver rhoeas</i> L. subsp. <i>rhoeas</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Papaver setigerum</i> DC.							+		+			+			+			+	+	+
<i>Papaver somniferum</i> L.		?A			+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Paradisea liliastrium</i> (L.) Bertol.	+	+	+	+	+	+	+	+	+		-									
<i>Parapholis filiformis</i> (Roth) C.E. Hubb. ⁽⁶⁵⁷⁾		?			+	+	0		+	+		+	0	+	+	+	+	?	+	+
<i>Parapholis incurva</i> (L.) C.E. Hubb.		?			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Parapholis marginata</i> Runemark ⁽⁶⁵⁸⁾																+			+	+
<i>Parapholis pycnantha</i> (Hack.) C.E. Hubb. ⁽⁶⁵⁹⁾		?					0		+		+	+	+	+	0	+	+	+	+	+
<i>Parapholis strigosa</i> (Dumort.) C.E. Hubb.					+	+	+	+	0	+	?	+	+	+	-	+	-	+	+	+
<i>Parentucellia latifolia</i> (L.) Caruel		+	-	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Parentucellia viscosa</i> (L.) Caruel						+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Parietaria cretica</i> L.																				+
<i>Parietaria judaica</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Parietaria lusitanica</i> L. subsp. <i>lusitanica</i>							+		+			+			+	+	+	+	+	+
<i>Parietaria mauritanica</i> Durieu																				?
<i>Parietaria officinalis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	-	+
<i>Paris quadrifolia</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		+
<i>Parkinsonia aculeata</i> L.																				+A
<i>Parnassia palustris</i> L. subsp. <i>palustris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+		+					
<i>Paronychia arabica</i> (L.) DC. subsp. <i>longiseta</i> Batt.							?		?						0			+	+	+
<i>Paronychia argentea</i> Lam.																				
<i>Paronychia capitata</i> (L.) Lam. subsp. <i>capitata</i>		?				+						?								+
<i>Paronychia echinulata</i> Chater						-		+				+						0	+	+
<i>Paronychia kapela</i> (Hacq.) A. Kern. s.l.		+				+	+			+	+	+	+	+	+		+	+		
<i>Paronychia kapela</i> (Hacq.) A. Kern. subsp. <i>kapela</i>										+	+	+	+	+	+		+	+		
<i>Paronychia kapela</i> (Hacq.) A. Kern. subsp. <i>pseudoaretioides</i> (Emb. & Maire) Maire ⁽⁶⁶⁰⁾														+						
<i>Paronychia kapela</i> (Hacq.) A. Kern. subsp. <i>serpyllifolia</i> (Chaix) Graebn.		+					+													
<i>Paronychia polygonifolia</i> (Vill.) DC.	+	+																	?	+
<i>Parthenocissus quinquefolia</i> (L.) Planch.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A	+A	+A	+A	+A
<i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch.	+A		+A	+A	+A	+A	+A	+A							+A					

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Paspalum dilatatum</i> Poir.			+A			+A	+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	
<i>Paspalum distichum</i> L. ⁽⁶⁶¹⁾		+A	+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Paspalum quadrifarium</i> Lam.							+A		+A											
<i>Paspalum vaginatum</i> Sw.							+A		+A											+A
<i>Passiflora coerulea</i> L.					+A	+A	+A		+A											+A
E <i>Pastinaca divaricata</i> Desf. ⁽⁶⁶²⁾																				+A
<i>Pastinaca sativa</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pastinaca sativa</i> L. subsp. <i>sativa</i>	+	+	+	+	+	+	+	+	+		+	+								+
<i>Pastinaca sativa</i> L. subsp. <i>sylvestris</i> (Mill.) Rouy & E.G. Camus		+	+	+	+	+	+	+	+	+	-	-	+		+					
<i>Pastinaca sativa</i> L. subsp. <i>urens</i> (Req. ex Godr.) Celak.			-	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Paulownia tomentosa</i> (Thunb.) Steud.		+A	+A	+A	+A	+A														
<i>Pedicularis acaulis</i> Scop.				+	+	0														
<i>Pedicularis adscendens</i> Schleich. ex Gaudin	?	+	+					+	+											
<i>Pedicularis asplenifolia</i> Flörke ex Willd.			+	+	+															
<i>Pedicularis cenisia</i> Gaudin	+	+					+	?	?											
<i>Pedicularis comosa</i> L. subsp. <i>comosa</i>	+	+	+	+	+	+	+	+		+	+	+	+	+	+		+	+		
E <i>Pedicularis elegans</i> Ten. ⁽⁶⁶³⁾										+	?	+	+	+	+		+	+		
<i>Pedicularis elongata</i> A. Kern. s.l.			+	+	+	+														
<i>Pedicularis elongata</i> A. Kern. subsp. <i>elongata</i>			+	+	+	+														
<i>Pedicularis elongata</i> A. Kern. subsp. <i>julica</i> (E. Mayer) Hartl					+	+														
<i>Pedicularis foliosa</i> L.	+	+	+	+			0	-												
<i>Pedicularis friderici-augusti</i> Tomm.						-				?		?	+	?						
<i>Pedicularis gyroflexa</i> Vill.	+	+	+	+	+	+	+													
<i>Pedicularis hacquetii</i> Graf			?	+	+	+														
<i>Pedicularis hoermanniana</i> K. Malý						+				+	+	+	+	+	?					
<i>Pedicularis kernerii</i> D. Torre	+	+	+	+	+	-	+													
<i>Pedicularis oederi</i> Vahl	?	?	+	+																
<i>Pedicularis palustris</i> L. subsp. <i>palustris</i>	+	+	+	+	+	+														
<i>Pedicularis petiolaris</i> Ten.										-		-	+		?		+	+		
<i>Pedicularis recutita</i> L. ⁽⁶⁶⁴⁾	+	+	+	+	+	+														
<i>Pedicularis rosea</i> Wulfen s.l.	+	+	+	+	+	+	-													
<i>Pedicularis rosea</i> Wulfen subsp. <i>allionii</i> (Rchb.f.) Arcang.	+	+					-													
<i>Pedicularis rosea</i> Wulfen subsp. <i>rosea</i>			+	+	+	+														
<i>Pedicularis rostratocapitata</i> Crantz subsp. <i>rostratocapitata</i>	+	+	+	+	+	+														
<i>Pedicularis rostratospicata</i> Crantz s.l.	+	+	+	+	+	+	?	+				+								
<i>Pedicularis rostratospicata</i> Crantz subsp. <i>helvetica</i> (Steininger) O. Schwarz	+	+	+	+			?													
<i>Pedicularis rostratospicata</i> Crantz subsp. <i>rostratospicata</i>			+	+	+	+														
<i>Pedicularis sylvatica</i> L.	?	?		?																
<i>Pedicularis tuberosa</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+		0					
<i>Pedicularis verticillata</i> L.	+	+	+	+	+	+	-	+	+	+	+	+	+							
<i>Peganum harmala</i> L.																+				+
<i>Pelargonium peltatum</i> (L.) Aiton							+A													
<i>Pennisetum setaceum</i> (Forssk.) Chiov.																			+A	+A
<i>Pennisetum villosus</i> R. Br.		?	A		+A		+A			+A	+A	+A				+A			+A	+A
<i>Pentaglottis sempervirens</i> (L.) L.H. Bailey							?	A												
<i>Peplis portula</i> L.	+	+	+	0	+	+	+	+	+		+	+	+		+		+	+		+
<i>Perilla frutescens</i> (L.) Britton					+A															
<i>Periploca angustifolia</i> Labill.																				+
<i>Periploca graeca</i> L. ⁽⁶⁶⁵⁾						+A	+	+				+A				+		0		
<i>Persicaria amphibia</i> (L.) Delarbre	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Persicaria capitata</i> (D. Don.) H. Gross		?	A																	
<i>Persicaria decipiens</i> (R.Br.) K.L. Wilson		?					+	+A	+	?	?	+	+	+	+	+	+	+	+	+
<i>Persicaria dubia</i> (Stein.) Fourr.	+	+	+	+	+	+	+	+	+	+		+	+					+	+	+
<i>Persicaria hydropiper</i> (L.) Delarbre	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Persicaria lapathifolia</i> (L.) Delarbre s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Persicaria lapathifolia</i> (L.) Delarbre subsp. <i>lapathifolia</i>		+	+	+		+		+			+		+							
<i>Persicaria lapathifolia</i> (L.) Delarbre subsp. <i>pallida</i> (With.) Å. Löve				+		+														
<i>Persicaria maculosa</i> (L.) Gray	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Persicaria minor</i> (Huds.) Opiz	+	+	+	+	+	+		+	+	?	?	+								

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Persicaria nepalensis</i> (Meisn.) H. Gross			+A	+A	+A	+A														
<i>Persicaria orientalis</i> (L.) Spach	+A	+A			+A	+A	+A		+A	+A			+A	+A						
<i>Persicaria pensylvanica</i> (L.) M. Gómez		?A	+A			+A														
<i>Persicaria virginiana</i> (L.) Gaertn.			+																	
E <i>Petagnaea gussonii</i> (Spreng.) Rausch.																				+
<i>Petasites albus</i> (L.) Gaertn.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0				+	
<i>Petasites fragrans</i> (Vill.) C. Presl		+	-	+A	+	+A	+	+	+	+A	+A	+A			0		+A		+	+
<i>Petasites hybridus</i> (L.) P. Gaertn., B. Mey. & Scherb. subsp. <i>hybridus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Petasites paradoxus</i> (Retz.) Baumg.	+	+	+	+	+	+														
<i>Petrocallis pyrenaica</i> (L.) R. Br.	+	+	+	+	+	+	?													
<i>Petrorhagia dubia</i> (Raf.) G. López & Romo						0			+	+	+	+	+	+	+	+	+	+	+	+
<i>Petrorhagia illyrica</i> (Ard.) P.W. Ball & Heywood subsp. <i>haynaldiana</i> (F.N. Williams) P.W. Ball & Heywood																		+	+	
<i>Petrorhagia nanteuillii</i> (Burnat) P.W. Ball & Heywood									0			+		+	+					+
<i>Petrorhagia prolifera</i> (L.) P.W. Ball & Heywood	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Petrorhagia saxifraga</i> (L.) Link s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Petrorhagia saxifraga</i> (L.) Link subsp. <i>gasparrinii</i> (Guss.) Greuter & Burdet												?			+	+	+	+	+	+
<i>Petrorhagia saxifraga</i> (L.) Link subsp. <i>saxifraga</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Petroselinum crispum</i> (Mill.) Fuss		?A				+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A
<i>Petroselinum segetum</i> (L.) W.D.J. Koch		?					+	+	+	+		?	+							
<i>Petunia hybrida</i> Vilm.		?A				+A	+A	+A	+A		+A	+A			+A		+A		+A	+A
<i>Peucedanum austriacum</i> (Jacq.) W.D.J. Koch s.l.	?	+	+	+	+	+		+	+	+	+	+	+	+	+		+	+		
<i>Peucedanum austriacum</i> (Jacq.) W.D.J. Koch subsp. <i>austriacum</i>						+		+	+	+	+	+	+	+	+		+	+		
<i>Peucedanum austriacum</i> (Jacq.) W.D.J. Koch subsp. <i>rablense</i> (Wulfen) Celak.	?	+	+	+	+	+														
<i>Peucedanum carvifolium-chabraei</i> (Crantz) Soldano		?	+	+	+	+		?		+			+						+	
<i>Peucedanum cervaria</i> (L.) Lapeyr. ⁽⁶⁶⁶⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Peucedanum coriaceum</i> Rchb.						0														
<i>Peucedanum latifolium</i> (M. Bieb.) DC.		?																		
E <i>Peucedanum nebrodense</i> (Guss.) Strobl																				+
<i>Peucedanum officinale</i> L. subsp. <i>officinale</i>	-	+	+		+	+	+	+	+				+	+	0	+	+	0		
<i>Peucedanum oreoselinum</i> (L.) Moench	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Peucedanum ostruthium</i> (L.) W.D.J. Koch	+	+	+	+	+	+	+	+	+											
<i>Peucedanum palustre</i> (L.) Moench		+	+	+	+	+		+	+			+	0							
<i>Peucedanum schottii</i> Besser ex DC. ⁽⁶⁶⁷⁾		+	+	+	+	+	+	+	+		+	+	+	+	+		+	+		
<i>Peucedanum venetum</i> (Spreng.) W.D.J. Koch	?	+	+	+	+	+	+	+	+	?	?	?	+	+						
<i>Peucedanum verticillare</i> (L.) Mert. & W.D.J. Koch	?	+	+	+	+	+	+	+	+	+	+	?	+		0					
<i>Phacelia tanacetifolia</i> Benth.		+A	+A	+A	+A	+A		+A						+A					+A	
E <i>Phagnalon metlesicsii</i> Pignatti																				+
<i>Phagnalon rupestre</i> (L.) DC. s.l.							+		+			+	+	+	+	+	+	+	+	+
<i>Phagnalon rupestre</i> (L.) DC. subsp. <i>annoticum</i> (Jord. ex Burnat) Pignatti													+	+	?	+		+	+	+
<i>Phagnalon rupestre</i> (L.) DC. subsp. <i>illyricum</i> (H. Lindb.) Ginzb.													+	+	?	+			+	
<i>Phagnalon rupestre</i> (L.) DC. subsp. <i>rupestre</i>							+		+			+			+				+	+
<i>Phagnalon saxatile</i> (L.) Cass.							+		+			+	+		+	+	+	+	+	+
<i>Phagnalon sordidum</i> (L.) Rchb.		+					+		0	+	+	0			0				?	+
<i>Phalaris aquatica</i> L. ⁽⁶⁶⁸⁾						+A	+		+	+	+	+	+	+	0	+	?	+	+	+
<i>Phalaris arundinacea</i> L. subsp. <i>arundinacea</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?			+
<i>Phalaris brachystachys</i> Link					+	+	0	+	+	+	+	+	+	+	+	+	?	+	+	+
<i>Phalaris caerulea</i> Desf.					+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phalaris canariensis</i> L.	+A	+A	-	+A	+	+A	+A	+	+	+A	+	+A	+A	+	+A	+	?	?A	+	+
<i>Phalaris hirtiglumis</i> (Trab.) Baldini ⁽⁶⁶⁹⁾									+											
<i>Phalaris minor</i> Retz.						+A	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Phalaris paradoxa</i> L.					+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phalaris rotesii</i> (Husn.) Litard. ⁽⁶⁷⁰⁾																				+
<i>Phalaris truncata</i> Guss.						+A	0	+	+	+		+			0	+	+	+	+	+
<i>Phedimus spurius</i> (M.Bieb.) 't Hart in 't Hart & Eggl		+A	+A	+A	+A	+A														
<i>Phedimus stellatus</i> (L.) Raf. ⁽⁶⁷¹⁾		0					+		+			+	+	+	+	+	+	+	+	+
<i>Philadelphus coronarius</i> L. ⁽⁶⁷²⁾		+A	+A	+	+A	+A			+		+A	+A	+A							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR	
<i>Phillyrea angustifolia</i> L.					+	+	+	+	+			+	+		+	+	+	+	+	+	
<i>Phillyrea latifolia</i> L.		-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Phleum alpinum</i> L.	+	+	+	+	+	+	+	+	+		-		-	+	+		-	+			
<i>Phleum arenarium</i> L. subsp. <i>caesium</i> H. Scholz ⁽⁶⁷³⁾			+		+	+	0	+	+	+		+	+	+	+	+	+	?	+	+	
<i>Phleum bertolonii</i> DC.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Phleum echinatum</i> Host								0		0			0				+		+		
<i>Phleum exaratum</i> Hochst. ex Griseb. ⁽⁶⁷⁴⁾																+	+				
<i>Phleum hirsutum</i> Honck. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Phleum hirsutum</i> Honck. subsp. <i>ambiguum</i> (Ten.) Tzvelev		+					+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Phleum hirsutum</i> Honck. subsp. <i>hirsutum</i>	+	+	+	+	+	+	+	+	+				?			+	+	+	+	+	
<i>Phleum paniculatum</i> Huds.	0	+	+	+	+	+	+	+	+	+	+	+	+	?	0	+	+	?	+	+	
<i>Phleum phleoides</i> (L.) H. Karst. subsp. <i>phleoides</i>	+	+	+	+	+	+	0	+	+				+		0	+					
<i>Phleum pratense</i> L.	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	+	+	
<i>Phleum rhaeticum</i> (Humphries) Rauschert	+	+	+	+		+				+	+		+				+				
E <i>Phleum sardoum</i> (Hack.) Hack.																				+	
<i>Phleum subulatum</i> (Savi) Asch. & Graebn.		+	+			+	+		+	+	+	+	+	+	+	+	+	+	+	+	
<i>Phlomis fruticosa</i> L.													+	?		+		+	+	+	
<i>Phlomis herba-venti</i> L. s.l.												+	+	+	+	+	+	+	+	+	
<i>Phlomis herba-venti</i> L. subsp. <i>herba-venti</i>												+	+	+	+	+	+	+	+	+	
<i>Phlomis herba-venti</i> L. subsp. <i>pungens</i> (Willd.) Maire													+								
<i>Phlomis lanata</i> Willd. ⁽⁶⁷⁵⁾													+								
E <i>Phlomis tenorei</i> Soldano																+	+	?			
<i>Phoenix canariensis</i> Chabaud													+	A							
<i>Pholius pannonicus</i> (Host) Trin.													0								
<i>Photinia serrulata</i> Lindl.								+	A												
<i>Phragmites australis</i> (Cav.) Trin. ex Steud. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Phragmites australis</i> (Cav.) Trin. ex Steud. subsp. <i>australis</i> ⁽⁶⁷⁶⁾	+	+			+		+				+	+	+						+		
<i>Phragmites australis</i> (Cav.) Trin. ex Steud. subsp. <i>chrysanthus</i> (Mabille) Soják ⁽⁶⁷⁷⁾					+																
<i>Phyla canescens</i> (Kunth) Greene								?	A			+	A	+		+	A			+	
<i>Phyla nodiflora</i> (L.) Greene								+				+	+	A		+	+		+		
<i>Phyllostachys aurea</i> (Carrière) A.Rivière & C.Rivière			+	A																	
<i>Phyllostachys bambusoides</i> Siebold & Zucc.					+	A						+	A								
<i>Phyllostachys edulis</i> (Carrière) Houz.					+	A	+	A													
<i>Phyllostachys nigra</i> (Lodd.) Munro					+	A															
<i>Phyllostachys sulphurea</i> (Carrière) Rivière & C. Rivière			+	A																	
<i>Phyllostachys viridiglaucescens</i> (Carrière) A.Rivière & C.Rivière			+	A																	
<i>Physalis alkekengi</i> L. ⁽⁶⁷⁸⁾	?	+	A	+	+	A	+	+	+	+	+	+	+	+	+	-		+		-	+
<i>Physalis angulata</i> L.												+	A								
<i>Physalis peruviana</i> L.							+	A													
<i>Physalis pubescens</i> L.		+	A		+	A	+	A													
<i>Physocarpus opulifolius</i> (L.) Maxim.		+	A	+	A																
<i>Physoplexis comosa</i> (L.) Schur			+	+	+	+															
<i>Physospermum cornubiense</i> (L.) DC.		+	+				+	+	+		+										
<i>Physospermum verticillatum</i> (Waldst. & Kit.) Vis.												+	0		+	+	+	+	+	+	
<i>Phyteuma betonicifolium</i> Vill.	+	+	+	+	+	-	+														
<i>Phyteuma charmelii</i> Vill.	-	+	+																		
<i>Phyteuma cordatum</i> Balb.		+					+														
<i>Phyteuma globulariifolium</i> Sternb. & Hoppe s.l.	+	+	+	+	+	?	+														
<i>Phyteuma globulariifolium</i> Sternb. & Hoppe subsp. <i>globulariifolium</i>				-	+	+															
<i>Phyteuma globulariifolium</i> Sternb. & Hoppe subsp. <i>pedemontanum</i> (R. Schulz) Becherer	+	+	+																		
<i>Phyteuma hedraianthifolium</i> R. Schulz			+	+																	
<i>Phyteuma hemisphaericum</i> L.	+	+	+	+	+	+	+	+	+	0	?	+	+	+	0						
<i>Phyteuma humile</i> Schleich. ex Gaudin	+	+																			
<i>Phyteuma michelii</i> All.	?	+	+																		
<i>Phyteuma orbiculare</i> L. ⁽⁶⁷⁹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+			
<i>Phyteuma ovatum</i> Honck. s.l.	+	+	+	+	+	+	+	+	+												
<i>Phyteuma ovatum</i> Honck. subsp. <i>ovatum</i>	+	+	+	+	+	+	+														
<i>Phyteuma ovatum</i> Honck. subsp. <i>pseudospicatum</i> Pignatti							+	+	+												

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Plantago arenaria</i> Waldst. & Kit.	+A	+	+	0	+	+	0	+	+	+	+	?	+	+	+	+				+
<i>Plantago argentea</i> Chaix s.l.			+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Plantago argentea</i> Chaix subsp. <i>argentea</i>			+					+			+		+				+			
<i>Plantago argentea</i> Chaix subsp. <i>liburnica</i> Ravnik						+														
<i>Plantago atrata</i> Hoppe s.l.	+	+	+	+	+	+	+	+		+	+	+	+	+	+		+	+		
<i>Plantago atrata</i> Hoppe subsp. <i>atrata</i>	+	+	+	+	+	+	+	+		+	+	+	+	+			+			
<i>Plantago atrata</i> Hoppe subsp. <i>fuscescens</i> (Jord.) Pilg.		+	+	+	+	-	+	+		-	?	+	+	+	-		+	+		
<i>Plantago bellardii</i> All.							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Plantago cornutii</i> Gouan					+	+		+	+	0			0		0					
<i>Plantago coronopus</i> L. subsp. <i>coronopus</i>		?	-		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Plantago crassifolia</i> Forssk.					+	+		+				+	+	+		+	+	+	+	+
<i>Plantago cupanii</i> Guss.																				+
<i>Plantago grovesii</i> Brullo																+				
<i>Plantago holosteum</i> Scop.				+	+	+	+	?	+	+	+	+	+	+	+	+	+	+		
<i>Plantago humilis</i> Guss.													+					+	+	+
<i>Plantago lagopus</i> L.					+		0	-	+	+	+	+	+	+	+	+	+	+	+	+
<i>Plantago lanceolata</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Plantago macrorrhiza</i> Poir.									+	-		+	-		+	+	+	?	+	+
<i>Plantago major</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Plantago major</i> L. subsp. <i>major</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Plantago major</i> L. subsp. <i>pleiosperma</i> Pilg.	+	?	+	+	+	+	+	+	+	-		?	+	+	+		+	+	+	+
<i>Plantago major</i> L. subsp. <i>sinuata</i> (Lam.) Negodi					+				+	-		+	+		+	?	?	+		
<i>Plantago major</i> L. subsp. <i>winteri</i> (Wirtg. ex Geisenh.) W. Ludw.					+															
<i>Plantago maritima</i> L. s.l.	+	+	+	+			+	+	+	+	+	+	?	+	+		+	+		
<i>Plantago maritima</i> L. subsp. <i>maritima</i>								+	+	+	+						?			
<i>Plantago maritima</i> L. subsp. <i>serpentina</i> (All.) Arcang.	+	+	+	+			+	+	+	+	+	+	?	+	+		+	+		
<i>Plantago media</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
E <i>Plantago media</i> L. subsp. <i>brutia</i> (Ten.) Arcang.																	+	+		
<i>Plantago media</i> L. subsp. <i>media</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
E <i>Plantago peloritana</i> Lojac.																				+
<i>Plantago sempervirens</i> Crantz		+	+		+		+	+	+	+	+	+	+	+	0	+	?			
<i>Plantago serraria</i> L.										+			+	+	+	+	+	+	+	+
<i>Plantago subulata</i> L. s.l.							0	+						+		+	+	+	+	+
E <i>Plantago subulata</i> L. subsp. <i>insularis</i> (Gren. & Godr.) Nyman ⁽⁶⁸⁶⁾																				+
<i>Plantago subulata</i> L. subsp. <i>subulata</i>							0	+						+		+	+	+	+	
<i>Plantago virginica</i> L.	+A																			
<i>Plantago weldenii</i> Rchb.							+	+	+			+	+	+	+	+	+	+	+	+
<i>Platanthera algeriensis</i> Batt. & Trab. ⁽⁶⁸⁷⁾													?							+
<i>Platanthera bifolia</i> (L.) Rchb.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Platanthera chlorantha</i> (Custer) Rchb.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Platanus hispanica</i> Mill. ex Münchh.	+A	+A	+A	+A	+A			+A	+A	+A	+A	+A	+A	+A	+A			+A	?	A
<i>Platanus orientalis</i> L.	+A		-							+	+A	+A	+A	+A	+	+		+		
<i>Platycapnos spicatus</i> (L.) Bernh.							0								0			0	+A	
<i>Pleurospermum austriacum</i> (L.) Hoffm.	?	+	+	+	+	+						+	0							
<i>Plumbago europaea</i> L.				+		+			+A	+	+	+	+	+	+	+	+	+	+	+
<i>Poa alpina</i> L. subsp. <i>alpina</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Poa angustifolia</i> L. ⁽⁶⁸⁸⁾	+	+	+	+	+	+	+		+	+		+	+	+						
<i>Poa annua</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Poa badensis</i> Haenke ex Willd.	?	+	+	-		+			+				?							
E <i>Poa balbisii</i> Parl.																				+
<i>Poa bivonae</i> Parl. ex Guss.																			+	
<i>Poa bulbosa</i> L. ⁽⁶⁸⁹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Poa carniolica</i> Hladnik & Graf ex Rchb.						+	-							?						
<i>Poa cenisia</i> All.	+	+	+	+	+	+	-													
<i>Poa chaixi</i> Vill.	+	+	+	+	+		-			+										
<i>Poa compressa</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Poa font-queri</i> Braun-Blanq.		?																		+
<i>Poa glauca</i> Vahl	+	?	+	+	+	+														
<i>Poa hybrida</i> Gaudin		+	?	+	+	+		?	0											
<i>Poa infirma</i> Kunth								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Poa laxa</i> Haenke subsp. <i>laxa</i>	+	+	+	+	+	+	-						+							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Poa minor</i> Gaudin	+	+	+	+	+	+	-													
<i>Poa molinerii</i> Balb.	?	+	+	+	+	+	+	+		-	+	+	+	+	+		+	+		
<i>Poa nemoralis</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Poa nemoralis</i> L. subsp. <i>caesia</i> (Gaudin) E.Banfi		+	+																	
<i>Poa nemoralis</i> L. subsp. <i>nemoralis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Poa palustris</i> L.	?	+	+	+	+	+	+	+					+	?	+					
<i>Poa perconcinna</i> J.R. Edm. ⁽⁶⁹⁰⁾	+	+											?	?						+
<i>Poa perligulata</i> (H. Scholz) H. Scholz ⁽⁶⁹¹⁾									+											
<i>Poa pratensis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Poa pumila</i> Host				-	+	+						+	+							
<i>Poa remota</i> Forselles					+	+														
<i>Poa supina</i> Schrad.	+	+	+	+	+	+	+	+				?	+		+		+			
<i>Poa sylvicola</i> Guss.		?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Poa trivialis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polanisia trachysperma</i> Torr. & A. Gray		?	A	A				A	A	A		A								
<i>Polemonium caeruleum</i> L.	+A		+	+	+															
<i>Polycarpon polycarpoides</i> (Biv.) Zodda subsp. <i>polycarpoides</i>													?					+	+	
<i>Polycarpon tetraphyllum</i> (L.) L. s.l.	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polycarpon tetraphyllum</i> (L.) L. subsp. <i>alsinifolium</i> (Biv.) Ball ⁽⁶⁹²⁾									+	+	?	+	+	+	0	+		+	+	+
<i>Polycarpon tetraphyllum</i> (L.) L. subsp. <i>diphyllum</i> (Cav.) O. Bolòs & Font Quer ⁽⁶⁹³⁾				?		-	+		+	?		+	+	+	+	+	+	+	+	+
<i>Polycarpon tetraphyllum</i> (L.) L. subsp. <i>tetraphyllum</i>		+	+	+		+		+		+	+	+	+	+						
<i>Polycnemum arvense</i> L.	?	+	+	+	+	+	+	+	+	+	+	+	+	+			+		+	+
<i>Polycnemum majus</i> A. Braun	+	+	+	+		+	+	+	?	+	+	+	0							
<i>Polygala alpestris</i> Rchb. ⁽⁶⁹⁴⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Polygala alpina</i> (Poir.) Steud.	+	+	+	+		+						+								
<i>Polygala amara</i> L. subsp. <i>brachyptera</i> (Chodat) Hayek ⁽⁶⁹⁵⁾		?		+	+	+														
<i>Polygala amarella</i> Crantz	+	+	+	+	+	+	0		+	+	?	+	+							
E <i>Polygala apiculata</i> Porta													?		0		+			
<i>Polygala calcarea</i> F.W. Schultz			?																	
E <i>Polygala carueliana</i> (Benn.) Burnat									+											
<i>Polygala chamaebuxus</i> L.	+	+	+	+	+	+	+	+	+	+	?	+	+	+						
<i>Polygala comosa</i> Schkuhr	+	+	+	+	+	+	+													
<i>Polygala exilis</i> DC.		?			+															
E <i>Polygala flavescens</i> DC.						0	+	+	+	+	+	+	+	+	0	+	+			
<i>Polygala major</i> Jacq.		?	+		+		+	+	+	+	+	+	+	+	+	+	+	+		
<i>Polygala monspeliaca</i> L.				?		0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polygala myrtifolia</i> L.							+A		?	A						+A			+A	
<i>Polygala nicaeensis</i> W.D.J. Koch s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+
<i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>carniolica</i> (A. Kern.) P. Graebn.	+	+	+	?	+	+	+													
E <i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>corsica</i> (Boreau) P. Graebn. ⁽⁶⁹⁶⁾							+													
<i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>gariodiana</i> (Jord. & Fourr.) Chodat							+													
<i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>mediterranea</i> Chodat		+	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>nicaeensis</i>		?					+													+
E <i>Polygala pisaurensis</i> Caldesi										+										
E <i>Polygala preslii</i> Spreng.																		+	+	
<i>Polygala rupestris</i> Pourr.							?													
E <i>Polygala sardoa</i> Chodat																				+
<i>Polygala saxatilis</i> Desf.																				+
<i>Polygala serpyllifolia</i> Host	?	+	+	?	+	+	-	+					?							
E <i>Polygala sinisica</i> Arrigoni																				+
<i>Polygala vulgaris</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	?	+
<i>Polygala vulgaris</i> L. subsp. <i>oxyptera</i> (Rchb.) Schübl. & G. Martens ⁽⁶⁹⁷⁾		?	+			+														
<i>Polygala vulgaris</i> L. subsp. <i>vulgaris</i>	+	+	+	+	+	+	+	+		+	+		+							
<i>Polygonatum latifolium</i> (Jacq.) Desf.					+															
<i>Polygonatum multiflorum</i> (L.) All.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Polygonatum odoratum</i> (Mill.) Druce	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Polygonatum verticillatum</i> (L.) All.	+	+	+	+	+	+	+	+	+	+	+	+	+	?						
<i>Polygonum arenarium</i> Waldst. & Kit. subsp. <i>pulchellum</i> (Loisel.) Thell. ⁽⁶⁹⁸⁾													?			+	+			
<i>Polygonum arenastrum</i> Boreau subsp. <i>arenastrum</i>	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+	+
<i>Polygonum aviculare</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polygonum aviculare</i> L. subsp. <i>aviculare</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polygonum aviculare</i> L. subsp. <i>rurivagum</i> (Jord. ex Boreau) Berher	-	?	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Polygonum bellardii</i> All.	+	+			+	+	0		+	+	+	+	+	+	+	+	+		+	+
<i>Polygonum equisetiforme</i> Sm.												-				+				
E <i>Polygonum gussonei</i> Tod.															0			?	+	
<i>Polygonum maritimum</i> L.					+	+	+		+	+		+	+			+	+	+	+	+
<i>Polygonum robertii</i> Loisel.					+	+	+		+										+	+
<i>Polygonum romanum</i> Jacq.									+		?	+	+	+	+	+	?	0		+
E <i>Polygonum scoparium</i> Loisel. ⁽⁶⁹⁹⁾																				+
E <i>Polygonum tenorei</i> C. Presl																	+	+	?	
<i>Polypogon maritimus</i> Willd.							0		+			+	+		+	+	+	+	+	+
<i>Polypogon monspeliensis</i> (L.) Desf.		?	-	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Polypogon subspatheus</i> Req.									+			+				+			+	+
<i>Polypogon viridis</i> (Gouan) Breistr.	?	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pontederia cordata</i> L.																				
<i>Populus alba</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Populus canadensis</i> Moench		+A	+A	+A		+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	
<i>Populus canescens</i> (Aiton) Sm.	+	+	+	?	+	+		+	+	+	+	+	0	+	0				+	
<i>Populus deltoides</i> Marshall							+A		+A	+A									+A	
<i>Populus nigra</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Populus tremula</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Portulaca grandiflora</i> Hook.		+A						+A			+A								+A	+A
<i>Portulaca granulato-stellulata</i> (Poelln.) Ricceri & Arrigoni	+		+		+	+	+	+				+								+
<i>Portulaca macrantha</i> (Maire) Ricceri & Arrigoni			+		+		+	+				+				+			+	+
<i>Portulaca nitida</i> (Danin & H. & G. Baker) Ricceri & Arrigoni	+		+		+	+		+												+
<i>Portulaca oleracea</i> L. s.l.	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Portulaca oleracea</i> L. subsp. <i>oleracea</i>	+	+	+	+	+			+	+	+	+	+	+	+	+		+		+	+
<i>Portulaca oleracea</i> L. subsp. <i>sativa</i> (Haw.) Celak.								+A											+A	
<i>Portulaca stellata</i> (Danin & H. & G. Baker) Ricceri & Arrigoni									+			+							+	
<i>Posidonia oceanica</i> (L.) Delile						+	+		+	+		+	+		+	+	+	+	+	+
<i>Potamogeton acutifolius</i> Link		?	+	0	+	+	0	+	0		?	?								
<i>Potamogeton alpinus</i> Balb.	+		+	+	+	+														
<i>Potamogeton bertholdii</i> Fieber	+	+	+	+	+	+		+				?	+	+						
<i>Potamogeton coloratus</i> Hornem. ⁽⁷⁰⁰⁾	+			0	+	+	0	-	+						0	+	+		?	+
<i>Potamogeton compressus</i> L.			-	+											0					
<i>Potamogeton crispus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+
<i>Potamogeton filiformis</i> Pers.	+	?		+	+	+										0			+	
<i>Potamogeton friesii</i> Rupr.			+		+	+		+												
<i>Potamogeton gramineus</i> L.	+	+	+	+	+	+		+			+	+							+	
<i>Potamogeton lucens</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+		+	+
<i>Potamogeton natans</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Potamogeton nodosus</i> Poir.		+	+	+	+	+		+	+	+	?	+			+				+	
<i>Potamogeton obtusifolius</i> Mert. & W.D.J. Koch			+	0																
<i>Potamogeton pectinatus</i> L.	+	+	+	+	+	+	0	+	+	+	+	+	+	?	+	+	+	+	+	+
<i>Potamogeton perfoliatus</i> L.		+	+	+	+	+	0	+	+		+	+	+						+	
<i>Potamogeton polygonifolius</i> Pourr.				?	+	+	-	+		?	+	+	+					+	+	+
<i>Potamogeton praelongus</i> Wulfen				+																
<i>Potamogeton pusillus</i> L.	-	+	+	+	+	+	+	+	+	0	+	+	+	+	0			+	+	+
<i>Potamogeton trichoides</i> Cham. & Schltdl.		+	+	?	+	+		+	+			+	+				?	-	+	+
<i>Potentilla alba</i> L.	+	+	+	+	+	+	+	?	+											
<i>Potentilla alpicola</i> De la Soie ex Fauc.			+	+	?															
<i>Potentilla anglica</i> Laichard.									+											
<i>Potentilla anserina</i> L. subsp. <i>anserina</i>	+	+	+	+	+	+		+				?			0					
<i>Potentilla apennina</i> Ten. subsp. <i>apennina</i>										+	+	+	+	+						

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Potentilla argentea</i> L.	+	+	+	+	+	+	+	+	+	0		?	+		+	+			+	
<i>Potentilla aurea</i> L. subsp. <i>aurea</i>	+	+	+	+	+	+	+	+	+			?	?							
<i>Potentilla brauneana</i> Hoppe	+	+	+	+	+	+	+		+			+	+	+						
<i>Potentilla calabra</i> Ten.													?		+		+	+	+	
<i>Potentilla caulescens</i> L. ⁽⁷⁰¹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Potentilla cinerea</i> Chaix ex Vill.	+	+		+	+	-			+	-		-	?							
<i>Potentilla clusiana</i> Jacq.					?															
<i>Potentilla collina</i> Wibel ⁽⁷⁰²⁾		?		-	+			?					+							
<i>Potentilla crantzii</i> (Crantz) Beck ex Fritsch subsp. <i>crantzii</i> ⁽⁷⁰³⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
E <i>Potentilla crassinervia</i> Viv. ⁽⁷⁰⁴⁾																				+
<i>Potentilla detommasii</i> Ten.									+	+	+	+	+		+	+	+	+	+	
<i>Potentilla erecta</i> (L.) Raesch.	+	+	+	+	+	+	+	+	+	+	+	+	+		0	+	?	+	+	+
<i>Potentilla frigida</i> Vill.	+	+	+	+																
<i>Potentilla grammopetala</i> Moretti	+	+	+																	
<i>Potentilla grandiflora</i> L.	+	+	+	+	+		+													
<i>Potentilla heptaphylla</i> L. ⁽⁷⁰⁵⁾		+	+	?	+	+		?					?							
<i>Potentilla hirta</i> L. ⁽⁷⁰⁶⁾	?	+	+	-	+	+	+	+	+	+	?	+	+	+	+	+	?	+	+	+
<i>Potentilla incana</i> P. Gaertn., B. Mey. & Scherb.					+	+				+	+	+	+							
<i>Potentilla inclinata</i> Vill.		+	+	+	+	+	+	+	+	0	?	?	+							+
<i>Potentilla indica</i> (Jacks.) Th. Wolf		+A	+A	+A	+A	+A		+A	?A	+A										
<i>Potentilla intermedia</i> L.			+A	+A																
E? <i>Potentilla johanniniana</i> Goiran			+	?	?															
<i>Potentilla leucopolitana</i> P.J. Müll.			+			+A														
<i>Potentilla micrantha</i> Ramond ex DC.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Potentilla multifida</i> L.	+	?		+																
<i>Potentilla neglecta</i> Baumg.				+																
<i>Potentilla nitida</i> L.			+	+	+	+			0				+							
<i>Potentilla nivea</i> L. subsp. <i>nivea</i>	+	+	+	+	+				0											
<i>Potentilla norvegica</i> L.		+A		+A	+A	+A														
<i>Potentilla palustris</i> (L.) Scop.	+	+	+	+	+	+							0							
<i>Potentilla pensylvanica</i> L. ⁽⁷⁰⁷⁾	+	?																		
<i>Potentilla pusilla</i> Host	+	+	+	+	+	+		+												
<i>Potentilla recta</i> L. s.l. ⁽⁷⁰⁸⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Potentilla recta</i> L. subsp. <i>obscura</i> (Willd.) Ces.					?		?										?			
<i>Potentilla recta</i> L. subsp. <i>recta</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Potentilla reptans</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Potentilla rigoana</i> Th. Wolf										+	+	+	+	+	+		+	+		
<i>Potentilla rupestris</i> L. s.l.	+	+	+	+	+	+	+	+	+											+
E <i>Potentilla rupestris</i> L. subsp. <i>corsica</i> (Soleirol ex Lehm.) Rouy & E.G. Camus ⁽⁷⁰⁹⁾																				+
<i>Potentilla rupestris</i> L. subsp. <i>rupestris</i>	+	+	+	+	+	+	+	+	+											
<i>Potentilla saxifraga</i> Ardoino ex De Not.							0													
<i>Potentilla sterilis</i> (L.) Garcke		+	+				+	+												
<i>Potentilla supina</i> L. subsp. <i>supina</i>		+	+	+	+	+A		0				+	0							
<i>Potentilla tabernaemontani</i> Asch.	+	+	+	+	+	-	+	+	+		?	?	-	?	?	?	-	?		
<i>Potentilla thuringiaca</i> Bernh.	+	+	+		+					?			+							
<i>Potentilla thyrsiflora</i> Zimmer ⁽⁷¹⁰⁾																				
<i>Potentilla tommasiniana</i> F.W. Schultz					+	+														
<i>Potentilla valderia</i> L.		+					+													
<i>Potentilla zimmeri</i> Borbás						+														
<i>Prasium majus</i> L.									+			+		?	+	+	+	+	+	+
<i>Prenanthes purpurea</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-		
E <i>Primula albenensis</i> Banfi & Ferlinghetti			+																	
<i>Primula allionii</i> Loisel.		+					-													
E <i>Primula apennina</i> Widmer								+	+											
<i>Primula auricula</i> L. subsp. <i>ciliata</i> (Moretti) Lüdi ⁽⁷¹¹⁾		+	+	+	+	+	-	+	+	+	+	+	+	+	+					
<i>Primula cottia</i> Widmer	-	+																		
<i>Primula daonensis</i> (Leyb.) Leyb.			+	+																
<i>Primula elatior</i> (L.) Hill s.l.		+	+	+	+	+	+	+	+	-	?	+	+							
<i>Primula elatior</i> (L.) Hill subsp. <i>elatior</i>		+	+	+	+	+	+													
<i>Primula elatior</i> (L.) Hill subsp. <i>intricata</i> (Gren. & Godr.) Arcang.		+	+	+	+					-	?	+	+							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Primula farinosa</i> L. ⁽⁷¹²⁾	+	+	+	+	+	+	+													
E <i>Primula glaucescens</i> Moretti			+	+																
<i>Primula glutinosa</i> Wulfen			+	+	+															
<i>Primula halleri</i> J.F. Gmel.	?	+	+	+	+	+														
<i>Primula hirsuta</i> All.	+	+	+	+																
<i>Primula integrifolia</i> L.		+	+																	
<i>Primula latifolia</i> Lapeyr. subsp. <i>graveolens</i> (Hegetschw.) Rouy ⁽⁷¹³⁾	+	+	+																	
<i>Primula marginata</i> Curtis		+					+	+												
<i>Primula minima</i> L.			+	+	+	+														
E <i>Primula palinuri</i> Petagna															+		+	+		
<i>Primula pedemontana</i> Thomas ex Gaudin	+	+					-													
E <i>Primula recubariensis</i> Prosser & Scorteg.				+	+															
E <i>Primula spectabilis</i> Tratt.			+	+																
E <i>Primula tyrolensis</i> Schott				+	+	+														
<i>Primula veris</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+		+					
<i>Primula veris</i> L. subsp. <i>suaveolens</i> (Bertol.) Gutermann & Ehrend.	+	+	+			+	+	+		+	+		+							
<i>Primula veris</i> L. subsp. <i>veris</i>	+	+	+	+	+	+														
<i>Primula villosa</i> Wulfen subsp. <i>infecta</i> Kress	+	+																		
<i>Primula vulgaris</i> Huds. subsp. <i>vulgaris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Primula wulfeniana</i> Schott subsp. <i>wulfeniana</i>					+	+														
<i>Prospero autumnale</i> (L.) Speta subsp. <i>autumnale</i>		?	+	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Prospero elisae</i> Speta						+														
<i>Prospero obtusifolia</i> (Poir.) Speta subsp. <i>intermedia</i> (Guss.) Soldano & F. Conti																			+	+
<i>Prunella grandiflora</i> (L.) Scholler	+	+	+	+	+	+	+	+												
<i>Prunella hyssopifolia</i> L.							+													
<i>Prunella laciniata</i> (L.) L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Prunella vulgaris</i> L. subsp. <i>vulgaris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Prunus armeniaca</i> L.		?A						+A	+A		+A			+A	+A		+A			+A
<i>Prunus avium</i> L. subsp. <i>avium</i>	+	+	+	+	+	+	+	+	+	+	+A	+A	+	+	+	+	+	+	+A	+
<i>Prunus brigantina</i> Vill.	+						?													
<i>Prunus cerasifera</i> Ehrh.		?A	+A	+A	+A	+A		+A	+A	+A		+A	+A	+A				+A		
<i>Prunus cerasus</i> L.		+A			+A	+A		+A	+A	+A	+A	+A	+A	+A	+A		+A		+A	+A
<i>Prunus cocomilia</i> Ten.															0		+	+	+	+A
<i>Prunus cupaniana</i> Guss.																			+	
<i>Prunus domestica</i> L. s.l.		+A	+A	+A	+A	+A		+A	+A	+A	+A	+A	+A	+A	+A		+A	+A	+A	+A
<i>Prunus domestica</i> L. subsp. <i>domestica</i>		+A		+A	+A	+A		+A		+A	+A	+A	+A				+A	+A	+A	+A
<i>Prunus domestica</i> L. subsp. <i>insititia</i> (L.) Bonnier & Layens			+A	+A	+A	+A		+A	+A	+A	+A	+A	+A		+A		+A		+A	
<i>Prunus dulcis</i> (Mill.) D.A. Webb	+A	+A			+A		+A	+A	+A	+A	+A	+A	+A	+A	+A		+A		+A	+A
<i>Prunus fruticosa</i> Pall.				-	+															
<i>Prunus laurocerasus</i> L.		+A			+A			+A		+A	+A									+A
<i>Prunus mahaleb</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Prunus padus</i> L. s.l.	+	+	+	+	+	+	?		+											
<i>Prunus padus</i> L. subsp. <i>padus</i>	?	+	+		+	+														
<i>Prunus padus</i> L. subsp. <i>petraea</i> (Tausch) Domin	+	+		+																
<i>Prunus persica</i> (L.) Batsch		+A		+A		+A		+A	+A	+A	+A	+A	+A	+A	+A		+A			+A
<i>Prunus prostrata</i> Labill.																		+		+
<i>Prunus serotina</i> Ehrh.		+A	+A	+A		+A														
<i>Prunus spinosa</i> L. subsp. <i>spinosa</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Prunus webbii</i> (Spach) Vierh.																+				+
<i>Psathyrostachys juncea</i> (Fisch.) Nevski					+A															
<i>Pseudofumaria alba</i> (Mill.) Lidén subsp. <i>alba</i>				+		+			+	?	+	+	+	+	0		+			
<i>Pseudofumaria lutea</i> (L.) Borkh.	-	+	+	+	+	+A														
<i>Pseudognaphalium undulatum</i> (L.) Hilliard & B.L. Burt															+A					
<i>Pseudolysimachion barrelieri</i> (Schott ex Roem. & Schult.) Holub s.l.			+	+	+	+		+	+	+	+	+	+	+	+					
<i>Pseudolysimachion barrelieri</i> (Schott ex Roem. & Schult.) Holub subsp. <i>barrelieri</i>			+		+	+		+	+		+	+	+	+	+					
<i>Pseudolysimachion barrelieri</i> (Schott ex Roem. & Schult.) Holub subsp. <i>nitens</i> (Host) M.A. Fisch.				+	+	+		+	+			+								
<i>Pseudolysimachion maritimum</i> (L.) Á. & D. Löve ⁽⁷¹⁴⁾		+A	+A		+A	?A														

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Pseudolysimachion orchideum</i> (Crantz) Wraber		?																		
<i>Pseudolysimachion spicatum</i> (L.) Opiz s.l.	+	+	+	+	+		+	+		+	+		+							
<i>Pseudolysimachion spicatum</i> (L.) Opiz subsp. <i>fischeri</i> Travn.		?	+	+	+					+	+		+							
<i>Pseudolysimachion spicatum</i> (L.) Opiz subsp. <i>spicatum</i>	+	+	+	+			+	+		+										
<i>Pseudorchis albida</i> (L.) A. & D. Love ⁽⁷¹⁵⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Pseudorhiza minuscula</i> (Pau) M. Lainz																				+
<i>Pseudorhiza pumila</i> (L.) Grande							0	+	+			+	+	+	+	+	+	+	+	+
<i>Pseudosasa japonica</i> (Steud.) Makino ex Nakai				+	A															
E <i>Pseudoscabiosa limonifolia</i> (Vahl) Devesa																			+	
<i>Psilathera ovata</i> (Hoppe) Deyl ⁽⁷¹⁶⁾	+		+	+	+	+														
<i>Psilurus incurvus</i> (Gouan) Schinz & Thell.		+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pterocephalus plumosus</i> (L.) Coult.									+	A										
<i>Ptilostemon casabonae</i> (L.) Greuter									+											+
<i>Ptilostemon gnaphaloides</i> (Cirillo) Soják									+										+	
E <i>Ptilostemon niveus</i> (C. Presl) Greuter													-				+	+	+	
<i>Ptilostemon stellatus</i> (L.) Greuter															+		+	+	+	
<i>Ptilostemon strictus</i> (Ten.) Greuter										+	+	+	+	+	+	+	+	+		
E <i>Ptilotrichum rupestre</i> (Ten.) Boiss. subsp. <i>rupestre</i>													+							
E <i>Ptychotis sardoa</i> Pignatti & Metlesics																				+
<i>Ptychotis saxifraga</i> (L.) Loret & Barrandon	?	+	+	+	+		+					+								+
<i>Puccinellia convoluta</i> (Hornem.) Hayek									+			+	+	+		+	+	+	+	+
<i>Puccinellia distans</i> (Jacq.) Parl.	+	+	+	+	+	+		+	+	+					0					
<i>Puccinellia fasciculata</i> (Torr.) E.P. Bicknell ⁽⁷¹⁷⁾					+	+	0	+	+	+		-	+						+	+
<i>Puccinellia festuciformis</i> (Host) Parl. ⁽⁷¹⁸⁾					+	+		+	+	0		+	0	+						+
E <i>Puccinellia gussonei</i> Parl.																				
<i>Pueraria lobata</i> (Willd.) Ohwi			+	A	+	A														
<i>Pulicaria dysenterica</i> (L.) Bernh.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pulicaria odora</i> (L.) Rchb.		?					+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pulicaria sicula</i> (L.) Moris			0				+	+	?		+	0		+	+	+	+	?	+	+
<i>Pulicaria vulgaris</i> Gaertn.	?	+	+	0	+	+	+	+	?	+	+	+	?	+	+	+			+	+
<i>Pulmonaria angustifolia</i> L.		+	+		+															
E <i>Pulmonaria apennina</i> Cristof. & Puppi		?					+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Pulmonaria australis</i> (Murr) W. Sauer	+	+	+	+	+	+	+													
<i>Pulmonaria officinalis</i> L.	?	+	+	+	+	+	+	+				?								
<i>Pulmonaria picta</i> Rouy		+					+	+	+	+		+	+							
<i>Pulmonaria stiriaca</i> A. Kern							?													
E <i>Pulmonaria vallisarsae</i> A. Kern.			+	+	+	?			-				-	-	-		-			
<i>Pulsatilla alpina</i> (L.) Delarbre s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-		+		
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>alpina</i>	?	?	-		+	+														
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>apiifolia</i> (Scop.) Nyma	+	+	+	+	+	+	+													
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>austriaca</i> Aichele & Schwegler				+	+	+														
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>austroalpina</i> D.M. Moser			+		+	+														
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>cottianaea</i> (Beauverd) D.M. Moser		?																		
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>millefoliata</i> (Bertol.) D.M. Moser	+	?					+	+	+	+	+	+	+	+	-			+		
<i>Pulsatilla halleri</i> (All.) Willd. subsp. <i>halleri</i>	+	+	-				-													
<i>Pulsatilla montana</i> (Hoppe) Rchb. subsp. <i>montana</i>	+	+	+	+	+	+	-		+			?	+							
<i>Pulsatilla vernalis</i> (L.) Mill.	+	+	+	+	+	+														
<i>Punica granatum</i> L.		+	A			+	A	+	A	+	A	+	A	+	+	+	+	+	+	+
<i>Putoria calabrica</i> (L. f.) Pers.																	+	+	+	
<i>Pycnocomon rutifolium</i> (Vahl) Hoffmanns. & Link									+			+			+				+	+
<i>Pyraechanthus coccinea</i> M. Roem.		?	A	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Pyrola chlorantha</i> Sw.	+	+	+	+	+	+	+	+				+								
<i>Pyrola media</i> Sw.	+	+	+	+	+	+	+	+	+	+										
<i>Pyrola minor</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+				+	
<i>Pyrola rotundifolia</i> L. subsp. <i>rotundifolia</i> ⁽¹⁰⁴⁾	+	+	+	+	+	+	+	+	+			+		?						
<i>Pyrus communis</i> L.		?	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+
<i>Pyrus cordata</i> Desv. ⁽⁷¹⁹⁾									+			+								

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Pyrus nivalis</i> Jacq.			?																	
<i>Pyrus spinosa</i> Forssk. ⁽⁷²⁰⁾						+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Quercus cerris</i> L.		+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Quercus coccifera</i> L. ⁽⁷²¹⁾							?									+	+		+	+
<i>Quercus congesta</i> C. Presl ⁽⁷²²⁾															?			+	+	+
<i>Quercus crenata</i> Lam. ⁽⁷²³⁾		+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Quercus dalechampii</i> Ten. ⁽⁷²⁴⁾		?	+	?	+	-			+	+	+	+	+		+	+	+	+	+	+
<i>Quercus frainetto</i> Ten.									+		+	+	+	+	+	+	+	+		
E <i>Quercus ichnusae</i> Mossa, Bacch. & Brullo ⁽⁷²⁵⁾																				+
<i>Quercus ilex</i> L. subsp. <i>ilex</i> ⁽⁷²⁶⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Quercus ithaburensis</i> Decne. subsp. <i>macrolepis</i> (Kotschy) Hedge & Yalt.																+	+	0		
<i>Quercus petraea</i> (Matt.) Liebl. subsp. <i>petraea</i> ⁽⁷²⁷⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Quercus pubescens</i> Willd. subsp. <i>pubescens</i> ⁽⁷²⁸⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Quercus pyrenaica</i> Willd.		?																		0
<i>Quercus robur</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-
<i>Quercus robur</i> L. subsp. <i>brutia</i> (Ten.) O. Schwarz															+			+		
<i>Quercus robur</i> L. subsp. <i>robur</i>		+	+	+	+	+	+	+	+	+	+	+	+	+			+	?		
<i>Quercus rubra</i> L.		+A	+A		+A	+A			+A						+A					
<i>Quercus suber</i> L. ⁽⁷²⁹⁾							+		+		+A	+			+A	+		+	+	+
<i>Quercus trojana</i> Webb subsp. <i>trojana</i>																+	+			
<i>Radiola linoides</i> Roth		+	0				+	+	+		+	+						+	+	+
<i>Ranunculus aconitifolius</i> L.		+	+	+	+	+	+	+	+	?			?							
<i>Ranunculus acris</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus acris</i> L. subsp. <i>acris</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus acris</i> L. subsp. <i>friesianus</i> (Jord.) Syme		+	+	?	+	+							+							
<i>Ranunculus aduncus</i> Gren. & Godr.		+					+								+					
<i>Ranunculus alpestris</i> L.		+	+	+	+	+	+	-		+										
E <i>Ranunculus angulatus</i> C. Presl ⁽⁷³⁰⁾																				+
E <i>Ranunculus apenninus</i> (Chiov.) Pignatti ⁽⁷³¹⁾		?	+				+	+	+	+	+	+	+	+	+		+	?		
<i>Ranunculus aquatilis</i> L.		+	+	+	0	+	+	0	?	+	?	+	+		+	+	?	0	+	+
<i>Ranunculus arvensis</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus asiaticus</i> L.																+				
<i>Ranunculus auricomus</i> L. ⁽⁷³²⁾		+	+	+	+	+	+	0	+	+	+		+	+				+		
<i>Ranunculus batrachoides</i> Pomel																				+
E <i>Ranunculus bilobus</i> Bertol.			+	+	-															
<i>Ranunculus brevifolius</i> Ten.										+	+	+	+	+						
<i>Ranunculus breyninus</i> Crantz		+	+	+	+		+	+	+	+	+	+	+	?						
<i>Ranunculus brutius</i> Ten.															+		+	+		
<i>Ranunculus bulbosus</i> L. ⁽⁷³³⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus bullatus</i> L.									+							+	+	+	+	+
<i>Ranunculus carinthiacus</i> Hoppe		-	?	+	+	+	+									+	+	+	+	+
<i>Ranunculus chius</i> DC.						+		?	+				+		+	+		+		+
<i>Ranunculus circinatus</i> Sibth.		+	+	+	?	+		+					?			+			0	
<i>Ranunculus cordiger</i> Viv. s.l.																				+
E <i>Ranunculus cordiger</i> Viv. subsp. <i>cordiger</i> ⁽⁷³⁴⁾																				+
E <i>Ranunculus cordiger</i> Viv. subsp. <i>diffusus</i> (Moris) Arrigoni ⁽⁷³⁵⁾																				+
E <i>Ranunculus cymbalariaefolius</i> Moris																				+
<i>Ranunculus ficaria</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus ficaria</i> L. subsp. <i>calthifolius</i> (Rchb.) Arcang.		?			+	+			+	?			+		+		+			
<i>Ranunculus ficaria</i> L. subsp. <i>ficaria</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+			+	+	+
<i>Ranunculus ficaria</i> L. subsp. <i>ficariformis</i> (F.W. Schultz) Rouy & Foucaud		?				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus flammula</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	0			+	+	+
<i>Ranunculus fluitans</i> Lam.		+	+	-	+	0						?	?							+
<i>Ranunculus fontanus</i> C. Presl															?		0	+	?	
<i>Ranunculus garganicus</i> Ten. ⁽⁷³⁶⁾							+		+		+	+	+	?	+	+	+		?	
<i>Ranunculus glacialis</i> L.		+	+	+	+	+	?													
<i>Ranunculus gracilis</i> E.D. Clarke		?						?											?	
<i>Ranunculus gramineus</i> L.			+				+		+	+	+	+	+	?	0					+
<i>Ranunculus hybridus</i> Biria				+	+	+	+													
<i>Ranunculus illvricus</i> L.						+				+	+	+	+	+	+	+	+	+		

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOI	CAM	PUG	BAS	CAL	SIC	SAR
<i>Ranunculus isthmicus</i> Boiss.																			?	
<i>Ranunculus kuepferi</i> Greuter & Burdet s.l.	+	+	+	+	+		+	+												
<i>Ranunculus kuepferi</i> Greuter & Burdet subsp. <i>kuepferi</i>			+					+												
<i>Ranunculus kuepferi</i> Greuter & Burdet subsp. <i>orientalis</i> W. Huber				+																
<i>Ranunculus lanuginosus</i> L.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus lateriflorus</i> DC.	?											+	+						+	
<i>Ranunculus lingua</i> L.		+	+	+	?	+	-	0	+		+	+	0	+	0		+		?	?
<i>Ranunculus macrophyllus</i> Desf.								+						?					?	?
E <i>Ranunculus magellensis</i> Ten.									?		+	+	+							
<i>Ranunculus marginatus</i> d'Urv.						0													+	+
<i>Ranunculus millefoliatus</i> Vahl							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus monspeliacus</i> L. s.l.	0	-							+	+		+	+	+	+	+	+	+	+	+
E <i>Ranunculus monspeliacus</i> L. subsp. <i>aspromontanus</i> (Huter) Peruzzi & N.G. Passal. ⁽⁷³⁷⁾										+	+		+		+	+	+	+	+	+
<i>Ranunculus monspeliacus</i> L. subsp. <i>monspeliacus</i>									+	+		+			+	+	+	+	+	+
<i>Ranunculus monspeliacus</i> L. subsp. <i>saxatilis</i> (Balb.) Nyman ⁽⁷³⁸⁾	0																	-	-	
<i>Ranunculus montanus</i> Willd.	+	+	+	+	+	+			+	-										
<i>Ranunculus muricatus</i> L.		?	0		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus neapolitanus</i> Ten.			+		+	+	+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus omiophyllus</i> Ten.															+		+	+	+	
<i>Ranunculus ophioglossifolius</i> Vill.					+	+	0	?	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus paludosus</i> Poir. ⁽¹⁰²⁾							+		+		+	+	+	+	+	+	+	+	+	+
<i>Ranunculus parnassifolius</i> L. subsp. <i>heterocarpus</i> Küpfer		+	+	+	+	+														
<i>Ranunculus parviflorus</i> L.		+	+	+	+	+	+	+	+	+	+	+		+	+	+			+	+
<i>Ranunculus peltatus</i> Schrank s.l.					+	+		+	+	+		+		?	+			+	+	+
<i>Ranunculus peltatus</i> Schrank subsp. <i>baudotii</i> (Godr.) C.D.K. Cook					+	0		+	+	+		+		?	+			+	+	+
<i>Ranunculus peltatus</i> Schrank subsp. <i>fucoides</i> (Freyn) Muñoz Garm.						+										+			+	+
<i>Ranunculus peltatus</i> Schrank subsp. <i>peltatus</i>						+					+								+	+
<i>Ranunculus penicillatus</i> (Dumort.) Bab. s.l.		?	+	+	+														+	+
<i>Ranunculus penicillatus</i> (Dumort.) Bab. subsp. <i>penicillatus</i>		?	+	+															+	+
<i>Ranunculus penicillatus</i> (Dumort.) Bab. subsp. <i>pseudofluitans</i> (Syme) S.D. Webster					+															
<i>Ranunculus platanifolius</i> L.	+	+	+	+	+	+	+	+	+	?		+	+							+
E <i>Ranunculus pollinensis</i> (N. Terracc.) Chiov. ⁽⁷³⁹⁾									+	?	+	+	+	+	+		+	+		
<i>Ranunculus polyanthemus</i> L. s.l.												+	+			0	+	+		
<i>Ranunculus polyanthemus</i> L. subsp. <i>polyanthemoides</i> (Boreau) Ahlfv.												-	+							
E <i>Ranunculus polyanthemus</i> L. subsp. <i>thomasii</i> (Ten.) Tutin												+	+			0	+	+		
E? <i>Ranunculus pratensis</i> C. Presl																			+	+
<i>Ranunculus pygmaeus</i> Wahlenb.				+																
<i>Ranunculus repens</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus reptans</i> L.	+	+	+	+	+		+	?												
E <i>Ranunculus revelierei</i> Boreau																				+
<i>Ranunculus rionii</i> Lagger				+	+															
<i>Ranunculus sardous</i> Crantz s.l.	?	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ranunculus sardous</i> Crantz subsp. <i>sardous</i> ⁽⁷⁴⁰⁾						?		+			+	+								
<i>Ranunculus sardous</i> Crantz subsp. <i>subdichotomicus</i> Gerbault ⁽⁷⁴¹⁾						+														
<i>Ranunculus sceleratus</i> L.		+	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+	+	+
<i>Ranunculus seguierii</i> Vill. subsp. <i>seguierii</i> ⁽⁷⁴²⁾		+	+	+	+	+	+			+	+	+								
<i>Ranunculus serbicus</i> Vis.																			+	
<i>Ranunculus serpens</i> Schrank s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Ranunculus serpens</i> Schrank subsp. <i>nemorosus</i> (DC.) G. López	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Ranunculus serpens</i> Schrank subsp. <i>polyanthemophyllus</i> (W. Koch & H.E. Hess) Kerguélen	+	?	+	+	+	+	+			+	?	+								
<i>Ranunculus serpens</i> Schrank subsp. <i>serpens</i>		?	+	?			?	?	?											
<i>Ranunculus spicatus</i> Desf. subsp. <i>rupestris</i> (Guss.) Maire ⁽⁷⁴³⁾																		-	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>aschersonianus</i> (M. Schulze) Hartl																				
<i>Rhinanthus angustifolius</i> C.C. Gmel. subsp. <i>angustifolius</i>		+	+	-	+	-		+	+											
<i>Rhinanthus antiquus</i> (Sterneck) Schinz & Thell.			+																	
E <i>Rhinanthus apuanus</i> Soldano ⁽⁷⁴⁷⁾								+	+											
<i>Rhinanthus burnatii</i> (Chabert) Soó		+				+	-													
E <i>Rhinanthus facchinii</i> Chabert			+	+	+	+														
<i>Rhinanthus freynii</i> (Sterneck) Fiori				+	+	+														
<i>Rhinanthus glacialis</i> Personnat subsp. <i>glacialis</i>	+	+	+	+	+	+							+							
<i>Rhinanthus helenae</i> Chabert					+															
<i>Rhinanthus minor</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Rhinanthus ovifugus</i> Chabert	+	+	+				+	+	+					+						
<i>Rhinanthus pampaninii</i> Chabert s.l.					+	+														
E <i>Rhinanthus pampaninii</i> Chabert subsp. <i>pampaninii</i>						+														
<i>Rhinanthus pampaninii</i> Chabert subsp. <i>simplex</i> Zirnich & Cohrs						+														
<i>Rhinanthus pumilus</i> (Sterneck) Pau		+					+	+	+											
<i>Rhinanthus songeonii</i> Chabert			+	+																
E <i>Rhinanthus wettsteinii</i> (Sterneck) Soó										+	+	+	+	+	+		+			
E <i>Rhizobotrya alpina</i> Tausch				+	+															
<i>Rhodalsine geniculata</i> (Poir.) F.N. Williams															+	+			+	+
<i>Rhodiola rosea</i> L.	+	+	+	+	+	+	+													
<i>Rhododendron ferrugineum</i> L. ⁽⁷⁴⁸⁾	+	+	+	+	+	+	+	+	+											
<i>Rhododendron hirsutum</i> L. ⁽⁷⁴⁹⁾		?	+	+	+	+														
<i>Rhodothamnus chamaecistus</i> (L.) Rchb.			+	+	+	+														
<i>Rhus coriaria</i> L.		?A			+	+	+	+		+	+	+	+	+	+	+	+	+	+	+
<i>Rhus pentaphylla</i> (Jacq.) Desf.																				+
<i>Rhus tripartita</i> (Ucria) Grande																				+
<i>Rhus typhina</i> L.		+A		+	+	+	+	+	+	+							+A			+A
<i>Rhynchospora elephas</i> (L.) Griseb.														+	+		?	+	+	
<i>Rhynchospora alba</i> (L.) Vahl		+	+	+	+	+	+		+			?								
<i>Rhynchospora fusca</i> (L.) W.T. Aiton		+	+	+		+			+						0					
<i>Ribes alpinum</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Ribes aureum</i> Pursh						?A														
<i>Ribes multiflorum</i> Kit. ex Roem. & Schult. s.l.									+	+	+	+	+	+		+	+	+		+
<i>Ribes multiflorum</i> Kit. ex Roem. & Schult. subsp. <i>multiflorum</i>									+	+	+		+			+	+	+		
E <i>Ribes multiflorum</i> Kit. ex Roem. & Schult. subsp. <i>sandalioticum</i> Arrigoni																				+
<i>Ribes nigrum</i> L.	-	-		+A	+															
<i>Ribes petraeum</i> Wulfen	+	+	+	+	+	+	+	?				-	?							
<i>Ribes rubrum</i> L.	-	?A	+	+A	+	+A	-	+	+		?A	?	+	?A			?			
E <i>Ribes sardoum</i> Martelli																				+
<i>Ribes uva-crispa</i> L.	+	+	+	+	+	+A	+	+	+	+	+	+	+	+			?			
<i>Ricinus communis</i> L.						+A	+A		+A			+A	+A	+A	+A	+A		+A	+A	+A
<i>Ridolfia segetum</i> (L.) Moris			0		0	0		+	+			+	+	+	+	+	+	+	+	+
E <i>Robertia taraxacoides</i> (Loisel.) DC. ⁽⁷⁵⁰⁾		+	+				+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Robinia pseudacacia</i> L.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Roemeria hybrida</i> (L.) DC. subsp. <i>hybrida</i> ⁽⁷⁵¹⁾						+A		+A			+A									
<i>Romulea bulbocodium</i> (L.) Sebast. & Mauri							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Romulea columnae</i> Sebast. & Mauri							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Romulea ligustica</i> Parl.							+		-											+
<i>Romulea limbarae</i> Bég.																				+
E <i>Romulea linaresii</i> Parl. subsp. <i>linaresii</i>																				+
<i>Romulea ramiflora</i> Ten. subsp. <i>ramiflora</i>							+		+			+		+	0	+	?	+	+	+
<i>Romulea requienii</i> Parl.									0											+
E <i>Romulea revelieri</i> Jord. & Fourr. ⁽⁷⁵²⁾									+											+
<i>Romulea rollii</i> Parl.									+	0		+	+	+	+	+				+
<i>Romulea rosea</i> (L.) Eckl.									+A											
<i>Rorippa amphibia</i> (L.) Besser		+	+	+	+	+	+		+	+	+	+	+	+	+	+	+		?	+
<i>Rorippa anceps</i> (Wahlenb.) Rchb.		+	+	?	+	0		+	+			+		+						
<i>Rorippa austriaca</i> (Crantz) Besser ⁽⁷⁵³⁾		+A	+A	+A	+A	+A	+A	+A				+A		+A			+A			
<i>Rorippa islandica</i> (Oeder ex Murray) Borbás	+	+	+	+	+	+	+	+											?	
<i>Rorippa lippizensis</i> (Wulfen) Rchb.						+						0								

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Rorippa palustris</i> (L.) Besser	+	+	+	+	+	+	+	+	+	+	+	+	+				+	0		
<i>Rorippa pyrenaica</i> (L.) Rchb.	+	+	+	+	-		+	+	+			+								
<i>Rorippa sylvestris</i> (L.) Besser subsp. <i>sylvestris</i> ⁽⁷⁵⁴⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-
<i>Rosa abietina</i> Gren. ex H. Christ ⁽⁷⁵⁵⁾	+		+	+					+											
<i>Rosa agrestis</i> Savi	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rosa andegavensis</i> Bastard	+	?		+		+				+		+	+		+		+			+
<i>Rosa arvensis</i> Huds.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	
<i>Rosa balsamica</i> Besser ⁽⁷⁵⁶⁾	+		+	+		+			+	+	?	+	+		+		+		?	
<i>Rosa caesia</i> Sm. ⁽⁷⁵⁷⁾	+		+	+		+			+				+			0				
<i>Rosa canina</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rosa chavini</i> Rapin ex Reut.	+	+	+																	
<i>Rosa corymbifera</i> Borkh. ⁽⁷⁵⁸⁾	+	+	+	+	+	+	+		+	+		+	+	+	+		+	+	+	+
<i>Rosa deseglisei</i> Boreau		+		+								+								
<i>Rosa dumalis</i> Bechst. ⁽⁷⁵⁹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	?		+			+	
<i>Rosa foetida</i> Herm.		?	A									?	A	+	A	?	A	+	A	+
<i>Rosa gallica</i> L. ⁽⁷⁶⁰⁾	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+
<i>Rosa glauca</i> Pourr.	+	+	+	+	+	+	+	+	+	?			+	+						
<i>Rosa heckeliana</i> Tratt.															+		+	+	+	
<i>Rosa inodora</i> Fr.	+	+	+	+		+	+		+											+
<i>Rosa majalis</i> Herm.	?	+	+	+	A															
<i>Rosa marginata</i> Wallr.		+		?			0													
<i>Rosa micrantha</i> Borrer ex Sm.	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+		+	
<i>Rosa montana</i> Chaix	+	+	+	+	+		+	+	+	+		+	+	+	0				+	
<i>Rosa moschata</i> Herm.																				+
<i>Rosa multiflora</i> Thunb.		?	A	+	A	+	A					+	A				+	A		
<i>Rosa nitidula</i> Besser ⁽⁷⁶¹⁾	+	?				+	+		+	+		+	+		+		+			+
<i>Rosa pendulina</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
<i>Rosa pouzinii</i> Tratt. ⁽⁷⁶²⁾			?				+	+	+	+	?	+	+	+	+				+	+
<i>Rosa pseudoscabruscula</i> (R. Keller) Henker & G. Schulze				+																
<i>Rosa pulverulenta</i> M. Bieb. ⁽⁷⁶³⁾							+	+	+			+	+		+	-	+	?	+	
<i>Rosa rhaetica</i> Gremli ⁽⁷⁶⁴⁾			+	+																
<i>Rosa rubiginosa</i> L.	+	+	+	+		+			+			?	?		+		?	+	+	
<i>Rosa sempervirens</i> L.			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rosa serafinii</i> Viv.							0	+	+	?		?	?				0		?	+
<i>Rosa sicula</i> Tratt.		+				+										+			+	
<i>Rosa spinosissima</i> L.	+	+	+	+		+	+	+	+	+	+	+	+	+	+	-	+	?	+	+
<i>Rosa squarrosa</i> (A. Rau) Boreau ⁽⁷⁶⁵⁾									+	+		+	+			+	+			+
<i>Rosa strobiliana</i> Burnat & Gremli																			?	
<i>Rosa stylosa</i> Desv.		+	+									+								
<i>Rosa subcanina</i> (Christ) Vuk. ⁽⁷⁶⁶⁾		+	+	+					+	+		+	+		+		+	+		
<i>Rosa subcollina</i> (Christ) Vuk. ⁽⁷⁶⁷⁾	+	+	+						+			+	+		+					
<i>Rosa tomentosa</i> Sm.	?	+	+	+	+	+	+	+			?	+	+	+	+			+	?	
<i>Rosa uriensis</i> Lager & Puget ex Cottet			+																	
<i>Rosa villosa</i> L. ⁽⁷⁶⁸⁾	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+		+			
E <i>Rosa viscosa</i> Jan ex Guss. ⁽⁷⁶⁹⁾																		+	?	
<i>Rosmarinus officinalis</i> L.	+	A	+	+	-	-	+	A	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rostraria cristata</i> (L.) Tzvelev s.l. ⁽⁷⁷⁰⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rostraria cristata</i> (L.) Tzvelev subsp. <i>cristata</i>			+			+		+											+	
<i>Rostraria cristata</i> (L.) Tzvelev subsp. <i>glabriflora</i> (Trautv.) Tzvelev						+														
<i>Rostraria hispida</i> (Savi) Dogan ⁽⁷⁷¹⁾									+			+	+	+	+	+	+	+	+	+
<i>Rostraria litorea</i> (All.) Holub ⁽⁷⁷²⁾								+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Rotala densiflora</i> (Roem. & Schult.) Koehne		+	A	+																
<i>Rotala filiformis</i> (Bellardi) Hiern			+	A		?	A													
<i>Rotala indica</i> (Willd.) Koehne		+	A	+																
<i>Rotala ramosior</i> (L.) Koehne		?	A	+																
<i>Rouya polygama</i> (Desf.) Coincy																				+
<i>Rubia peregrina</i> L. s.l.			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rubia peregrina</i> L. subsp. <i>longifolia</i> (Poir.) O. Bolòs						+										+			+	+
<i>Rubia peregrina</i> L. subsp. <i>peregrina</i>			+					+			+		+				+		+	+
E <i>Rubia peregrina</i> L. subsp. <i>requienii</i> (Duby) Cardona & Sierra ⁽⁷⁷³⁾															+					+
<i>Rubia tinctorum</i> L.	+	-			+	+	A	-	+	+	+	+	?	?	A	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Rubus acheruntius</i> Ten.													?	?	0		+		+	
<i>Rubus adscitus</i> Genev.		?	?				?													
<i>Rubus aetniscus</i> Ten.																			+	
<i>Rubus anatolicus</i> Focke								?					?					?		
<i>Rubus armeniacus</i> Focke				+																
E <i>Rubus arrigonii</i> Camarda																				+
<i>Rubus bifrons</i> Vest ex Tratt.				+	+				+		+		+							
<i>Rubus caesius</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?
<i>Rubus candicans</i> Weihe ex Rchb.		?	+	+	+	+	+	?	+	+	+	+	+	+	+	+				
<i>Rubus canescens</i> DC.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Rubus cercophyllus</i> Focke		?																		
<i>Rubus chloocladus</i> W.C.R. Watson					+															
<i>Rubus constrictus</i> P.J. Müll. & Lefèvre				+	+	?														
<i>Rubus elatior</i> Focke ex Greml.					+															
<i>Rubus epipsilos</i> Focke					?															
<i>Rubus euprepes</i> Focke						+														
<i>Rubus festii</i> H.E. Weber				+																
<i>Rubus flaccidus</i> P.J. Müll.					?															
<i>Rubus flexuosus</i> P.J. Müll. & Lefèvre ⁽⁷⁷⁴⁾	?				?															
<i>Rubus foliosus</i> Weihe			?																	
<i>Rubus glandulosus</i> Bellardi		+	-		?	+		+	+	+		?	+	+		+	+			
<i>Rubus goniophorus</i> H.E. Weber					?															
<i>Rubus grabowskii</i> Weihe					+		?					+								
<i>Rubus gracilicaulis</i> Greml.			+							-		+								
<i>Rubus gremlii</i> Focke					+															
<i>Rubus guentheri</i> Weihe & Nees		-			+		?	?												
<i>Rubus hirtus</i> Waldst. & Kit.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rubus idaicus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A
<i>Rubus incanescens</i> (DC.) Bertol.		+				+		+				+								
<i>Rubus kaltenbachii</i> Metsch					+															
<i>Rubus koehleri</i> Weihe					+															
<i>Rubus laciniatus</i> Willd.		+A	+A	+A		+A														
E <i>Rubus limbarae</i> Camarda																				+
<i>Rubus macrophyllus</i> Weihe & Nees				+	+	+														
<i>Rubus menkei</i> Weihe ex Spreng.					?								+							
<i>Rubus mercieri</i> Genev.								?												
<i>Rubus napaeus</i> Focke			+																	
<i>Rubus nessensis</i> Hall		-		+	+	+														
<i>Rubus pallidus</i> Weihe					+	?							?							
<i>Rubus pedatifolius</i> Genev.			?																	
<i>Rubus phoenicolasius</i> Maxim.		+A	+A	+A		+A														
<i>Rubus pilocarpus</i> Greml.		?	+			+														
<i>Rubus plicatus</i> Weihe & Nees					+															
<i>Rubus pospichalii</i> Soldano & F. Conti						+														
<i>Rubus praecox</i> Bertol.				+	+	+							?							
<i>Rubus questieri</i> P.J. Müll. & Lefèvre		?	+																	
<i>Rubus radula</i> Weihe		?	+		?	+														
<i>Rubus rudis</i> Weihe					?															
<i>Rubus saxatilis</i> L.	+	+	+	+	+	+	+	+	+	+	+		+	+			+			
<i>Rubus schleicheri</i> Weihe ex Tratt.					+								?							
<i>Rubus sect. Corylifolii</i> Lindl. ⁽⁷⁷⁵⁾					+	+				+	+	+	+				+			
<i>Rubus sulcatus</i> Vest	+	?	+	+	+	+	+		+		+									
<i>Rubus tereticaulis</i> P.J. Müll.					+															
<i>Rubus ulmifolius</i> Schott ⁽⁷⁷⁶⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rubus vagus</i> Focke		?	+																	
<i>Rubus vestitus</i> Weihe & Nees				?																
<i>Rubus villarsianus</i> Focke ex Greml.		?				+														
<i>Rudbeckia hirta</i> L.		+A			+A	+A														
<i>Rudbeckia laciniata</i> L.		+A	+A	+A	+A	+A		?	A				+A							
<i>Rudbeckia pinnata</i> Vent.		?	A			+A														
<i>Rumex acetosa</i> L. subsp. <i>acetosa</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+A
<i>Rumex acetosella</i> L. s.l. ⁽⁷⁷⁷⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Rumex acetosella</i> L. subsp. <i>acetosella</i>		+	+			+		+				+		?				+	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	<i>Rumex acetosella</i> L. subsp. <i>angiocarpus</i> (Murb.) Murb.																			
	<i>Rumex acetosella</i> L. subsp. <i>multifidus</i> (L.) Schübl. & G. Martens																			
E	<i>Rumex aetnensis</i> C. Presl																			
	<i>Rumex alpestris</i> Jacq.																			
	<i>Rumex alpinus</i> L.																			
	<i>Rumex aquaticus</i> L.																			
	<i>Rumex bucephalophorus</i> L. s.l.																			
	<i>Rumex bucephalophorus</i> L. subsp. <i>aegaeus</i> Rech. f.																			
	<i>Rumex bucephalophorus</i> L. subsp. <i>bucephalophorus</i> ⁽⁷⁷⁸⁾																			
	<i>Rumex bucephalophorus</i> L. subsp. <i>gallicus</i> (Steinh.) Rech. f.																			
	<i>Rumex bucephalophorus</i> L. subsp. <i>hispanicus</i> (Steinh.) Rech. f.																			
	<i>Rumex confertus</i> Willd.																			
	<i>Rumex conglomeratus</i> Murray																			
	<i>Rumex crispus</i> L.																			
	<i>Rumex cristatus</i> DC. s.l.																			
	<i>Rumex cristatus</i> DC. subsp. <i>cristatus</i>																			
	<i>Rumex cristatus</i> DC. subsp. <i>kernerii</i> (Borbás) Akeroyd & D.A. Webb																			
	<i>Rumex dentatus</i> L.																			
	<i>Rumex hydrolapathum</i> Huds.																			
	<i>Rumex intermedius</i> DC.																			
	<i>Rumex longifolius</i> DC.																			
	<i>Rumex lunaria</i> L.																			
	<i>Rumex maritimus</i> L.																			
	<i>Rumex nebroides</i> Campd.																			
	<i>Rumex nepalensis</i> Spreng.																			
	<i>Rumex nivalis</i> Hegetschw.																			
	<i>Rumex obtusifolius</i> L. s.l.																			
	<i>Rumex obtusifolius</i> L. subsp. <i>obtusifolius</i>																			
	<i>Rumex obtusifolius</i> L. subsp. <i>subalpinus</i> (Schur) Rech. f.																			
	<i>Rumex obtusifolius</i> L. subsp. <i>sylvestris</i> (Wallr.) Celak.																			
	<i>Rumex obtusifolius</i> L. subsp. <i>transiens</i> (Simonk.) Rech. f.																			
	<i>Rumex palustris</i> Sm.																			
	<i>Rumex patientia</i> L. subsp. <i>patientia</i>																			
	<i>Rumex pulcher</i> L. s.l.																			
	<i>Rumex pulcher</i> L. subsp. <i>pulcher</i>																			
	<i>Rumex pulcher</i> L. subsp. <i>suffocatus</i> (Moris ex Bertol.) Nyman ⁽⁷⁷⁹⁾																			
	<i>Rumex pulcher</i> L. subsp. <i>woodsii</i> (De Not.) Arcang. ⁽⁷⁸⁰⁾																			
	<i>Rumex sanguineus</i> L.																			
	<i>Rumex scutatus</i> L. s.l.																			
E	<i>Rumex scutatus</i> L. subsp. <i>glaucescens</i> (Guss.) Brullo, Scelsi & Spamp.																			
	<i>Rumex scutatus</i> L. subsp. <i>scutatus</i>																			
	<i>Rumex thyrsiflorus</i> Fingerh.																			
	<i>Rumex thyrsoides</i> Desf.																			
	<i>Rumex tuberosus</i> L. subsp. <i>tuberosus</i>																			
	<i>Rumex vesicarius</i> L.																			
	<i>Ruppia cirrhosa</i> (Petagna) Grande																			
	<i>Ruppia maritima</i> L.																			
	<i>Ruscus aculeatus</i> L.																			
	<i>Ruscus hypoglossum</i> L.																			
	<i>Ruta angustifolia</i> Pers.																			
	<i>Ruta chalepensis</i> L.																			
E	<i>Ruta corsica</i> DC. ⁽⁷⁸¹⁾																			
	<i>Ruta divaricata</i> Ten.																			
	<i>Ruta graveolens</i> L.																			
	<i>Ruta montana</i> (L.) L.																			
	<i>Saccharum spontaneum</i> L. subsp. <i>aegyptiacum</i> (Willd.) Hack.																			

[illegible]

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Salix triandra</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		.
<i>Salix triandra</i> L. subsp. <i>amygdalina</i> (L.) Schübl. & G. Martens	+	+	+	+	+	+A		+	+	+	+	+	+	+		+				
<i>Salix triandra</i> L. subsp. <i>triandra</i>		+	+	+	+	+		+	+				+	+						
E <i>Salix tyrrhenica</i> Brullo, Scelsi & Spamp.																		+		
<i>Salix viminalis</i> L.	-	+A	-	+A	+		+A	+	+						+					-
<i>Salix waldsteiniana</i> Willd.			+	+	+	+														
<i>Salpichroa origanifolia</i> (Lam.) Thell.		+A							+A	+A	+A	+A	+A		+A	+A		+A	+A	
E? <i>Salsola agrigentina</i> Guss.																			+	
<i>Salsola kali</i> L.	-	-	0		+	+	-	-	-	-		-	-	-	+	+	-	-	+	-
<i>Salsola oppositifolia</i> Desf.																		+	+	
<i>Salsola soda</i> L.			0		+	+	0	+	+	+	+A	+	+	+	+	+	+	+	+	+
<i>Salsola tragus</i> L. s.l. ⁽⁷⁸⁸⁾	+	+	+		+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Salsola tragus</i> L. subsp. <i>pontica</i> (Pall.) Rilke ⁽⁷⁸⁹⁾							+	+	+	+		+	+	+	+	+	+	+	+	+
<i>Salsola tragus</i> L. subsp. <i>tragus</i>	+		+		+	+	+	+	+						+	+			+	0
<i>Salsola vermiculata</i> L. ⁽⁷⁹⁰⁾																			-	+
<i>Salvia aethiopis</i> L.	+	+													0					+
<i>Salvia argentea</i> L.												+	+		0	+	+	+	+	
<i>Salvia canariensis</i> L. ⁽⁷⁷⁾																				
E <i>Salvia ceratophylloides</i> Ard. ⁽⁷⁹¹⁾																			0	
<i>Salvia clandestina</i> L. ⁽⁷⁹²⁾					0		0	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Salvia desoleana</i> Atzei & Picci												+								+
<i>Salvia fruticosa</i> Mill.																	+	+	+	
<i>Salvia glutinosa</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Salvia grahamii</i> Benth.												+A				+A			+A	
E <i>Salvia haematodes</i> L.	-				-				-	-	+A	+	+	+	+	+	+	+	+	
<i>Salvia leucantha</i> Cav. ⁽⁷⁷⁾																				
<i>Salvia napifolia</i> Jacq. ⁽⁷⁹³⁾																				
<i>Salvia nemorosa</i> L. subsp. <i>nemorosa</i>	+		-		+A	0	+	+	+	+	+		+							
<i>Salvia officinalis</i> L.			+A	+	+				+	+A		+	+	+A	+	+	+	+	+A	+A
<i>Salvia pinnata</i> L. ⁽⁷⁹⁴⁾																			?A	
<i>Salvia pratensis</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	-		
<i>Salvia pratensis</i> L. subsp. <i>pratensis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
E <i>Salvia pratensis</i> L. subsp. <i>saccardiana</i> (Pamp.) Poldini				+	+	+														
<i>Salvia sclarea</i> L.	+A	+	+	-	+	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+
<i>Salvia verbenaca</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Salvia verticillata</i> L. subsp. <i>verticillata</i>	0	+	+	+	+	+	+	+	+	+	?	+	+							
<i>Salvia virgata</i> Jacq.									+	-	0	+	+	+	+	+	+			
<i>Salvia viridis</i> L.					-	0			?A	-		+			+	+	+	+	+	
<i>Sambucus ebulus</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sambucus nigra</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sambucus racemosa</i> L.	+	+	+	+	+	+	+	+	+	-	?	?	?							
<i>Samolus valerandi</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sanguisorba annua</i> (Nutt. ex Hook.) Torr. & Gray		+A																		
E <i>Sanguisorba dodecandra</i> Moretti			+	+A																
<i>Sanguisorba minor</i> Scop. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sanguisorba minor</i> Scop. subsp. <i>balearica</i> (Bourg. ex Nyman) Muñoz Garm. & C. Navarro	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sanguisorba minor</i> Scop. subsp. <i>minor</i>	+	+	+	+	+	+	+	+	+		?				+	+			+	
<i>Sanguisorba officinalis</i> L.		+	+	+	+	+	+	+	+	+	+	?	+					+		
<i>Sanguisorba rupicola</i> (Boiss. & Reut.) A. Braun & C.D. Bouché																			+	+
<i>Sanguisorba verrucosa</i> (Link ex G. Don) Ces.						+			+										+	
<i>Sanicula europaea</i> L.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Santolina corsica</i> Jord. & Fourr.																				+
E <i>Santolina etrusca</i> (Lacaita) Marchi & D'Amato									+		+	+								
E <i>Santolina insularis</i> (Gennari ex Fiori) Arrigoni																				+
E <i>Santolina leucantha</i> Bertol. ⁽⁷⁹⁵⁾									+											
E <i>Santolina ligustica</i> Arrigoni							+													
<i>Santolina marchii</i> Arrigoni	?	-	-	-	-	+	+	+	-	+	+A	+A			0	-	+	-	?	+
E <i>Santolina neapolitana</i> Jord. & Fourr.																+				
<i>Santolina virens</i> Mill. ⁽⁷⁹⁶⁾														+A						
<i>Saponaria bellidifolia</i> Sm.										+	+	+	+							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Saponaria calabrica</i> Guss.																	+	+		
<i>Saponaria lutea</i> L.	+	+																		
<i>Saponaria ocymoides</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+							+
E <i>Saponaria ocymoides</i> L. subsp. <i>alsinoides</i> (Viv.) Arcang. (797)																				+
<i>Saponaria ocymoides</i> L. subsp. <i>ocymoides</i>	+	+	+	+	+	+		+		+	+		+							
<i>Saponaria officinalis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Saponaria pumila</i> Janch.				+	+															
<i>Saponaria sicula</i> Raf.																			+	+
<i>Sarcocornia fruticosa</i> (L.) A.J. Scott					+	+			+			+		+	+	+	+	+	+	+
<i>Sarcocornia perennis</i> (Mill.) A.J. Scott (798)					+	+	?	+	+	0		+	+	+	+	+	+	-	+	+
<i>Sarcopoterium spinosum</i> (L.) Spach												0					+	+	+	+
<i>Satureja cuneifolia</i> Ten.																+	+	-		
<i>Satureja hortensis</i> L.		+A		+A	+A	+A	+A	+A	+A			+A	+A	+A					+A	
<i>Satureja montana</i> L. s.l.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Satureja montana</i> L. subsp. <i>montana</i>		+	+				+	+	+	-	+	+	+	+	+	+	+	+		
<i>Satureja montana</i> L. subsp. <i>variegata</i> (Host) P.W. Ball				+	+	+				+										
<i>Satureja subspicata</i> Bartl. ex Vis. subsp. <i>liburnica</i> Šilic						+							?							
<i>Satureja thymbra</i> L.																				+
<i>Saururus cernuus</i> L.			+A																	
<i>Saussurea alpina</i> (L.) DC. s.l.	+	+	+	+	+	+														
<i>Saussurea alpina</i> (L.) DC. subsp. <i>alpina</i>	+	+	+	+		+														
<i>Saussurea alpina</i> (L.) DC. subsp. <i>depressa</i> (Gren.) Gremli	?	+																		
<i>Saussurea discolor</i> (Willd.) DC.	+	+	+	+	+	+		+	+											
<i>Saussurea pygmaea</i> (Jacq.) Spreng.						+														
<i>Saxifraga adscendens</i> L. s.l.	+	+	+	+	0	+		+	+	+	+	+	+	+	+		+	+	+	
<i>Saxifraga adscendens</i> L. subsp. <i>adscendens</i>	+	+	+	+	0	+		+	+	+	+	+	+		+		+		+	
<i>Saxifraga adscendens</i> L. subsp. <i>parnassica</i> (Boiss. & Heldr.) Hayek													+		+		+		+	
<i>Saxifraga aizoides</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+					+		
<i>Saxifraga androsacea</i> L.	+	+	+	+	+	+	-													
<i>Saxifraga aphylla</i> Sternb.			+	+	?															
E <i>Saxifraga arachnoidea</i> Sternb.			+	+																
<i>Saxifraga aspera</i> L. (799)	+	+	+	+	+	+	+	+	+											
E <i>Saxifraga berica</i> (Bég.) D.A. Webb					+															
<i>Saxifraga biflora</i> All. subsp. <i>biflora</i> (800)	+	+	+	+	+	+														
<i>Saxifraga bryoides</i> L.	+	+	+	+	+	+	?													
<i>Saxifraga bulbifera</i> L.		+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Saxifraga burseriana</i> L.			?	+	+	+														
<i>Saxifraga caesia</i> L.	+	+	+	+	+	+	+	?	+	+	?	+	+	+						
<i>Saxifraga callosa</i> Sm. subsp. <i>callosa</i> (801)		+						+	+	+	+	+	+	+	+		+	+	+	+
<i>Saxifraga carpetana</i> Boiss. & Reut. s.l.															+	+	+	+	+	
<i>Saxifraga carpetana</i> Boiss. & Reut. subsp. <i>carpetana</i>																				+
<i>Saxifraga carpetana</i> Boiss. & Reut. subsp. <i>graeca</i> (Boiss. & Heldr.) D.A. Webb (802)															+	+	+	+		
<i>Saxifraga cernua</i> L.		+		+	+															
<i>Saxifraga cochlearis</i> Rchb.		?					+													
E <i>Saxifraga corsica</i> (Duby) Gren. & Godr. subsp. <i>corsica</i> (803)									?											+
<i>Saxifraga cotyledon</i> L.	+	+	+	+			?													
<i>Saxifraga crustata</i> Vest			-	+	+	+														
<i>Saxifraga cuneifolia</i> L. s.l.	+	+	+	+	+	+	+	+	+											
<i>Saxifraga cuneifolia</i> L. subsp. <i>cuneifolia</i>		+	+					+												
<i>Saxifraga cuneifolia</i> L. subsp. <i>robusta</i> D.A. Webb				+	+	+														
E <i>Saxifraga depressa</i> Sternb.				+	+															
<i>Saxifraga diapiensoides</i> Bellardi	+	+					?													
<i>Saxifraga exarata</i> Vill. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
E <i>Saxifraga exarata</i> Vill. subsp. <i>ampullacea</i> (Ten.) D.A. Webb										+	+	+	+	+	+		-			
<i>Saxifraga exarata</i> Vill. subsp. <i>carniolica</i> (Huter) T. Wraber						+														
<i>Saxifraga exarata</i> Vill. subsp. <i>exarata</i>	+	+	+	+			?													
<i>Saxifraga exarata</i> Vill. subsp. <i>moschata</i> (Wulfen) Cavill. (804)	+	+	+	+	+	+	+	+	+		+						+			

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Saxifraga exarata</i> Vill. subsp. <i>pseudoexarata</i> (Braun-Blanq.) D.A. Webb				?					+											
E <i>Saxifraga facchinii</i> Koch				+	+															
<i>Saxifraga florulenta</i> Moretti		+					-													
<i>Saxifraga glabella</i> Bertol.												?	+	+						
<i>Saxifraga granulata</i> L. subsp. <i>granulata</i>	+	+	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Saxifraga hederacea</i> L.																+		+	+	
<i>Saxifraga hirculus</i> L.	?	?																		
<i>Saxifraga hostii</i> Tausch s.l.				+	+	+	+													
<i>Saxifraga hostii</i> Tausch subsp. <i>hostii</i>			?	+	+	+														
E <i>Saxifraga hostii</i> Tausch subsp. <i>rhaetica</i> (A. Kern.) Braun-Blanq.			+	+																
E <i>Saxifraga italica</i> D.A. Webb										+	?	?	+	?						
<i>Saxifraga marginata</i> Sternb.													+	+	+		+	+		
<i>Saxifraga muscoides</i> All.	+	+	+	+																
<i>Saxifraga mutata</i> L. subsp. <i>mutata</i>	?		+	+	+	+														
<i>Saxifraga oppositifolia</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Saxifraga oppositifolia</i> L. subsp. <i>murithiana</i> (Tissière) Braun-Blanq.	+		+																	
<i>Saxifraga oppositifolia</i> L. subsp. <i>oppositifolia</i> ⁽⁸⁰⁵⁾		+	+	+		+	+	+		+	?	+	+	+						
<i>Saxifraga oppositifolia</i> L. subsp. <i>rudolphiana</i> (Hornsch.) Nyman			?	+																
E <i>Saxifraga oppositifolia</i> L. subsp. <i>speciosa</i> (Dörfel. & Hayek) Engl. & Irmsh.										+	+	+	+							
<i>Saxifraga paniculata</i> Mill.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Saxifraga pedemontana</i> All. s.l.	+						?													+
E <i>Saxifraga pedemontana</i> All. subsp. <i>cervicornis</i> (Viv.) Engl. ⁽⁸⁰⁶⁾																				+
<i>Saxifraga pedemontana</i> All. subsp. <i>pedemontana</i>		?																		
<i>Saxifraga petraea</i> L.			+	+	+	+														
E <i>Saxifraga porophylla</i> Bertol. subsp. <i>porophylla</i>										+	+	+	+	+	+		+	+		
E <i>Saxifraga presolanensis</i> Engl.			+																	
<i>Saxifraga retusa</i> Gouan s.l.	+	+					-													+
<i>Saxifraga retusa</i> Gouan subsp. <i>augustana</i> (Vacc.) D.A. Webb	+	+					-													
<i>Saxifraga retusa</i> Gouan subsp. <i>retusa</i>	+	+																		+
<i>Saxifraga rotundifolia</i> L. subsp. <i>rotundifolia</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Saxifraga sedoides</i> L. s.l.			+	+	+	+			+			+								
<i>Saxifraga sedoides</i> L. subsp. <i>sedoides</i>			+	+	+								+							
E <i>Saxifraga sedoides</i> L. subsp. <i>tomentosa</i> (Zenari) Poldini					+	+														
<i>Saxifraga seguieri</i> Spreng.	+	+	+	+	+															
<i>Saxifraga squarrosa</i> Sieber ⁽⁸⁰⁷⁾			+	+	+	+														
<i>Saxifraga stellaris</i> L. subsp. <i>engleri</i> P. Fourn.	+	+	+	+	+	+	+	+	+											
<i>Saxifraga taygetea</i> Boiss. & Heldr.												?					?			
<i>Saxifraga tenella</i> Wulfen						+														
E <i>Saxifraga tombeanensis</i> Boiss. ex Engl.			+	+	+															
<i>Saxifraga tridactylites</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Saxifraga umbrosa</i> L.			+																	
<i>Saxifraga valdensis</i> DC.	?	+																		
E <i>Saxifraga vandellii</i> Sternb.			+	+																
<i>Scabiosa canescens</i> Waldst. & Kit. ⁽⁸⁰⁸⁾																				
<i>Scabiosa columbaria</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scabiosa columbaria</i> L. subsp. <i>columbaria</i>	+	+	?				+	+		+	+		+	+						
<i>Scabiosa columbaria</i> L. subsp. <i>portae</i> (Huter) Hayek			?	+				+					+							
<i>Scabiosa hladnikiana</i> Host						-														
E <i>Scabiosa holosericea</i> Bertol.		+					+	?	+			+	+	+	+	+	+	+	+	+
<i>Scabiosa lucida</i> Vill. subsp. <i>lucida</i>	+	+	+	+	+	+	+	+	+											
<i>Scabiosa mollissima</i> Viv.	?						+													
<i>Scabiosa ochroleuca</i> L.	+				+	+	A			-						+		?		
E? <i>Scabiosa parviflora</i> Desf.																				+
<i>Scabiosa pyrenaica</i> All.	+	+					+					+	+	+						
<i>Scabiosa silenifolia</i> Waldst. & Kit.												+	+							
<i>Scabiosa taygetea</i> Boiss. & Heldr. subsp. <i>garganica</i> (Porta																+	+			

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
& Rigo) Hayek ⁽⁸⁰⁹⁾																				
<i>Scabiosa triandra</i> L.	+	+	+	+	+	+	+	+	+		+	+	+	+	+		+			
E <i>Scabiosa uniseta</i> Savi					+		+	?	+	+	+	+	+	+	+	+	+	+		
<i>Scabiosa velenovskyana</i> Bobrov			+	+	+															
<i>Scabiosa vestina</i> Facchini ex Koch	?		+	+																
<i>Scandix australis</i> L. s.l.						0	0						+	+		+	+	+	+	+
<i>Scandix australis</i> L. subsp. <i>australis</i>							0						+			+	+	+	+	+
<i>Scandix australis</i> L. subsp. <i>grandiflora</i> (L.) Thell.						0														
<i>Scandix pecten-veneris</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scandix pecten-veneris</i> L. subsp. <i>brachycarpa</i> (Guss.) Thell.													+		+	+	+	+	+	+
<i>Scandix pecten-veneris</i> L. subsp. <i>macrorhynca</i> (C.A. Mey.) Rouy & E.G. Camus	0	?									+	+	+							
<i>Scandix pecten-veneris</i> L. subsp. <i>pecten-veneris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scheuchzeria palustris</i> L.		?	+	+	+	0														
<i>Schinus molle</i> L.									?A						+A		+A		+A	+A
<i>Schoenoplectus carinatus</i> (Sm.) Palla		?		?	?										0				?	
<i>Schoenoplectus juncoides</i> (Roxb.) V.I. Krecz. ⁽⁸¹⁰⁾		?A																	+A	
<i>Schoenoplectus lacustris</i> (L.) Palla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Schoenoplectus litoralis</i> (Schrud.) Palla					+	+	+	+	+	+		+	0		+	+	+	+	+	+
<i>Schoenoplectus mucronatus</i> (L.) Palla	+	+	+	+	+	+	?	+	+	+	+				0				+	
<i>Schoenoplectus pungens</i> (Vahl) Palla ⁽⁸¹¹⁾					+	+	0	+	+		?								+	
<i>Schoenoplectus supinus</i> (L.) Palla			+	+	?			?				0							-	
<i>Schoenoplectus tabernaemontani</i> (C.C. Gmel.) Palla	+	+	+	+	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Schoenoplectus triquetus</i> (L.) Palla			+	+	+	+		+	+			?	0			+			+	?
<i>Schoenus ferrugineus</i> L.	+	+	+	+	+	+													+	
<i>Schoenus nigricans</i> L.	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+
<i>Scilla bifolia</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scirpoides holoschoenus</i> (L.) Soják ⁽⁸¹²⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scirpus atrovirens</i> Willd.		+A							?A											
<i>Scirpus radicans</i> Schkuhr		+	+																	
<i>Scirpus sylvaticus</i> L.	+	+	+	+	+	+	+	+	+	+		+						+	+	
E <i>Scleranthus aetnensis</i> Strobl																				+
<i>Scleranthus annuus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scleranthus perennis</i> L. s.l.	+	+	+	+	+	-	+	+	+	?	?	+	+	+	+	+	+	+	+	+
<i>Scleranthus perennis</i> L. subsp. <i>burnatii</i> (Briq.) P.D. Sell																				?
<i>Scleranthus perennis</i> L. subsp. <i>dichotomus</i> (Schur) Nyman									+											
<i>Scleranthus perennis</i> L. subsp. <i>marginatus</i> (Guss.) Nyman																	+	+	+	
<i>Scleranthus perennis</i> L. subsp. <i>perennis</i>	+	+	+	+				+	+		?	+	+	+					+	
E <i>Scleranthus perennis</i> L. subsp. <i>vulcanicus</i> (Strobl) Bég.																				+
<i>Scleranthus polycarpus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scleranthus uncinatus</i> Schur												+	+	+						
<i>Scleranthus verticillatus</i> Tausch	?		+		+	+					?	+	+	+	+		+			+
<i>Sclerachloa dura</i> (L.) P. Beauv.	+A	+	+	-	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+
<i>Scolymus grandiflorus</i> Desf.									+						+		+	+	+	+
<i>Scolymus hispanicus</i> L.		?	-		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scolymus maculatus</i> L.								+				+	+	+	0	+	+	+	+	+
<i>Scopolia carniolica</i> Jacq.		+			+															
<i>Scorpiurus muricatus</i> L.					?	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scorpiurus subvillosus</i> L.					+		+	+	+	+	-	+	+	+	+	+	+	+	+	+
<i>Scorpiurus vermiculatus</i> L.							+		+	-	+					+	+		+	+
<i>Scorzonera aristata</i> Ramond ex DC.		+	+	+	+	+	+	+	+	+	+	+	+							
<i>Scorzonera austriaca</i> Willd.	+	+	+	+	+	+	+	+	+	+	+	+	+				?	+		
E <i>Scorzonera callosa</i> Moris																				+
<i>Scorzonera deliciosa</i> Guss. ex DC.																			?	+
<i>Scorzonera hirsuta</i> L.			+		+		+			+			+	+	+	+	+	+	+	+
<i>Scorzonera hispanica</i> L. s.l.	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scorzonera hispanica</i> L. subsp. <i>glastifolia</i> (Willd.) Arcang.	+	+		+			+	+	+	+	+	+	+	+	+	+	+			
<i>Scorzonera hispanica</i> L. subsp. <i>hispanica</i>					+															
<i>Scorzonera hispanica</i> L. subsp. <i>neapolitana</i> (Grande) Greuter												+			0	+	+	+		
<i>Scorzonera humilis</i> L.		+	+	+	+	+	+	+	+	+	?	-	+	?	0		+			
<i>Scorzonera jacquiniana</i> (W.D.J. Koch) Boiss.		?				+	0	+	+	+	+	+	+	+				+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Scorzonera laciniata</i> L. s.l.	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scorzonera laciniata</i> L. subsp. <i>decumbens</i> (Guss.) Greuter	+	?					0	+	+			-	?			+	+	+	+	+
<i>Scorzonera laciniata</i> L. subsp. <i>laciniata</i>	+	+					+	+			+		+							
<i>Scorzonera purpurea</i> L. s.l.			+	+	+	+			+	+	+	+	+							
<i>Scorzonera purpurea</i> L. subsp. <i>purpurea</i>				+		+	+			+	+	+	+							
<i>Scorzonera purpurea</i> L. subsp. <i>rosea</i> (Waldst. & Kit.) Nyman			+	+	+	+		+	+	-	-		?							
<i>Scorzonera villosa</i> Scop. s.l.						+								+	+	+	+	+	+	+
<i>Scorzonera villosa</i> Scop. subsp. <i>columnae</i> (Guss.) Nyman															+	+	+	+	+	+
<i>Scorzonera villosa</i> Scop. subsp. <i>villosa</i>						+								+						
<i>Scrophularia auriculata</i> L. subsp. <i>auriculata</i>		+	+	-	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Scrophularia canina</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Scrophularia canina</i> L. subsp. <i>bicolor</i> (Sm.) Greuter							+			+			+					+	+	+
<i>Scrophularia canina</i> L. subsp. <i>canina</i>			+	+		+	+	+		+	+									
<i>Scrophularia frutescens</i> L.																			+	
<i>Scrophularia hoppii</i> Koch		+	+	+	+	+	+		+	+	+	+	+	+	+		+			
<i>Scrophularia lucida</i> L.		?														+	+			
E <i>Scrophularia morisii</i> Vals.																				+
<i>Scrophularia nodosa</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
E <i>Scrophularia oblongifolia</i> Loisel. ⁽⁸¹³⁾																				+
<i>Scrophularia peregrina</i> L.							+		+	+	+	+	+	+	+	+	+	+	+	+
<i>Scrophularia ramosissima</i> Loisel.																				+
<i>Scrophularia scopoli</i> Hoppe ex Pers.						+		+	+	+	+	+	+	+	+		+	+	+	
E <i>Scrophularia trifoliata</i> L. ⁽⁸¹⁴⁾								+												+
<i>Scrophularia umbrosa</i> Dumort. subsp. <i>umbrosa</i>		+	+	+	+	+	+		+			+	+	+	+		+	+	+	+
<i>Scrophularia vernalis</i> L.		+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	
<i>Scutellaria albida</i> L. subsp. <i>albida</i>							+													
<i>Scutellaria alpina</i> L. subsp. <i>alpina</i>	+	+	?	+	+		+			+		+	+				+	+		
<i>Scutellaria altissima</i> L.						+A				+		+	+	+	+		?	?		
<i>Scutellaria columnae</i> All. s.l.							+	+	+	+	+	+	+	+	+	+	+	+	+	
<i>Scutellaria columnae</i> All. subsp. <i>columnae</i>							+	+	+	+	+	+	+	+	+	+	+	-	+	
E <i>Scutellaria columnae</i> All. subsp. <i>gussonei</i> (Ten.) Arcang.													+				+	+	+	
<i>Scutellaria galericulata</i> L.	+	+	+	+	+	+	0	+	+	+	+	+	+	+	0			+		+
<i>Scutellaria hastifolia</i> L.			+			+		+	+	+		?	0	+	0	+				
<i>Scutellaria minor</i> Huds.		+	+		-															
E <i>Scutellaria rubicunda</i> Hornem.																				+
<i>Secale cereale</i> L.					+A	+A		+A	+A		+A	+A	+A		+A	+A	+A		+A	+A
<i>Secale strictum</i> (C. Presl) C. Presl										+			+	+			+	+	+	
<i>Sechium edule</i> (Jacq.) Sw.								?	A											+A
<i>Securigera cretica</i> (L.) Lassen					+	+A	+	+		+	+	+	+			+				
<i>Securigera securidaca</i> (L.) Degen & Dörfel.						+	+	+	+	+	+	+	+	+	+	+	+	?	+	
<i>Securigera varia</i> (L.) Lassen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
<i>Sedum acre</i> L. ⁽⁸¹⁵⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-
<i>Sedum aetnense</i> Tineo in Guss.																			+	?
<i>Sedum album</i> L. ⁽⁸¹⁶⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sedum alpestre</i> Vill.	+	+	+	+	+	+	-	+	+			-	+	?						+
E <i>Sedum alsinefolium</i> All.		+					-													
<i>Sedum amplexicaule</i> DC. s.l.												+	+		+		+	+	+	+
<i>Sedum amplexicaule</i> DC. subsp. <i>amplexicaule</i>																				+
<i>Sedum amplexicaule</i> DC. subsp. <i>tenuifolium</i> (Sm. in Sibth. & Sm.) Greuter												+	+		+		+	+	+	
<i>Sedum andegavense</i> (DC.) Desv. ⁽⁸¹⁷⁾								+				+								+
<i>Sedum annuum</i> L. ⁽⁸¹⁸⁾	+	+	+	+	+	+	+	?					+	?				+		
<i>Sedum atratum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Sedum atratum</i> L. subsp. <i>atratum</i> ⁽⁸¹⁹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Sedum atratum</i> L. subsp. <i>carinthiacum</i> (Hoppe ex Pacher) D.A. Webb		-		+	+		-													
<i>Sedum caeruleum</i> L.																			?	+
<i>Sedum caespitosum</i> (Cav.) DC.									+		?	+	+	+	+	+	+	+	+	+
<i>Sedum cepaea</i> L.		+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sedum dasyphyllum</i> L. ⁽⁸²⁰⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sedum fragrans</i> 't Hart		+					+													
<i>Sedum gypsicola</i> Boiss. & Reut. ⁽⁸²¹⁾																			+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Sedum hirsutum</i> All. subsp. <i>hirsutum</i> ⁽⁸²²⁾		+	-						-											
<i>Sedum hispanicum</i> L.			+	+	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	-
<i>Sedum litoreum</i> Guss.												+			+	+		+	+	+
<i>Sedum magellense</i> Ten. s.l.										+	+	+	+	+	+		+	+		
E <i>Sedum magellense</i> Ten. subsp. <i>magellense</i>										+	+	+	+	+	+		+	?		
<i>Sedum magellense</i> Ten. subsp. <i>olympicum</i> (Boiss.) Grande ⁽⁸²³⁾															?		+	+		
<i>Sedum monregalense</i> Balb.		+					+	+	+	+		+	+							
<i>Sedum montanum</i> E.P. Perrier & Soggeon s.l.	+	+	+	+	+	+	+		+	+		+	+	?						
<i>Sedum montanum</i> E.P. Perrier & Soggeon subsp. <i>montanum</i>	+	+	+	+	+		+		+	+		+	+	?						
<i>Sedum montanum</i> E.P. Perrier & Soggeon subsp. <i>orientale</i> 't Hart		+	+	+	+	+	+													
<i>Sedum nussbaumerianum</i> Bitter ⁽⁸²⁴⁾																				+A
<i>Sedum ochroleucum</i> Chaix ⁽⁸²⁵⁾		+	+	-	-	-	+	+	-	-		+	+	+	+	+	+	+	+	+
<i>Sedum palmeri</i> S. Watson							+	+												
<i>Sedum praealtum</i> DC.				+A			+	+				+A								+A
<i>Sedum rubens</i> L.		+	+	?	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sedum rupestre</i> L. s.l. ⁽⁸²⁶⁾	-	+	+	+	+	?	+	+	+	+	+	+	+	?	+	+	-	-	-	+
<i>Sedum rupestre</i> L. subsp. <i>erectum</i> 't Hart ⁽⁸²⁷⁾						?														
<i>Sedum rupestre</i> L. subsp. <i>rupestre</i>		+	+	+	+		+	+	+	+	+	+	+	?	+	+				+
<i>Sedum sarmentosum</i> Bunge		+A	+A	+A	+A	+A														
<i>Sedum sediforme</i> (Jacq.) Pau ⁽⁸²⁸⁾		+					+	-	+	+A	+A	+	+	+	+	-	-	-	+	+
<i>Sedum sexangulare</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+		+	
<i>Sedum villosum</i> L. s.l.	+	+	+	+	?															+
E <i>Sedum villosum</i> L. subsp. <i>glandulosum</i> (Moris) P. Fourn.																				+
<i>Sedum villosum</i> L. subsp. <i>villosum</i>	+	+	+	+	?															
<i>Selinum carvifolia</i> (L.) L.		+	+	+	+	+	+	+	+						+					
<i>Sempervivum alpinum</i> Griseb. & Schenk	+	+	+					+												
<i>Sempervivum arachnoideum</i> L. ⁽⁸²⁹⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0					
<i>Sempervivum calcareum</i> Jord. ⁽⁸³⁰⁾							+													
E <i>Sempervivum dolomiticum</i> Facchini ⁽⁸³¹⁾				+	+															
<i>Sempervivum glaucum</i> Ten.	+																			
<i>Sempervivum grandiflorum</i> Haw.	+	+																		
<i>Sempervivum montanum</i> L. s.l.	+	+	+	+	+	+	+	+	+											
<i>Sempervivum montanum</i> L. subsp. <i>burnatii</i> Wettst. ex Hayek in Hegi ⁽⁸³²⁾	+	+					+	+	+											
<i>Sempervivum montanum</i> L. subsp. <i>montanum</i>	+	+	+	+	+	+		+	+											
E <i>Sempervivum riccii</i> Iberite & Anzal.									0		+	+	+							
<i>Sempervivum tectorum</i> (group) ⁽⁸³³⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Sempervivum wulfenii</i> Mert. & W.D.J. Koch subsp. <i>wulfenii</i>		-	+	+	+	+														
<i>Senecio abrotanifolius</i> L. s.l.	+	+	+	+	+	+														
<i>Senecio abrotanifolius</i> L. subsp. <i>abrotanifolius</i>		+	+	+	+	+														
<i>Senecio abrotanifolius</i> L. subsp. <i>tirolensis</i> (A. Kern.) Gams			+	+	+	+														
<i>Senecio alpinus</i> (L.) Scop. ⁽⁸³⁴⁾	?	+	+	+	+	+				+	+	+	+	+			+	+		
E <i>Senecio ambiguus</i> (Biv.) DC. s.l.																				+
E <i>Senecio ambiguus</i> (Biv.) DC. subsp. <i>ambiguus</i>																				+
E <i>Senecio ambiguus</i> (Biv.) DC. subsp. <i>nebrodensis</i> (Guss.) Peruzzi & N.G. Passal.																				+
<i>Senecio angulatus</i> L. f.							+A		+A			+A			+A				+A	+A
E <i>Senecio apenninus</i> Tausch										+	+	+	+	+						
E <i>Senecio apuanus</i> Tausch									+											
<i>Senecio aquaticus</i> Hill ⁽⁸³⁵⁾	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Senecio cacaliaster</i> Lam.			+	+	+	+							-							
<i>Senecio crassifolius</i> Willd. ⁽⁸³⁶⁾							+													
<i>Senecio delphinifolius</i> Vahl													+	+		+	+	?	+	+
<i>Senecio deltoideus</i> Less.							+A													
<i>Senecio doria</i> L. subsp. <i>doria</i>		?	+		+	-	0					-							+	+
<i>Senecio doronicum</i> (L.) L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Senecio erucifolius</i> L. s.l.	?	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	?		
<i>Senecio erucifolius</i> L. subsp. <i>erucifolius</i>		+	+					+		+	+		+				+			

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Senecio erucifolius</i> L. subsp. <i>tenuifolius</i> Schübl. & G. Martens																	+			
<i>Senecio fontanicola</i> Grulich & Hodalova					+	+														
<i>Senecio gallicus</i> Chaix ⁽⁸³⁷⁾							+													?
<i>Senecio germanicus</i> Wallr. s.l.	-	+	+	+	+	+	+	+	+				-		+		-	-		
<i>Senecio germanicus</i> Wallr. subsp. <i>germanicus</i>	-	?		-	+	-	?	+	+											
<i>Senecio germanicus</i> Wallr. subsp. <i>glabratus</i> Herborg			+	+	+	+														
<i>Senecio gibbosus</i> (Guss.) DC. s.l.							+	+				+	+A		+	+A		+	+	+
E <i>Senecio gibbosus</i> (Guss.) DC. subsp. <i>bicolor</i> (Willd.) Peruzzi, N.G. Passal. & Soldano												+			+			+	+	
<i>Senecio gibbosus</i> (Guss.) DC. subsp. <i>cineraria</i> (DC.) Peruzzi, N.G. Passal. & Soldano ⁽⁸³⁸⁾							+	+				+A			+A					+
E <i>Senecio gibbosus</i> (Guss.) DC. subsp. <i>gibbosus</i>																		+	+	
E <i>Senecio glaber</i> Ucria																			+	
<i>Senecio grisebachii</i> Baker							+A													
<i>Senecio halleri</i> Dandy	+	+																		
<i>Senecio hercynicus</i> Herborg			+	+	+															
<i>Senecio inaequidens</i> DC.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A		+A	+A
<i>Senecio incanus</i> L. s.l.	+	+	+	+	+	+	-	+	+											
<i>Senecio incanus</i> L. subsp. <i>carniolicus</i> (Willd.) Braun-Blanq.			+	+	+	+														
<i>Senecio incanus</i> L. subsp. <i>incanus</i>	+	+					-	+	+											
<i>Senecio incanus</i> L. subsp. <i>insubricus</i> (Chenevard) Braun-Blanq.			+																	
E <i>Senecio incrassatus</i> Guss.																			+	
<i>Senecio jacobaea</i> L.	+	+	+	+	+	+	+	+	+	?	+		?		+		?	+		
<i>Senecio leucanthemifolius</i> Poir. subsp. <i>leucanthemifolius</i>									+			+			+	+	+	+	+	+
<i>Senecio linifolius</i> L.															+A					
<i>Senecio lividus</i> L.	?						+	+	?	+	+				+		+	+	+	+
E <i>Senecio lycopifolius</i> Desf.															0	+	+		+	
<i>Senecio mikanioides</i> Otto ex Walp.							+A	+A				+A	+A		+A	+A				+A
<i>Senecio ovatus</i> (P. Gaertn., B. Mey. & Scherb.) Willd. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	-	+	+			?		
<i>Senecio ovatus</i> (P. Gaertn., B. Mey. & Scherb.) Willd. subsp. <i>alpestris</i> (Gaudin) Herborg	+	?	+	+	+	-				+	+									
<i>Senecio ovatus</i> (P. Gaertn., B. Mey. & Scherb.) Willd. subsp. <i>ovatus</i>	+	?		+	+		+													
<i>Senecio paludosus</i> L. subsp. <i>angustifolius</i> Holub	-	+	+	+	+		+													
E <i>Senecio persoonii</i> De Not.		+																		
<i>Senecio petasitis</i> (Sims) DC.												+A			?A	+A	+A	?A	+A	
<i>Senecio provincialis</i> (L.) Druce	+	+					+	+	+	+	+	+	+		+					
E <i>Senecio pygmaeus</i> DC.																			+	
<i>Senecio scopoli</i> Hoppe & Hornsch. ex Bluff & Fingerh. ⁽⁸³⁹⁾						+				+	+	+	+	+	+	+	+	+	+	
<i>Senecio squalidus</i> L. s.l.	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Senecio squalidus</i> L. subsp. <i>aethnensis</i> (Poir.) Greuter															+			?	+	
<i>Senecio squalidus</i> L. subsp. <i>chrysanthemifolius</i> (Poir.) Greuter																		+	+	+
E? <i>Senecio stabianus</i> Lacaita				-				+				+	+	+	+		+	+		
<i>Senecio subalpinus</i> Koch																				
<i>Senecio sylvaticus</i> L.	?	+	+	?	0	+	+	+	+			?					+	+		
E <i>Senecio transiens</i> (Rouy) Jeanm. ⁽⁸⁴⁰⁾																				+
<i>Senecio viscosus</i> L.	+	+	+	+	+	+	+	+	+	+										
<i>Senecio vulgaris</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Serapias cordigera</i> L.	+	0					+	+	+	+	+	+	+	+	+	+	+	+	?	+
E <i>Serapias cossyrensis</i> B. & H. Baumann																			+	
<i>Serapias lingua</i> L. ⁽⁸⁴¹⁾	?						+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Serapias neglecta</i> De Not.	+						+	+	+										-	?
<i>Serapias nurrica</i> Corrias																		+	+	+
<i>Serapias parviflora</i> Parl.							+	+	+		+	+	+	+	+	+	+	+	+	+
<i>Serapias politisii</i> Renz																+			+	
<i>Serapias vomeracea</i> (Burm. f.) Briq. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0
<i>Serapias vomeracea</i> (Burm. f.) Briq. subsp. <i>laxiflora</i> (Soó) Gözl & H.R. Reinhard														+	+	+	-	+	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Serapias vomeracea</i> (Burm. f.) Briq. subsp. <i>orientalis</i> Greuter ⁽⁸⁴²⁾																+			+	
<i>Serapias vomeracea</i> (Burm. f.) Briq. subsp. <i>vomeracea</i>		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Serratula tinctoria</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+		+	
<i>Serratula tinctoria</i> L. subsp. <i>macrocephala</i> (Bertol.) Wilczek & Schinz		?	+	+	+	+	+	+												
<i>Serratula tinctoria</i> L. subsp. <i>tinctoria</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+		+	
<i>Sesamoides interrupta</i> (Boreau) G. López		+					+	+												+
<i>Sesamoides purpurascens</i> (L.) G. López ⁽⁸⁴³⁾																				
<i>Sesamoides spathulifolia</i> (Revelière ex Boreau) Rothm.																				+
<i>Seseli annuum</i> L. s.l.		+	+	+	+	+	0	?												
<i>Seseli annuum</i> L. subsp. <i>annuum</i>		+	+	+	+	+														
<i>Seseli annuum</i> L. subsp. <i>carvifolium</i> (Vill.) P. Fourn.		+					0	?												
E <i>Seseli bocconi</i> Guss.																			+	+
<i>Seseli elatum</i> L. s.l.	?		+	+	+	+														
<i>Seseli elatum</i> L. subsp. <i>austriacum</i> (Beck) P.W. Ball				?	+															
<i>Seseli elatum</i> L. subsp. <i>elatum</i>	?																			
<i>Seseli elatum</i> L. subsp. <i>gouanii</i> (W.D.J. Koch) P.W. Ball			+	+	+	+														
<i>Seseli libanotis</i> (L.) W.D.J. Koch subsp. <i>libanotis</i>	+	+	+	+	+	+	+	+	+	+	+		+	+	+		+			
<i>Seseli montanum</i> L. subsp. <i>montanum</i>	?	+	?			+	+				+	+	+	+	+		+	+		
<i>Seseli pallasii</i> Besser			+		+					+	+									
<i>Seseli peucedanoides</i> (M. Bieb.) Koso-Pol.													+	?	+		+	+		
E <i>Seseli polyphyllum</i> Ten.												+			+		-			
E <i>Seseli praecox</i> (Gamisans) Gamisans ⁽⁸⁴⁴⁾																				+
<i>Seseli tommasinii</i> Rchb. f.						+				+	+	+	+	+	+	+	+	+	+	
<i>Seseli tortuosum</i> L.							+		+	+	+	+	+	+		+	+	+	+	+
<i>Sesleria argentea</i> (Savi) Savi ⁽⁸⁴⁵⁾		+	+				+		+									+		
<i>Sesleria autumnalis</i> (Scop.) F.W. Schultz ⁽⁸⁴⁶⁾		+			+	+	+		-	+	+	+	+	+	+		+	+		
<i>Sesleria caerulea</i> (L.) Ard. s.l.	+	+	+	+	+	+	+													
<i>Sesleria caerulea</i> (L.) Ard. subsp. <i>angustifolia</i> (Hack. & Beck) Deyl							?													
<i>Sesleria caerulea</i> (L.) Ard. subsp. <i>caerulea</i>		+	+			+														
E <i>Sesleria calabrica</i> (Deyl) Di Pietro ⁽⁸⁴⁷⁾																		+		
<i>Sesleria insularis</i> Sommier s.l.			+				+	+												+
E <i>Sesleria insularis</i> Sommier subsp. <i>barbaricina</i> Arrigoni																				+
<i>Sesleria insularis</i> Sommier subsp. <i>insularis</i> ⁽⁸⁴⁸⁾			+					+												+
E <i>Sesleria insularis</i> Sommier subsp. <i>morisiana</i> Arrigoni																				+
E <i>Sesleria italica</i> (Pamp.) Ujhelyi								?	+	+	?	+								
<i>Sesleria juncifolia</i> Suffren subsp. <i>juncifolia</i>		?	+			+			+	+	+	+	+	+	+		+	-		
<i>Sesleria kalnikensis</i> Jáv.						+														
E <i>Sesleria nitida</i> Ten.										+	+	+	+	+	+		+	+	+	
<i>Sesleria tatrae</i> (Degen) Deyl					+	-														
<i>Sesleria uliginosa</i> Opiz			-	-	-	+	+	+					+							
<i>Sesleriella leucocephala</i> (DC.) Deyl ⁽⁸⁴⁹⁾					+															
<i>Sesleriella sphaerocephala</i> (Ard.) Deyl ⁽⁸⁵⁰⁾			+	+	+	+														
<i>Setaria faberi</i> F. Herm. ⁽⁸⁵¹⁾			+A					+A												
<i>Setaria italica</i> (L.) P. Beauv.	+A	+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	?A	+A	+A
<i>Setaria parviflora</i> (Poir.) Kerguélen ⁽⁸⁵²⁾				+A		+A		+A				+A							+A	
<i>Setaria pumila</i> (Poir.) Roem. & Schult. ⁽⁸⁵³⁾	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Setaria verticillata</i> (L.) P. Beauv.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Setaria viridis</i> (L.) P. Beauv. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Setaria viridis</i> (L.) P. Beauv. subsp. <i>pyncocoma</i> (Steud.) Tzvelev ⁽⁸⁵⁴⁾			+	+	+	+														
<i>Setaria viridis</i> (L.) P. Beauv. subsp. <i>viridis</i> ⁽⁸⁵⁵⁾		+	+	+	+	+		+			+	+	+		+				+	
<i>Sherardia arvensis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sibbaldia procumbens</i> L.	+	+	+	+	+	+	?	+		+		+	+	+						
<i>Sicyos angulatus</i> L.		+A	+A	+A	+A	+A		+A			+A				+A				+A	
<i>Sideritis hirsuta</i> L.							0													
<i>Sideritis hyssopifolia</i> L. subsp. <i>hyssopifolia</i>		?	?																	
E <i>Sideritis italica</i> (Mill.) Greuter & Burdet										+	+	+	+	+	+	+	+	+	+	
<i>Sideritis montana</i> L. subsp. <i>montana</i>		+	+	-	+	+	0	+	+	+	+	+	+	+	+					
<i>Sideritis romana</i> L. subsp. <i>romana</i>		?	+			+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Siegesbeckia orientalis</i> L.		+A			+A															

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Silaum silaus</i> (L.) Schinz & Thell.		?	+	-	+	0														
<i>Silene acaulis</i> (L.) Jacq. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0					
<i>Silene acaulis</i> (L.) Jacq. subsp. <i>acaulis</i>		+	+	+	+	+						+								
<i>Silene acaulis</i> (L.) Jacq. subsp. <i>bryoides</i> (Jord.) Nyman ⁽⁸⁵⁶⁾	+	+	+	+	+	+	?	+	+		+	+	+	+						
<i>Silene acaulis</i> (L.) Jacq. subsp. <i>cenisia</i> Vierh. ⁽⁸⁵⁷⁾	+	+					+			+	-				-					
<i>Silene alpestris</i> Jacq.		?	+	+	+	+														
<i>Silene apetala</i> Willd.													?		+	+			+	?
<i>Silene arghireica</i> Vals.																			+	+
<i>Silene armeria</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	?		0
E <i>Silene badaroi</i> Breistr.							+		+											
E? <i>Silene beguinotii</i> Vals.																				+
<i>Silene behen</i> L.											?		?				+	0	+	+
<i>Silene bellidifolia</i> Jacq.						0	0			0		+	+	+	+	+	+	0	+	+
E <i>Silene calabra</i> Brullo, Scelsi & Spamp.																		+		
<i>Silene campanula</i> Pers.		+					+													
<i>Silene canescens</i> Ten.					+			+	+	+		+	?	+	+					+
E <i>Silene capraria</i> Sommier									+											
<i>Silene catholica</i> (L.) W.T. Aiton									+	+	+	+	+	+	+		+			
E <i>Silene cattariniana</i> Ferrarini & Cecchi										+	?	+	+							
<i>Silene ciliata</i> Pourr. subsp. <i>graefferi</i> (Guss.) Nyman										+	+	+	+							
<i>Silene coelirosa</i> (L.) Godr.						+A	0			0		?	+		0	+		+	+	+
<i>Silene colorata</i> Poir.					+	-		+	+				+		+	+	+	+	+	+
<i>Silene conica</i> L.	+	+		0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Silene conoidea</i> L.							-					+A								
<i>Silene cordifolia</i> All.		+					-													
<i>Silene coronaria</i> (L.) Clairv.	+A	+		+A	+	+A	?	?	?	+	?	+	+	+	+	+	+	+		
<i>Silene cretica</i> L.						0	0		+	0	?	+	+		+	+	+	+	-	+
<i>Silene dichotoma</i> Ehrh. ⁽⁸⁵⁸⁾		+	-	-		0	0				?						+	?		+
<i>Silene dioica</i> (L.) Clairv.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	-		
<i>Silene diversifolia</i> Otth																+			-	+
E <i>Silene echinata</i> Otth												?			+		+	+		
<i>Silene elisabethae</i> Jan			+	+																
<i>Silene flavescens</i> Waldst. & Kit. subsp. <i>flavescens</i>					+A															
<i>Silene flos-cuculi</i> (L.) Clairv.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Silene flos-jovis</i> (L.) Greuter & Burdet	+	+	+	+			+			?										
<i>Silene fruticosa</i> L.																			+	
<i>Silene fuscata</i> Brot.							+			+			+	+		+		+	+	+
<i>Silene gallica</i> L.		+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Silene gallinyi</i> Rchb.					+		0					+	+		+	+	+	+		
E <i>Silene giraldii</i> Guss. ⁽⁸⁵⁹⁾															+					+
<i>Silene hayekiana</i> Hand.-Mazz. & Janch. ⁽⁸⁶⁰⁾				?	+	?														
E <i>Silene hicesiae</i> Brullo & Signorello																			+	
E <i>Silene ichnusae</i> Brullo, De Marco & De Marco f. ⁽⁸⁶¹⁾																				+
<i>Silene inaperta</i> L.						0														+
<i>Silene italica</i> (L.) Pers. s.l.		+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Silene italica</i> (L.) Pers. subsp. <i>italica</i>		+	+		+	+	+	+	+	+	+	+	+	+	+		+			
<i>Silene italica</i> (L.) Pers. subsp. <i>sicula</i> (Ucria) Jeanm. ⁽⁸⁶²⁾											+		?					+	+	
<i>Silene laeta</i> (Aiton) Godr.								+	0			+				+				+
<i>Silene lanuginosa</i> Bertol.								+												
<i>Silene latifolia</i> Poir. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Silene latifolia</i> Poir. subsp. <i>alba</i> (Mill.) Greuter & Burdet	+	+	+	+	+	+	+	+	+	+	?	+	+	-	-	+	-	-	-	-
<i>Silene latifolia</i> Poir. subsp. <i>latifolia</i>	-	-				-		-	-	+	-	+	+	+	+	+	+	+	+	+
<i>Silene linicola</i> C.C. Gmel.			0	0	0	0			0											
E <i>Silene martinoli</i> Bocchieri & Mulas																				+
E <i>Silene minae</i> Strobl																			+	
E <i>Silene morisiana</i> Bég. & Ravano																				+
<i>Silene multicaulis</i> Guss. subsp. <i>multicaulis</i>										+	+	+	+	+	+		+	+		
<i>Silene muscipula</i> L. subsp. <i>muscipula</i>						0		+	0	+	+	0	+	0	+	+	0	+		
<i>Silene neglecta</i> Ten.								+				+	+		+		+		+	
<i>Silene nemoralis</i> Waldst. & Kit.		+	+	+	+				+	+	?	+	+	+	+		+	+		
<i>Silene niceensis</i> All.							+					+	+		+	+	+	+	+	+
<i>Silene noctiflora</i> L.		+	+	+	+	+	0	?	+			+								
<i>Silene nocturna</i> L.		?					+	+	+	+	+	+	+	+	+	+	+	+	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Silene nodulosa</i> Viv.																				+
E <i>Silene notarisii</i> Ces.										+	+	+	+							
E <i>Silene nummica</i> Vals.																			+	+
<i>Silene nutans</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Silene nutans</i> L. subsp. <i>insubrica</i> (Gaudin) Soldano ⁽⁸⁶³⁾		+	+	+		+	+			+			+							
<i>Silene nutans</i> L. subsp. <i>nutans</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+				+	+	
E <i>Silene oenotriae</i> Brullo																			+	
<i>Silene otites</i> (L.) Wibel s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Silene otites</i> (L.) Wibel subsp. <i>otites</i>		+	+	+	+	+		+			+		+							
<i>Silene otites</i> (L.) Wibel subsp. <i>pseudotites</i> (Rchb.) Graebn. & P. Graebn.					+	+	+													
<i>Silene paradoxa</i> L.							+	+	+	+	+	+	+	+	+	+	+	+		
<i>Silene pendula</i> L.			-		+	+	A	?	+	?	?	+	+	+	+	+	+	?	+	+
E <i>Silene pichiana</i> Ferrarini & Cecchi									+											
<i>Silene portensis</i> L. ⁽⁸⁶⁴⁾							0													
<i>Silene pseudoatocion</i> Desf.																				?
E <i>Silene pudibunda</i> Hoffm. ex Rchb.					+	+														
<i>Silene pusilla</i> Waldst. & Kit. subsp. <i>pusilla</i> ⁽⁸⁶⁵⁾	?	?	+	+	+	+				+	+	+	+	+	+		+			
E <i>Silene requienii</i> Oth. ⁽⁸⁶⁶⁾																				+
E <i>Silene roemerii</i> Friv. subsp. <i>staminea</i> (Bertol.) Nyman ⁽⁸⁶⁷⁾										+	+	+	+				+			
E <i>Silene rosulata</i> Soy.-Will. & Godr. subsp. <i>sanctae-theresiae</i> (Jeanm.) Jeanm.																				+
<i>Silene rupestris</i> L.	+	+	+	+	+	+	+	+	+											
<i>Silene saxifraga</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	
<i>Silene sedoides</i> Poir. subsp. <i>sedoides</i>								+								+			+	+
<i>Silene sericea</i> All.							0		?											-
<i>Silene subconica</i> Friv.								+							+		+	+	+	
<i>Silene succulenta</i> Forssk. subsp. <i>corsica</i> (DC.) Nyman																				+
<i>Silene suecica</i> (Lodd.) Greuter & Burdet	+	+	+					+	+											
<i>Silene tenuiflora</i> Guss.																		+	+	
E <i>Silene turbinata</i> Guss.																			?	
<i>Silene vallesia</i> L.	+	+	-		?		-													
E <i>Silene valsecchiae</i> Bocchieri																				+
E <i>Silene velutina</i> Loisel. ⁽⁸⁶⁸⁾																				+
<i>Silene velutinoides</i> Pomel																				+
<i>Silene veselskyi</i> (Janka) H. Neumayer				+	+	+														
<i>Silene viridiflora</i> L.		?		+				+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Silene viscaria</i> (L.) Borkh.	+	+	+	+	+	+	+					0					+	0		
<i>Silene vulgaris</i> (Moench) Garcke s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>aetnensis</i> (Strobl) Pignatti ⁽⁸⁶⁹⁾																				+
<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>commutata</i> (Guss.) Hayek	?			+	+								+		+		+	+	+	
<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>glareosa</i> (Jord.) Marsden-Jones & Turrill		+	+	+	+	+	?						+							
<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>prostrata</i> (Gaudin) Schinz & Thell.	+	+	+				?			+	?	+	+	+						+
<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>tenoreana</i> (Colla) Soldano & F. Conti					+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>vulgaris</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Silphium perfoliatum</i> L.		?	A		+	A	+	A												
<i>Silybum marianum</i> (L.) Gaertn.	?	+	-	-	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Simethis mattiazzi</i> (Vandelli) Saccardo									+			+			+					+
<i>Sinapis alba</i> L. s.l.		?	A	-	+	A	+	+	+	A	+	+	+	+	A	+	+	+	A	+
<i>Sinapis alba</i> L. subsp. <i>alba</i>		?	A		+	A	+	+	+	A	+	+	+	+	A	+	+	+	A	+
<i>Sinapis alba</i> L. subsp. <i>dissecta</i> (Lag.) Bonnier						0				?		+	+				+		+	+
<i>Sinapis alba</i> L. subsp. <i>mairei</i> (H. Lindb.) Maire																				+
<i>Sinapis arvensis</i> L. subsp. <i>arvensis</i> ⁽⁸⁷⁰⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sinapis pubescens</i> L. subsp. <i>pubescens</i> ⁽⁸⁷¹⁾		+							?			+			+	+	+	+	+	+
<i>Sison amomum</i> L.		+	A		+	+	0	+	+	+	+	+	+	+	+		+	+	+	+
<i>Sisymbrella dentata</i> (L.) O.E. Schulz																			?	+
<i>Sisymbrium altissimum</i> L.	+	A	?	+	+	+	A	+	A			?		+		0			0	+
<i>Sisymbrium austriacum</i> Jacq. subsp. <i>austriacum</i>	+	+		+	+		+			?		?	+	?	0					

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Sisymbrium erysimoides</i> Desf.			+												+			+	+	+
<i>Sisymbrium irio</i> L.	?	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sisymbrium loeselii</i> L.		+	+	-	+A	+	+A													
<i>Sisymbrium officinale</i> (L.) Scop.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sisymbrium orientale</i> L. subsp. <i>orientale</i>		?A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Sisymbrium polyceratium</i> L.		+	+				0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sisymbrium strictissimum</i> L.	+	+	+	+	+	+A														
<i>Sisyrinchium angustifolium</i> Mill.			+A	+A	+A	+A	+A	+A												
<i>Sium latifolium</i> L.		?	+		+	+		+	+	?		?	+		+			?		
<i>Sium sisarum</i> L.		?A																		
<i>Sixalix atropurpurea</i> (L.) Greuter & Burdet s.l.		?					+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sixalix atropurpurea</i> (L.) Greuter & Burdet subsp. <i>atropurpurea</i>												?A	+A					+A	+A	
<i>Sixalix atropurpurea</i> (L.) Greuter & Burdet subsp. <i>grandiflora</i> (Scop.) Soldano & F. Conti								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Smilax aspera</i> L.			+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Smyrniurn olusatrum</i> L.		?	+		+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Smyrniurn perfoliatum</i> L. s.l.		?	-		+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Smyrniurn perfoliatum</i> L. subsp. <i>perfoliatum</i>					+			+	+	+	+		+							
<i>Smyrniurn perfoliatum</i> L. subsp. <i>rotundifolium</i> (Mill.) Hartvig										+		+				+	+	+	+	+
<i>Solanum aviculare</i> G. Forst.						+A									+A					
<i>Solanum bonariense</i> L.												+A			+A				+A	
<i>Solanum carolinense</i> L.		+A	+A			+A														
<i>Solanum chenopodioides</i> Lam. ⁽⁸⁷²⁾			+A	+A		+A		+A												
<i>Solanum dulcamara</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Solanum elaeagnifolium</i> Cav.									+A			+A		+A		+A	+A		+A	+A
<i>Solanum heterodoxum</i> Dunal ex DC.									?A											
<i>Solanum lycopersicum</i> L.		+A		+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A
<i>Solanum melongena</i> L.									?A		+A		+A		+A					+A
<i>Solanum nigrum</i> L. ⁽⁸⁷³⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Solanum rostratum</i> Dunal									+A							+A	+A		+A	
<i>Solanum sarrachoides</i> Sendtn.				+A																
<i>Solanum sisymbriifolium</i> Lam.									?A			+A								
<i>Solanum sodomaeum</i> L.		?A				+A	+A		+A			?A			+A	+A	+A	+A	+A	+A
<i>Solanum torvum</i> Sw.																				+A
<i>Solanum tuberosum</i> L.		+A				+A					+A		+A		+A	+A			+A	
<i>Solanum villosum</i> Mill. s.l.	+A	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Solanum villosum</i> Mill. subsp. <i>alatum</i> (Moench) Edmonds	+A	+	+	+	+	+A			+	+	?	+	+		+				+	
<i>Solanum villosum</i> Mill. subsp. <i>villosum</i>		+	+	+	+	+A	+	+	+		+	+	+		0		+		+	+
<i>Soldanella alpina</i> L. subsp. <i>alpina</i>	+	+	+	+	+	+	+	+	+	+	?	+	+	+			+	-		
<i>Soldanella calabrella</i> Kress																		+		
<i>Soldanella minima</i> Hoppe s.l.			+	+	+	+							+							
<i>Soldanella minima</i> Hoppe subsp. <i>minima</i>			+	+	+	+														
<i>Soldanella minima</i> Hoppe subsp. <i>samnitica</i> Cristof. & Pignatti													+							
<i>Soldanella pusilla</i> Baumg. subsp. <i>alpicola</i> (F.K. Mey.) Chrték		+	+	+	+	+		+	+											
<i>Soleirolia soleirolii</i> (Req.) Dandy							+A		+			+								+
<i>Solenanthus apenninus</i> (L.) Fisch. & C.A. Mey.								0	+	+	+	+	+	+	+	+	+	+	+	+
<i>Solenopsis laurentia</i> (L.) C. Presl								+		+	+				+	+		-	+	+
<i>Solenopsis minuta</i> (L.) C. Presl s.l.																		+	+	+
<i>Solenopsis minuta</i> (L.) C. Presl subsp. <i>corsica</i> Meikle ⁽⁸⁷⁴⁾																				+
<i>Solenopsis minuta</i> (L.) C. Presl subsp. <i>minuta</i>																			+	
<i>Solenopsis minuta</i> (L.) C. Presl subsp. <i>nobilis</i> (Wimm.) Meikle																		+	+	+
<i>Solidago canadensis</i> L.		+A	+A	+A	+A	+A	+A	+A	+A			+A								
<i>Solidago gigantea</i> Aiton s.l.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A							
<i>Solidago gigantea</i> Aiton subsp. <i>gigantea</i>				?A		?A														
<i>Solidago gigantea</i> Aiton subsp. <i>serotina</i> (Kuntze) McNeill	+A	+A	+A		?A		+A			+A		+A								
<i>Solidago litoralis</i> Savi						0		+												
<i>Solidago virgaurea</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Solidago virgaurea</i> L. subsp. <i>minuta</i> (L.) Arcang.	+	+	+	+	+	+		+	+											

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Solidago virgaurea</i> L. subsp. <i>virgaurea</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Sonchus arvensis</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		+
<i>Sonchus arvensis</i> L. subsp. <i>arvensis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		+
<i>Sonchus arvensis</i> L. subsp. <i>uliginosus</i> (M. Bieb.) Nyman		+	+	+	+		+	+			?									
<i>Sonchus asper</i> (L.) Hill s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sonchus asper</i> (L.) Hill subsp. <i>asper</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sonchus asper</i> (L.) Hill subsp. <i>glaucescens</i> (Jord.) Ball						+	+	+		+		+	+		+	+	+	+	+	+
<i>Sonchus bulbosus</i> (L.) N. Kilian & Greuter subsp. <i>bulbosus</i>					+	+		+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sonchus maritimus</i> L. subsp. <i>maritimus</i>					+	+	0	+	+	+		+	+	+	+	+	+		+	+
<i>Sonchus oleraceus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sonchus palustris</i> L.	?	0	+		+			+												
<i>Sonchus tenerrimus</i> L.						+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sophora japonica</i> L.						+A													+A	+A
<i>Sorbaria lindleyana</i> (Wall. ex Lindley) Maxim.				+A																
<i>Sorbaria sorbifolia</i> (L.) A. Braun	+A	+A	+A	?A	+A	+A			+A											
<i>Sorbus aria</i> (L.) Crantz s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sorbus aria</i> (L.) Crantz subsp. <i>aria</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sorbus aria</i> (L.) Crantz subsp. <i>cretica</i> (Lindl.) Holmboe						?			?			-	+	+	+		+	+	+	+
<i>Sorbus aucuparia</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sorbus aucuparia</i> L. subsp. <i>aucuparia</i>		+	+	+	+	+	+	+	+	+	+	+	+	+					0	
<i>Sorbus aucuparia</i> L. subsp. <i>glabrata</i> (Wimm. & Grab.) Cajander		?	-	?	+	+	?													
<i>Sorbus aucuparia</i> L. subsp. <i>praemorsa</i> (Guss.) Nyman								?				-					+	+	+	
<i>Sorbus chamaemespilus</i> (L.) Crantz	+	+	+	+	+	+	+	+	+			+	+	+						
<i>Sorbus domestica</i> L.		+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sorbus hostii</i> (Jacq. ex Host) Heynh.				+																
<i>Sorbus hybrida</i> L.			+									+								
<i>Sorbus intermedia</i> (Ehrh.) Pers. ⁽⁸⁷⁵⁾	+	+				?						+								
<i>Sorbus latifolia</i> (Lam.) Pers.			+																	
<i>Sorbus pannonica</i> Kárpáti						?														
<i>Sorbus torminalis</i> (L.) Crantz		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sorbus umbellata</i> (Desf.) Fritsch																			?	
<i>Sorghum bicolor</i> (L.) Moench					+A	+A		+A	+A		+A		+A	+A	+A		+A	?A	+A	+A
<i>Sorghum halepense</i> (L.) Pers.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Sparganium angustifolium</i> Michx.	+	+	+	+	+	+														
<i>Sparganium emersum</i> Rehmman ⁽⁸⁷⁶⁾		+	+	+	+	+	-	+	+			+	+	+			+	+	+	+
<i>Sparganium erectum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sparganium erectum</i> L. subsp. <i>erectum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Sparganium erectum</i> L. subsp. <i>microcarpum</i> (Neuman) Domin		?							+		?									
<i>Sparganium erectum</i> L. subsp. <i>neglectum</i> (Beeby) K. Richt.	+	+	+	+	+	+	0	+	+	+	?	+	-	+	?	+	+	+	+	+
<i>Sparganium hyperboreum</i> Beurl. ex Laest.				+																
<i>Sparganium natans</i> L.		+	+	?	+		?	+	+											
<i>Spartina maritima</i> (Curtis) Fernald				+	+		+													
<i>Spartina x townsendii</i> Groves & J.Groves				+A																
<i>Spartina versicolor</i> Fabre ⁽⁸⁷⁷⁾					+	+		+	+	+		+	+	+		+	+		+	+
<i>Spartium junceum</i> L.	+A	+	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Spergula arvensis</i> L. ⁽⁸⁷⁸⁾		+	+	+	+	+	+	+	+	0	+	+			+		+	+	+	+
<i>Spergula fallax</i> (Lowe) E.H.L. Krause																			+	
<i>Spergula morisonii</i> Boreau																			-	
<i>Spergula pentandra</i> L.		?	+	?	+		0		0		?	+			0				+	+
<i>Spergularia bocconeii</i> (Scheele) Graebn.					+	+A	+		+	+		+	+		+	+	+	+	+	+
<i>Spergularia diandra</i> (Guss.) Boiss.									+				+					+	+	+
<i>Spergularia heldreichii</i> E. Simon & P. Monnier															+	+	+	?		
E <i>Spergularia macrorhiza</i> (Loisel.) Heynh. ⁽⁸⁷⁹⁾																+				+
<i>Spergularia media</i> (L.) C. Presl			0		+	+	0	+	+	?		+	+			+			+	+
<i>Spergularia nicaeensis</i> Burnat							+								+					+
<i>Spergularia rubra</i> (L.) J. & C. Presl	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Spergularia salina</i> J. & C. Presl					+	+		+	+	+		+	+	+	+	+		+	+	+
<i>Spergularia segetalis</i> (L.) G. Don		?							?		+									
<i>Spergularia tunetana</i> (Maire) Jalas																			?	
<i>Sphenopus divaricatus</i> (Gouan) Rchb.							-		+			+			0	+	+	?	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Stellaria nemorum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Stellaria nemorum</i> L. subsp. <i>montana</i> (Pierrat) Berher	+	+	+	+	+	+	+		+	+	+	+	+	+	+		+	+		
<i>Stellaria nemorum</i> L. subsp. <i>nemorum</i>	+	+	+	+	+	+		+		+	?		+							
<i>Stellaria pallida</i> (Dumort.) Crép.	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+
<i>Stellaria palustris</i> Ehrh. ex Hoffm.	0	+	+	-	+	-	0	+												
<i>Stellarioides canaliculata</i> Medik.																				+A
<i>Sternbergia colchiciflora</i> Waldst. & Kit.									+	+	+	+	+			+	+	?	+	
<i>Sternbergia lutea</i> (L.) Ker Gawl. ex Spreng.		?	+			+A	+	+	+	+A	+A	+	+	+	+	+	+	?	+	+
<i>Sternbergia sicula</i> Tineo ex Guss.																	?	+	+	
E <i>Stipa aquilana</i> Moraldo ⁽⁸⁸⁹⁾													+							
<i>Stipa austroitalica</i> Martinovský s.l. ⁽⁸⁹⁰⁾						+							+	+	+	+	+	+	+	
E <i>Stipa austroitalica</i> Martinovský subsp. <i>appendiculata</i> (Celak.) Moraldo ⁽⁸⁹¹⁾																+		+	+	
E <i>Stipa austroitalica</i> Martinovský subsp. <i>austroitalica</i> ⁽⁸⁹²⁾						+									-	+		+	?	
E <i>Stipa austroitalica</i> Martinovský subsp. <i>frentana</i> Moraldo & Ricceri ⁽⁸⁹³⁾													+	+						
E <i>Stipa austroitalica</i> Martinovský subsp. <i>theresiaae</i> Martinovský & Moraldo ⁽⁸⁹⁴⁾																		+		
<i>Stipa barbata</i> Desf.																				+
<i>Stipa capensis</i> Thunb.							+		+		+	+	+	+	+	+	+	+	+	+
<i>Stipa capillata</i> L.	+	+	+	+							+	+	+	+		+				
E <i>Stipa crassiculmis</i> Smirn. subsp. <i>picientina</i> Martinovský, Moraldo & Caputo ⁽⁸⁹⁵⁾				+											+					
E <i>Stipa dasyvaginata</i> Martinovský subsp. <i>apenninicola</i> Martinovský & Moraldo ⁽⁸⁹⁶⁾										+	+	+	+	+	+		+	+		
<i>Stipa epilosa</i> Martinovský s.l.	+	?	+	+	+	0														
<i>Stipa epilosa</i> Martinovský subsp. <i>epilosa</i> ⁽⁸⁹⁷⁾				+	+	0														
E <i>Stipa epilosa</i> Martinovský subsp. <i>montana</i> Moraldo ⁽⁸⁹⁸⁾	+	?	+		+	0														
<i>Stipa eriocaulis</i> Borbás s.l.	+	+	+	+	+	+	+		+							+				
<i>Stipa eriocaulis</i> Borbás subsp. <i>austriaca</i> (Beck) Moraldo & Ricceri ⁽⁸⁹⁹⁾	?		+	+	+	+	+		+											
<i>Stipa eriocaulis</i> Borbás subsp. <i>dyorakyi</i> (Martinovský & Moraldo) Moraldo & Ricceri ⁽⁹⁰⁰⁾	-	+	+	+																
<i>Stipa eriocaulis</i> Borbás subsp. <i>eriocaulis</i>	+	+	+	+	+	+	+		+	-	-	-	-		-	+	-	-		
E <i>Stipa etrusca</i> Moraldo ⁽⁹⁰¹⁾								+	+			?								
E <i>Stipa gussonei</i> Moraldo ⁽⁹⁰²⁾																		0	?	
<i>Stipa juncea</i> L. ⁽⁹⁰³⁾		+		-			+		+											+
<i>Stipa letourneuxii</i> Trabut subsp. <i>pellita</i> (Trin.& Rupr.) H. Scholz ⁽⁹⁰⁴⁾																			+	
E <i>Stipa oligotricha</i> Moraldo s.l.							+		+						+	+	+			
E <i>Stipa oligotricha</i> Moraldo subsp. <i>kiemii</i> (Martinovský) Moraldo																+				
E <i>Stipa oligotricha</i> Moraldo subsp. <i>oligotricha</i>																+	+			
<i>Stipa pennata</i> L. subsp. <i>pennata</i>	-	+	-	+	+	+	-	-	-	-	-	-	0		-	-	-	-		
<i>Stipa pulcherrima</i> Koch			+	?	+				+	-		+	?		0		?			
E <i>Stipa sicula</i> Moraldo, Caputo, La Valva & Ricciardi ⁽⁹⁰⁵⁾																			+	
<i>Stipa tirsia</i> Steven			+		+				+											
E <i>Stipa veneta</i> Moraldo ⁽⁹⁰⁶⁾					+	+														
<i>Stratiotes aloides</i> L.			+		0			+												
<i>Streptopus amplexifolius</i> (L.) DC.	+	+	+	+	+	+	+	+	+				+	+				+		
<i>Styrax officinalis</i> L.												+	?		0					
<i>Suaeda maritima</i> (L.) Dumort.			0		+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
E <i>Suaeda pelagica</i> Bartolo, Brullo & Pavone																			+	
<i>Suaeda splendens</i> (Pourr.) Gren. & Godr.															+	+				+
<i>Suaeda vera</i> J.F. Gmel.					+	+	0	+	+			+	+	?		+	+	+	+	+
<i>Suaeda vermiculata</i> Forssk. ex J.F. Gmel.																				+
<i>Succisa pratensis</i> Moench	+	+	+	+	+	+	+	+	+		+	+	+				?	+		
<i>Succisella inflexa</i> (Kluk) Beck		?	+	-	+	+		+												
<i>Succowia balearica</i> (L.) Medik.									+						-				+	+
<i>Sulla capitata</i> (Desf.) B.H. Choi & H. Ohashi							+		+	+	+		+	+	0	+	+	+	+	+
<i>Sulla coronaria</i> (L.) Medik.		?	A				+A		+	+A	+A	+A	+A	+	+	+	+	+A	+	+
<i>Sulla spinosissima</i> (L.) B.H. Choi & H. Ohashi																			+	+
<i>Swertia perennis</i> L.		+	+	+	+			+	+											

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Symphoricarpos albus</i> (L.) S.F. Blake		+A		+A	+A	+A	+A	+A	+A			+A	+A		+A					
<i>Symphyotrichum ericoides</i> (L.) G.L. Nesom ⁽⁹⁰⁷⁾								+A												
<i>Symphyotrichum lanceolatum</i> (Willd.) G.L. Nesom		+A	+A	+A	+A	+A		+A	+A			+A								
<i>Symphyotrichum lateriflorum</i> (L.) Á.Löve & D.Löve				?A	+A	+A		+A												
<i>Symphyotrichum novae-angliae</i> (L.) G.L. Nesom		?A		+A	+A	+A														
<i>Symphyotrichum novi-belgii</i> (L.) G.L. Nesom		+A	+A	+A	+A	+A	+A	+A	+A	+A		+A	+A							
<i>Symphyotrichum salignum</i> (Willd.) G.L. Nesom		+A	+A	+A	+A	+A	+A	+A												
<i>Symphyotrichum squamatum</i> (Spreng.) G.L. Nesom		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Symphytum asperum</i> Lepech.		?A			+A	+A														
<i>Symphytum bulbosum</i> K.F. Schimp. ⁽⁹⁰⁸⁾		?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Symphytum gussonei</i> F.W. Schultz																				+
<i>Symphytum officinale</i> L. s.l. ⁽⁹⁰⁹⁾	+	+	+	+	+	+	+	+	+	+A	+	+	+	?	+		+	?	+	+
<i>Symphytum officinale</i> L. subsp. <i>bohemicum</i> (F.W. Schmidt) Celak.						+														
<i>Symphytum officinale</i> L. subsp. <i>officinale</i>		+	+	+		+		+		+A	+		+		+		+			
<i>Symphytum orientale</i> L.								+A	+A	+A										
<i>Symphytum tanaicense</i> Steven						?			+			?								
<i>Symphytum tuberosum</i> L. subsp. <i>angustifolium</i> (A. Kern.) Nymán ⁽⁹¹⁰⁾		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Syringa vulgaris</i> L.		+A	+A			+A		+A	?A	+A	+A		+A	+A			?A			+A
<i>Taeniatherum asperum</i> (Simonk.) Nevski																	+	+		+
<i>Taeniatherum caput-medusae</i> (L.) Nevski ⁽⁹¹¹⁾		+					0										+	+	?	+
<i>Tagetes erecta</i> L.						+A														
<i>Tagetes minuta</i> L.						+A			+A											+A
<i>Tagetes patula</i> L.		+A													+A					
<i>Tamarix africana</i> Poir.								+	+	+	+A		+	+	+	+A	+	+	+	+
<i>Tamarix arborea</i> Ehrenb. ex Bunge ⁽⁹¹²⁾																				+
<i>Tamarix canariensis</i> Willd.									+								+	+	+	+
<i>Tamarix dalmatica</i> Baum									+	+A		+		+						+
<i>Tamarix gallica</i> L.			0		+	+	+	+	+	+A		+	?	+	+A	+	+	+	+	+
<i>Tamarix hampeana</i> Boiss. & Heldr. emend. Boiss. ⁽⁹¹³⁾																				+
<i>Tamarix parviflora</i> DC.									?A			+A							+A	+A
<i>Tamarix passerinoides</i> Delile ⁽⁹¹⁴⁾																				+
<i>Tamarix tetragyna</i> Ehrenb. ⁽⁹¹⁵⁾																				+
<i>Tamarix tetrandra</i> Pall. ex M. Bieb. ⁽⁹¹⁶⁾																				+
<i>Tamus communis</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Tanacetum audibertii</i> (Req.) DC. ⁽⁹¹⁷⁾																				+
<i>Tanacetum balsamita</i> L.		+A			+A				+A	+A		+A	+A	+A					+A	
<i>Tanacetum cinerariifolium</i> (Trevir.) Sch. Bip.							+A													
<i>Tanacetum corymbosum</i> (L.) Sch. Bip. s.l.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Tanacetum corymbosum</i> (L.) Sch. Bip. subsp. <i>achilleae</i> (L.) Greuter ⁽⁹¹⁸⁾									+	+			+	+			+			
<i>Tanacetum corymbosum</i> (L.) Sch. Bip. subsp. <i>clusii</i> (Rech.) Heywood ⁽⁹¹⁹⁾			+			+														
<i>Tanacetum corymbosum</i> (L.) Sch. Bip. subsp. <i>corymbosum</i>		+	+	+		+	+	+	-		+		+		+		+			
<i>Tanacetum parthenium</i> (L.) Sch. Bip.	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
E <i>Tanacetum siculum</i> (Guss.) Strobl																				+
<i>Tanacetum vulgare</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	0			+A	+	
E <i>Taraxacum aemilianum</i> Foggi & Ricceri								+	+											
<i>Taraxacum aestivum</i> Soest	?		+	+																
<i>Taraxacum apenninum</i> (group) ⁽⁹²⁰⁾	+	?	+	+	+	+	+		-	+	+	+	+	+	+		+			
<i>Taraxacum aquilonare</i> Hand.-Mazz.	+	?	+	+	+	?	-													
<i>Taraxacum aureocucullatum</i> Soest				+																
<i>Taraxacum balticiforme</i> Dahlst. ⁽⁹²¹⁾			+			+														
<i>Taraxacum brachyglossum</i> (Dahlst.) Dahlst.				+																
<i>Taraxacum caramanicae</i> Lojac.																				+
<i>Taraxacum carinthiacum</i> Soest ⁽⁹²²⁾				+	+	+														
<i>Taraxacum ceratophorum</i> (group) ⁽⁹²³⁾						+														
<i>Taraxacum cordatifolium</i> Soest				+																
<i>Taraxacum croceicarpum</i> Soest				+																
<i>Taraxacum cucullatum</i> Dahlst.		+	+	+	+	?	-													
<i>Taraxacum dissectum</i> (Ledeb.) Ledeb.	+	+																		
<i>Taraxacum erythrospermum</i> Andr.		+	+			?	+		+	+	+				+					

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Taraxacum fontanicola</i> Soest ⁽⁹²⁴⁾				+		+														
<i>Taraxacum fontanum</i> (group) ⁽⁹²⁵⁾			+	+	+															
<i>Taraxacum fulvum</i> (group) ⁽⁹²⁶⁾	+	+	+	-	+	+	0	+	+	-	+	+	+	+	+	+	+	+	+	+
<i>Taraxacum gasparrinii</i> Tineo ex Lojac.									+						+				0	
E <i>Taraxacum glaciale</i> E. & A. Huet ex Hand.-Mazz.												+	+	+						
<i>Taraxacum gracillimum</i> Soest				+	+															
<i>Taraxacum handelii</i> Murr				+																
<i>Taraxacum helveticum</i> Soest				+																
<i>Taraxacum madidum</i> Kirschner & Štěpánek ⁽⁹²⁷⁾				+																
<i>Taraxacum magnopyramidophorum</i> Soest				+																
<i>Taraxacum megalorrhizon</i> (Forssk.) Hand.-Mazz.		?	+	-	+	?	?	+	+	?	?	+	+	+	+	+	+	+	+	+
<i>Taraxacum nigricans</i> (group) ⁽⁹²⁸⁾			+	+																
<i>Taraxacum obliquum</i> (Fr.) Dahlst.						+														
<i>Taraxacum obovatum</i> (Willd.) DC.							0	+	+	?	?	?	+		0	+	+	?	+	+
<i>Taraxacum officinale</i> (group) ⁽⁹²⁹⁾	+	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Taraxacum oreophilum</i> C.E. Haglund				+																
<i>Taraxacum pacheri</i> Sch. Bip.		?	+																	
<i>Taraxacum palustre</i> (group) ⁽⁹³⁰⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+
<i>Taraxacum panalpinum</i> Soest ⁽⁹³¹⁾				+		+														
<i>Taraxacum perfixum</i> Soest						+														
<i>Taraxacum petiolulatum</i> (Huter) Soest				+																
<i>Taraxacum plumbeum</i> Dahlst.				+																
<i>Taraxacum pohlii</i> Soest				+																
<i>Taraxacum reichenbachii</i> Huter ex Dahlst.				+																
<i>Taraxacum reophilum</i> Soest				+																
<i>Taraxacum rhaeticum</i> Soest ⁽⁹³²⁾																				
<i>Taraxacum rubicundum</i> (Dahlst.) Dahlst.				+															+	+
<i>Taraxacum saasense</i> Soest				+																
<i>Taraxacum scaturiginosum</i> G.E. Haglund ⁽⁹³³⁾						+														
<i>Taraxacum schroeteranum</i> Hand.-Mazz.	+	+	+	+																
<i>Taraxacum silesiacum</i> Dahlst. ex G.E.Haglund				+																
<i>Taraxacum tirolense</i> Dahlst				+																
<i>Taraxacum turfosum</i> (Sch. Bip.) Soest				+																
<i>Taraxacum veteri</i> Soest				+																
<i>Teesdalia coronopifolia</i> (J.P. Bergeret) Thell.		?	+						+		+	+						+	+	+
<i>Teesdalia nudicaulis</i> (L.) R. Br.		+	+				+											+	+	
<i>Telekia speciosa</i> (Schreb.) Baumg. ⁽⁹³⁴⁾				+	+	+														
<i>Telephium imperati</i> L. subsp. <i>imperati</i>	+	+	+	+																
<i>Teline linifolia</i> (L.) Webb subsp. <i>linifolia</i> ⁽⁹³⁵⁾						+	+		+	?		+	?		+	+		+	+	+
<i>Teline monspessulana</i> (L.) K. Koch						+	+		+	?		+	?		+	+		+	+	+
<i>Tephroseris balbisiana</i> (DC.) Holub		+				+														
<i>Tephroseris integrifolia</i> (L.) Holub s.l.		+	+			?			+	+	+	+	+	+	+					
<i>Tephroseris integrifolia</i> (L.) Holub subsp. <i>capitata</i> (Wahlenb.) B. Nord.		+	+			?							+		+					
<i>Tephroseris integrifolia</i> (L.) Holub subsp. <i>integrifolia</i>			?									+		+						
E <i>Tephroseris italica</i> Holub		?	+	+	+	-	+	+	+	+			+							
<i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk s.l.		+	+	+	+	+	+	+	+	-	+	+	-							
<i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>gaudinii</i> (Gremli) Kerguelen		+	+	+	+	+	+	+	+	-	+	+	-							
<i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>longifolia</i>					+															
<i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>pseudocrispa</i> (Fiori) Greuter					+															
<i>Tetragonia tetragonoides</i> (Pallas) Kuntze					+	+						+	+		+					
<i>Tetragonolobus biflorus</i> (Desr.) Ser.																		+	+	
<i>Tetragonolobus conjugatus</i> (L.) Link s.l.									+			?			0				+	
<i>Tetragonolobus conjugatus</i> (L.) Link subsp. <i>conjugatus</i>																			+	
<i>Tetragonolobus conjugatus</i> (L.) Link subsp. <i>requienii</i> (Mauri ex Sanguin.) E. Domínguez & Galiano												?			0					
<i>Tetragonolobus maritimus</i> (L.) Roth	+	+	+	+	+	+	+	+	+	+	+	+	+	?		+				+
<i>Tetragonolobus purpureus</i> Moench						+		+	0			+	+	+	+	+	+	+	+	+
<i>Teucrium aureum</i> Schreb. subsp. <i>aureum</i>																			+	
<i>Teucrium botrys</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+							

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Thlaspi caerulescens</i> J. & C. Presl	+	+	+	+	+	+	+		+											
<i>Thlaspi lereschianum</i> (Burnat) A.W. Hill	+	+	+																	
<i>Thlaspi montanum</i> L.		+			+															
<i>Thlaspi perfoliatum</i> L. s.l. ⁽⁹⁴³⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Thlaspi perfoliatum</i> L. subsp. <i>perfoliatum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Thlaspi perfoliatum</i> L. subsp. <i>tineoi</i> (Paol.) Maire																				+
<i>Thlaspi praecox</i> Wulfen	+	+	+	+	+	+				+	+	+	+	+	+	+	+	+		
<i>Thlaspi rivale</i> C. Presl																	+	?	+	?
<i>Thlaspi rotundifolium</i> (L.) Gaudin s.l. ⁽⁹⁴⁴⁾	-	+	+	+	+	+	-													
<i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>cepaefolium</i> (Wulfen) Rouy & Fouc. ⁽⁹⁴⁵⁾	-	?	-	+	+	+	-													
E <i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>grignense</i> (F.K. Mey.) Greuter & Burdet ⁽⁹⁴⁶⁾			+																	
<i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>rotundifolium</i> ⁽⁹⁴⁷⁾	+	+		+	+															
E <i>Thlaspi stylosum</i> (Ten.) Mutel										+	+	+	+	+						
<i>Thlaspi sylvium</i> Gaudin	+	+																		
E <i>Thlaspi torreanum</i> (Ten.) Greuter & Burdet										?		?	+				+			
<i>Thlaspi virens</i> Jord.	+	+																		
<i>Thymelaea dioica</i> (Gouan) All.		?				+														
<i>Thymelaea gussonei</i> Boreau																			+	+
<i>Thymelaea hirsuta</i> (L.) Endl.						+		+				+	0	+	+	+	+	+	+	+
<i>Thymelaea passerina</i> (L.) Coss. & Germ.	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Thymelaea tartonraira</i> (L.) All. subsp. <i>tartonraira</i>															+		+	+	+	+
<i>Thymus alpestris</i> Tausch ex A. Kern.				-	+	+	+													
<i>Thymus capitatus</i> (L.) Hoffmanns. & Link												+	0		0	+	+	+	+	+
E <i>Thymus catharinae</i> Camarda																				+
<i>Thymus glabrescens</i> Willd. subsp. <i>decipiens</i> (Heinr. Braun) Domin	?	+	+	+	+	+	+	+	+	+	+	+	+				?			
<i>Thymus herba-barona</i> Loisel. ⁽⁹⁴⁸⁾																				+
<i>Thymus illyricus</i> Ronniger					+															
<i>Thymus kostelezkyanus</i> Opiz			+																	
<i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-
<i>Thymus praecox</i> Opiz s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+		
<i>Thymus praecox</i> Opiz subsp. <i>polytrichus</i> (Borbás) J alas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+		
<i>Thymus praecox</i> Opiz subsp. <i>praecox</i>	+	+	+	+			+			+	?									
<i>Thymus praecox</i> Opiz subsp. <i>zygiformis</i> (Heinr. Braun) J alas												+	+							
<i>Thymus pulegioides</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	-
<i>Thymus pulegioides</i> L. subsp. <i>carniolicus</i> (Borbás) P.A. Schmidt	?	+	+	+	+	+	+		+			-	+	+	?					
<i>Thymus pulegioides</i> L. subsp. <i>montanus</i> (Benth.) Ronniger					+															
<i>Thymus pulegioides</i> L. subsp. <i>pulegioides</i>	+	+	+	+	+	+		+	+		+	+								
E <i>Thymus richardii</i> Pers. subsp. <i>nitidus</i> (Guss.) J alas																				+
E <i>Thymus spinulosus</i> Ten.								+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Thymus striatus</i> Vahl								+	+	+	+	+	+	+	+	+	+	+	+	?
<i>Thymus thracicus</i> Velen.												+					+			
<i>Thymus vulgaris</i> L. subsp. <i>vulgaris</i>	+	+	+		+	A	+	+	+		+	+	+							
<i>Tilia americana</i> L.										?	A									
<i>Tilia cordata</i> Mill.	+	+	+	+	+	+	+	+	+	+	?	+	+	+	+		+	+		
<i>Tilia heterophylla</i> Vent.										?	A									
<i>Tilia platyphyllos</i> Scop. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Tilia platyphyllos</i> Scop. subsp. <i>cordifolia</i> (Besser) C.K. Schneid.												-	+		+					
<i>Tilia platyphyllos</i> Scop. subsp. <i>platyphyllos</i>	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Tilia platyphyllos</i> Scop. subsp. <i>pseudorubra</i> C.K. Schneid.																			+	
<i>Tilia tomentosa</i> Moench									?	A										
<i>Tilia x vulgaris</i> Hayne	+	+	+	+	+	A	+		+			+		+						+
E <i>Tillaea basaltica</i> (Brullo & Siracusa) Brullo, Giusso & Siracusa ⁽⁹⁴⁹⁾																				+
<i>Tillaea campestris</i> (Eckl. & Zeyh.) Brullo, Giusso & Siracusa ⁽⁹⁵⁰⁾							?	A												+
<i>Tillaea muscosa</i> L.		?	+				+		+			+			+	+		+	+	+
<i>Tillaea vaillantii</i> Willd. ⁽⁹⁵¹⁾							+		+			?				+	+		+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Trifolium arvense</i> L. subsp. <i>arvense</i>		+	+	+	+			+		+	+		+		+		+	+	+	
<i>Trifolium arvense</i> L. subsp. <i>gracile</i> (Thuill.) Nyman								+	+											
<i>Trifolium aureum</i> Pollich subsp. <i>aureum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Trifolium badium</i> Schreb.	+	+	+	+	+	+	+	+	+	?	+	+	+	+						
E <i>Trifolium bivonae</i> Guss.																			+	
<i>Trifolium bocconeii</i> Savi					+	+	+	+			+	+	?	+	+	+	+	+	+	+
E <i>Trifolium brutium</i> Ten.													?		+		+	+	+	+
<i>Trifolium campestre</i> Schreb.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium cherleri</i> L.						+	+	?	+	0	+	+	+	+	+	+	+	+	+	+
<i>Trifolium clusii</i> Godr. & Gren.																			+	
<i>Trifolium congestum</i> Guss.																	+	+	+	
<i>Trifolium diffusum</i> Ehrh.																			+	+
<i>Trifolium dubium</i> Sibth.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
<i>Trifolium echinatum</i> M. Bieb.							+	?	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium fragiferum</i> L. subsp. <i>fragiferum</i> ⁽⁹⁵⁵⁾	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium glomeratum</i> L.		+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium grandiflorum</i> Schreb.																	+	+	+	
<i>Trifolium hirtum</i> All.		?	+		+		0		+			+								+
<i>Trifolium hybridum</i> L. s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium hybridum</i> L. subsp. <i>elegans</i> (Savi) Asch. & Graebn.	?	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium hybridum</i> L. subsp. <i>hybridum</i>	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium incarnatum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium incarnatum</i> L. subsp. <i>incarnatum</i>	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium incarnatum</i> L. subsp. <i>molinerii</i> (Hornem.) Ces.	+	+	+	?	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium infamia-ponertii</i> Greuter							+	+				?		+	+		+	+	+	+
E <i>Trifolium isthmocarpum</i> Brot. subsp. <i>jaminianum</i> (Boiss.) Murb.							-												?	
<i>Trifolium lappaceum</i> L.		?	+		+	+	?	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium latinum</i> Sebast.												0								
<i>Trifolium leucanthum</i> M. Bieb.								?	?	+	+		+	+	+	+	+	+	+	+
<i>Trifolium ligusticum</i> Loisel.						+	+	+	+	+	+	0	+	0	+	+	+	+	+	+
<i>Trifolium lucanicum</i> Guss.										+	+		+	+	+	+			+	
<i>Trifolium medium</i> L. subsp. <i>medium</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Trifolium michelianum</i> Savi									?		+				+				0	+
<i>Trifolium micranthum</i> Viv.		+					0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium montanum</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+			+			
<i>Trifolium montanum</i> L. subsp. <i>montanum</i>	+	+	+	+	+	+	+					+								
<i>Trifolium montanum</i> L. subsp. <i>rupestre</i> (Ten.) Nyman		+				+				+	+	+	+	+						
<i>Trifolium mutabile</i> Port.																+	+	+	+	+
<i>Trifolium nigrescens</i> Viv. s.l.	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium nigrescens</i> Viv. subsp. <i>nigrescens</i>		+	+		+	+	+			+	+	+	+	+	+		+	+	+	+
<i>Trifolium nigrescens</i> Viv. subsp. <i>petrisavii</i> (Clementi) Holmboe ⁽⁹⁵⁶⁾																			+	
<i>Trifolium noricum</i> Wulfen s.l.					+	+				+	?	+	+		-					
<i>Trifolium noricum</i> Wulfen subsp. <i>noricum</i>					+															
<i>Trifolium noricum</i> Wulfen subsp. <i>praetutianum</i> (Savi) Arcang.										+	?	?	+							
<i>Trifolium obscurum</i> Savi									?	+		?			+	+	+			
<i>Trifolium ochroleucum</i> Huds.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium ornithopodioides</i> L.												+					+			+
<i>Trifolium pallescens</i> Schreb.	+	+	+	+	+	+	+						+							
<i>Trifolium pallidum</i> Waldst. & Kit.					+	+	0	?	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium pannonicum</i> Jacq. subsp. <i>pannonicum</i>		+	0			+														
<i>Trifolium patens</i> Schreb.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Trifolium patulum</i> Tausch															+			+		
<i>Trifolium phleoides</i> Willd.										+	+	+	+	+		+	+	+	+	+
<i>Trifolium physodes</i> M. Bieb.															-	+	+	0	+	
<i>Trifolium pratense</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trifolium pratense</i> L. subsp. <i>nivale</i> (Koch) Ces.	?	+	+	+	+	+							+							
<i>Trifolium pratense</i> L. subsp. <i>pratense</i>	+	+	+	+	+	+	+			+	+	+	+	+			+		+	
<i>Trifolium pratense</i> L. subsp. <i>sativum</i> (Schreb.) Schübl. & G.Martens						+	+			+	+	+	+	+						

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
E	<i>Trifolium pratense</i> L. subsp. <i>semipurpureum</i> (Strobl) Pignatti											+	+	+	+	+	+	+	+		
	<i>Trifolium purpureum</i> Loisel.																				?
	<i>Trifolium repens</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium repens</i> L. subsp. <i>prostratum</i> Nyman									+	+	+	+	+	+	+		+	+	+	+
	<i>Trifolium repens</i> L. subsp. <i>repens</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+
	<i>Trifolium resupinatum</i> L.	?	+A	-	+A	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium rubens</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+			+				
	<i>Trifolium saxatile</i> All.	+	+		+																
	<i>Trifolium scabrum</i> L. subsp. <i>scabrum</i>	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium sebastianii</i> Savi												+			0		+		+	
E	<i>Trifolium setiferum</i> Boiss.																			+	
	<i>Trifolium spadiceum</i> L.			+	+	?					+	+	+	+					+		
	<i>Trifolium spumosum</i> L.								+				+	+		+	+		+	+	+
	<i>Trifolium squamosum</i> L.		?	A		+	+A	0	+	+	+	?	+	0	+		+	+	+	+	+
	<i>Trifolium squarrosum</i> L.		0				0		?	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium stellatum</i> L.		?	+	-	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium striatum</i> L. s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium striatum</i> L. subsp. <i>striatum</i>			+	+	+	+		+		+	+	+	+	+			+	+	+	+
	<i>Trifolium striatum</i> L. subsp. <i>tenuiflorum</i> (Ten.) Arcang.					+							+	+		+		+	+	+	+
	<i>Trifolium strictum</i> L.		+	+					+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium subterraneum</i> L. s.l.		+	+		+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium subterraneum</i> L. subsp. <i>oxaloides</i> Nyman												+					+		+	
	<i>Trifolium subterraneum</i> L. subsp. <i>subterraneum</i>			+					+		+	+	+	+		+			+	+	
	<i>Trifolium subterraneum</i> L. subsp. <i>yanninicum</i> Katzn. & F. Morley																				+
	<i>Trifolium suffocatum</i> L.						+A	+		+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trifolium sylvaticum</i> Gérard ex Loisel.																			+	
	<i>Trifolium tenuifolium</i> Ten.																+	+		+	
	<i>Trifolium thalii</i> Vill.	+	+	+	+	+	+	+	+	+	+	+	+	+	+					+	
	<i>Trifolium tomentosum</i> L.							+	?	+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Trifolium uniflorum</i> L. subsp. <i>savianum</i> (Guss.) Asch. & Graebn.																		0	+	
	<i>Trifolium vesiculosum</i> Savi								+		?	+	0			+	+	+	+	+	+
	<i>Triglochin bulbosum</i> L. subsp. <i>barrelieri</i> (Loisel.) Rouy								+			+		+	+	+	+	+	?	+	+
	<i>Triglochin laxiflorum</i> Guss.								+			+				0	+			+	+
	<i>Triglochin maritimum</i> L.					+	+	0	+	0											
	<i>Triglochin palustre</i> L.	+	+	+	+	+	+	+	+	+	0			+					0		
	<i>Trigonella caerulea</i> (L.) Ser.		?	A			+A		?	A											
	<i>Trigonella esculenta</i> Willd.		+	-			+	0		+	0		+	+	+	+	+	+	+	+	+
	<i>Trigonella foenum-graecum</i> L.						+A		?	+A		+A	+A	+A	+A	+A		+A	+A	+A	
	<i>Trigonella gladiata</i> M. Bieb.		?			+	0	+		+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trigonella maritima</i> Poir.																+		+	+	+
	<i>Trigonella monspeliaca</i> L.	+	+	+	+	?	+A	+	?	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Trinia dalechampii</i> (Ten.) Janch.								+	+	+	+	+	+	+	+		+	+		
	<i>Trinia glauca</i> (L.) Dumort. s.l.	+	+	+	+	+	+	+	+	+	+	?	-	+	?	+		+	?		
	<i>Trinia glauca</i> (L.) Dumort. subsp. <i>carniolica</i> (A. Kern. ex Janch.) H. Wolff						?				+	?		-				-	-		
	<i>Trinia glauca</i> (L.) Dumort. subsp. <i>glauca</i>	+	+	+	+	+	+	+	+	+	-	?	-	+		?		+	?		
	<i>Triplachne nitens</i> (Guss.) Link																				+
	<i>Tripleurospermum inodorum</i> (L.) Sch. Bip.	+A	+	+	+A	+	+	+	+	+	+		+A	+	+				+		
	<i>Tripodion tetraphyllum</i> (L.) Fourr.							+		+	+	+	+	+	+	+	+	+	+	+	+
	<i>Tripolium pannonicum</i> (Jacq.) Dobrocz. s.l.					+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
	<i>Tripolium pannonicum</i> (Jacq.) Dobrocz. subsp. <i>pannonicum</i>								+	+			+	+				+			
	<i>Tripolium pannonicum</i> (Jacq.) Dobrocz. subsp. <i>tripolium</i> (L.) Greuter						+				+									+	
	<i>Trisetaria alpestris</i> (Host) Baumg. ⁽⁹⁵⁷⁾				+	+	+	+		+											
	<i>Trisetaria argentea</i> (Vill.) Banfi & Soldano ⁽⁹⁵⁸⁾				+	+	+	+													
	<i>Trisetaria aurea</i> (Ten.) Pignatti ⁽¹¹⁰⁾									+	0		+	+	+	0	+	+	+	+	+
	<i>Trisetaria burnouffii</i> (Req. ex Parl.) Banfi & Soldano ⁽⁹⁵⁹⁾									+											
	<i>Trisetaria distichophylla</i> (Vill.) Paunero s.l. ⁽⁹⁶⁰⁾	+	+	+	+	+															
	<i>Trisetaria distichophylla</i> (Vill.) Paunero subsp. <i>brevifolia</i>				+	+	+														

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
(Host) Banfi & Soldano ⁽⁹⁶¹⁾																				
<i>Trisetaria distichophylla</i> (Vill.) Paunero subsp. <i>distichophylla</i> ⁽⁹⁶²⁾	+	+	-																	
<i>Trisetaria flavescens</i> (L.) Baumg. s.l. ⁽⁹⁶³⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+	+	0	+	+
<i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>flavescens</i> ⁽⁹⁶⁴⁾	+	+	+		+	+	+			+	+	?	+							
<i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>purpurascens</i> (DC.) Banfi & Soldano ⁽⁹⁶⁵⁾		?		+																
<i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>splendens</i> (C. Presl) Banfi & Soldano ⁽⁹⁶⁶⁾																				+
E <i>Trisetaria gracilis</i> (Moris) Banfi & Arrigoni ⁽⁹⁶⁷⁾																				+
<i>Trisetaria loeflingiana</i> (L.) Paunero ⁽⁹⁶⁸⁾	+	?																		
<i>Trisetaria michelii</i> (Savi) D. Heller					+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Trisetaria myriantha</i> (Bertol.) D. Heller ⁽⁹⁶⁹⁾		+	+				0													
<i>Trisetaria panicea</i> (Lam.) Maire			+		+	+	0		+	+	+	+	+	+	+	+	+	+	+	+
<i>Trisetaria segetum</i> (Savi) Soldano ⁽⁹⁷⁰⁾									+	+		+	+	+	+	+	+	+	+	+
<i>Trisetaria spicata</i> (L.) Paunero subsp. <i>ovatifolia</i> (Hultén ex Jonsell) Banfi & Soldano ⁽⁹⁷¹⁾	+	+	+	+	+	+						+								
E <i>Trisetaria villosa</i> (Bertol.) Banfi & Soldano ⁽⁹⁷²⁾										+	+	+	+	?						
<i>Triticum aestivum</i> L. ⁽⁹⁷³⁾					+	+			+		+	+	+		+				+	+
<i>Triticum biunciale</i> (Vis.) K. Richter																+				
<i>Triticum caudatum</i> (L.) Raspail							-													+
<i>Triticum cylindricum</i> (Host) Cesati, Passerini & Gibelli	+	+		+		+										+				+
<i>Triticum neglectum</i> (Req. ex Bertol.) Greuter		+	-		+	+	+	+	+		+	+	?	+	?	+	+	+	+	+
<i>Triticum ovatum</i> (L.) Raspail	0	+	-		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Triticum peregrinum</i> Hack.															+					
<i>Triticum speltoides</i> (Tausch) Gren. ex K. Richter							0													
<i>Triticum triunciale</i> (L.) Raspail		+			+	+	+	+	+			0			+	+	+	+	+	+
<i>Triticum turgidum</i> L. ⁽⁹⁷⁴⁾					+	+					+				+	+	+	+	+	+
<i>Triticum uniaristatum</i> (Vis.) K. Richter																+	+	?		
<i>Triticum ventricosum</i> (Tausch) Cesati, Passerini & Gibelli	-	?							+	?			+		?	?		?	?	+
<i>Trochiscanthes nodiflora</i> (All.) W.D.J. Koch		+	+	+	+		+	+	+											
<i>Trollius europaeus</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	?	+	+	+						
<i>Trollius europaeus</i> L. subsp. <i>europaeus</i>	+	+	+	+	+	+	+	+	+	+	?	+	+	+						
<i>Trollius europaeus</i> L. subsp. <i>transilvanicus</i> (Schur) Domin & Podp.							?													
<i>Tropaeolum majus</i> L.												?	A		+	+	+		+	+
<i>Tuberaria acuminata</i> (Viv.) Grosser							+													
<i>Tuberaria guttata</i> (L.) Fourr.	+	+	+		+		+	+	+	+	+	+	?	+	+	+	+	+	+	+
<i>Tuberaria inconspicua</i> (Pers.) Willk. ⁽⁹⁷⁵⁾							+													+
<i>Tuberaria lignosa</i> (Sweet) Samp.							+	+		+					0	+		+	+	+
<i>Tuberaria praecox</i> Grosser							?		+	?	?	+	?		?	+	+	?	+	+
<i>Tuberaria villosissima</i> (Pomel) Grosser																				+
<i>Tulipa agenensis</i> DC.							+	A		+	A	?	A	+	A	+	+			
<i>Tulipa australis</i> Link	+	+	+	+			+	+	+	+	+	+	+			+		+	+	+
<i>Tulipa clusiana</i> DC.		+	A					+	+	+	+	+	+							
<i>Tulipa praecox</i> Ten.		+	A	+	+	+	+	+	+	+	+	?	A	+	A		+	+	+	+
<i>Tulipa saxatilis</i> Sieber ex Spreng. ⁽⁷⁷⁾																				
<i>Tulipa sylvestris</i> L.		+	+	0	+		-	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Turgenia latifolia</i> (L.) Hoffm.	?	+	+	0	+	+	0	+	+	+	+	+	+	+	0	+	+	0	+	+
<i>Tussilago farfara</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Typha angustifolia</i> L.	0	+	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+	+
<i>Typha domingensis</i> (Pers.) Steud.										+										+
<i>Typha latifolia</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Typha laxmannii</i> Lepech.		0	+	+	+	+	+	+		+			+	+						
<i>Typha minima</i> Funk	+	+	+	0	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Typha shuttleworthii</i> W.D.J. Koch & Sond.		0	+	A	+	+	+													
<i>Tyrimnus leucographus</i> (L.) Cass.									+		+	+	+	+	+	+	+	+	+	+
<i>Ulex europaeus</i> L. subsp. <i>europaeus</i>					+	A	+	+	+	+	?	+	?	+	+	?	A	+	+	+
<i>Ulmus glabra</i> Huds.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+
<i>Ulmus laevis</i> Pall.		+	A	+	A	+	A	+	A	+	?	A	+	+	+	+				
<i>Ulmus minor</i> Mill. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ulmus minor</i> Mill. subsp. <i>canescens</i> (Melville) Browicz & Ziel.									?	A		+				+		?	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Ulmus minor</i> Mill. subsp. <i>minor</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ulmus pumila</i> L.		?A	+A	+A		+A		+A				+A								
<i>Umbilicus chloranthus</i> Heldr. & Sart. ex Boiss. ⁽⁹⁷⁶⁾																+				
<i>Umbilicus horizontalis</i> (Guss.) DC. ⁽⁹⁷⁷⁾										+	+	?	+	+	+	+	+	+	+	+
<i>Umbilicus rupestris</i> (Salisb.) Dandy		+	+	+			+	+	+	-	+	+	+	+	+	+	+	+	+	+
<i>Urginea fugax</i> (Moris) Steinh.																?	+			+
<i>Urospermum dalechampii</i> (L.) F.W. Schmidt		+					+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Urospermum picroides</i> (L.) Scop. ex F.W. Schmidt						+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Urtica atrovirens</i> Req. ex Loisel.								+												+
<i>Urtica dioica</i> L. subsp. <i>dioica</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Urtica membranacea</i> Poir. ex Savigny		?	+				+	?	+	0	+	+	+	+	+	+	+	+	+	+
<i>Urtica pilulifera</i> L.							+	?	+	+	?	+	+	+	+	+	+	+	+	+
E <i>Urtica rupestris</i> Guss.																				+
<i>Urtica urens</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	+	+	+	+
<i>Utricularia australis</i> R. Br.	+	+	+	+	+	+	+	+	+		+	+				+			+	
<i>Utricularia breinii</i> Heer		+	+	+	+				+											
<i>Utricularia intermedia</i> Hayne			0	?	0															
<i>Utricularia minor</i> L.	+	+	+	+	+	+	+	?	+		+		?		0					
<i>Utricularia ochroleuca</i> R.W. Hartm.					?															
<i>Utricularia stygia</i> G. Thor				+																
<i>Utricularia vulgaris</i> L.		+	+	-	+	+	0	+	+	0	?	-	?	+	0	-			-	+
<i>Vaccaria hispanica</i> (Mill.) Rauschert	0	+	+	0	+	+	+	?	+	+	+	+	+	+	+	+	+	?	+	+
<i>Vaccinium microcarpum</i> (Turcz. ex Rupr.) Schmalh.			+	+	+															
<i>Vaccinium myrtillus</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+						
<i>Vaccinium oxycoccos</i> L.			+	+	+			0												
<i>Vaccinium uliginosum</i> L. s.l.	+	+	+	+	+	+	+	+	+			+	+							
<i>Vaccinium uliginosum</i> L. subsp. <i>microphyllum</i> (Lange) Tolm. ⁽⁹⁷⁸⁾	+	+	+	+	+	+	+	+	+			+	+							
<i>Vaccinium uliginosum</i> L. subsp. <i>uliginosum</i> ⁽⁹⁷⁹⁾	+		+	+				+												
<i>Vaccinium vitis-idaea</i> L.	+	+	+	+	+	+	+	+		+										
<i>Valantia calva</i> Brullo																			+	
E <i>Valantia deltoidea</i> Brullo																				+
<i>Valantia hispida</i> L.		?										-	+		0	+		+	+	+
<i>Valantia muralis</i> L.		?			+	+		+	+	+	+	+	+		+	+	+	+	+	+
<i>Valeriana celtica</i> L. s.l.	+	+		?																
<i>Valeriana celtica</i> L. subsp. <i>celtica</i>	+	+																		
<i>Valeriana celtica</i> L. subsp. <i>norica</i> Vierh.				?																
<i>Valeriana dioica</i> L.	+	+	+	+	+	+		+	+				+							
<i>Valeriana elongata</i> Jacq.				+	+	+														
<i>Valeriana montana</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		+
<i>Valeriana nemorensis</i> Turk					+															
<i>Valeriana officinalis</i> L.	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+
<i>Valeriana saluinca</i> All.	+	+	+	+	?		-			+	+	+	+							
<i>Valeriana sambucifolia</i> J.C. Mikan ex Pohl	?	?	-	?		?														
<i>Valeriana saxatilis</i> L.		+	+	+	+	+		+												
<i>Valeriana supina</i> Ard.				+	+	+														
<i>Valeriana tripteris</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		?	+		
<i>Valeriana tripteris</i> L. subsp. <i>austriaca</i> E. Walther				+		+														
<i>Valeriana tripteris</i> L. subsp. <i>tomentella</i> E. Walther				+																
<i>Valeriana tripteris</i> L. subsp. <i>tripteris</i>		+	+					+		+	+		+							
<i>Valeriana tuberosa</i> L.	+	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Valeriana versifolia</i> Brügger	?	+	-	?	+															
<i>Valeriana wallrothii</i> Kreyer	+	+	+	+	+	+	+	?				+	+	+	+					
<i>Valerianella carinata</i> Loisel.	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Valerianella coronata</i> (L.) DC.	+	+	-	+	+		0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Valerianella costata</i> (Stev.) Betcke																			+	
<i>Valerianella dentata</i> (L.) Pollich	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Valerianella discoidea</i> (L.) Loisel.		?					0		0			?	+			+	+	?	+	+
<i>Valerianella echinata</i> (L.) DC.		?	+		+		0	+	+	+	+	+	+		0	+				
<i>Valerianella eriocarpa</i> Desv.				+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Valerianella locusta</i> (L.) Laterr.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Valerianella microcarpa</i> Loisel.		?					0	+	+	+		+	+	+	+	+	+	+	+	+
<i>Valerianella muricata</i> (Stev. ex M. Bieb.) J.W. Loudon				-			0	+	+	+	+	+	+	+	+	+	+	0	+	+

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Valerianella puberula</i> (Bertol. ex Guss.) DC.									+			+	+	+	+			?	+	+
<i>Valerianella pumila</i> (L.) DC.			+			+A	0			+	?	+	+			+	+	+	+	
<i>Valerianella rimosa</i> Bastard	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+		+	
<i>Valerianella turgida</i> (Stev.) Betcke					+													?		
<i>Valerianella vesicaria</i> (L.) Moench																+	+		+	-
<i>Vallisneria spiralis</i> L.		+	+	+	+	+		+	+		+	+								
<i>Velezia rigida</i> L.									+			+	+			+	+	+	+	+
<i>Ventenata dubia</i> (Leers) Coss.		+			+		0		+	+	+	?	+				+	?		+
<i>Veratrum album</i> L.		+			+	+														
<i>Veratrum lobelianum</i> Bernh.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0					
<i>Veratrum nigrum</i> L.			+	+	+	+	+	+	?	+	+	+	+	+	+					
<i>Verbascum alpinum</i> Turra			+	+	+	+		?	+			+	+	+	+					
E <i>Verbascum argenteum</i> Ten.													+	+	0					
<i>Verbascum blattaria</i> L.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Verbascum boerhavii</i> L.	+	+					+		+				-							
<i>Verbascum chaixii</i> Vill. s.l.		+	+	+	+	+	+	+	+			+	+	+	+	+	+	?		
<i>Verbascum chaixii</i> Vill. subsp. <i>austriacum</i> (Schott ex Roem. & Schult.) Hayek				+		+														
<i>Verbascum chaixii</i> Vill. subsp. <i>chaixii</i>		+			+	+							+							
E <i>Verbascum conocarpum</i> Moris subsp. <i>conocarpum</i> ⁽⁹⁸⁰⁾									+											+
<i>Verbascum creticum</i> (L.) Kuntze																		+	+	+
<i>Verbascum densiflorum</i> Bertol.	+	+	+	+	+	+		+	+			+	+	+	+		+			
<i>Verbascum longifolium</i> Ten.										+	+	+	+	+	+					
<i>Verbascum lychnitis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+		
<i>Verbascum macrurum</i> Ten.												+	+	+	+	+	+	+	+	+
E <i>Verbascum magellense</i> Ten.													+				+			
<i>Verbascum mallophorum</i> Boiss. & Heldr.									?	+	+	+	+	+	+	+	+			
<i>Verbascum nigrum</i> L.	+	+	+	+	+	+	+	+	+		+	?	+	+	+		+	+		+
<i>Verbascum niveum</i> Ten. s.l.										+		+	+	+	+	+	+	+		
E <i>Verbascum niveum</i> Ten. subsp. <i>garganicum</i> (Ten.) Murb.										+		+	+	+		+				
E <i>Verbascum niveum</i> Ten. subsp. <i>inarimense</i> Murb.											+				+		+			
E <i>Verbascum niveum</i> Ten. subsp. <i>niveum</i>													+	+	0	+	+	+		
<i>Verbascum phlomoides</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Verbascum phoeniceum</i> L.	?	+	+	+	+	+	0	+	+	+	+	-	+			+				
<i>Verbascum plantagineum</i> Moris																				+
<i>Verbascum pulverulentum</i> Vill.	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Verbascum rotundifolium</i> Ten. ⁽⁹⁸¹⁾															+				+	
<i>Verbascum samniticum</i> Ten.								?				+	+	+		+	+			
E <i>Verbascum siculum</i> Tod.																				+
<i>Verbascum sinuatum</i> L.		?	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Verbascum thapsus</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Verbascum thapsus</i> L. subsp. <i>montanum</i> (Schrad.) Bonnier & Layens	+	+	+	+		+	+	+							+					
<i>Verbascum thapsus</i> L. subsp. <i>thapsus</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Verbascum virgatum</i> Stokes	?	A			+A	+A													?	A +A
<i>Verbena bonariensis</i> L.							+A													
<i>Verbena brasiliensis</i> Vell. ⁽⁹⁸²⁾		?	A						+A											
<i>Verbena officinalis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Verbena supina</i> L.															0	+	+	?	+	+
<i>Veronica acinifolia</i> L.	?	+	+	-	+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica agrestis</i> L.		+	+	+	+	+	+	+	+	+		+	+	?	+				+	
<i>Veronica allionii</i> Vill.	+	+					+													
<i>Veronica alpina</i> L.	+	+	+	+	+	+	+	+					+	?						
<i>Veronica anagallis-aquatica</i> L. subsp. <i>anagallis-aquatica</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica anagalloides</i> Guss.			+	+	+	+		+	+	0		+	+	+	+	+	+	+	+	+
<i>Veronica aphylla</i> L. s.l.	+	+	+	+	+	+	?	?	+	+	+	+	+	+	0		+	+		
<i>Veronica aphylla</i> L. subsp. <i>aphylla</i>		+	+	+				?			+	+								
E <i>Veronica aphylla</i> L. subsp. <i>longistyla</i> (Ball) Arcang.									+											
<i>Veronica arvensis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica austriaca</i> L.									+			+					+	+		
<i>Veronica beccabunga</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica bellidioides</i> L.	+	+	+	+	+	+	-													
<i>Veronica catenata</i> Pennell			+	?	+	+				+			+			+				

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Veronica chamaedrys</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Veronica chamaedrys</i> L. subsp. <i>chamaedrys</i>	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+		
<i>Veronica chamaedrys</i> L. subsp. <i>micans</i> M.A. Fisch.				+	+															
<i>Veronica cymbalaria</i> Bodard s.l.		?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica cymbalaria</i> Bodard subsp. <i>cymbalaria</i>			+	+				+		+	+		+						+	
<i>Veronica cymbalaria</i> Bodard subsp. <i>panormitana</i> (Guss.) Nyman												+						?	+	?
<i>Veronica dillenii</i> Crantz	+	?	+	+																
<i>Veronica filiformis</i> Sm.		+A	+A	+A	+A	+A		+A												
<i>Veronica fruticans</i> Jacq.	+	+	+	+	+	+	+	+	+			?	+	?	+					
<i>Veronica fruticulosa</i> L.		+	+	+	+	+	+													
<i>Veronica hederifolia</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica hederifolia</i> L. subsp. <i>hederifolia</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+				+	
<i>Veronica hederifolia</i> L. subsp. <i>lucorum</i> (Klett & Richt.) Hartl.		?	+	+	+	+														
<i>Veronica hederifolia</i> L. subsp. <i>triloba</i> (Opiz) Celak.						+							+	+		+	+			
<i>Veronica jacquinii</i> Baumg.			?		0	+	-													
<i>Veronica montana</i> L.		+	+		+	+	0	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica officinalis</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica opaca</i> Fr.			+	+	+															
<i>Veronica orsiniana</i> Ten. subsp. <i>orsiniana</i>							+	+	+	+	+	+	+	+	+	+	+	?		
<i>Veronica peregrina</i> L. subsp. <i>peregrina</i>	+A	+A	+A	+A	+A	+A	?A	+A	+A	+A	+A		+A			+A	+A	?A	+A	+A
<i>Veronica persica</i> Poir.	+	+A	+	+	+	+	+	+	+	+A	+	+	+	+	+	+	+	+	+	+
<i>Veronica polita</i> Fr.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica praecox</i> All.	+	+	+	+	+	-	-	+	+	+	+	+	+		0	+	+	+	+	
<i>Veronica prostrata</i> L. subsp. <i>prostrata</i>	+	+	+	+	+		0	+	+	+	+	+	+	+				?		
<i>Veronica scutellata</i> L.	+	+	+	+	+	0	?	+	+	+	+	+	+	+			+	+		
<i>Veronica serpyllifolia</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Veronica serpyllifolia</i> L. subsp. <i>humifusa</i> (Dicks.) Syme	+	+	+	+	+					+		+								
<i>Veronica serpyllifolia</i> L. subsp. <i>serpyllifolia</i>	+	+	+	+	+			+		+	+	+	+	+			+			
<i>Veronica teucrium</i> L.	+	+	+	+	+	+	+	+	+		?			+						
<i>Veronica trichadena</i> Jord. & Fourr.																		+	+	
<i>Veronica triphyllos</i> L.	+	+	+	+	+	-	-	+	0		?									
<i>Veronica urticifolia</i> Jacq.	+	+	+	+	+	+	+	+	+	+	+	+	+	?	+		+			
<i>Veronica verna</i> L. s.l.	+	+	+	+	+	-	0	+		+	+	+	+						+	+
E <i>Veronica verna</i> L. subsp. <i>brevistyla</i> (Moris) Rouy ⁽⁹⁸³⁾																				+
<i>Veronica verna</i> L. subsp. <i>verna</i>	+	+	+	+	+	-	0	+		+	+	+	+							
<i>Viburnum lantana</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Viburnum opulus</i> L.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+			
<i>Viburnum tinus</i> L. subsp. <i>tinus</i>		?	+	+A	+	+A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia altissima</i> Desf.									+			?	?		0				+	+
<i>Vicia articulata</i> Hornem.								+	+	?					+	+	+	?	+	+
<i>Vicia barbazitae</i> Ten. & Guss.												+	0	+	+	+	+	?	+	
<i>Vicia benghalensis</i> L.							+		+	+	+	+	+		+	+	+A	+	+	+
<i>Vicia bithynica</i> (L.) L.		+	-		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia cassubica</i> L.			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia cracca</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia cusnae</i> Foggì & Ricceri ⁽⁹⁸⁴⁾								+												
<i>Vicia dalmatica</i> A. Kern.							+		+		+									
<i>Vicia disperma</i> DC.		?			+		+	+	+	+	?	+	+		+	+	+	+	+	+
<i>Vicia dumetorum</i> L.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia ervilia</i> (L.) Willd.			+A		+A	+A		+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A	+A
<i>Vicia faba</i> L.		?A				+A		+A	+A		+A	+A	+A	+A	+A		+A		+A	+A
E <i>Vicia giacomini</i> Segelb.																+				
<i>Vicia glauca</i> C. Presl subsp. <i>glauca</i>																			+	+
<i>Vicia grandiflora</i> Scop.			+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia hirsuta</i> (L.) Gray	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia hybrida</i> L.			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia incana</i> Gouan	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia johannis</i> Tamamsch. ⁽⁹⁸⁵⁾																				
<i>Vicia lathyroides</i> L. ⁽⁹⁸⁶⁾	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia leucantha</i> Biv.															+	+	+		+	+
<i>Vicia loiseleurii</i> (M. Bieb.) Litv.			+			+	+		+	?	+		+	0		+		?	+	

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Vicia lutea</i> L. ⁽⁹⁸⁷⁾	+	+	+	+	+	+														+
<i>Vicia melanops</i> Sm.									+		?	+		+	+	+	+	+	+	+
<i>Vicia monantha</i> Retz. subsp. <i>calcarata</i> (Desf.) Romero Zarco									+	-					?	+	+	?	+	+
<i>Vicia narbonensis</i> L. s.l.		?	+		+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia narbonensis</i> L. subsp. <i>narbonensis</i>		?	+		+	+	+	?	+	+	+				+	+	+	+	+	+
<i>Vicia narbonensis</i> L. subsp. <i>serratifolia</i> (Jacq.) Ces.												+		+					?	
E <i>Vicia ochroleuca</i> Ten. subsp. <i>ochroleuca</i>									+			?	?		+		+	+	+	
<i>Vicia onobrychioides</i> L.	+	+					+		?	+	+	+	+	+		+	+			
<i>Vicia oreophila</i> Zertová				+																
<i>Vicia oroboides</i> Wulfen				+	+	+														
<i>Vicia pannonica</i> Crantz s.l.		+	+	0	+	+	+	+	+	+	+	+	+	+						+
<i>Vicia pannonica</i> Crantz subsp. <i>pannonica</i>			+	0	+		+													
<i>Vicia pannonica</i> Crantz subsp. <i>striata</i> (M. Bieb.) Nyman		+	+		+	A			+	+	+		+							+
<i>Vicia parviflora</i> Cav.			+		+	0	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia peregrina</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia pisiformis</i> L.		+	+	+	+		-	?		+		+	+							
<i>Vicia pseudocracca</i> Bertol.			+	A				+	+	+		?	+	+	+	+	+	+	+	+
<i>Vicia pubescens</i> (DC.) Link							+		+	+		+	+	+	+	+	+	+	+	+
<i>Vicia sativa</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia sativa</i> L. subsp. <i>amphicarpa</i> (L.) Batt.																+	+	+	+	+
<i>Vicia sativa</i> L. subsp. <i>cordata</i> (Hoppe) Batt.		?	A	+	+	+	+	+	?	+	?	?	+	+	+	+	+	+	+	+
<i>Vicia sativa</i> L. subsp. <i>incisa</i> (M. Bieb.) Arcang.												+								
<i>Vicia sativa</i> L. subsp. <i>macrocarpa</i> (Moris) Arcang.					0	+	?	+	+	+	+	+	A	+	+	+	+	+	+	+
<i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia sativa</i> L. subsp. <i>sativa</i>	?	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A	+	A
<i>Vicia sepium</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		+	+	0	+
E <i>Vicia serinica</i> Uechtr. & Huter												?			-	+				
<i>Vicia sicula</i> (Raf.) Guss.												?						+	+	
<i>Vicia sparsiflora</i> Ten.								?	+		+	+	+	+		+				
<i>Vicia sylvatica</i> L.		?	+	+	+	+	+	+	+											
<i>Vicia tenuifolia</i> Roth s.l.	+	+	+	+	+	+	+	?	+	+	+	+	+	+	+	+	+	+	+	+
E <i>Vicia tenuifolia</i> Roth subsp. <i>elegans</i> (Guss.) Nyman												+							+	
<i>Vicia tenuifolia</i> Roth subsp. <i>tenuifolia</i>			+			+				+	+	+	+	+			+	+		
<i>Vicia tetrasperma</i> (L.) Schreb.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia villosa</i> Roth s.l.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia villosa</i> Roth subsp. <i>eriocarpa</i> (Hauskn.) P.W. Ball																			?	
<i>Vicia villosa</i> Roth subsp. <i>microphylla</i> (d'Urv.) P.W. Ball																+			?	
<i>Vicia villosa</i> Roth subsp. <i>varia</i> (Host) Corb.	?	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia villosa</i> Roth subsp. <i>villosa</i>		+	+	+	A	+			+	+	?		+	+		+			+	+
<i>Vicia difformis</i> Pourr. s.l.							+		+	?	?	+		+	0	+	+			+
<i>Vicia difformis</i> Pourr. subsp. <i>difformis</i>							+		+	?	?									
E <i>Vicia difformis</i> Pourr. subsp. <i>sardoa</i> Stearn																				+
<i>Vicia major</i> L. subsp. <i>major</i>	+	A	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vicia minor</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vincetoxicum hirundinaria</i> Medik. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vincetoxicum hirundinaria</i> Medik. subsp. <i>adriaticum</i> (Beck) Markgr.																+	+			
<i>Vincetoxicum hirundinaria</i> Medik. subsp. <i>contiguum</i> (W.D.J. Koch) Markgr.						+														+
<i>Vincetoxicum hirundinaria</i> Medik. subsp. <i>hirundinaria</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Vincetoxicum hirundinaria</i> Medik. subsp. <i>laxum</i> (Bartl.) Poldini						+														
<i>Vincetoxicum hirundinaria</i> Medik. subsp. <i>luteolum</i> (Jord. & Fourr.) La Valva, Moraldo & Caputo ⁽⁹⁸⁸⁾															+					
<i>Vincetoxicum nigrum</i> (L.) Moench						+														
<i>Viola adriatica</i> Freyn					+															
E <i>Viola aethnensis</i> (DC.) Strobl s.l.														+	+	+	+	+	+	
E <i>Viola aethnensis</i> (DC.) Strobl subsp. <i>aethnensis</i>																				+
E <i>Viola aethnensis</i> (DC.) Strobl subsp. <i>messanensis</i> (W. Becker) Merxm. & Lippert																	+	+	+	
E <i>Viola aethnensis</i> (DC.) Strobl subsp. <i>splendida</i> (W. Becker) Merxm. & Lippert														+	+	+	+	+		

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
<i>Viola alba</i> Besser s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Viola alba</i> Besser subsp. <i>alba</i>	+	+	+	+	+	?	+	?												
<i>Viola alba</i> Besser subsp. <i>dehnhardtii</i> (Ten.) W. Becker		+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Viola ambigua</i> Waldst. & Kit. s.l.						+														
<i>Viola arborescens</i> L.																				+
<i>Viola argenteria</i> Moraldo & Forneris ⁽⁹⁸⁹⁾		+																		
<i>Viola arvensis</i> Murray s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Viola arvensis</i> Murray subsp. <i>arvensis</i>		+				+		+		+	+						+			
<i>Viola arvensis</i> Murray subsp. <i>megalantha</i> Nauenb.						+														
<i>Viola bertolonii</i> Pio emend. Merxm. & W. Lippert		+					+													
<i>Viola biflora</i> L.	+	+	+	+	+	+	+	+					0							
<i>Viola calcarata</i> L. s.l.	+	+	+	+			+	+	+											
<i>Viola calcarata</i> L. subsp. <i>calcarata</i>	+	+	+	+			?													
<i>Viola calcarata</i> L. subsp. <i>cavillieri</i> (W. Becker) Negodi		+					+	+	+											
<i>Viola calcarata</i> L. subsp. <i>villarsiana</i> (Roem. & Schult.) Merxm.		+																		
<i>Viola canina</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+				?	-		
<i>Viola canina</i> L. subsp. <i>canina</i>		+	?	+		+		+												
<i>Viola canina</i> L. subsp. <i>ruppii</i> (All.) Schübl. & G. Martens	+	+	+	+	+	+			+	+	+	+	+							
<i>Viola canina</i> L. subsp. <i>schantzii</i> (Billot) Kirschl.			?			?														
<i>Viola cenisia</i> L.	?	+					-													
<i>Viola collina</i> Besser	0	+	+	+	+	+	+	+	+											
E <i>Viola comollia</i> Massara			+																	
E <i>Viola corsica</i> Nyman s.l. ⁽⁹⁹⁰⁾									+											+
E <i>Viola corsica</i> Nyman subsp. <i>ilvensis</i> (W. Becker) Merxm.									+											
E <i>Viola corsica</i> Nyman subsp. <i>limbarae</i> Merxm. & W. Lippert																				+
E <i>Viola culminis</i> F. Fen. & Moraldo			+																	
E <i>Viola dubyana</i> Burnat ex Gremli			+	+																
<i>Viola elatior</i> Fr.		+	+	+		+		+												
E <i>Viola etrusca</i> Erben ⁽⁹⁹¹⁾									+											
E <i>Viola eugeniae</i> Parl. s.l.								+	+	+	+	+	+	+	+	+				
E <i>Viola eugeniae</i> Parl. subsp. <i>eugeniae</i>								+	+	+	+	+	+	+	+					
E <i>Viola eugeniae</i> Parl. subsp. <i>levieri</i> (Parl.) Arcang.												?	+							
<i>Viola graeca</i> (W. Becker) Halácsy																+				
<i>Viola hirta</i> L.	+	+	+	+	+	+	+	+	+	+	?		+		0					
<i>Viola hymettia</i> Boiss. & Heldr.													+				+	+	+	
<i>Viola jordanii</i> Hanry							+													
<i>Viola kitaibeliana</i> Schult.	+	?	+	-	+	+			+	+		+	+		?		+	+	+	
E <i>Viola laricifolia</i> Marcussen		+																		
E <i>Viola magellensis</i> Porta & Rigo ex Strobl										+			+							
<i>Viola mirabilis</i> L.	?	+	+	+	+	+	+	+	+	+										
<i>Viola munbyana</i> Boiss. & Reut.																				-
E <i>Viola nebrodensis</i> C. Presl																				+
<i>Viola obliqua</i> Hill			+	+	+A	+	+A													
<i>Viola odorata</i> L.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Viola palustris</i> L.	+	+	+	+	+	+	+	+	+									+		
<i>Viola parvula</i> Tineo																	+	+	+	
<i>Viola pinnata</i> L.	+	+	+	+	+	+														
E <i>Viola pseudogracilis</i> Strobl s.l.												+		+	+		+			
E <i>Viola pseudogracilis</i> Strobl subsp. <i>cassinensis</i> (Strobl) Merxm. & A.F.W. Schmidt												+		+						
E <i>Viola pseudogracilis</i> Strobl subsp. <i>pseudogracilis</i>												+		+	+		+			
<i>Viola pumila</i> Chaix								+												
<i>Viola pyrenaica</i> Ramond ex DC.	0	+	+	+	+	+							+							
<i>Viola reichenbachiana</i> Jord. ex Boreau	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Viola riviniana</i> Rehb.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
<i>Viola rupestris</i> A.F.W. Schmidt subsp. <i>rupestris</i>	+	+	+	+	+	+	-	+	?	?	?									
<i>Viola suavis</i> M. Bieb. subsp. <i>suavis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
<i>Viola thomasiana</i> Songeon & Perr.	+	+	+	+	+		-													
E <i>Viola tineorum</i> Erben & Raimondo																				+
<i>Viola tricolor</i> L. s.l.	+	+	+	+	+	+	+	+	+	+		+	+	+	+		?			
<i>Viola tricolor</i> L. subsp. <i>saxatilis</i> (A.F.W. Schmidt) Jan	+	+	+	+	+	+	+	+	+	+		?	+				?			

		VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
	<i>Viola tricolor</i> L. subsp. <i>tricolor</i>	+	+	+	+	+	+		+	+	+		+	+	+						
E	<i>Viola ucriana</i> Erben & Raimondo																			+	
	<i>Viola valderia</i> All. ⁽⁹⁹²⁾		+					+													
	<i>Viscum album</i> L. s.l.	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Viscum album</i> L. subsp. <i>abietis</i> (Wiesb.) Janch.			+	+			+	+									+	+		
	<i>Viscum album</i> L. subsp. <i>album</i>		+	+	+	+	+	+	+	+	+	+		+		+	+	+	+	+	+
	<i>Viscum album</i> L. subsp. <i>austriacum</i> (Wiesb.) Vollm.	+	+	+	+	+	+	+											?	0	
	<i>Vitex agnus-castus</i> L.						+			+	+		+	+	+	+	+	+	+	+	+
	<i>Vitis labrusca</i> L. ⁽⁹⁹³⁾		+	A	+	A	+	A	+	?	A	+	+	+	+	+	+	+	+	+	+
	<i>Vitis riparia</i> Michx.			+	A													+	+	+	+
	<i>Vitis vinifera</i> L. s.l.		+	+	+	A	+	+	+	+	+	+	+	A	+	A	+	+	+	+	+
	<i>Vitis vinifera</i> L. subsp. <i>sylvestris</i> (C.C. Gmel.) Hegi		+	+		+	+	+	+	+	+	+				+					+
	<i>Vitis vinifera</i> L. subsp. <i>vinifera</i>		+	A		+	+	+	?	A	+	+	+	+	+	+	+				+
	<i>Volutaria lippii</i> (L.) Maire																				+
	<i>Vulpia alopecuroides</i> (Schousb.) Dumort.								+				+			0					
	<i>Vulpia bromoides</i> (L.) Gray		+	+	-	+	+	+	+	+	+		+	+		+		+	+	+	+
	<i>Vulpia ciliata</i> Dumort.		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Vulpia fasciculata</i> (Forssk.) Fritsch ⁽⁹⁹⁴⁾					+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Vulpia geniculata</i> (L.) Link							0		+		?	+	+		+	+	+	+	+	+
	<i>Vulpia ligustica</i> (All.) Link							+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Vulpia muralis</i> (Kunth) Nees								+		+	+	+	+	+	+	+	+	+	+	+
	<i>Vulpia myuros</i> (L.) C.C. Gmel.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Vulpia sicula</i> (C. Presl) Link							+						+						+	+
	<i>Vulpia unilateralis</i> (L.) Stace ⁽⁹⁹⁵⁾	?	+			+		+	+		+	+		+		+					+
	<i>Wahlenbergia lobelioides</i> (L. f.) Link subsp. <i>nutabunda</i> (Guss.) Murb.																		+	+	+
	<i>Weigela florida</i> (Bunge) A. DC.					+	A														
	<i>Wigandia caracasana</i> Kunth							+	A												+
	<i>Willemetia stipitata</i> (Jacq.) D. Torre subsp. <i>stipitata</i>			+	+	+	+														
	<i>Wisteria sinensis</i> (Sims) Sweet			+	A		+	A		+	A	+	+		+	A					+
	<i>Withania somnifera</i> (L.) Dunal subsp. <i>somnifera</i>																			+	+
	<i>Wolffia arrhiza</i> (L.) Horkel ex Wimm.		+	A		+	+	+	A	+		+	+								+
	<i>Wulfenia carinthiaca</i> Jacq.					+															+
	<i>Xanthium orientale</i> L. s.l.	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Xanthium orientale</i> L. subsp. <i>italicum</i> (Moretti) Greuter	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	<i>Xanthium orientale</i> L. subsp. <i>orientale</i>					?	A														
	<i>Xanthium spinosum</i> L.		?	A	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+
	<i>Xanthium strumarium</i> L. subsp. <i>strumarium</i>		+	+	+	+	+	+	+	+		?	+	+	+	+	+	+	+	+	+
	<i>Xeranthemum annuum</i> L.	-					+	A						?							
	<i>Xeranthemum cylindraceum</i> Sm.		+	+		+		0	+	+	+	?	+	+	+	+	+	+	+		
	<i>Xeranthemum inapertum</i> (L.) Mill.	+	+	+		+		+	+	+	+	+	+	+	+	+	+	+	+	+	+
E	<i>Xerolekia speciosissima</i> (L.) Anderb.			+	+																
	<i>Yucca aloifolia</i> L.			+	A		+	A		+	A		+								
	<i>Yucca gloriosa</i> L.			+	A			+	+	+	+		+								
	<i>Zannichellia palustris</i> L. s.l.	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	+	+	+	+	+
	<i>Zannichellia palustris</i> L. subsp. <i>palustris</i>		+		+		+		+				+							+	
	<i>Zannichellia palustris</i> L. subsp. <i>pedicellata</i> (Wahlenb. & Rosén) Arcang.					+					+		+							+	
	<i>Zannichellia palustris</i> L. subsp. <i>polycarpa</i> (Nolte) K. Richt.		+	+	+	+	+		+			+									
	<i>Zantedeschia aethiopica</i> (L.) Spreng.		?	A			+	A								+	A			+	A
	<i>Zea mays</i> L.						+	A		?	A		+	+	+	+	+	+	+	+	+
E	<i>Zelkova sicula</i> Di Pasq., Garfi & Quézel																				+
	<i>Zinnia elegans</i> Jacq.												+	A							
	<i>Ziziphora capitata</i> L. subsp. <i>capitata</i>							+	A		+	+	?	A	+	A					
	<i>Ziziphus lotus</i> (L.) Lam. subsp. <i>lotus</i>																				+
	<i>Ziziphus zizyphus</i> (L.) Meikle							+	+	?	A		+	+	+	+	+	+	+	+	+
	<i>Zostera marina</i> L.					+	+	-	+	+	+		+	+		-	+	+	+	+	+
	<i>Zostera noltii</i> Hornem.					+	+	0	+	+	+		?	+		+	+	+	+	+	+
	<i>Zoysia matrella</i> (L.) Merr.					+	A														
	<i>Zygophyllum fabago</i> L.																				+

REGIONAL LISTS
OF EXCLUSIVE, ENDEMIC, PROTECTED AND ALIEN UNITS
(only for the exclusive units the data about the presence are reported)

ABRUZZO

Exclusive units

<i>Acinos rotundifolius</i> Pers.	+	<i>Bunium petraeum</i> Ten.
<i>Adonis vernalis</i> L.	+	<i>Bupleurum gussonei</i> (Arcang.) S. & B. Snogerup
<i>Allium phthioticum</i> Boiss. & Heldr.	+	<i>Bupleurum rollii</i> (Monteluc.) Moraldo
<i>Alopecurus arundinaceus</i> Poir.	+	<i>Campanula fragilis</i> Cirillo subsp. <i>cavolinii</i> (Ten.) Damboldt
<i>Anthemis cretica</i> L. subsp. <i>petraea</i> (Ten.) Oberprieler & Greuter	+	<i>Campanula micrantha</i> Bertol.
<i>Biscutella laevigata</i> L. subsp. <i>australis</i> Raffaelli & Baldoin	+	<i>Campanula scheuchzeri</i> Vill. subsp. <i>pseudostenocodon</i> (Lacaita) Bernardo, Gargano & Peruzzi
<i>Centaurea scannensis</i> Anzal., Soldano & F. Conti, sp. nova	+	<i>Campanula tanfanii</i> Podlech
<i>Centaurea tenoreana</i> Willk.	+	<i>Cardamine apennina</i> Lihová & Marhold
<i>Chenopodium strictum</i> Roth subsp. <i>strictum</i>	?	<i>Cardamine monteluccii</i> Brilli-Catt. & Gubellini
<i>Crepis bithynica</i> Boiss.	+	<i>Carduus affinis</i> Guss. subsp. <i>affinis</i>
<i>Festuca imperatrix</i> Catonica	+	<i>Carduus corymbosus</i> Ten.
<i>Goniolimon italicum</i> Tammaro, Frizzi & Pignatti	+	<i>Carduus micropterus</i> (Borbás) Teyber subsp. <i>perspinosus</i> (Fiori) Kazmi
<i>Herniaria bornmuelleri</i> Chaudhri	+	<i>Carex microcarpa</i> Bertol. ex Moris
<i>Herniaria hirsuta</i> L. subsp. <i>aprutia</i> Chaudhri	+	<i>Carum flexuosum</i> (Ten.) Nyman
<i>Hieracium acanthodontoides</i> Arv.-Touv. & Belli (<i>bifidum</i> > <i>racemosum</i>)	+	<i>Centaurea ambigua</i> Guss. subsp. <i>ambigua</i>
<i>Hieracium pavichii</i> Heuff.	?	<i>Centaurea ambigua</i> Guss. subsp. <i>laciniata</i> (Guss.) Arcang.
<i>Hieracium profetanum</i> Belli (<i>pellitum</i> - <i>schmidtii</i>)	+	<i>Centaurea ambigua</i> Guss. subsp. <i>nigra</i> (Fiori) Pignatti
<i>Hieracium tephrocephalum</i> Vuk. (<i>bauhini</i> = <i>macranthum</i>)	+	<i>Centaurea nigrescens</i> Willd. subsp. <i>neapolitana</i> (Boiss.) Dostál
<i>Knautia gussonei</i> Szabó	+	<i>Centaurea nigrescens</i> Willd. subsp. <i>pinnatifida</i> (Fiori) Dostál
<i>Minuartia glomerata</i> (M. Bieb.) Degen subsp. <i>trichocalycina</i> (Ten. & Guss.) F. Conti	+	<i>Centaurea rupestris</i> L. subsp. <i>ceratophylla</i> (Ten.) Gugler
<i>Onosma stellulata</i> Waldst. & Kit.	?	<i>Centaurea scannensis</i> Anzal., Soldano & F. Conti, sp. nova
<i>Paronychia kapela</i> (Hacq.) A. Kern. subsp. <i>pseudoaretioides</i> (Emb. & Maire) Maire	+	<i>Centaurea tenoreana</i> Willk.
<i>Phlomis herba-venti</i> L. subsp. <i>pungens</i> (Willd.) Maire	+	<i>Cerastium scaranii</i> Ten.
<i>Pholiurus pannonicus</i> (Host) Trin.	0	<i>Cerastium thomasii</i> Ten.
<i>Pinguicula fiorii</i> Tammaro & Pace	+	<i>Cerastium tomentosum</i> L.
<i>Pilotrichum rupestre</i> (Ten.) Boiss. subsp. <i>rupestre</i>	+	<i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti
<i>Ranunculus polyanthemus</i> L. subsp. <i>polyanthemoides</i> (Boreau) Ahlfv.	+	<i>Cirsium lobelii</i> Ten.
<i>Soldanella minima</i> Hoppe subsp. <i>samnitica</i> Cristof. & Pignatti	+	<i>Cirsium tenoreanum</i> Petr.
<i>Stipa aquilana</i> Moraldo	+	<i>Colchicum alpinum</i> Lam. & DC. subsp. <i>parvulum</i> (Ten.) Arcang.

Endemic units

<i>Acer cappadocicum</i> Gled. subsp. <i>lobelii</i> (Ten.) Murray		<i>Corydalis solida</i> (L.) Clairv. subsp. <i>densiflora</i> (J. & C. Presl) Arcang.
<i>Achillea barrelieri</i> Ten. subsp. <i>barrelieri</i>		<i>Crepis lacera</i> Ten.
<i>Achillea barrelieri</i> Ten. subsp. <i>mucronulata</i> (Bertol.) Heimerl		<i>Crocus imperati</i> Ten.
<i>Achillea tenorii</i> Grande		<i>Cymbalaria glutinosa</i> Bigazzi & Raffaelli subsp. <i>glutinosa</i>
<i>Adonis distorta</i> Ten.		<i>Cymbalaria pallida</i> (Ten.) Wettst.
<i>Ajuga tenorei</i> C. Presl		<i>Cynoglossum magellense</i> Ten.
<i>Alchemilla marsica</i> Buser		<i>Dianthus carthusianorum</i> L. subsp. <i>tenorei</i> (Lacaita) Pignatti
<i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>praetutiana</i> (Sünd.) Kress		<i>Dianthus ferrugineus</i> Mill.
<i>Anthemis arvensis</i> L. subsp. <i>sphacelata</i> (C. Presl) R. Fern.		<i>Dianthus vulturius</i> Guss. & Ten. subsp. <i>vulturius</i>
<i>Anthemis cretica</i> L. subsp. <i>alpina</i> (L.) R. Fern.		<i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.
<i>Anthemis cretica</i> L. subsp. <i>petraea</i> (Ten.) Oberprieler & Greuter		<i>Echinops ritro</i> L. subsp. <i>siculus</i> (Strobl) Greuter
<i>Aquilegia magellensis</i> F. Conti & Soldano		<i>Epipactis helleborine</i> (L.) Crantz subsp. <i>latina</i> W. Rossi & E. Klein
<i>Arabis collina</i> Ten. subsp. <i>rosea</i> (DC.) Minuto		<i>Epipactis meridionalis</i> H. Baumann & R. Lorenz
<i>Arenaria bertolonii</i> Fiori		<i>Erodium alpinum</i> L'Hér.
<i>Armeria denticulata</i> (Bertol.) DC.		<i>Erysimum majellense</i> Polatschek
<i>Armeria majellensis</i> Boiss. subsp. <i>majellensis</i>		<i>Erysimum pseudorhaeticum</i> Polatschek
<i>Armeria seticeps</i> Rchb.		<i>Euphorbia gasparrinii</i> Boiss. subsp. <i>samnitica</i> (Fiori) Pignatti
<i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter		<i>Euphorbia nicaeensis</i> All. subsp. <i>japygica</i> (Ten.) Arcang.
<i>Asperula neglecta</i> Guss.		<i>Euphorbia pithyusa</i> L. subsp. <i>cupanii</i> (Guss. ex Bertol.) Radcl.-Sm.
<i>Astragalus aquilanus</i> Anzal.		<i>Festuca centro-apenninica</i> (Markgr.-Dann.) Foggi, F. Conti & Pignatti
<i>Astrantia pauciflora</i> Bertol. subsp. <i>tenorei</i> (Mariotti) Bechi & Garbari		<i>Festuca inops</i> De Not.
<i>Asyneuma trichocalycinum</i> (Ten.) K. Malý		<i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>italica</i> Foggi, Graz. Rossi & Signorini
<i>Aubrieta columnae</i> Guss. subsp. <i>columnae</i>		<i>Galium aetnium</i> Biv.
<i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti		<i>Galium lucidum</i> All. subsp. <i>venustum</i> (Jord.) Arcang.
<i>Biscutella laevigata</i> L. subsp. <i>australis</i> Raffaelli & Baldoin		<i>Galium magellense</i> Ten.

- Gentianella columnae* (Ten.) Holub
Geranium austroapenninum Aedo
Goniolimon italicum Tammaro, Frizzi & Pignatti
Helleborus bocconei Ten. subsp. *bocconei*
Herniaria bornmuelleri Chaudhri
Herniaria hirsuta L. subsp. *aprutia* Chaudhri
Hieracium profetanum Belli (*pellitum* - *schmidtii*)
Iris marsica I. Ricci & Colas.
Klasea flavescens (L.) Holub subsp. *cichoracea* (L.) Greuter & Wagenitz
Knautia gussonei Szabó
Laserpitium siler L. subsp. *siculum* (Spreng.) Santangelo, F. Conti & Gubellini
Lathyrus odoratus L.
Leontodon intermedius Huter, Porta & Rigo
Leontodon montanus Lam. subsp. *breviscapus* (DC.) Cava & Grande
Leucanthemum coronopifolium Vill. subsp. *tenuifolium* (Guss.) Vogt & Greuter
Leucanthemum tridactylites (Kern. & Huter) Huter, Porta & Rigo
Ligusticum lucidum Mill. subsp. *cuneifolium* (Guss.) Tammaro
Linaria purpurea (L.) Mill.
Lomelosia crenata (Cirillo) Greuter & Burdet subsp. *pseudisetensis* (Lacaita) Greuter & Burdet
Luzula sicula Parl.
Matthiola incana (L.) R. Br. subsp. *rupestris* (Raf.) Nyman
Melampyrum italicum Soó
Melampyrum variegatum Huter, Porta & Rigo
Micromeria consentina (Ten.) N. Terracc.
Micromeria graeca (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman
Minuartia glomerata (M. Bieb.) Degen subsp. *trichocalycina* (Ten. & Guss.) F. Conti
Minuartia graminifolia (Ard.) Jáv. subsp. *rosani* (Ten.) Mattf.
Myosotis ambigens (Bég.) Grau
Myosotis decumbens Host subsp. *florentina* Grau
Ononis cristata Mill. subsp. *apennina* Tammaro & Catonica
Ononis oligophylla Ten.
Onosma echioides (L.) L.
Ophrys bertoloniiformis O. & E. Danesch
Ophrys crabronifera Mauri
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *apulica* O. & E. Danesch
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *parvimaculata* O. & E. Danesch
Ophrys oxyrrhynchos Tod.
Ophrys promontorii O. & E. Danesch
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson
Ophrys sphegodes Mill. subsp. *majellensis* Helga & Herm. Deiss
Ornithogalum exscapum Ten.
Ornithogalum orthophyllum Ten.
Orobancha ebuli Huter & Rigo
Oxytropis pilosa (L.) DC. subsp. *caputoi* (Moraldo & La Valva) Brilli-Catt., Di Massimo & Gubellini
Paeonia officinalis L. subsp. *italica* N.G. Passal. & Bernardo
Pedicularis elegans Ten.
Pinguicula fiorii Tammaro & Pace
Polygala flavescens DC.
Potentilla rigoana Th. Wolf
Ptilotrichum rupestre (Ten.) Boiss. subsp. *rupestre*
Pulmonaria apennina Cristof. & Puppi
Ranunculus apenninus (Chiov.) Pignatti
Ranunculus magellensis Ten.
Ranunculus pollinensis (N. Terracc.) Chiov.
Ranunculus polyanthemus L. subsp. *thomasi* (Ten.) Tutin
Rhaponticoides centaurium (L.) M.V. Agab. & Greuter
Rhinanthus wettsteinii (Sterneck) Soó
Robertia taraxacoides (Loisel.) DC.
Salvia haematodes L.
Saxifraga exarata Vill. subsp. *ampullacea* (Ten.) D.A. Webb
Saxifraga italica D.A. Webb
Saxifraga oppositifolia L. subsp. *speciosa* (Dörf. & Hayek) Engl. & Irmsh.
Saxifraga porophylla Bertol. subsp. *porophylla*
Scabiosa holosericea Bertol.
Scabiosa uniseta Savi
Scutellaria columnae All. subsp. *gussonei* (Ten.) Arcang.
Sedum magellense Ten. subsp. *magellense*
Sempervivum riccii Iberite & Anzal.
Senecio apenninus Tausch
Senecio stebianus Lacaita
Sesleria nitida Ten.
Sideritis italica (Mill.) Greuter & Burdet
Silene cattariniana Ferrarini & Cecchi
Silene notarisii Ces.
Silene roemerii Friv. subsp. *staminea* (Bertol.) Nyman
Soldanella minima Hoppe subsp. *samnitica* Cristof. & Pignatti
Solenanthus apenninus (L.) Fisch. & C.A. Mey.
Stachys alopecuroides (L.) Benth. subsp. *divulsa* (Ten.) Grande
Stipa aquilana Moraldo
Stipa austroitalica Martinovský subsp. *frentana* Moraldo & Ricceri
Stipa dasyvaginata Martinovský subsp. *apenninica* Martinovský & Moraldo
Taraxacum glaciale E. & A. Huet ex Hand.-Mazz.
Tephrosia italica Holub
Thlaspi stylosum (Ten.) Mutel
Thlaspi torreanum (Ten.) Greuter & Burdet
Thymus spinulosus Ten.
Tolpis virgata (Desf.) Bertol. subsp. *grandiflora* (Ten.) Arcang.
Tragopogon eriospermus Ten.
Trifolium brutium Ten.
Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti
Trisetaria villosa (Bertol.) Banfi & Soldano
Verbascum argenteum Ten.
Verbascum magellense Ten.
Verbascum niveum Ten. subsp. *garganicum* (Ten.) Murb.
Verbascum niveum Ten. subsp. *niveum*
Vicia ochroleuca Ten. subsp. *ochroleuca*
Viola eugeniae Parl. subsp. *eugeniae*
Viola eugeniae Parl. subsp. *levieri* (Parl.) Arcang.
Viola magellensis Porta & Rigo ex Strobl

Protected units

- Adonis distorta* Ten.
Anemone apennina L. subsp. *apennina*
Aquilegia magellensis F. Conti & Soldano
Artemisia umbelliformis Lam. subsp. *eriantha* (Ten.) Vallès-Xirau & Brañas
Atropa bella-donna L.
Betula pendula Roth
Carlina acanthifolia All. subsp. *acanthifolia*
Centaurea scannensis Anzal., Soldano & F. Conti
Daphne mezereum L.
Dictamnus albus L.
Gentiana dinarica Beck
Gentiana lutea L. subsp. *lutea*
Leontopodium nivale (Ten.) Huet ex Hand.-Mazz.

Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Lilium martagon L.
Myrtus communis L. subsp. *communis*
Nigritella widderi Teppner & E. Klein
Paeonia officinalis L. subsp. *italica* N.G. Passal. & Bernardo
Papaver alpinum L. subsp. *ernesti-mayeri* Markgr.
Parnassia palustris L. subsp. *palustris*
Pinguicula fiorii Tammaro & Pace
Pinguicula vulgaris L.
Pinus mugo Turra subsp. *mugo*
Primula auricula L. subsp. *ciliata* (Moretti) Lüdi
Primula veris L. subsp. *veris*
Pulsatilla alpina (L.) Delarbre subsp. *millefoliata* (Bertol.)
D.M. Moser
Ranunculus magellensis Ten.
Ranunculus thora L.
Ruscus aculeatus L.
Soldanella alpina L. subsp. *alpina*
Taxus baccata L.
Trollius europaeus L. subsp. *europaeus*
Verbascum niveum Ten. subsp. *niveum*
Verbascum niveum Ten. subsp. *garganicum* (Ten.) Murb.
Viola magellensis Porta & Rigo ex Strobl

Alien units

Acanthus mollis L. subsp. *mollis*
Acer negundo L.
Aeonium arboreum (L.) Webb & Berthel.
Aesculus hippocastanum L.
Agave americana L.
Agrimonia repens L.
Ailanthus altissima (Mill.) Swingle
Albizia julibrissin Durazz.
Alcea biennis Winterl subsp. *biennis*
Allium cepa L.
Allium fistulosum L.
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus caudatus L.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus hypochondriacus L.
Amaranthus retroflexus L.
Ambrosia coronopifolia Torr. & A. Gray
Amorpha fruticosa L.
Anethum graveolens L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Antirrhinum majus L. subsp. *tortuosum* (Bosc. ex Lam.)
Rouy
Argyranthemum frutescens (L.) Sch. Bip. subsp. *frutescens*
Artemisia absinthium L.
Artemisia verlotiorum Lamotte
Atriplex hortensis L.
Avena sativa L. subsp. *sativa*
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Beta vulgaris L. subsp. *vulgaris*
Bidens bipinnata L.
Bidens frondosa L.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.

Brassica rapa L. subsp. *campestris* (L.) Clapham
Brassica rapa L. subsp. *rapa*
Broussonetia papyrifera (L.) Vent.
Calendula officinalis L.
Canna indica L.
Cannabis sativa L.
Capsicum annuum L.
Carpobrotus acinaciformis (L.) L. Bolus
Carpobrotus edulis (L.) N.E. Br.
Celosia argentea L.
Cenchrus incertus Curtis
Centaurea diluta Aiton
Ceratochloa cathartica (Vahl) Herter
Cestrum parqui L'Hér.
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Cicer arietinum L.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Cochlearia officinalis L. subsp. *officinalis*
Commelina communis L.
Coriandrum sativum L.
Coronopus didymus (L.) Sm.
Cortaderia selloana (Schult.) Asch. & Graebn.
Cupressus sempervirens L.
Cuscuta epilinum Weihe
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Dichondra micrantha Urb.
Digitaria ciliaris (Retz.) Koeler
Elaeagnus angustifolia L.
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Eriobotrya japonica (Thunb.) Lindl.
Erysimum cheiri (L.) Crantz
Erysimum repandum L.
Euphorbia lathyris L.
Euphorbia marginata Pursh
Fallopia baldschuanica (Regel) Holub
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Glebionis coronaria (L.) Spach
Guizotia abyssinica (L. f.) Cass.
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hemerocallis fulva (L.) L.
Hypericum calycinum L.
Impatiens balfourii Hook. f.
Ipheion uniflorum (Graham) Raf.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Jasminum officinale L.
Juglans regia L.
Lactuca sativa L.
Lathyrus sativus L.
Lens culinaris Medik.
Lepidium virginicum L.

- Ligustrum lucidum* Aiton
Lilium candidum L.
Linum usitatissimum L.
Lonicera japonica Thunb.
Lupinus albus L. subsp. *albus*
Maclura pomifera (Raf.) C.K. Schneid.
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Marrubium peregrinum L.
Matricaria chamomilla L.
Matricaria discoidea DC.
Melissa officinalis L. subsp. *officinalis*
Mentha cervina L.
Mentha x piperita L.
Mespilus germanica L.
Mirabilis jalapa L.
Morus alba L.
Morus nigra L.
Narcissus pseudonarcissus L.
Nectaroscilla hyacinthoides (L.) Parl.
Nerium oleander L. subsp. *oleander*
Ocimum basilicum L.
Oenothera adriatica Soldano
Oenothera glazioviana Micheli
Oenothera oakesiana (A. Gray) Robbins ex S. Watson & J.M. Coult.
Oenothera suaveolens Desf. ex Pers.
Olea europaea L.
Opuntia ficus-indica (L.) Mill.
Opuntia humifusa (Raf.) Raf.
Origanum majorana L.
Oxalis articulata Savigny
Oxalis debilis Kunth
Oxalis latifolia Kunth
Oxalis pes-caprae L.
Oxalis purpurata Jacq.
Oxalis stricta L.
Panicum capillare L.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Periploca graeca L.
Persicaria orientalis (L.) Spach
Petroselinum crispum (Mill.) Fuss
Phalaris canariensis L.
Philadelphus coronarius L.
Phoenix canariensis Chabaud
Phyla nodiflora (L.) Greene
Phytolacca americana L.
Pinus pinaster Aiton subsp. *pinaster*
Pinus pinea L.
Pisum sativum L. subsp. *sativum*
Pittosporum tobira (Thunb.) W.T. Aiton
Platanus hispanica Mill. ex Münchh.
Platanus orientalis L.
Populus canadensis Moench
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Prunus persica (L.) Batsch
Punica granatum L.
Pyrus communis L.
Raphanus sativus L.
Reseda odorata L.
Rhus coriaria L.
Ricinus communis L.
Robinia pseudacacia L.
Rosa foetida Herm.
Rosmarinus officinalis L.
Rubia tinctorum L.
Rudbeckia laciniata L.
Salix babylonica L.
Salpichroa origanifolia (Lam.) Thell.
Santolina marchii Arrigoni
Santolina virens Mill.
Satureja hortensis L.
Secale cereale L.
Senecio gibbosus (Guss.) DC. subsp. *cineraria* (DC.) Peruzzi, N.G. Passal. & Soldano
Senecio inaequidens DC.
Senecio linifolius L.
Senecio mikanioides Otto ex Walp.
Setaria italica (L.) P. Beauv.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Sisylx atropurpurea (L.) Greuter & Burdet subsp. *atropurpurea*
Solanum lycopersicum L.
Solanum melongena L.
Solanum tuberosum L.
Solidago gigantea Aiton s.l.
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Spinacia oleracea L.
Spiraea hypericifolia L. subsp. *obovata* (Waldst. & Kit. ex Willd.) H. Huber
Sporobolus indicus (L.) R. Br.
Sulla coronaria (L.) Medik.
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Syringa vulgaris L.
Tanacetum balsamita L.
Tanacetum parthenium (L.) Sch. Bip.
Trifolium alexandrinum L.
Trigonella foenum-graecum L.
Triticum aestivum L.
Tropaeolum majus L.
Tulipa agenensis DC.
Tulipa praecox Ten.
Ulmus laevis Pall.
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Vitis vinifera L. subsp. *vinifera*
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Zea mays L.
Zinnia elegans Jacq.
Ziziphora capitata L. subsp. *capitata*
Ziziphus zizyphus (L.) Meikle

BASILICATA

Exclusive units

<i>Berteroa mutabilis</i> (Vent.) DC.	+
<i>Jasione orbiculata</i> Griseb.	+
<i>Knautia lucana</i> (Lacaita) Szabó	+
<i>Orobancha cumana</i> Wallr.	+
<i>Senecio erucifolius</i> L. subsp. <i>tenuifolius</i> Schübl. & G. Martens	+
<i>Vicia serinica</i> Uechtr. & Huter	+

Endemic units

<i>Acer cappadocicum</i> Gled. subsp. <i>lobelii</i> (Ten.) Murray
<i>Achillea barrelieri</i> Ten. subsp. <i>mucronulata</i> (Bertol.) Heimerl
<i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>calcareae</i> (Huter, Porta & Rigo) Greuter
<i>Achillea tenorii</i> Grande
<i>Ajuga tenorei</i> C. Presl
<i>Allium calabrum</i> (N. Terracc.) Brullo, Pavone & Salmeri
<i>Anthemis arvensis</i> L. subsp. <i>sphacelata</i> (C. Presl) R. Fern.
<i>Anthemis hydruntina</i> H. Groves
<i>Arabis collina</i> Ten. subsp. <i>rosea</i> (DC.) Minuto
<i>Arenaria bertolonii</i> Fiori
<i>Aristolochia clusii</i> Lojac.
<i>Armeria macropoda</i> Boiss.
<i>Armeria majellensis</i> Boiss. subsp. <i>ausonia</i> Bianchini
<i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter
<i>Asperula calabra</i> (Fiori) Ehrend. & Krendl
<i>Asyneuma trichocalycinum</i> (Ten.) K. Malý
<i>Aubrieta columnae</i> Guss. subsp. <i>columnae</i>
<i>Aubrieta columnae</i> Guss. subsp. <i>italica</i> (Boiss.) Mattf.
<i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti
<i>Bellis margaritifolia</i> Huter
<i>Berberis vulgaris</i> L. subsp. <i>aetnensis</i> (C. Presl) Rouy & Foucaud
<i>Buglossoides calabra</i> (Ten.) I.M. Johnst.
<i>Buglossoides minima</i> (Moris) R. Fernandes
<i>Bunium petraeum</i> Ten.
<i>Bupleurum rollii</i> (Monteluc.) Moraldo
<i>Campanula fragilis</i> Cirillo subsp. <i>fragilis</i>
<i>Campanula scheuchzeri</i> Vill. subsp. <i>pseudostenocodon</i> (Lacaita) Bernardo, Gargano & Peruzzi
<i>Cardamine monteluccii</i> Brilli-Catt. & Gubellini
<i>Cardamine silana</i> Marhold & Perný
<i>Carduus affinis</i> Guss. subsp. <i>affinis</i>
<i>Carduus affinis</i> Guss. subsp. <i>brutius</i> (Porta) Kazmi
<i>Carduus corymbosus</i> Ten.
<i>Carduus fasciculiflorus</i> Viv.
<i>Carduus micropterus</i> (Borbás) Teyber subsp. <i>perspinosus</i> (Fiori) Kazmi
<i>Carum flexuosum</i> (Ten.) Nyman
<i>Centaurea ambigua</i> Guss. s.l.
<i>Centaurea brulla</i> Greuter
<i>Centaurea centauroides</i> L.
<i>Centaurea cineraria</i> L. subsp. <i>cineraria</i>
<i>Centaurea nigrescens</i> Willd. subsp. <i>neapolitana</i> (Boiss.) Dostál
<i>Centaurea subtilis</i> Bertol.
<i>Centaurea tenacissima</i> (H. Groves) Brullo
<i>Cerastium granulatum</i> (Huter, Porta & Rigo) Chiov.
<i>Cerastium scaranii</i> Ten.
<i>Cerastium tomentosum</i> L.
<i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti
<i>Cirsium lobelii</i> Ten.
<i>Cirsium tenoreanum</i> Petr.
<i>Colchicum alpinum</i> Lam. & DC. subsp. <i>parvulum</i> (Ten.) Arcang.

<i>Corydalis solida</i> (L.) Clairv. subsp. <i>densiflora</i> (J. & C. Presl) Arcang.
<i>Crepis brulla</i> Greuter
<i>Crepis bursifolia</i> L.
<i>Crepis lacera</i> Ten.
<i>Crocus imperati</i> Ten.
<i>Cynoglossum magellense</i> Ten.
<i>Dianthus carthusianorum</i> L. subsp. <i>tenorei</i> (Lacaita) Pignatti
<i>Dianthus vulturius</i> Guss. & Ten. subsp. <i>vulturius</i>
<i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.
<i>Echinops ritro</i> L. subsp. <i>siculus</i> (Strobl) Greuter
<i>Edraianthus graminifolius</i> (L.) A. DC. subsp. <i>siculus</i> (Strobl) Greuter & Burdet
<i>Epipactis helleborine</i> (L.) Crantz subsp. <i>latina</i> W. Rossi & E. Klein
<i>Epipactis meridionalis</i> H. Baumann & R. Lorenz
<i>Erodium alpinum</i> L'Hér.
<i>Erodium nervulosum</i> L'Hér.
<i>Erysimum majellense</i> Polatschek
<i>Erysimum pseudorhaeticum</i> Polatschek
<i>Euphorbia corallioides</i> L.
<i>Festuca calabrica</i> Huter, Porta & Rigo
<i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>italica</i> Foggi, Graz. Rossi & Signorini
<i>Galium lucidum</i> All. subsp. <i>venustum</i> (Jord.) Arcang.
<i>Galium palaeoitalicum</i> Ehrend.
<i>Gentianella columnae</i> (Ten.) Holub
<i>Geranium austroapenninum</i> Aedo
<i>Gypsophila arrostii</i> Guss. subsp. <i>arrostii</i>
<i>Helleborus bocconeii</i> Ten. subsp. <i>bocconeii</i>
<i>Heptaptera angustifolia</i> (Bertol.) Tutin
<i>Hieracium calabrum</i> Nägeli & Peter (<i>piloselloides</i> - <i>pseudopilosella</i>)
<i>Hieracium grovesianum</i> Arv.-Touv. ex Belli (<i>racemosum</i> = <i>murorum</i>)
<i>Klasea flavescens</i> (L.) Holub subsp. <i>cichoracea</i> (L.) Greuter & Wagenitz
<i>Knautia dinarica</i> (Murb.) Borbás subsp. <i>silana</i> (Grande) Ehrend.
<i>Knautia lucana</i> (Lacaita) Szabó
<i>Laserpitium siler</i> L. subsp. <i>siculum</i> (Spreng.) Santangelo, F. Conti & Gubellini
<i>Lathyrus jordanii</i> Ten.
<i>Lathyrus odoratus</i> L.
<i>Leontodon apulus</i> (Fiori) Brullo
<i>Leontodon intermedius</i> Huter, Porta & Rigo
<i>Lereschia thomasii</i> (Ten.) Boiss.
<i>Leucanthemum laciniatum</i> Huter, Porta & Rigo
<i>Limonium remotispiculum</i> (Lacaita) Pignatti
<i>Linaria purpurea</i> (L.) Mill.
<i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>pseudisetensis</i> (Lacaita) Greuter & Burdet
<i>Luzula sicula</i> Parl.
<i>Melampyrum variegatum</i> Huter, Porta & Rigo
<i>Micromeria canescens</i> (Guss.) Benth.
<i>Micromeria consentina</i> (Ten.) N. Terracc.
<i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>tenuifolia</i> (Ten.) Nyman
<i>Minuartia graminifolia</i> (Ard.) Jáv. subsp. <i>rosani</i> (Ten.) Mattf.
<i>Myosotis ambigens</i> (Bég.) Grau
<i>Myosotis sylvatica</i> Hoffm. subsp. <i>elongata</i> (Strobl) Grau
<i>Ononis oligophylla</i> Ten.
<i>Onosma echioides</i> (L.) L.
<i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>lucana</i> (Lacaita) Peruzzi, Aquaro & Cesca
<i>Ophrys biscutella</i> O. & E. Danesch

Ophrys fuciflora (F.W. Schmidt) Moench subsp. *apulica* O. & E. Danesch

Ophrys fuciflora (F.W. Schmidt) Moench subsp. *parvimaculata* O. & E. Danesch

Ophrys oxysphinctos Tod.

Ophrys sphegodes Mill. subsp. *garganica* E. Nelson

Ophrys tarentina Götz & H.R. Reinhard

Ornithogalum exscapum Ten.

Ornithogalum orthophyllum Ten.

Oxytropis pilosa (L.) DC. subsp. *caputoi* (Moraldo & La Valva) Brilli-Catt., Di Massimo & Gubellini

Pedicularis elegans Ten.

Phlomis tenorei Soldano

Pimpinella anisoides V. Brig.

Plantago media L. subsp. *brutia* (Ten.) Arcang.

Polygala flavescens DC.

Polygonum tenorei C. Presl

Potentilla rigoana Th. Wolf

Primula palinuri Petagna

Ptilostemon niveus (C. Presl) Greuter

Pulmonaria apennina Cristof. & Puppi

Ranunculus apenninus (Chiov.) Pignatti

Ranunculus pollinensis (N. Terracc.) Chiov.

Ranunculus polyanthemus L. subsp. *thomasi* (Ten.) Tutin

Rhaponticoides centaurium (L.) M.V. Agab. & Greuter

Rhinanthus wetsteinii (Sterneck) Soó

Robertia taraxacoides (Loisel.) DC.

Salvia haematodes L.

Saxifraga porophylla Bertol. subsp. *porophylla*

Scabiosa holosericea Bertol.

Scabiosa uniseta Savi

Scutellaria columnae All. subsp. *gussonei* (Ten.) Arcang.

Sedum magellense Ten. subsp. *magellense*

Senecio lycopifolius Desf.

Senecio stabianus Lacaita

Sesleria nitida Ten.

Sideritis italica (Mill.) Greuter & Burdet

Silene echinata Otth

Silene roemerii Friv. subsp. *staminea* (Bertol.) Nyman

Solenanthus apenninus (L.) Fisch. & C.A. Mey.

Stipa austroitalica Martinovský subsp. *austroitalica*

Stipa dasyvaginata Martinovský subsp. *apennincola* Martinovský & Moraldo

Stipa oligotricha Moraldo subsp. *oligotricha*

Thalictrum calabricum Spreng.

Thlaspi torreanum (Ten.) Greuter & Burdet

Thymus spinulosus Ten.

Tolpis virgata (Desf.) Bertol. subsp. *grandiflora* (Ten.) Arcang.

Tragopogon eriospermus Ten.

Tragopogon porrifolius L. subsp. *cupani* (Guss. ex DC.) I. Richardson

Trifolium brutium Ten.

Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti

Verbascum magellense Ten.

Verbascum niveum Ten. subsp. *inarimense* Murb.

Verbascum niveum Ten. subsp. *niveum*

Vicia ochroleuca Ten. subsp. *ochroleuca*

Vicia serinica Uechtr. & Huter

Viola aethnensis (DC.) Strobl subsp. *messanensis* (W. Becker) Merxm. & Lippert

Viola aethnensis (DC.) Strobl subsp. *splendida* (W. Becker) Merxm. & Lippert

Viola pseudogracilis Strobl subsp. *pseudogracilis*

Actaea spicata L.

Aquilegia vulgaris auct. Fl. Ital.

Astragalus glycyphyllos L.

Astragalus sirinicus Ten. s.l.

Calystegia soldanella (L.) Roem. & Schult.

Corydalis solida (L.) Clairv. s.l.

Daphne alpina L. s.l.

Daphne mezereum L.

Doronicum columnae Ten.

Doronicum orientale Hoffm.

Euphorbia corallioidea L.

Fritillaria messanensis Raf.

Fritillaria montana Hoppe ex Koch

Gentiana lutea L. s.l.

Gentianella crispata (Vis.) Holub

Ilex aquifolium L.

Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan

Linaria dalmatica (L.) Mill.

Lotus corniculatus L. s.l.

Narcissus poeticus L.

Nerium oleander L. subsp. *oleander*

Pancratium maritimum L.

Persicaria amphibia (L.) Delarbre

Rhamnus pumila Turra

Rumex alpinus L.

Saxifraga granulata L. subsp. *granulata*

Senecio scopoli Hoppe & Hornsch. ex Bluff & Fingerh.

Soldanella alpina L. subsp. *alpina*

Stipa pulcherrima Koch

Taxus baccata L.

Alien units

Aesculus hippocastanum L.

Agave americana L.

Ailanthus altissima (Mill.) Swingle

Alcea rosea L.

Allium cepa L.

Allium sativum L.

Amaranthus albus L.

Amaranthus cruentus L.

Amaranthus deflexus L.

Amaranthus graecizans L.

Amaranthus hybridus L.

Amaranthus hypochondriacus L.

Amaranthus retroflexus L.

Amorpha fruticosa L.

Anthriscus cerefolium (L.) Hoffm.

Antirrhinum majus L. subsp. *majus*

Armoracia rusticana P. Gaertn., B. Mey. & Scherb.

Artemisia verlotiorum Lamotte

Atriplex hortensis L.

Avena sativa L. subsp. *sativa*

Beta vulgaris L. subsp. *vulgaris*

Bidens frondosa L.

Bifora radians M. Bieb.

Brassica napus L. subsp. *napus*

Brassica nigra (L.) W.D.J. Koch

Brassica oleracea L.

Brassica rapa L. s.l.

Broussonetia papyrifera (L.) Vent.

Calendula officinalis L.

Camelina sativa (L.) Crantz s.l.

Carpobrotus acinaciformis (L.) L. Bolus

Celosia argentea L.

Cestrum parqui L'Hér.

Chamaesyce humifusa (Willd. ex Schltr.) Prokh.

Protected units

Aconitum lycoctonum L. emend. Koelle

- Chamaesyce prostrata* (Aiton) Small
Chenopodium ambrosioides L.
Cicer arietinum L.
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Coriandrum sativum L.
Coronopus didymus (L.) Sm.
Cota segetalis (Ten.) Holub
Cucumis melo L.
Cucumis sativus L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Digitaria ciliaris (Retz.) Koeler
Echinochloa colona (L.) Link
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron sumatrensis Retz.
Erodium glaucophyllum (L.) L'Hér.
Erysimum cheiri (L.) Crantz
Euphorbia segetalis L.
Glycyrrhiza echinata L.
Gossypium herbaceum L.
Gossypium hirsutum L.
Hedera helix L. subsp. *poetarum* (Bertol.) Nyman
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hibiscus syriacus L.
Honorius nutans S.F. Gray
Iris germanica L.
Jasminum officinale L.
Juglans regia L.
Lactuca sativa L.
Lathyrus sativus L.
Lens culinaris Medik.
Lepidium sativum L. subsp. *sativum*
Lilium candidum L.
Linum usitatissimum L.
Lupinus albus L. subsp. *albus*
Lycium afrum L.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Medicago sativa L.
Mespilus germanica L.
Morus alba L.
Narcissus medioluteus Mill.
Narcissus pseudonarcissus L.
Ocimum basilicum L.
Olea europaea L.
Opuntia amyclaea Ten.
Opuntia ficus-indica (L.) Mill.
Opuntia humifusa (Raf.) Raf.
Opuntia tuna (L.) Mill.
Origanum majorana L.
Oxalis pes-caprae L.
Oxalis stricta L.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Petasites fragrans (Vill.) C. Presl
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phytolacca americana L.
Pinus pinea L.
Populus canadensis Moench
Prunus armeniaca L.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Prunus persica (L.) Batsch
Punica granatum L.
Pyrus communis L.
Raphanus sativus L.
Rapistrum perenne (L.) All.
Rhus coriaria L.
Rhus typhina L.
Robinia pseudacacia L.
Rorippa austriaca (Crantz) Besser
Rosa foetida Herrm.
Rosa multiflora Thunb.
Rubia tinctorum L.
Salix babylonica L.
Schinus molle L.
Secale cereale L.
Senecio inaequidens DC.
Senecio petasitis (Sims) DC.
Setaria italica (L.) P. Beauv.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Solanum elaeagnifolium Cav.
Solanum lycopersicum L.
Solanum rostratum Dunal
Solanum sodomaeum L.
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Sporobolus indicus (L.) R. Br.
Sulla coronaria (L.) Medik.
Symphotrichum squamatum (Spreng.) G.L.Nesom
Syringa vulgaris L.
Tanacetum parthenium (L.) Sch. Bip.
Trachelium caeruleum L. subsp. *caeruleum*
Trifolium incarnatum L. subsp. *incarnatum*
Trigonella foenum-graecum L.
Triticum turgidum L.
Tulipa agenensis DC.
Tulipa praecox Ten.
Veronica peregrina L. subsp. *peregrina*
Vicia benghalensis L.
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Xanthium strumarium L. subsp. *strumarium*
Zea mays L.
Ziziphus zizyphus (L.) Meikle

CALABRIA

Exclusive units

<i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>rupestris</i>	+	<i>Adenostyles alliariae</i> (Gouan) A. Kern. subsp. <i>macrocephala</i> (Huter, Porta & Rigo) Wagenitz & I. Müll.
<i>Adenocarpus brutius</i> Brullo, De Marco & Siracusa	+	<i>Adoxa moschatellina</i> L. subsp. <i>cescae</i> Peruzzi & N.G. Passal.
<i>Adoxa moschatellina</i> L. subsp. <i>cescae</i> Peruzzi & N.G. Passal.	+	<i>Ajuga tenorei</i> C. Presl
<i>Agrostis canina</i> L. subsp. <i>aspromontana</i> Brullo, Scelsi & Spamp.	+	<i>Alchemilla austroitalica</i> Brullo, Scelsi & Spamp.
<i>Aizoon hispanicum</i> L.	+	<i>Allium calabrum</i> (N. Terracc.) Brullo, Pavone & Salmeri
<i>Alchemilla austroitalica</i> Brullo, Scelsi & Spamp.	+	<i>Allium pentadactyli</i> Brullo, Pavone & Spamp.
<i>Allium pentadactyli</i> Brullo, Pavone & Spamp.	+	<i>Anthemis arvensis</i> L. subsp. <i>sphacelata</i> (C. Presl) R. Fern.
<i>Anthemis cretica</i> L. subsp. <i>calabrica</i> (Arcang.) R. Fern.	+	<i>Anthemis cretica</i> L. subsp. <i>calabrica</i> (Arcang.) R. Fern.
<i>Armeria aspromontana</i> Brullo, Scelsi & Spamp.	+	<i>Anthemis hydruntina</i> H. Groves
<i>Astragalus parnassi</i> Boiss. subsp. <i>calabricus</i> (Fisch.) S. Zarre-Mobarakkeh	+	<i>Arabis collina</i> Ten. subsp. <i>rosea</i> (DC.) Minuto
<i>Bupleurum gracile</i> d'Urv.	+	<i>Arenaria bertolonii</i> Fiori
<i>Cardamine battaglieae</i> Cesca & Peruzzi	+	<i>Aristolochia clusii</i> Lojac.
<i>Centaurea aspromontana</i> Brullo, Scelsi & Spamp.	+	<i>Armeria aspromontana</i> Brullo, Scelsi & Spamp.
<i>Centaurea ionica</i> Brullo	+	<i>Armeria majellensis</i> Boiss. subsp. <i>ausonia</i> Bianchini
<i>Centaurea pentadactyli</i> Brullo, Scelsi & Spamp.	+	<i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter
<i>Centaurea poeltiana</i> Puntillo	+	<i>Asperula calabra</i> (Fiori) Ehrend. & Krendl
<i>Centaurea scillae</i> Brullo	+	<i>Astragalus aquilanus</i> Anzal.
<i>Crepis aspromontana</i> Brullo, Scelsi & Spamp.	+	<i>Astragalus parnassi</i> Boiss. subsp. <i>calabricus</i> (Fisch.) S. Zarre-Mobarakkeh
<i>Dianthus brutius</i> Brullo, Scelsi & Spamp. subsp. <i>brutius</i>	+	<i>Astragalus pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>
<i>Dianthus brutius</i> Brullo, Scelsi & Spamp. subsp. <i>pentadactyli</i> Brullo, Scelsi & Spamp.	+	<i>Asyneuma trichocalycinum</i> (Ten.) K. Malý
<i>Dianthus vulturius</i> Guss. & Ten. subsp. <i>aspromontanus</i> Brullo, Scelsi & Spamp.	+	<i>Aubrieta columnae</i> Guss. subsp. <i>columnae</i>
<i>Doronicum plantagineum</i> L.	+	<i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti
<i>Epipactis aspromontana</i> Bartolo, Pulv. & Robatsch	+	<i>Bellis margaritifolia</i> Huter
<i>Euphorbia barrelieri</i> Savi subsp. <i>thessala</i> (Formánek) Bornm.	+	<i>Berberis vulgaris</i> L. subsp. <i>aetnensis</i> (C. Presl) Rouy & Foucaud
<i>Genista anglica</i> L.	+	<i>Biscutella incana</i> Ten.
<i>Geum sylvaticum</i> Pourr.	0	<i>Brassica rupestris</i> Raf. subsp. <i>rupestris</i>
<i>Hypericum calabricum</i> Spreng.	+	<i>Buglossoides calabra</i> (Ten.) I.M. Johnston
<i>Jasione sphaerocephala</i> Brullo, Marcenò & Pavone	+	<i>Buglossoides minima</i> (Moris) R. Fernandes
<i>Lathyrus laxiflorus</i> (Desf.) Kuntze subsp. <i>laxiflorus</i>	+	<i>Bunium petraeum</i> Ten.
<i>Limodorum brulloi</i> Bartolo & Pulv.	+	<i>Bupleurum gussonei</i> (Arcang.) S. & B. Snogerup
<i>Limonium brutium</i> Brullo	+	<i>Bupleurum rollii</i> (Monteluc.) Moraldo
<i>Limonium calabrum</i> Brullo	+	<i>Campanula fragilis</i> Cirillo subsp. <i>fragilis</i>
<i>Limonium lacinium</i> Arrigoni	+	<i>Campanula scheuchzeri</i> Vill. subsp. <i>pseudostenocodon</i> (Lacaita) Bernardo, Gargano & Peruzzi
<i>Luzula pindica</i> (Hausskn.) Chrtek & Krása	+	<i>Cardamine battaglieae</i> Cesca & Peruzzi
<i>Plantago amplexicaulis</i> Cav.	+	<i>Cardamine monteluccii</i> Brilli-Catt. & Gubellini
<i>Puccinellia gussonei</i> Parl.	+	<i>Cardamine silana</i> Marhold & Perný
<i>Ranunculus serbicus</i> Vis.	+	<i>Carduus affinis</i> Guss. subsp. <i>affinis</i>
<i>Salix brutia</i> Brullo & Spamp.	+	<i>Carduus affinis</i> Guss. subsp. <i>brutius</i> (Porta) Kazmi
<i>Salix ionica</i> Brullo, Scelsi & Spamp.	+	<i>Carduus corymbosus</i> Ten.
<i>Salix oropotamica</i> Brullo, Scelsi & Spamp.	+	<i>Carduus micropterus</i> (Borbás) Teyber subsp. <i>perspinosus</i> (Fiori) Kazmi
<i>Salix tyrrhenica</i> Brullo, Scelsi & Spamp.	+	<i>Carlina nebrodensis</i> Guss. ex DC.
<i>Salvia ceratophylloides</i> Ard.	0	<i>Centaurea aspromontana</i> Brullo, Scelsi & Spamp.
<i>Sesleria calabrica</i> (Deyl) Di Pietro	+	<i>Centaurea cineraria</i> L. subsp. <i>cineraria</i>
<i>Silene calabra</i> Brullo, Scelsi & Spamp.	+	<i>Centaurea ionica</i> Brullo
<i>Silene oenotriae</i> Brullo	+	<i>Centaurea nigrescens</i> Willd. subsp. <i>neapolitana</i> (Boiss.) Dostál
<i>Soldanella calabrella</i> Kress	+	<i>Centaurea pentadactyli</i> Brullo, Scelsi & Spamp.
<i>Stipa austroitalica</i> Martinovský subsp. <i>theresiaae</i> Martinovský & Moraldo	+	<i>Centaurea poeltiana</i> Puntillo
<i>Tilia platyphyllos</i> Scop. subsp. <i>pseudorubra</i> C.K. Schneid.	+	<i>Centaurea scillae</i> Brullo
<i>Trifolium sylvaticum</i> Gérard ex Loisel.	+	<i>Centaurea solstitialis</i> L. subsp. <i>schoouwii</i> (DC.) Gugler
		<i>Cerastium granulatum</i> (Huter, Porta & Rigo) Chiov.
		<i>Cerastium lacaitae</i> Barberis, Bechi & Miceli
		<i>Cerastium scaranii</i> Ten.
		<i>Cerastium tomentosum</i> L.
		<i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti
		<i>Cirsium tenoreanum</i> Petr.
		<i>Cirsium vallis-demonis</i> Lojac.
		<i>Colchicum alpinum</i> Lam. & DC. subsp. <i>parvulum</i> (Ten.) Arcang.

Endemic units

<i>Acer cappadocicum</i> Gled. subsp. <i>lobelii</i> (Ten.) Murray
<i>Achillea barrelieri</i> Ten. subsp. <i>mucronulata</i> (Bertol.) Heimerl
<i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>calcareae</i> (Huter, Porta & Rigo) Greuter
<i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>rupestris</i>
<i>Achillea tenorii</i> Grande
<i>Adenocarpus brutius</i> Brullo, De Marco & Siracusa

- Corydalis solida* (L.) Clairv. subsp. *densiflora* (J. & C. Presl) Arcang.
Crepis aspromontana Brullo, Scelsi & Spamp.
Crepis brulla Greuter
Crepis bursifolia L.
Crepis lacera Ten.
Crepis sprengeli Nicotra
Crocus imperati Ten.
Cynoglossum magellense Ten.
Dianthus brutius Brullo, Scelsi & Spamp. subsp. *brutius*
Dianthus brutius Brullo, Scelsi & Spamp. subsp. *pentadactyli* Brullo, Scelsi & Spamp.
Dianthus carthusianorum L. subsp. *tenorei* (Lacaita) Pignatti
Dianthus ferrugineus Mill.
Dianthus vulturius Guss. & Ten. subsp. *aspromontanus* Brullo, Scelsi & Spamp.
Digitalis lutea L. subsp. *australis* (Ten.) Arcang.
Echinops ritro L. subsp. *siculus* (Strobl) Greuter
Edraianthus graminifolius (L.) A. DC. subsp. *siculus* (Strobl) Greuter & Burdet
Epipactis aspromontana Bartolo, Pulv. & Robatsch
Epipactis helleborine (L.) Crantz subsp. *latina* W. Rossi & E. Klein
Epipactis meridionalis H. Baumann & R. Lorenz
Epipactis placentina Bongiorno & Grünanger
Erodium nervulosum L'Hér.
Erysimum majellense Polatschek
Erysimum pseudorhaeticum Polatschek
Euphorbia amygdaloides L. subsp. *arbuscula* Meusel
Euphorbia ceratocarpa Ten.
Euphorbia corallioides L.
Euphorbia gasparrinii Boiss. subsp. *gasparrinii*
Festuca calabrica Huter, Porta & Rigo
Festuca violacea Schleich. ex Gaudin subsp. *italica* Foggi, Graz. Rossi & Signorini
Galium aetnium Biv.
Galium lucidum All. subsp. *venustum* (Jord.) Arcang.
Galium magellense Ten.
Galium palaeoitalicum Ehrend.
Gentianella columnae (Ten.) Holub
Geranium austroapenninum Aedo
Gypsophila arrostii Guss. subsp. *arrostii*
Heliotropium suaveolens M. Bieb. subsp. *bocconeae* (Guss.) Brummitt
Helleborus bocconeae Ten. subsp. *bocconeae*
Hieracium calabrum Nägeli & Peter (*piloselloides* - *pseudopilosella*)
Hieracium grovesianum Arv.-Touv. ex Belli (*racemosum* = *murorum*)
Hyoseris taurina (Pamp.) Martinoli
Hypericum calabricum Spreng.
Iris relictia Colas.
Jasione sphaerocephala Brullo, Marcenò & Pavone
Klasea flavescens (L.) Holub subsp. *cichoracea* (L.) Greuter & Wagenitz
Knautia dinarica (Murb.) Borbás subsp. *silana* (Grande) Ehrend.
Laserpitium siler L. subsp. *siculum* (Spreng.) Santangelo, F. Conti & Gubellini
Lathyrus jordanii Ten.
Lathyrus odoratus L.
Lavatera agrigentina Tineo
Leontodon intermedius Huter, Porta & Rigo
Lereschia thomastii (Ten.) Boiss.
Leucanthemum laciniatum Huter, Porta & Rigo
Limodorum brulloi Bartolo & Pulv.
Limonium brutium Brullo
Limonium calabrum Brullo
Limonium lacinium Arrigoni
Limonium remotispiculum (Lacaita) Pignatti
Linaria multicaulis (L.) Mill. subsp. *multicaulis*
Linaria purpurea (L.) Mill.
Luzula sicula Parl.
Matthiola incana (L.) R. Br. subsp. *rupestris* (Raf.) Nyman
Melampyrum italicum Soó
Melampyrum variegatum Huter, Porta & Rigo
Micromeria canescens (Guss.) Benth.
Micromeria consentina (Ten.) N. Terracc.
Micromeria graeca (L.) Benth. ex Rchb. subsp. *longiflora* (C. Presl) Nyman
Micromeria graeca (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman
Myosotis ambigens (Bég.) Grau
Myosotis sylvatica Hoffm. subsp. *elongata* (Strobl) Grau
Ononis oligophylla Ten.
Onosma echiodes (L.) L.
Onosma helvetica Boiss. em. Teppner subsp. *lucana* (Lacaita) Peruzzi, Aquaro & Cesca
Ophrys biscutella O. & E. Danesch
Ophrys exaltata Ten. subsp. *exaltata*
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *apulica* O. & E. Danesch
Ophrys oxyrrhynchus Tod.
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson
Ophrys tarentina Gözl & H.R. Reinhard
Orchis brancifortii Biv.
Ornithogalum exscapum Ten.
Ornithogalum orthophyllum Ten.
Pedicularis elegans Ten.
Phlomis tenorei Soldano
Pimpinella anisoides V. Brig.
Plantago media L. subsp. *brutia* (Ten.) Arcang.
Polygala apiculata Porta
Polygala preslii Spreng.
Polygonum gussonei Tod.
Polygonum tenorei C. Presl
Potentilla rigoana Th. Wolf
Primula palinuri Petagna
Ptilostemon niveus (C. Presl) Greuter
Pulmonaria apennina Cristof. & Puppi
Ranunculus apenninus (Chiov.) Pignatti
Ranunculus monspeliacus L. subsp. *aspromontanus* (Huter) Peruzzi & N.G. Passal.
Ranunculus pollinensis (N. Terracc.) Chiov.
Ranunculus polyanthemus L. subsp. *thomastii* (Ten.) Tutin
Retama raetam (Forssk.) Webb & Berthel. subsp. *gussonei* (Webb) Greuter
Rhaponticoides centaurium (L.) M.V. Agab. & Greuter
Robertia taraxacoides (Loisel.) DC.
Rosa viscosa Jan ex Guss.
Salix brutia Brullo & Spamp.
Salix ionica Brullo, Scelsi & Spamp.
Salix oropotamica Brullo, Scelsi & Spamp.
Salix tyrrhenica Brullo, Scelsi & Spamp.
Salvia ceratophylloides Ard.
Salvia haematodes L.
Saxifraga porophylla Bertol. subsp. *porophylla*
Scabiosa holosericea Bertol.
Scabiosa uniseta Savi
Scutellaria columnae All. subsp. *gussonei* (Ten.) Arcang.
Sedum magellense Ten. subsp. *magellense*
Senecio gibbosus (Guss.) DC. subsp. *bicolor* (Willd.) Peruzzi, N.G. Passal. & Soldano
Senecio gibbosus (Guss.) DC. subsp. *gibbosus*

Senecio stabianus Lacaita
Sesleria calabrica (Deyl) Di Pietro
Sesleria nitida Ten.
Sideritis italica (Mill.) Greuter & Burdet
Silene calabra Brullo, Scelsi & Spamp.
Silene echinata Otth
Silene oenotriae Brullo
Soldanella calabrella Kress
Solenanthes apenninus (L.) Fisch. & C.A. Mey.
Stipa austroitalica Martinovský subsp. *appendiculata* (Celak.) Moraldo
Stipa austroitalica Martinovský subsp. *austroitalica*
Stipa austroitalica Martinovský subsp. *theresiaae* Martinovský & Moraldo
Stipa dasyvaginata Martinovský subsp. *apenninicola* Martinovský & Moraldo
Stipa gussonei Moraldo
Thalictrum calabricum Spreng.
Thymus spinulosus Ten.
Tolpis virgata (Desf.) Bertol. subsp. *grandiflora* (Ten.) Arcang.
Tragopogon eriospermus Ten.
Tragopogon porrifolius L. subsp. *cupani* (Guss. ex DC.) I. Richardson
Trifolium brutium Ten.
Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti
Trifolium uniflorum L. subsp. *savianum* (Guss.) Asch. & Graebn.
Verbascum niveum Ten. subsp. *niveum*
Vicia ochroleuca Ten. subsp. *ochroleuca*
Viola aethnensis (DC.) Strobl subsp. *messanensis* (W. Becker) Merxm. & Lippert
Viola aethnensis (DC.) Strobl subsp. *splendida* (W. Becker) Merxm. & Lippert

Protected units

Achillea barrelieri Ten. subsp. *mucronulata* (Bertol.) Heimerl
Achillea rupestris Huter, Porta & Rigo s.l.
Anogramma leptophylla (L.) Link
Aquilegia atrata W.D.J. Koch
Aquilegia vulgaris auct. Fl. Ital.
Asplenium adiantum-nigrum L. subsp. *adiantum-nigrum*
Asplenium fissum Kit. ex Willd.
Asplenium obovatum Viv. s.l.
Asplenium onopteris L.
Asplenium petrarchae (Guérin) DC. subsp. *petrarchae*
Asplenium ruta-muraria L. subsp. *ruta-muraria*
Asplenium septentrionale (L.) Hoffm. subsp. *septentrionale*
Asplenium trichomanes L. subsp. *quadrivalens* D.E. Mey.
Asplenium viride Huds.
Asyneuma trichocalycinum (Ten.) K. Malý
Athyrium filix-femina (L.) Roth
Azolla filiculoides Lam.
Blechnum spicant (L.) Roth
Botrychium lunaria (L.) Sw.
Botrychium simplex E. Hitchc.
Campanula dichotoma L.
Campanula erinus L.
Campanula fragilis Cirillo subsp. *fragilis*
Campanula glomerata L.
Campanula rapunculus L.
Campanula trachelium L. subsp. *trachelium*
Ceterach officinarum Willd. s.l.
Cheilanthes acrostica (Balb.) Tod.
Cheilanthes maderensis Lowe
Cosentinia vellea (Aiton) Tod. subsp. *vellea*

Cystopteris fragilis (L.) Bernh.
Dianthus armeria L. subsp. *armeria*
Dianthus balbisii Ser. subsp. *liburnicus* (Bartl.) Pignatti
Dianthus carthusianorum L. s.l.
Dianthus deltooides L. subsp. *deltooides*
Dianthus ferrugineus Mill.
Dianthus rupicola Biv. s.l.
Dianthus sylvestris Wulfen subsp. *longicaulis* (Ten.) Greuter & Burdet
Dianthus sylvestris Wulfen subsp. *siculus* (C. Presl) Tutin
Dianthus tripunctatus Sm.
Dianthus vulturius Guss. & Ten. s.l.
Dryopteris affinis (Lowe) Fraser-Jenk. s.l.
Dryopteris carthusiana (Vill.) H.P. Fuchs
Dryopteris filix-mas (L.) Schott
Dryopteris pallida (Bory) Maire & Petitm. subsp. *pallida*
Dryopteris villarii (Bellardi) Woy. ex Thell. subsp. *villarii*
Fritillaria messanensis Raf.
Fritillaria montana Hoppe ex Koch
Galanthus nivalis L.
Gentiana verna L. s.l.
Gentianella columnae (Ten.) Holub
Isoetes duriei Bory
Isoetes histrix Bory
Lilium bulbiferum L. subsp. *bulbiferum*
Narcissus serotinus L.
Narcissus tazetta L. subsp. *aureus* (Loisel.) Baker
Narcissus tazetta L. subsp. *tazetta*
Osmunda regalis L.
Paeonia mascula (L.) Mill.
Paeonia peregrina Mill.
Pancratium maritimum L.
Phyllitis sagittata (DC.) Guinea & Heywood
Phyllitis scolopendrium (L.) Newman subsp. *scolopendrium*
Pinus leucodermis Antoine
Polypodium cambricum L.
Polypodium interjectum Shivas
Polystichum aculeatum (L.) Roth
Polystichum lonchitis (L.) Roth
Polystichum setiferum (Forssk.) T. Moore ex Woy. n.
Pteris cretica L.
Pteris vittata L.
Salvinia natans (L.) All.
Saxifraga aizoides L.
Saxifraga callosa Sm. subsp. *callosa*
Saxifraga marginata Sternb.
Saxifraga paniculata Mill.
Saxifraga porophylla Bertol. subsp. *porophylla*
Sempervivum tectorum (group)
Sternbergia colchiciflora Waldst. & Kit.
Sternbergia lutea (L.) Ker Gawl. ex Spreng.
Taxus baccata L.
Thalictrum calabricum Spreng.
Woodwardia radicans (L.) Sm.

Alien units

Abutilon theophrasti Medik.
Acacia dealbata Link
Acacia karroo Hayne
Acacia saligna (Labill.) H.L. Wendl.
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Amaranthus acutifolius Uline & W.L. Bray
Amaranthus albus L.
Amaranthus blitoides S. Watson

- Amaranthus cruentus* L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus muricatus (Moq.) Hieron.
Amaranthus retroflexus L.
Amaranthus viridis L.
Amorpha fruticosa L.
Antirrhinum majus L. subsp. *majus*
Antirrhinum majus L. subsp. *tortuosum* (Bosc. ex Lam.) Rouy
Araujia sericifera Brot.
Artemisia verlotiorum Lamotte
Asclepias fruticosus L.
Avena sativa L. subsp. *sativa*
Azolla filiculoides Lam.
Ballota pseudodictamnus (L.) Benth.
Bidens bipinnata L.
Bidens frondosa L.
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Carpobrotus acinaciformis (L.) L. Bolus
Carpobrotus edulis (L.) N.E. Br.
Cestrum parqui L'Hér.
Chamaesyce maculata (L.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Cicer arietinum L.
Colocasia esculenta (L.) Schott
Coronopus didymus (L.) Sm.
Crataegus azarolus L.
Cuscuta epilinum Weihe
Dactyloctenium aegyptium (L.) Richt.
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Echinochloa colona (L.) Link
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron sumatrensis Retz.
Eriobotrya japonica (Thunb.) Lindl.
Erysimum cheiri (L.) Crantz
Galinsoga parviflora Cav.
Genista aetnensis (Biv.) DC.
Glinus lotoides L.
Hedera helix L. subsp. *poetarum* (Bertol.) Nyman
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hypericum calycinum L.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Leersia oryzoides (L.) Sw.
Linum usitatissimum L.
Lupinus albus L. subsp. *albus*
Lycium intricatum Boiss.
Maclura pomifera (Raf.) C.K. Schneid.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Mirabilis jalapa L.
Morus alba L.
Morus nigra L.
Nectaroscilla hyacinthoides (L.) Parl.
Nicotiana glauca Graham
Opuntia dillenii (Ker-Gawler) Haworth
Opuntia ficus-indica (L.) Mill.
Opuntia tuna (L.) Mill.
Oxalis pes-caprae L.
Papaver somniferum L.
Parkinsonia aculeata L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Phalaris canariensis L.
Phytolacca americana L.
Phytolacca dioica L.
Pisum sativum L. subsp. *sativum*
Prunus avium L. subsp. *avium*
Prunus cerasifera Ehrh.
Prunus domestica L. subsp. *domestica*
Punica granatum L.
Pyracantha coccinea M. Roem.
Pyrus communis L.
Raphanus sativus L.
Rhus coriaria L.
Ricinus communis L.
Robinia pseudacacia L.
Salpichroa origanifolia (Lam.) Thell.
Senecio petasitis (Sims) DC.
Setaria italica (L.) P. Beauv.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Sisylx atropurpurea (L.) Greuter & Burdet subsp. *atropurpurea*
Solanum sodomaeum L.
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Sporobolus indicus (L.) R. Br.
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Tanacetum parthenium (L.) Sch. Bip.
Tanacetum vulgare L.
Trachelium caeruleum L. subsp. *caeruleum*
Trigonella foenum-graecum L.
Ulex europaeus L. subsp. *europaeus*
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Ziziphus zizyphus (L.) Meikle

CAMPANIA

Exclusive units

<i>Aquilegia champagnatii</i> Moraldo, E. Nardi & La Valva	+
<i>Asperula crassifolia</i> L.	+
<i>Bassia hyssopifolia</i> (Pallas) Kuntze	0
<i>Campanula lingulata</i> Waldst. & Kit.	0
<i>Centaurea tenorei</i> Guss. ex Lacaita	+
<i>Cirsium lacaitae</i> Petr.	+
<i>Cymbalaria glutinosa</i> Bigazzi & Raffaelli subsp. <i>brevicalcarata</i> Bigazzi & Raffaelli	+
<i>Genista cilentina</i> Vals.	+
<i>Globularia neapolitana</i> O. Schwarz	+
<i>Hieracium calodon</i> Tausch ex Peter (<i>echioides</i> - <i>piloselloides</i>)	?
<i>Hieracium litardioreanum</i> Zahn (<i>zizianum</i> > <i>pseudopilosella</i>)	+
<i>Hypericum inodorum</i> Mill.	+
<i>Lavatera thuringiaca</i> L. subsp. <i>thuringiaca</i>	+
<i>Limonium cumanum</i> (Ten.) Kuntze	+
<i>Limonium inarimense</i> (Guss.) Pignatti	+
<i>Limonium tenoreanum</i> (Guss.) Pignatti	+
<i>Lonicera stabiana</i> Pasquale	+
<i>Minuartia moraldoi</i> F. Conti	+
<i>Santolina neapolitana</i> Jord. & Fourr.	+
<i>Stachys recta</i> L. subsp. <i>tenoreana</i> Bornm.	+
<i>Vincetoxicum hirundinaria</i> Medik. subsp. <i>luteolum</i> (Jord. & Fourr.) La Valva, Moraldo & Caputo	+

Endemic units

<i>Acer cappadocicum</i> Gled. subsp. <i>lobelii</i> (Ten.) Murray
<i>Achillea barrelieri</i> Ten. subsp. <i>barrelieri</i>
<i>Achillea barrelieri</i> Ten. subsp. <i>mucronulata</i> (Bertol.) Heimerl
<i>Achillea tenorii</i> Grande
<i>Ajuga tenorei</i> C. Presl
<i>Anthemis arvensis</i> L. subsp. <i>sphacelata</i> (C. Presl) R. Fern.
<i>Aquilegia champagnatii</i> Moraldo, E. Nardi & La Valva
<i>Arabis collina</i> Ten. subsp. <i>rosea</i> (DC.) Minuto
<i>Arenaria bertolonii</i> Fiori
<i>Armeria macropoda</i> Boiss.
<i>Armeria majellensis</i> Boiss. subsp. <i>ausonia</i> Bianchini
<i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter
<i>Asperula crassifolia</i> L.
<i>Astragalus pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>
<i>Asyneuma trichocalycinum</i> (Ten.) K. Malý
<i>Aubrieta columnae</i> Guss. subsp. <i>columnae</i>
<i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti
<i>Bassia saxicola</i> (Guss.) A.J. Scott
<i>Bellis margaritifolia</i> Huter
<i>Berberis vulgaris</i> L. subsp. <i>aetnensis</i> (C. Presl) Rouy & Foucaud
<i>Bunium petraeum</i> Ten.
<i>Campanula fragilis</i> Cirillo subsp. <i>cavolinii</i> (Ten.) Damboldt
<i>Campanula fragilis</i> Cirillo subsp. <i>fragilis</i>
<i>Campanula micrantha</i> Bertol.
<i>Campanula scheuchzeri</i> Vill. subsp. <i>pseudostenocodon</i> (Lacaita) Bernardo, Gargano & Peruzzi
<i>Cardamine monteluccii</i> Brilli-Catt. & Gubellini
<i>Carduus affinis</i> Guss. subsp. <i>affinis</i>
<i>Carduus corymbosus</i> Ten.
<i>Carduus micropterus</i> (Borbás) Teyber subsp. <i>perspinosus</i> (Fiori) Kazmi
<i>Carum flexuosum</i> (Ten.) Nyman
<i>Centaurea ambigua</i> Guss. subsp. <i>ambigua</i>
<i>Centaurea centauroides</i> L.
<i>Centaurea cineraria</i> L. subsp. <i>cineraria</i>
<i>Centaurea nigrescens</i> Willd. subsp. <i>neapolitana</i> (Boiss.) Dostál

<i>Centaurea tenorei</i> Guss. ex Lacaita
<i>Cerastium granulatum</i> (Huter, Porta & Rigo) Chiov.
<i>Cerastium lacaitae</i> Barberis, Bechi & Miceli
<i>Cerastium scaranii</i> Ten.
<i>Cerastium tomentosum</i> L.
<i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti
<i>Cirsium lacaitae</i> Petr.
<i>Cirsium lobelii</i> Ten.
<i>Cirsium tenoreanum</i> Petr.
<i>Crepis bursifolia</i> L.
<i>Crepis lacera</i> Ten.
<i>Crocus imperati</i> Ten.
<i>Crocus suaveolens</i> Bertol.
<i>Cymbalaria glutinosa</i> Bigazzi & Raffaelli subsp. <i>brevicalcarata</i> Bigazzi & Raffaelli
<i>Cynoglossum magellense</i> Ten.
<i>Cytisus aeolicus</i> Guss.
<i>Dianthus carthusianorum</i> L. subsp. <i>tenorei</i> (Lacaita) Pignatti
<i>Dianthus ferrugineus</i> Mill.
<i>Dianthus vulturius</i> Guss. & Ten. subsp. <i>vulturius</i>
<i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.
<i>Echinops ritro</i> L. subsp. <i>siculus</i> (Strobl) Greuter
<i>Edraianthus graminifolius</i> (L.) A. DC. subsp. <i>siculus</i> (Strobl) Greuter & Burdet
<i>Epipactis helleborine</i> (L.) Crantz subsp. <i>latina</i> W. Rossi & E. Klein
<i>Epipactis meridionalis</i> H. Baumann & R. Lorenz
<i>Epipactis placentina</i> Bongiorno & Grünanger
<i>Erodium nervulosum</i> L'Hér.
<i>Erysimum majellense</i> Polatschek
<i>Erysimum pseudorhaeticum</i> Polatschek
<i>Euphorbia corallioides</i> L.
<i>Festuca calabrica</i> Huter, Porta & Rigo
<i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>italica</i> Foggi, Graz. Rossi & Signorini
<i>Galium lucidum</i> All. subsp. <i>venustum</i> (Jord.) Arcang.
<i>Galium magellense</i> Ten.
<i>Galium palaeoitalicum</i> Ehrend.
<i>Genista cilentina</i> Vals.
<i>Genista gasparrinii</i> (Guss.) C. Presl
<i>Gentianella columnae</i> (Ten.) Holub
<i>Geranium austroapenninum</i> Aedo
<i>Globularia neapolitana</i> O. Schwarz
<i>Heliotropium suaveolens</i> M. Bieb. subsp. <i>bocconeii</i> (Guss.) Brummitt
<i>Helleborus bocconeii</i> Ten. subsp. <i>bocconeii</i>
<i>Klasea flavescens</i> (L.) Holub subsp. <i>cichoracea</i> (L.) Greuter & Wagenitz
<i>Laserpitium siler</i> L. subsp. <i>siculum</i> (Spreng.) Santangelo, F. Conti & Gubellini
<i>Lathyrus jordanii</i> Ten.
<i>Lathyrus odoratus</i> L.
<i>Leucanthemum laciniatum</i> Huter, Porta & Rigo
<i>Limonium cumanum</i> (Ten.) Kuntze
<i>Limonium inarimense</i> (Guss.) Pignatti
<i>Limonium remotispiculum</i> (Lacaita) Pignatti
<i>Limonium tenoreanum</i> (Guss.) Pignatti
<i>Linaria purpurea</i> (L.) Mill.
<i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>pseudisetensis</i> (Lacaita) Greuter & Burdet
<i>Lonicera stabiana</i> Pasquale
<i>Luzula sicula</i> Parl.
<i>Matthiola incana</i> (L.) R. Br. subsp. <i>rupestris</i> (Raf.) Nyman
<i>Melampyrum italicum</i> Soó
<i>Mentha requienii</i> Benth. s.l.
<i>Micromeria consentina</i> (Ten.) N. Terracc.

Micromeria graeca (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman
Minuartia graminifolia (Ard.) Jáv. subsp. *rosani* (Ten.) Mattf.
Minuartia moraldoi F. Conti
Myosotis ambigens (Bég.) Grau
Myosotis sylvatica Hoffm. subsp. *elongata* (Strobl) Grau
Ononis oligophylla Ten.
Onosma canescens C. Presl
Onosma echioides (L.) L.
Ophrys biscutella O. & E. Danesch
Ophrys crabronifera Mauri
Ophrys exaltata Ten. subsp. *exaltata*
Ophrys promontorii O. & E. Danesch
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson
Ophrys sphegodes Mill. subsp. *majellensis* Helga & Herm. Deiss
Ornithogalum exscapum Ten.
Oxytropis pilosa (L.) DC. subsp. *caputoi* (Moraldo & La Valva) Brilli-Catt., Di Massimo & Gubellini
Pedicularis elegans Ten.
Pimpinella anisoides V. Brig.
Polygala flavescens DC.
Polygonum gussonei Tod.
Potentilla rigoana Th. Wolf
Primula palinuri Petagna
Pulmonaria apennina Cristof. & Puppi
Ranunculus apenninus (Chiov.) Pignatti
Ranunculus pollinensis (N. Terracc.) Chiov.
Rhinanthus wettsteinii (Sterneck) Soó
Robertia taraxacoides (Loisel.) DC.
Rubia peregrina L. subsp. *requienii* (Duby) Cardona & Sierra
Salvia haematodes L.
Santolina neapolitana Jord. & Fourr.
Saxifraga exarata Vill. subsp. *ampullacea* (Ten.) D.A. Webb
Saxifraga porophylla Bertol. subsp. *porophylla*
Scabiosa holosericea Bertol.
Scabiosa uniseta Savi
Sedum magellense Ten. subsp. *magellense*
Senecio gibbosus (Guss.) DC. subsp. *bicolor* (Willd.) Peruzzi, N.G. Passal. & Soldano
Senecio lycopifolius Desf.
Senecio stabianus Lacaita
Seseli polyphyllum Ten.
Sesleria nitida Ten.
Sideritis italica (Mill.) Greuter & Burdet
Silene echinata Otth
Silene giraldui Guss.
Solenanthus apenninus (L.) Fisch. & C.A. Mey.
Stachys recta L. subsp. *tenoreana* Bornm.
Stipa austroitalica Martinovský subsp. *austroitalica*
Stipa crassiculmis Smirn. subsp. *picentina* Martinovský, Moraldo & Caputo
Stipa dasyvaginata Martinovský subsp. *apenninicola* Martinovský & Moraldo
Stipa oligotricha Moraldo s.l.
Thalictrum calabricum Spreng.
Thymus spinulosus Ten.
Tolpis virgata (Desf.) Bertol. subsp. *grandiflora* (Ten.) Arcang.
Tragopogon eriospermus Ten.
Tragopogon porrifolius L. subsp. *cupani* (Guss. ex DC.) I. Richardson
Trifolium brutium Ten.
Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti
Verbascum argenteum Ten.

Verbascum niveum Ten. subsp. *inarimense* Murb.
Vicia ochroleuca Ten. subsp. *ochroleuca*
Viola aethnensis (DC.) Strobl subsp. *splendida* (W. Becker) Merxm. & Lippert
Viola eugeniae Parl. subsp. *eugeniae*
Viola pseudogracilis Strobl subsp. *pseudogracilis*

Protected units

Abies alba Mill.
Anacamptis pyramidalis (L.) Rich.
Aquilegia atrata W.D.J. Koch
Aquilegia champagnatii Moraldo, E. Nardi & La Valva
Aquilegia vulgaris auct. Fl. Ital.
Arisarum proboscideum (L.) Savi
Asperula crassifolia L.
Asplenium septentrionale (L.) Hoffm. subsp. *septentrionale*
Barlia robertiana (Loisel.) Greuter
Bassia saxicola (Guss.) A.J. Scott
Berberis vulgaris L. subsp. *aetnensis* (C. Presl) Rouy & Foucaud
Betula pendula Roth
Brassica gravinae Ten.
Carex grioletii Roem.
Centaurea tenorei Guss. ex Lacaita
Cephalanthera damasonium (Mill.) Druce
Cephalanthera longifolia (L.) Fritsch
Cephalanthera rubra (L.) Rich.
Chamaerops humilis L.
Coeloglossum viride (L.) Hartm.
Corallorhiza trifida Châtel.
Coris monspeliensis L. subsp. *monspeliensis*
Cyperus polystachyus Rottb.
Dactylorhiza maculata (L.) Soó subsp. *saccifera* (Brongn.) Diklic
Dactylorhiza romana (Sebast.) Soó s.l.
Dactylorhiza sambucina (L.) Soó
Dianthus ferrugineus Mill.
Dictamnus albus L.
Epipactis atrorubens (Hoffm. ex Bernh.) Besser
Epipactis baumanniorum Soldano & F. Conti
Epipactis helleborine (L.) Crantz subsp. *latina* W. Rossi & E. Klein
Epipactis meridionalis H. Baumann & R. Lorenz
Epipactis microphylla (Ehrh.) Sw.
Epipactis palustris (L.) Crantz
Epipactis placentina Bongiorno & Grünanger
Epipogium aphyllum Sw.
Galium palaeoitalicum Ehrend.
Genista cilentina Vals.
Gentiana lutea L. s.l.
Gladiolus inarimensis Guss.
Globularia neapolitana O. Schwarz
Gymnadenia conopsea (L.) R. Br.
Gymnocarpium robertianum (Hoffm.) Newman
Himantoglossum adriaticum H. Baumann
Himantoglossum hircinum (L.) Spreng.
Iberis semperflorens L.
Ipomoea imperati (Vahl) Griseb.
Isoetes duriei Bory
Isoetes histrix Bory
Laurus nobilis L.
Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Lilium martagon L.
Limodorum abortivum (L.) Sw.
Listera ovata (L.) R. Br.
Lithodora rosmarinifolia (Ten.) I.M. Johnst.

Lomelosia crenata (Cirillo) Greuter & Burdet subsp.
pseudisetensis (Lacaita) Greuter & Burdet
Lonicera stabiana Pasquale
Neotinea maculata (Desf.) Stearn
Neottia nidus-avis (L.) Rich.
Nuphar lutea (L.) Sm.
Nymphaea alba L.
Ophrys apifera Huds.
Ophrys bertolonii Moretti
Ophrys biscutella O. & E. Danesch
Ophrys bombyliflora Link
Ophrys crabronifera Mauri
Ophrys exaltata Ten. subsp. *exaltata*
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *fuciflora*
Ophrys fusca Link subsp. *fusca*
Ophrys incubacea Bianca
Ophrys lacaitae Lojac.
Ophrys lutea Cav.
Ophrys promontorii O. & E. Danesch
Ophrys scolopax Cav. subsp. *scolopax*
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson
Ophrys sphegodes Mill. subsp. *majellensis* Helga & Herm.
 Deiss
Ophrys sphegodes Mill. subsp. *sphegodes*
Ophrys tenthredinifera Willd.
Ophrys tetraloniae W.P. Teschner
Orchis anthropophora (L.) All.
Orchis coriophora L.
Orchis italica Poir.
Orchis lactea Poir.
Orchis laxiflora Lam.
Orchis mascula (L.) L. subsp. *mascula*
Orchis morio L.
Orchis pallens L.
Orchis palustris Jacq.
Orchis papilionacea L.
Orchis pauciflora Ten.
Orchis provincialis Balb. ex Lam. & DC.
Orchis purpurea Huds.
Orchis quadripunctata Cirillo ex Ten.
Orchis simia Lam.
Orchis tridentata Scop.
Orchis ustulata L.
Oxytropis pilosa (L.) DC. subsp. *caputoi* (Moraldo & La
 Valva) Brilli-Catt., Di Massimo & Gubellini
Paris quadrifolia L.
Parnassia palustris L. subsp. *palustris*
Phyllitis sagittata (DC.) Guinea & Heywood
Pinus nigra J.F. Arnold s.l.
Platanthera bifolia (L.) Rchb.
Platanthera chlorantha (Custer) Rchb.
Platanus orientalis L.
Primula palinuri Petagna
Prunus cocomilia Ten.
Pteris cretica L.
Pteris vittata L.
Ruscus hypoglossum L.
Santolina neapolitana Jord. & Fourr.
Saxifraga adscendens L. subsp. *adscendens*
Saxifraga adscendens L. subsp. *parnassica* (Boiss. & Heldr.)
 Hayek
Saxifraga bulbifera L.
Saxifraga callosa Sm. subsp. *callosa*
Saxifraga carpetana Boiss. & Reut. subsp. *graeca* (Boiss. &
 Heldr.) D.A. Webb
Saxifraga exarata Vill. subsp. *ampullacea* (Ten.) D.A. Webb
Saxifraga granulata L. subsp. *granulata*

Saxifraga marginata Sternb.
Saxifraga paniculata Mill.
Saxifraga porophylla Bertol. subsp. *porophylla*
Saxifraga rotundifolia L. subsp. *rotundifolia*
Saxifraga tridactylites L.
Serapias cordigera L.
Serapias lingua L.
Serapias parviflora Parl.
Serapias vomeracea (Burm. f.) Briq. subsp. *laxiflora* (Soó)
 Gözl & H.R. Reinhard
Serapias vomeracea (Burm. f.) Briq. subsp. *vomeracea*
Seseli polyphyllum Ten.
Silene giraldii Guss.
Spiranthes spiralis (L.) Chevall.
Typha angustifolia L.
Typha latifolia L.
Typha minima Funk
Woodwardia radicans (L.) Sm.

Alien units

Acacia dealbata Link
Acanthus mollis L. subsp. *mollis*
Acer negundo L.
Aeonium arboreum (L.) Webb & Berthel.
Aeonium haworthii Salm-Dyck ex Webb & Berth.
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Allium cepa L.
Allium sativum L.
Amaranthus albus L.
Amaranthus crispus (Lesp. & Thévenau) N. Terracc.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus hypochondriacus L.
Amaranthus retroflexus L.
Amaranthus tricolor L.
Amaranthus viridis L.
Amaryllis bella-donna L.
Ambrosia trifida L.
Amorpha fruticosa L.
Anemone coronaria L.
Antholyza aethiopica L.
Antirrhinum majus L. subsp. *majus*
Antirrhinum majus L. subsp. *tortuosum* (Bosc. ex Lam.)
 Rouy
Aptenia cordifolia (L. f.) Schwantes
Araujia sericifera Brot.
Artemisia verlotiorum Lamotte
Asclepias fruticosus L.
Avena byzantina Koch
Avena sativa L. subsp. *sativa*
Ballota pseudodictamnus (L.) Benth.
Beta vulgaris L. subsp. *vulgaris*
Bidens aurea (Aiton) Sherff
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Bromus secalinus L. s.l.
Broussonetia papyrifera (L.) Vent.
Calendula officinalis L.
Canna indica L.
Cannabis sativa L.

- Capsicum annuum* L.
Carpobrotus acinaciformis (L.) L. Bolus
Carpobrotus edulis (L.) N.E. Br.
Cenchrus incertus Curtis
Ceratochloa cathartica (Vahl) Herter
Cestrum parqui L'Hér.
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Chenopodium polyspermum L.
Chenopodium urbicum L.
Cichorium endivia L. subsp. *endivia*
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Commelina communis L.
Coronopus didymus (L.) Sm.
Corylus maxima Mill.
Cotyledon orbiculata L.
Crassula ovata (Mill.) Druce
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta campestris Yunck.
Cuscuta epilinum Weihe
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Cyrtomium falcatum (L. f.) C. Presl
Dactyloctenium aegyptium (L.) Richt.
Datura stramonium L. subsp. *stramonium*
Dichondra micrantha Urb.
Echinochloa colona (L.) Link
Echium candicans L. fil.
Eclipta prostrata (L.) L.
Ehrharta erecta Lam.
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Erysimum cheiri (L.) Crantz
Fallopia baldschuanica (Regel) Holub
Ficus carica L.
Freesia refracta (Jacq.) Ecklon ex Klatt
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Genista aetnensis (Biv.) DC.
Gnaphalium pensylvanicum Willd.
Gnaphalium purpureum L.
Gossypium herbaceum L.
Gossypium hirsutum L.
Guizotia abyssinica (L. f.) Cass.
Hedera helix L. subsp. *poetarum* (Bertol.) Nyman
Helianthus annuus L.
Helianthus tuberosus L.
Heliotropium amplexicaule Vahl
Hemerocallis fulva (L.) L.
Hibiscus syriacus L.
Hibiscus trionum L.
Hieracium racemosum Waldst. & Kit. ex Willd.
Honorius nutans S.F. Gray
Hordeum vulgare L.
Hyacinthoides hispanica (Mill.) Rothm.
Hypericum androsaemum L.
Hypericum calycinum L.
Ipomoea acuminata (Vahl) Roem. & Schult.
Ipomoea nil (L.) Roth
Ipomoea purpurea (L.) Roth
Ipomoea tricolor Cav.
Iris albicans Lange
Iris germanica L.
Jasminum officinale L.
Juglans regia L.
Lactuca sativa L.
Lantana camara L.
Lathyrus sativus L.
Lens culinaris Medik.
Lepidium sativum L. subsp. *sativum*
Ligustrum vulgare L.
Lilium candidum L.
Linum usitatissimum L.
Lolium remotum Schrank
Lonicera biflora Desf.
Lupinus albus L. subsp. *albus*
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Melissa officinalis L. subsp. *officinalis*
Mentha x piperita L.
Mesembryanthemum nodiflorum L.
Mespilus germanica L.
Mirabilis jalapa L.
Morus nigra L.
Narcissus pseudonarcissus L.
Nicotiana glauca Graham
Ocimum basilicum L.
Oenothera glazioviana Micheli
Oenothera stricta Link
Oncostema elongata (Parl.) Speta
Opuntia amyclaea Ten.
Opuntia ficus-indica (L.) Mill.
Opuntia humifusa (Raf.) Raf.
Oxalis debilis Kunth
Oxalis pes-caprae L.
Oxalis stricta L.
Oxalis violacea L. non Thunb.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Parthenocissus tricuspidata (Siebold & Zucc.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phalaris canariensis L.
Phytolacca americana L.
Phytolacca dioica L.
Pinus pinaster Aiton s.l.
Pinus pinea L.
Pisum sativum L. subsp. *sativum*
Pittosporum tobira (Thunb.) W.T. Aiton
Platanus hispanica Mill. ex Münchh.
Populus canadensis Moench
Prunus armeniaca L.
Prunus cerasus L.
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Prunus persica (L.) Batsch
Pseudognaphalium undulatum (L.) Hilliard & B.L. Burt
Punica granatum L.
Pyracantha coccinea M. Roem.
Pyrus communis L.
Quercus rubra L.

Quercus suber L.
Raphanus sativus L.
Rapistrum perenne (L.) All.
Rhus coriaria L.
Ricinus communis L.
Robinia pseudacacia L.
Rosa foetida Herrm.
Ruta graveolens L.
Salix babylonica L.
Salpichroa origanifolia (Lam.) Thell.
Schinus molle L.
Secale cereale L.
Senecio angulatus L. f.
Senecio inaequidens DC.
Senecio mikanioides Otto ex Walp.
Senecio petasitis (Sims) DC.
Setaria italica (L.) P. Beauv.
Sicyos angulatus L.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Solanum aviculare G. Forst.
Solanum bonariense L.
Solanum lycopersicum L.
Solanum melongena L.
Solanum sodomaeum L.
Solanum tuberosum L.
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Sporobolus indicus (L.) R. Br.
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Tagetes patula L.
Tamarix africana Poir.
Tamarix gallica L.
Tanacetum parthenium (L.) Sch. Bip.
Tetragonia tetragonoides (Pallas) Kuntze
Trachelium caeruleum L. subsp. *caeruleum*
Tradescantia fluminensis Velloso
Trigonella foenum-graecum L.
Triticum aestivum L.
Triticum turgidum L.
Tropaeolum majus L.
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Vitis vinifera L. subsp. *vinifera*
Wisteria sinensis (Sims) Sweet
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Zantedeschia aethiopica (L.) Spreng.
Zea mays L.
Ziziphus zizyphus (L.) Meikle

EMILIA-ROMAGNA

Exclusive units

<i>Biscutella laevigata</i> L. subsp. <i>prinzeriae</i> Raffaelli & Baldoin	+
<i>Cheilanthes persica</i> (Bory) Mett. ex Kuhn	+
<i>Dittrichia viscosa</i> (L.) Greuter subsp. <i>angustifolia</i> (Bég.) Greuter	+
<i>Euphorbia lucida</i> Waldst. & Kit.	+
<i>Hedysarum confertum</i> Desf.	+
<i>Hieracium intertextum</i> Arv.-Touv. (<i>vogesiaceum</i> > <i>schmidtii</i>)	?
<i>Hieracium plantagineum</i> Arv.-Touv. (<i>dentatum</i> - <i>scorzonerifolium</i>)	?
<i>Hieracium ruprechtii</i> Boiss. (<i>bauhini</i> < <i>macranthum</i>)	?
<i>Rubus mercieri</i> Genev.	?
<i>Scutellaria albida</i> L. subsp. <i>albida</i>	+
<i>Vicia cusnae</i> Foggi & Ricceri	+
<i>Viola pumila</i> Chaix	+

Endemic units

<i>Anemone trifolia</i> L. subsp. <i>brevidentata</i> Ubaldi & Puppi	
<i>Arenaria bertolonii</i> Fiori	
<i>Armeria marginata</i> (Levier) Bianchini	
<i>Armeria seticeps</i> Rchb.	
<i>Artemisia caerulea</i> L. subsp. <i>cretacea</i> (Fiori) Brilli-Catt. & Gubellini	
<i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti	
<i>Bellevia webbiana</i> Parl.	
<i>Biscutella laevigata</i> L. subsp. <i>prinzeriae</i> Raffaelli & Baldoin	
<i>Calamagrostis corsica</i> (Hack.) D. Prain	
<i>Carduus sardous</i> DC.	
<i>Carex ferruginea</i> Scop. subsp. <i>macrostachys</i> (Bertol.) Arcang.	
<i>Carum flexuosum</i> (Ten.) Nyman	
<i>Centaurea aplolepa</i> Moretti subsp. <i>aplolepa</i>	
<i>Centaurea nigrescens</i> Willd. subsp. <i>pinnatifida</i> (Fiori) Dostál	
<i>Centaurea paniculata</i> L. subsp. <i>carueliana</i> (Micheletti) Arrigoni	
<i>Centaurea paniculata</i> L. subsp. <i>ligustica</i> (Gremli ex Briq.) Arrigoni	
<i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti	
<i>Cirsium alpis-lunae</i> Brilli-Catt. & Gubellini	
<i>Cirsium bertolonii</i> Spreng.	
<i>Cirsium tenoreanum</i> Petr.	
<i>Crepis lacera</i> Ten.	
<i>Crocus etruscus</i> Parl.	
<i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.	
<i>Dittrichia viscosa</i> (L.) Greuter subsp. <i>angustifolia</i> (Bég.) Greuter	
<i>Echinops ritro</i> L. subsp. <i>siculus</i> (Strobl) Greuter	
<i>Epipactis flaminia</i> P.R. Savelli & Aless.	
<i>Epipactis placentina</i> Bongiorno & Grünanger	
<i>Erysimum pseudorhaeticum</i> Polatschek	
<i>Euphorbia spinosa</i> L. subsp. <i>ligustica</i> (Fiori) Pignatti	
<i>Festuca inops</i> De Not.	
<i>Festuca ricceri</i> Foggi & Graz. Rossi	
<i>Festuca robustifolia</i> Markgr.-Dann.	
<i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>puccinellii</i> (Parl.) Foggi, Graz. Rossi & Signorini	
<i>Globularia incanescens</i> Viv.	
<i>Helleborus bocconeii</i> Ten. subsp. <i>bocconeii</i>	
<i>Hieracium bornetii</i> Burnat & Gremli (<i>humile</i> > <i>tomentosum</i>)	
<i>Hieracium grovesianum</i> Arv.-Touv. ex Belli (<i>racemosum</i> = <i>murorum</i>)	
<i>Leontodon anomalous</i> Ball	
<i>Linaria purpurea</i> (L.) Mill.	
<i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>tenuifolia</i> (Ten.) Nyman	

<i>Minuartia loricifolia</i> (L.) Schinz & Thell. subsp. <i>ophiolitica</i> Pignatti
<i>Murbeckiella zanonii</i> (Ball) Rothm.
<i>Ononis masquillierii</i> Bertol.
<i>Ophrys benacensis</i> (Reisigl) O. Danesch, E. Danesch & Ehrend.
<i>Ornithogalum exscapum</i> Ten.
<i>Polygala flavescens</i> DC.
<i>Primula apennina</i> Widmer
<i>Pulmonaria apennina</i> Cristof. & Puppi
<i>Ranunculus apenninus</i> (Chiov.) Pignatti
<i>Rhinanthus apuanus</i> Soldano
<i>Robertia taraxacoides</i> (Loisel.) DC.
<i>Salicornia veneta</i> Pignatti & Lausi
<i>Scabiosa holosericea</i> Bertol.
<i>Scabiosa uniseta</i> Savi
<i>Senecio stebianus</i> Lacaita
<i>Sesleria italica</i> (Pamp.) Ujhelyi
<i>Stachys recta</i> L. subsp. <i>serpentinii</i> (Fiori) Arrigoni
<i>Stipa etrusca</i> Moraldo
<i>Taraxacum aemilianum</i> Foggi & Ricceri
<i>Tephrosia italica</i> Holub
<i>Viola eugeniae</i> Parl. subsp. <i>eugeniae</i>

Protected units

<i>Aconitum variegatum</i> L. subsp. <i>variegatum</i>
<i>Anacamptis pyramidalis</i> (L.) Rich.
<i>Aquilegia alpina</i> L.
<i>Aquilegia atrata</i> W.D.J. Koch
<i>Aquilegia bertolonii</i> Schott
<i>Aquilegia vulgaris</i> auct. Fl. Ital.
<i>Arbutus unedo</i> L.
<i>Armeria arenaria</i> (Pers.) Schult. in Roem. & Schult. subsp. <i>arenaria</i>
<i>Armeria canescens</i> (Host) Ebel
<i>Armeria marginata</i> (Levier) Bianchini
<i>Armeria nebrodensis</i> (Guss.) Boiss.
<i>Armeria seticeps</i> Rchb.
<i>Aster alpinus</i> L. subsp. <i>alpinus</i>
<i>Barlia robertiana</i> (Loisel.) Greuter
<i>Campanula medium</i> L.
<i>Cephalanthera damasonium</i> (Mill.) Druce
<i>Cephalanthera longifolia</i> (L.) Fritsch
<i>Cephalanthera rubra</i> (L.) Rich.
<i>Cistus creticus</i> L. subsp. <i>eriocephalus</i> (Viv.) Greuter & Burdet
<i>Coeloglossum viride</i> (L.) Hartm.
<i>Convallaria majalis</i> L.
<i>Corallorhiza trifida</i> Châtel.
<i>Crocus biflorus</i> Mill.
<i>Crocus etruscus</i> Parl.
<i>Crocus vernus</i> (L.) Hill subsp. <i>albiflorus</i> (Kit.) Ces.
<i>Crocus vernus</i> (L.) Hill subsp. <i>vernus</i>
<i>Dactylorhiza incarnata</i> (L.) Soó subsp. <i>incarnata</i>
<i>Dactylorhiza insularis</i> (Sommier) Landwehr
<i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>fuchsii</i> (Druce) Hyl.
<i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>maculata</i>
<i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>romana</i>
<i>Dactylorhiza sambucina</i> (L.) Soó
<i>Dactylorhiza traunsteineri</i> (Sauter ex Rchb.) Soó subsp. <i>lapponica</i> (Laest. ex Rchb. f.) Soó
<i>Daphne alpina</i> L. subsp. <i>alpina</i>
<i>Daphne cneorum</i> L.
<i>Daphne laureola</i> L.
<i>Daphne mezereum</i> L.
<i>Daphne oleoides</i> Schreb.

Dianthus armeria L. subsp. *armeria*
Dianthus balbisii Ser. subsp. *balbisii*
Dianthus carthusianorum L. subsp. *atrorubens* (All.) Hegi
Dianthus carthusianorum L. subsp. *carthusianorum*
Dianthus deltoides L. subsp. *deltoides*
Dianthus monspessulanus L.
Dianthus seguieri Vill. subsp. *seguieri*
Dianthus superbus L. subsp. *superbus*
Dianthus sylvestris Wulfen subsp. *sylvestris*
Dictamnus albus L.
Doronicum columnae Ten.
Epipactis atrorubens (Hoffm. ex Bernh.) Besser
Epipactis baumanniorum Soldano & F. Conti
Epipactis flaminia P.R. Savelli & Aless.
Epipactis helleborine (L.) Crantz subsp. *helleborine*
Epipactis helleborine (L.) Crantz subsp. *tremolsii* (Pau) E. Klein
Epipactis leptochila (Godfery) Godfery
Epipactis microphylla (Ehrh.) Sw.
Epipactis muelleri Godfery
Epipactis palustris (L.) Crantz
Epipactis placentina Bongiorno & Grünanger
Epipactis viridiflora Hoffm. ex Krock.
Epipogium aphyllum Sw.
Eriophorum angustifolium Honck.
Eriophorum latifolium Hoppe
Eriophorum scheuchzeri Hoppe
Erythronium dens-canis L.
Fritillaria montana Hoppe ex Koch
Galanthus nivalis L.
Gentiana acaulis L.
Gentiana asclepiadea L.
Gentiana cruciata L. subsp. *cruciata*
Gentiana lutea L. s.l.
Gentiana lutea L. subsp. *lutea*
Gentiana nivalis L.
Gentiana pneumonanthe L. subsp. *pneumonanthe*
Gentiana purpurea L.
Gentiana utriculosa L.
Gentiana verna L. subsp. *verna*
Gentianopsis ciliata (L.) Ma subsp. *ciliata*
Geranium argenteum L.
Goodyera repens (L.) R. Br.
Gymnadenia conopsea (L.) R. Br.
Gymnadenia odoratissima (L.) Rich.
Himantoglossum adriaticum H. Baumann
Ilex aquifolium L.
Leucojum aestivum L. subsp. *aestivum*
Leucojum vernum L.
Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Lilium martagon L.
Limodorum abortivum (L.) Sw.
Limonium bellidifolium (Gouan) Dumort.
Limonium densissimum (Pignatti) Pignatti
Limonium narbonense Mill.
Limonium virgatum (Willd.) Fourr.
Listera cordata (L.) R. Br.
Listera ovata (L.) R. Br.
Narcissus jonquilla L.
Narcissus poeticus L.
Narcissus pseudonarcissus L.
Narcissus tazetta L. subsp. *tazetta*
Neotinea maculata (Desf.) Stearn
Neottia nidus-avis (L.) Rich.
Nigritella rhellicani Teppner & E. Klein
Nymphaea alba L.
Ophrys apifera Huds.

Ophrys benacensis (Reisigl) O. Danesch, E. Danesch & Ehrend.
Ophrys bombyliflora Link
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *fuciflora*
Ophrys fusca Link s.l.
Ophrys insectifera L.
Ophrys speculum Link
Ophrys sphegodes Mill. subsp. *sphegodes*
Ophrys tetraloniae W.P. Teschner
Orchis anthropophora (L.) All.
Orchis coriophora L.
Orchis laxiflora Lam.
Orchis mascula (L.) L. subsp. *mascula*
Orchis militaris L.
Orchis morio L.
Orchis pallens L.
Orchis palustris Jacq.
Orchis papilionacea L.
Orchis provincialis Balb. ex Lam. & DC.
Orchis purpurea Huds.
Orchis simia Lam.
Orchis tridentata Scop.
Orchis ustulata L.
Paradisea liliastrum (L.) Bertol.
Phyllitis sagittata (DC.) Guinea & Heywood
Phyllitis scolopendrium (L.) Newman subsp. *scolopendrium*
Platanthera bifolia (L.) Rchb.
Platanthera chlorantha (Custer) Rchb.
Primula auricula L. subsp. *ciliata* (Moretti) Lüdi
Pseudorchis albida (L.) A. & D. Love
Pulsatilla alpina (L.) Delarbre s.l.
Quercus crenata Lam.
Rhamnus alaternus L. subsp. *alaternus*
Rhododendron ferrugineum L.
Saxifraga aizoides L.
Saxifraga aspera L.
Saxifraga callosa Sm. subsp. *callosa*
Saxifraga cuneifolia L. subsp. *cuneifolia*
Saxifraga exarata Vill. subsp. *exarata*
Saxifraga exarata Vill. subsp. *moschata* (Wulfen) Cavill.
Saxifraga oppositifolia L. subsp. *oppositifolia*
Scilla bifolia L.
Sempervivum arachnoideum L.
Sempervivum montanum L. subsp. *montanum*
Sempervivum tectorum (group)
Serapias cordigera L.
Serapias lingua L.
Serapias neglecta De Not.
Serapias vomeracea (Burm. f.) Briq. subsp. *vomeracea*
Soldanella alpina L. subsp. *alpina*
Spiranthes aestivalis (Poir.) Rich.
Spiranthes spiralis (L.) Chevall.
Staphylea pinnata L.
Sternbergia lutea (L.) Ker Gawl. ex Spreng.
Taxus baccata L.
Tozzia alpina L. subsp. *alpina*
Traunsteinera globosa (L.) Rchb.
Tulipa agenensis DC.
Tulipa australis Link
Tulipa praecox Ten.

Alien units

Acalypha virginica L.
Acer negundo L.
Aesculus hippocastanum L.
Ailanthus altissima (Mill.) Swingle

- Akebia quinata* Decne.
Albizia julibrissin Durazz.
Allium cepa L.
Allium fistulosum L.
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus retroflexus L.
Amaranthus rudis Sauer
Ambrosia artemisiifolia L.
Ambrosia coronopifolia Torr. & A. Gray
Ambrosia tenuifolia Spreng.
Ambrosia trifida L.
Ammannia auriculata Willd.
Ammannia coccinea Rottb.
Ammannia verticillata (Ard.) Lam.
Amorpha fruticosa L.
Anemone pavonina Lam.
Anthoxanthum odoratum L. subsp. *nipponicum* (Honda) Tzvelev
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Apios americana Medik.
Artemisia scoparia Waldst. & Kit.
Artemisia verlotiorum Lamotte
Asclepias syriaca L.
Atriplex hortensis L.
Avena sativa L. subsp. *macrantha* (Hack.) Rocha Afonso
Avena sativa L. subsp. *praegravis* (Krause) Tab. Morais
Avena sativa L. subsp. *sativa*
Ballota pseudodictamnus (L.) Benth.
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Beta vulgaris L. subsp. *vulgaris*
Bidens frondosa L.
Boehmeria nivea (L.) Gaudich.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Brassica rapa L. subsp. *rapa*
Broussonetia papyrifera (L.) Vent.
Calendula officinalis L.
Campsis radicans (L.) Seem.
Capparis spinosa L. subsp. *spinosa*
Carthamus tinctorius L.
Celosia argentea L.
Cenchrus incertus Curtis
Cephalaria syriaca (L.) Roem. & Schult.
Cerastium tomentosum L.
Chamaesyce glyptosperma (Engelm.) Small
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Cichorium endivia L. subsp. *endivia*
Citrullus lanatus (Thunb.) Matsum. & Nakai
Commelina communis L.
Commelina virginica L.
Coriandrum sativum L.
Corispermum marschallii Steven
Crataegus azarolus L.
Crataegus monogyna Jacq.
Crepis suffreniana (DC.) Steud.
Cucumis melo L.
Cucumis sativus L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta campestris Yunck.
Cuscuta epilinum Weihe
Cuscuta gronovii Willd. ex Roem. & Schult.
Cuscuta suaveolens Ser.
Cycloloma atriplicifolium (Spreng.) J.M. Coult.
Cyperus difformis L.
Cyperus esculentus L.
Cyperus glomeratus L.
Cyperus microiria Steud.
Cyperus squarrosus L.
Cyrtomium falcatum (L. f.) C. Presl
Datura stramonium L. subsp. *stramonium*
Digitalis purpurea L.
Digitaria ciliaris (Retz.) Koeler
Dipsacus laciniatus L.
Echinochloa colona (L.) Link
Echinochloa hispidula (Retz.) Nees ex Royle
Echinochloa oryzicola (Vasing.) Vasing.
Elatine ambigua Wight
Eleocharis atropurpurea (Retz.) C. Presl
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Eragrostis pectinacea (Michx.) Nees
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron sumatrensis Retz.
Eriobotrya japonica (Thunb.) Lindl.
Erysimum cheiri (L.) Crantz
Euphorbia lathyris L.
Fallopia baldschuanica (Regel) Holub
Fallopia japonica (Houtt.) Ronse Decr.
Fritillaria persica L.
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Gleditsia triacanthos L.
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Heliotropium amplexicaule Vahl
Hemerocallis fulva (L.) L.
Heteranthera limosa Willd.
Hibiscus syriacus L.
Honorius nutans S.F. Gray
Humulus japonicus Siebold & Zucc.
Hyacinthus orientalis L.
Impatiens balfourii Hook. f.
Impatiens balsamina L.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Jasminum officinale L.
Juglans nigra L.
Juglans regia L.
Lactuca sativa L.
Lappula patula (Lehm.) Gürke
Lathyrus sativus L.
Lemna minuta Kunth
Lens culinaris Medik.
Lepidium sativum L. subsp. *sativum*
Lepidium virginicum L.

- Leptochloa fusca* (L.) Kunth subsp. *uninervia* (J. Presl) N. Snow
Ligustrum ovalifolium Hassk.
Lindernia dubia (L.) Pennell
Linum usitatissimum L.
Lolium remotum Schrank
Lonicera japonica Thunb.
Ludwigia uruguayensis (Camb.) Hara
Lupinus albus L. subsp. *albus*
Lycium europaeum L.
Maclura pomifera (Raf.) C.K. Schneid.
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Matricaria discoidea DC.
Melissa officinalis L. subsp. *officinalis*
Mespilus germanica L.
Mirabilis jalapa L.
Mollugo cerviana (L.) Ser.
Mollugo verticillata L.
Morus alba L.
Morus nigra L.
Najas graminea Delile
Narcissus jonquilla L.
Narcissus medioluteus Mill.
Narcissus pseudonarcissus L.
Nonea lutea (Desr.) DC.
Ocimum basilicum L.
Oenothera glazioviana Micheli
Oenothera sesitensis Soldano
Oenothera suaveolens Desf. ex Pers.
Opuntia humifusa (Raf.) Raf.
Opuntia scheeri Weber
Origanum majorana L.
Oryza sativa L.
Oxalis articulata Savigny
Oxalis stricta L.
Panicum capillare L.
Panicum dichotomiflorum Michx.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Parthenocissus tricuspidata (Siebold & Zucc.) Planch.
Paspalum distichum L.
Persicaria decipiens (R.Br.) K.L. Wilson
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phacelia tanacetifolia Benth.
Phytolacca americana L.
Pimpinella anisum L.
Pinus nigra J.F. Arnold s.l.
Pinus pinaster Aiton subsp. *pinaster*
Pinus pinea L.
Pistia stratiotes L.
Pisum sativum L. subsp. *sativum*
Platanus hispanica Mill. ex Münchh.
Polanisia trachysperma Torr. & A. Gray
Populus canadensis Moench
Populus deltoides Marshall
Potentilla indica (Jacks.) Th. Wolf
Prunus armeniaca L.
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus dulcis (Mill.) D.A. Webb
Prunus persica (L.) Batsch
Punica granatum L.
Pyrus communis L.
Raphanus sativus L.
Rhus typhina L.
Robinia pseudacacia L.
Rorippa austriaca (Crantz) Besser
Rudbeckia laciniata L.
Rumex cristatus DC. subsp. *kernerii* (Borbás) Akeroyd & D.A. Webb
Salix babylonica L.
Satureja hortensis L.
Secale cereale L.
Senecio inaequidens DC.
Setaria faberi F. Herm.
Setaria italica (L.) P. Beauv.
Sicyos angulatus L.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Sisyrinchium angustifolium Mill.
Solanum lycopersicum L.
Solidago canadensis L.
Solidago gigantea Aiton subsp. *serotina* (Kuntze) McNeill
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Spinacia oleracea L.
Spiraea salicifolia L.
Sporobolus vaginiflorus (Torr.) Wood
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum ericoides (L.) G.L. Nesom
Symphyotrichum lanceolatum (Willd.) G.L. Nesom
Symphyotrichum lateriflorum (L.) Á.Löve & D.Löve
Symphyotrichum novi-belgii (L.) G.L. Nesom
Symphyotrichum squamatum (Spreng.) G.L. Nesom
Symphytum orientale L.
Syringa vulgaris L.
Tanacetum parthenium (L.) Sch. Bip.
Tradescantia virginiana L.
Trigonella caerulea (L.) Ser.
Trigonella foenum-graecum L.
Tulipa agenensis DC.
Tulipa praecox Ten.
Ulmus laevis Pall.
Ulmus pumila L.
Veronica filiformis Sm.
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Vitis vinifera L. subsp. *vinifera*
Wolffia arrhiza (L.) Horkel ex Wimm.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Yucca gloriosa L.
Zantedeschia aethiopica (L.) Spreng.
Zea mays L.
Ziziphora capitata L. subsp. *capitata*
Ziziphus zizyphus (L.) Meikle

FRIULI-VENEZIA GIULIA

Exclusive units

<i>Acinos arvensis</i> (Lam.) Dandy subsp. <i>villosus</i> (Gaudin) Soják	+	<i>Hieracium juratzkae</i> Zahn (<i>saxatile</i> > <i>austriacum</i>)	?
<i>Aconitum angustifolium</i> Rchb.	+	<i>Hieracium niveobarbatum</i> Arv.-Touv. ex Gottschl. (<i>fastuosum</i> - <i>racemosum</i>)	+
<i>Alchemilla carniolica</i> (Paulin) Fritsch	+	<i>Hieracium silsinum</i> Nägeli & Peter (<i>valdepilosum</i> - <i>lachenalii</i>)	+
<i>Alchemilla gracillima</i> Rothm.	?	<i>Hieracium sparsiramum</i> Nägeli & Peter (<i>bupleuroides/glaucum</i> > <i>villosum</i>)	+
<i>Alyssum montanum</i> L. subsp. <i>repens</i> (Baumg.) Schmahl.	?	<i>Hieracium volaiense</i> Gottschl. (<i>umbellatum</i> - <i>intybaceum</i>)	+
<i>Alyssum wulfenianum</i> Bernh.	+	<i>Iberis linifolia</i> L. subsp. <i>linifolia</i>	+
<i>Angelica sylvestris</i> L. subsp. <i>montana</i> (Brot.) Arcang.	+	<i>Iris cengialti</i> Ambrosi ex A. Kern. subsp. <i>illyrica</i> (Asch. & Graebn.) Poldini	+
<i>Aquilegia nigricans</i> Baumg.	+	<i>Juncus minutulus</i> Krecz. & Gontch.	+
<i>Armeria helodes</i> Martini & Poldini	+	<i>Juncus ranarius</i> Songeon & E.P.Perrier	+
<i>Astragalus vesicarius</i> L. subsp. <i>carniolicus</i> (A. Kern.) Chater	+	<i>Klasea radiata</i> (Waldst. & Kit.) Á. & D. Löve subsp. <i>radiata</i>	?
<i>Astrantia bavarica</i> F.W. Schultz	+	<i>Knautia drymeia</i> Heuff. subsp. <i>tergestina</i> (Beck) Ehrend.	+
<i>Astrantia carniolica</i> Jacq.	+	<i>Knautia fleischmannii</i> (Hladnik ex Rchb.) Pacher	+
<i>Aurinia petraea</i> (Ard.) Schur	+	<i>Laburnum anagyroides</i> Medik. subsp. <i>alschingeri</i> (Vis.) Hayek	+
<i>Biscutella laevigata</i> L. subsp. <i>hispidissima</i> (Posp.) Raffaelli & Baldoin	+	<i>Leucanthemum ircuitanum</i> Turcz. ex DC. subsp. <i>leucolepis</i> (Briq. & Cavill.) Vogt & Greuter	+
<i>Brassica glabrescens</i> Poldini	+	<i>Leucanthemum platylepis</i> Borbás	+
<i>Bromus arvensis</i> L. subsp. <i>segetalis</i> H. Scholz	?	<i>Melampyrum fimbriatum</i> Vandas	+
<i>Bromus condensatus</i> Hack. subsp. <i>condensatus</i>	+	<i>Micromeria thymifolia</i> (Scop.) Fritsch	+
<i>Bromus secalinus</i> L. subsp. <i>decipiens</i> Bomble & H. Scholz	+	<i>Moehringia tommasinii</i> Marchesetti	+
<i>Buphthalmum salicifolium</i> L. subsp. <i>grandiflorum</i> (L.) Ces.	+	<i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>fallax</i> (Borbás) Teppner	+
<i>Bupleurum longifolium</i> L. subsp. <i>vapincense</i> (Vill.) Todor	+	<i>Paenonia officinalis</i> L. subsp. <i>banatica</i> (Rochel) Soó	+
<i>Calamintha einseleana</i> F.W. Schultz	+	<i>Papaver alpinum</i> L. subsp. <i>kernerii</i> (Hayek) Fedde	+
<i>Camelina sativa</i> (L.) Crantz subsp. <i>pilosa</i> (DC.) N.W. Zinger	+	<i>Peucedanum coriaceum</i> Rchb.	0
<i>Campanula persicifolia</i> L. subsp. <i>sessiliflora</i> (C. Koch) Velen.	+	<i>Phragmites australis</i> (Cav.) Trin. ex Steud. subsp. <i>chrysanthus</i> (Mabille) Soják	+
<i>Carduus collinus</i> Waldst. & Kit. subsp. <i>cylindricus</i> (Borbás) Soó	+	<i>Picea obovata</i> Ledeb.	?
<i>Carlina biebersteinii</i> Bernh. ex Hornem. subsp. <i>brevibracteata</i> (Andrae) Werner	+	<i>Picris hispidissima</i> (Bartl.) W.D.J. Koch	+
<i>Carpesium abrotanoides</i> L.	+	<i>Pinguicula poldinii</i> Steiger & Casper	+
<i>Centaurea cristata</i> Bartl.	+	<i>Plantago argentea</i> Chaix subsp. <i>liburnica</i> Ravnik	+
<i>Centaurea dichroantha</i> A. Kern.	+	<i>Potentilla clusiana</i> Jacq.	?
<i>Centaurea jacea</i> L. subsp. <i>forojulensis</i> (Poldini) Greuter	+	<i>Potentilla zimmereri</i> Borbás	+
<i>Centaurea jacea</i> L. subsp. <i>subjacea</i> (Beck) Hyl.	+	<i>Prospero elisae</i> Speta	+
<i>Centaurea jacea</i> L. subsp. <i>weldeniana</i> (Rchb.) Greuter	+	<i>Pulmonaria stiriaca</i> A. Kern	?
<i>Centaurea kartschiana</i> Scop.	+	<i>Ranunculus sardous</i> Crantz subsp. <i>subdichotomicus</i> Gerbault	+
<i>Centaurea macropetala</i> Borbás	+	<i>Ranunculus traunfellneri</i> Hoppe	+
<i>Cerastium pospichalii</i> Soldano & F. Conti	+	<i>Rhamnus intermedia</i> Steud. & Hochst.	+
<i>Cerastium subtriflorum</i> (Rchb.) Pacher	+	<i>Rhinanthus alectorolophus</i> (Scop.) Pollich subsp. <i>aschersonianus</i> (M. Schulze) Hartl	+
<i>Chowardia litardierei</i> (Breistr.) Speta	0	<i>Rhinanthus pampaninii</i> Chabert subsp. <i>pampaninii</i>	+
<i>Clematis integrifolia</i> L.	0	<i>Rhinanthus pampaninii</i> Chabert subsp. <i>simplex</i> Zirnich & Cohrs	+
<i>Crambe tataria</i> Sebeók	+	<i>Rostraria cristata</i> (L.) Tzvelev subsp. <i>glabriflora</i> (Trautv.) Tzvelev	+
<i>Crepis chondrilloides</i> Jacq.	+	<i>Rubus chloocladus</i> W.C.R. Watson	+
<i>Crocus weldeni</i> Hoppe & Fürnr.	+	<i>Rubus elatior</i> Focke ex Gremli	+
<i>Daphne blagayana</i> Freyer	+	<i>Rubus epipsilos</i> Focke	?
<i>Deschampsia littoralis</i> (Gaudin) Reut.	?	<i>Rubus flaccidus</i> P.J. Müll.	?
<i>Dianthus sylvestris</i> Wulfen subsp. <i>tergestinus</i> (Rchb.) Hayek	+	<i>Rubus goniophorus</i> H.E. Weber	?
<i>Digitalis laevigata</i> Waldst. & Kit. subsp. <i>laevigata</i>	+	<i>Rubus gremlii</i> Focke	+
<i>Drypis spinosa</i> L. subsp. <i>jacquiniana</i> Wettst. & Murb.	+	<i>Rubus pospichalii</i> Soldano & F. Conti	+
<i>Elymus caninus</i> (L.) L. subsp. <i>biflorus</i> (Brignoli) Á.Löve	+	<i>Rubus rudis</i> Weihe	?
<i>Erucastrum palustre</i> (Pirone) Vis.	+	<i>Saussurea pygmaea</i> (Jacq.) Spreng.	+
<i>Euphorbia fragifera</i> Jan	+	<i>Saxifraga exarata</i> Vill. subsp. <i>carniolica</i> (Huter) T. Wraber	+
<i>Festuca calva</i> K. Richt.	+	<i>Saxifraga tenella</i> Wulfen	+
<i>Festuca spectabilis</i> Jan ex Bertol. subsp. <i>carniolica</i> (Hack.) Hayek	+	<i>Scandix australis</i> L. subsp. <i>grandiflora</i> (L.) Thell.	0
<i>Genista holopetala</i> (Koch) Bald.	+	<i>Scorzonera hispanica</i> L. subsp. <i>hispanica</i>	+
<i>Gentiana froelichii</i> Jan subsp. <i>froelichii</i>	+	<i>Sedum rupestre</i> L. subsp. <i>erectum</i> 't Hart	?
<i>Gentianella austriaca</i> (A. & J. Kern.) Holub	+	<i>Sesleria caerulea</i> (L.) Ard. subsp. <i>angustifolia</i> (Hack. & Beck) Deyl	?
<i>Gentianella lutescens</i> (Velen.) Holub	+	<i>Sesleria kalnikensis</i> Jáv.	+
<i>Hacquetia epipactis</i> (Scop.) DC.	+	<i>Sorbus pannonica</i> Kárpáti	?
<i>Helleborus bocconeii</i> Ten. subsp. <i>istriacus</i> (Schiffn.) Soldano & F. Conti	+		
<i>Hieracium blyttianum</i> Fr. (<i>aurantiacum</i> - <i>lactucella</i>)	+		
<i>Hieracium borealiforme</i> P.D. Sell & C. West (<i>porrifolium</i> - <i>sabaudum</i>)	+		

<i>Spiraea cana</i> Waldst. & Kit.	0	<i>Chenopodium bonus-henricus</i> L.
<i>Spiraea chamaedryfolia</i> L.	+	<i>Chenopodium botryoides</i> Sm.
<i>Symphytum officinale</i> L. subsp. <i>bohemicum</i> (F.W. Schmidt) Celak.	+	<i>Chenopodium ficifolium</i> Sm.
<i>Taraxacum ceratophorum</i> (group)	+	<i>Chenopodium glaucum</i> L.
<i>Taraxacum obliquum</i> (Fr.) Dahlst.	+	<i>Chenopodium hybridum</i> L.
<i>Taraxacum perfissum</i> Soest	+	<i>Chenopodium murale</i> L.
<i>Taraxacum scaturiginosum</i> G.E. Haglund	+	<i>Chenopodium opulifolium</i> Schrad. ex W.D.J. Koch & Ziz
<i>Tephrosia longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>longifolia</i>	+	<i>Chenopodium polyspermum</i> L.
<i>Tephrosia longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>pseudocrispa</i> (Fiori) Greuter	+	<i>Chenopodium rubrum</i> L.
<i>Thesium pyrenaicum</i> Pourr. subsp. <i>grandiflorum</i> (DC.) Hendrych	?	<i>Chenopodium strictum</i> Roth s.l.
<i>Thymus illyricus</i> Ronniger	+	<i>Chenopodium suecicum</i> Murr
<i>Thymus pulegioides</i> L. subsp. <i>montanus</i> (Benth.) Ronniger	+	<i>Chenopodium urbicum</i> L.
<i>Tragopogon tommasinii</i> Sch. Bip.	+	<i>Chenopodium vulvaria</i> L.
<i>Trifolium noricum</i> Wulfen subsp. <i>noricum</i>	+	<i>Cypripedium calceolus</i> L.
<i>Valeriana nemorensis</i> Turck	+	<i>Erucastrum palustre</i> (Pirone) Vis.
<i>Vincetoxicum hirundinaria</i> Medik. subsp. <i>laxum</i> (Bartl.) Poldini	+	<i>Eryngium alpinum</i> L.
<i>Viola adriatica</i> Freyn	+	<i>Fragaria vesca</i> L. subsp. <i>vesca</i>
<i>Viola ambigua</i> Waldst. & Kit. s.l.	+	<i>Galium mollugo</i> L. s.l.
<i>Viola arvensis</i> Murray subsp. <i>megalantha</i> Nauenb.	+	<i>Galium odoratum</i> (L.) Scop.
<i>Wulfenia carinthiaca</i> Jacq.	+	<i>Hemerocallis lilio-asphodelus</i> L.
		<i>Humulus lupulus</i> L.
		<i>Iris cengiali</i> Ambrosi ex A. Kern. subsp. <i>illyrica</i> (Asch. & Graebn.) Poldini
		<i>Iris pallida</i> Lam.
		<i>Lactuca alpina</i> (L.) A. Gray
		<i>Leontopodium alpinum</i> Cass.
		<i>Lilium bulbiferum</i> L. s.l.
		<i>Lilium carniolicum</i> Bernh.
		<i>Lilium martagon</i> L.
		<i>Melissa officinalis</i> L. s.l.
		<i>Mentha aquatica</i> L. subsp. <i>aquatica</i>
		<i>Mentha arvensis</i> L.
		<i>Mentha longifolia</i> (L.) Huds.
		<i>Mentha pulegium</i> L. subsp. <i>pulegium</i>
		<i>Mentha spicata</i> L.
		<i>Mentha suaveolens</i> Ehrh. s.l.
		<i>Mentha x gracilis</i> Sole
		<i>Mentha x smithiana</i> R.A. Graham
		<i>Mentha x verticillata</i> L.
		<i>Nigritella rhellicani</i> Teppner & E. Klein
		<i>Nuphar lutea</i> (L.) Sm.
		<i>Nymphaea alba</i> L.
		<i>Origanum vulgare</i> L. s.l.
		<i>Paeonia officinalis</i> L. s.l.
		<i>Papaver rhoeas</i> L. subsp. <i>rhoeas</i>
		<i>Physoplexis comosa</i> (L.) Schur
		<i>Primula auricula</i> L. subsp. <i>ciliata</i> (Moretti) Lüdi
		<i>Pulsatilla montana</i> (Hoppe) Rchb. subsp. <i>montana</i>
		<i>Rosa canina</i> L.
		<i>Rubus idaeus</i> L.
		<i>Rubus ulmifolius</i> Schott
		<i>Ruscus aculeatus</i> L.
		<i>Ruta graveolens</i> L.
		<i>Silene vulgaris</i> (Moench) Garcke s.l.
		<i>Symphytum officinale</i> L. s.l.
		<i>Taraxacum officinale</i> (group)
		<i>Tragopogon pratensis</i> L. s.l.
		<i>Urtica dioica</i> L. subsp. <i>dioica</i>
		<i>Vaccinium myrtillus</i> L.
		<i>Vaccinium vitis-idaea</i> L.
		<i>Valerianella locusta</i> (L.) Laterr.
		<i>Wulfenia carinthiaca</i> Jacq.

Endemic units

Arenaria huteri A. Kern.
Armeria helodes Martini & Poldini
Biscutella laevigata L. subsp. *hispidissima* (Posp.) Raffaelli & Baldoin
Brassica glabrescens Poldini
Campanula morettiana Rchb.
Centaurea jacea L. subsp. *forojulensis* (Poldini) Greuter
Centaurea kartschiana Scop.
Cerastium pospichalii Soldano & F. Conti
Erucastrum palustre (Pirone) Vis.
Galium baldense Spreng.
Galium margaritaceum A. Kern.
Gentiana froelichii Jan subsp. *zenariae* F. Martini & Poldini
Hieracium niveobarbatum Arv.-Touv. ex Gottschl. (*fastuosum* - *racemosum*)
Hieracium volaiense Gottschl. (*umbellatum* - *intybaceum*)
Minuartia graminifolia (Ard.) Jáv. subsp. *graminifolia*
Ophrys benacensis (Reisigl) O. Danesch, E. Danesch & Ehrend.
Pinguicula poldinii Steiger & Casper
Primula tyrolensis Schott
Pulmonaria vallsae A. Kern.
Ranunculus venetus Landolt
Rhinanthus facchinii Chabert
Rhinanthus pampaninii Chabert subsp. *pampaninii*
Salicornia veneta Pignatti & Lausi
Salvia pratensis L. subsp. *saccardiana* (Pamp.) Poldini
Saxifraga sedoides L. subsp. *tomentosa* (Zenari) Poldini
Silene pudibunda Hoffm. ex Rchb.
Stipa austroitalica Martinovský subsp. *austroitalica*
Stipa veneta Moraldo

Protected units

Allium schoenoprasum L.
Arnica montana L. subsp. *montana*
Aruncus dioicus (Walter) Fernald
Asphodelus albus Mill. subsp. *delphinensis* (Gren. & Godr.) Z. Díaz & Valdés
Cardamine pratensis L.
Chenopodium album L. subsp. *pedunculare* (Bertol.) Arcang.

Alien units

Acacia dealbata Link
Acalypha virginica L.

- Acanthus mollis* L. subsp. *mollis*
Acer negundo L.
Aesculus carnea Hayne
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Albizia julibrissin Durazz.
Alcea biennis Winterl subsp. *biennis*
Alcea rosea L.
Allium ascalonicum L.
Allium cepa L.
Allium porrum L.
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus bouchonii Thell.
Amaranthus caudatus L.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus hypochondriacus L.
Amaranthus powellii S. Watson
Amaranthus retroflexus L.
Amaranthus spinosus L.
Amaranthus tamariscinus Nutt.
Amaranthus tricolor L.
Amaranthus viridis L.
Ambrosia artemisiifolia L.
Ambrosia coronopifolia Torr. & A. Gray
Ambrosia trifida L.
Ammoides pusilla (Brot.) Breistr.
Amorpha fruticosa L.
Andryala integrifolia L.
Anethum graveolens L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Aquilegia vulgaris auct. Fl. Ital.
Arbutus unedo L.
Aristida gracilis Elliott
Armoracia rusticana P. Gaertn., B. Mey. & Scherb.
Artemisia abrotanum L.
Artemisia annua L.
Artemisia biennis Willd.
Artemisia tournefortiana Rchb.
Artemisia verlotiorum Lamotte
Asclepias syriaca L.
Astragalus hamosus L.
Atriplex hortensis L.
Atriplex micrantha Ledeb.
Atriplex sagittata Borkh.
Atriplex tatarica L.
Avena sativa L. subsp. *sativa*
Avena strigosa Schreb.
Azolla filiculoides Lam.
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Berteroa incana (L.) DC.
Beta vulgaris L. subsp. *vulgaris*
Bidens bipinnata L.
Bidens connata Muhl. ex Willd.
Bidens frondosa L.
Bidens radiata Thuill.
Bidens subalternans DC.
Bidens vulgata L.
Bifora radians M. Bieb.
Brachypodium phoenicoides (L.) Roem. & Schult.
Brachypodium retusum (Pers.) P. Beauv.
Brassica elongata Ehrh. subsp. *integrifolia* (Boiss.) Breistr.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Brassica rapa L. subsp. *rapa*
Bromus brachystachys Hornung
Bromus hordeaceus L. subsp. *pseudothominei* (P.M. Sm.) H. Scholz
Bromus japonicus Thunb. subsp. *anatolicus* (Boiss. & Heldr.) Pénzes
Bromus japonicus Thunb. subsp. *subsquarrosus* (Borb.) Pénzes
Bromus racemosus L.
Bromus squarrosus L.
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Bunias orientalis L.
Buxus sempervirens L.
Calendula officinalis L.
Calepina irregularis (Asso) Thell.
Callistephus sinensis (L.) Nees
Campsis radicans (L.) Seem.
Canna indica L.
Cannabis sativa L.
Capsella grandiflora (Fauché & Chaub.) Boiss.
Capsicum annuum L.
Cardamine heptaphylla (Vill.) O.E. Schulz
Carex vulpinoidea Michx.
Carthamus tinctorius L.
Catalpa bignonioides Walter
Celosia argentea L.
Cenchrus longispinus (Hack.) Fernald
Centaurea diffusa Lam.
Centaurea nigra L. subsp. *nemoralis* (Jord.) Gremli
Centaurea stoebe L. subsp. *australis* (A. Kern.) Greuter
Centranthus ruber (L.) DC. subsp. *ruber*
Cerastium tomentosum L.
Ceratochloa carinata (Hook. & Arn.) Tutin
Ceratochloa cathartica (Vahl) Herter
Ceratonla siliqua L.
Cercis siliquastrum L. subsp. *siliquastrum*
Chamaerops humilis L.
Chamaesyce canescens (L.) Prokh. subsp. *massiliensis* (DC.) Soják
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium aristatum L.
Chenopodium botrys L.
Chenopodium foliosum Asch.
Chenopodium probstii Aellen
Cicer arietinum L.
Cichorium endivia L. s.l.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Cleome spinosa Jacq.
Clerodendrum trichotomum Thunb.
Commelina communis L.
Commelina virginica L.
Consolida ajacis (L.) Schur
Coreopsis lanceolata L.
Coriandrum sativum L.
Coriaria myrtifolia L.
Cornus sanguinea L. subsp. *australis* (C.A. Mey.) Jáv.

- Coronopus didymus* (L.) Sm.
Corylus maxima Mill.
Cosmos bipinnatus Cav.
Cota segetalis (Ten.) Holub
Cotoneaster horizontalis Decne.
Cucumis melo L.
Cucumis sativus L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta campestris Yunck.
Cuscuta epilinum Weihe
Cuscuta scandens Brot. subsp. *cesattiana* (Bertol.) Greuter & Burdet
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Cyperus difformis L.
Cyperus eragrostis Lam.
Cyperus esculentus L.
Cyperus glomeratus L.
Cyperus hamulosus M. Bieb.
Cyperus microiria Steud.
Cyperus rotundus L.
Cyrtomium fortunei J. Sm.
Cytisus scoparius (L.) Link subsp. *scoparius*
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Daucus carota L. subsp. *sativus* (Hoffm.) Schübl. & G. Martens
Deutzia gracilis Sieb. & Zucc.
Dichrocephala integrifolia (L. f.) Kuntze
Digitaria ciliaris (Retz.) Koeler
Diospyros lotus L.
Dipsacus laciniatus L.
Dittrichia graveolens (L.) Greuter
Dracunculus vulgaris Schott
Echinocystis lobata (Michx.) Torr. & A. Gray
Echium plantagineum L.
Eichornia crassipes (Mart.) Solms
Elaeagnus angustifolia L.
Elaeagnus commutata Bernh. ex Rydb.
Elaeagnus pungens Thunb.
Eleocharis obtusa (Willd.) Schult.
Eleusine indica (L.) Gaertn. subsp. *indica*
Eleusine tristachya (Lam.) Lam.
Elodea canadensis Michx.
Elsholtzia ciliata (Thunb.) Hyl.
Epilobium ciliatum Raf.
Eragrostis cilianensis (All.) Vignolo Lutati ex Janch.
Eragrostis frankii C.A. Mey. ex Steud.
Eragrostis mexicana (Hornem.) Link subsp. *virescens* (J. Presl) S.D. Koch & Sánchez Vega
Eragrostis minor Host
Eragrostis pectinacea (Michx.) Nees
Eragrostis pilosa (L.) P. Beauv.
Eranthis hyemalis (L.) Salisb.
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Erysimum cheiri (L.) Crantz
Erysimum repandum L.
Euclidium syriacum (L.) R. Br.
Euonymus americanus L.
Euonymus japonicus L. f.
Euphorbia dentata Michx.
Euphorbia lathyris L.
Euphorbia marginata Pursh
Euphorbia segetalis L.
Fagopyrum esculentum Moench
Fagopyrum tataricum (L.) Gaertn.
Fallopia baldschuanica (Regel) Holub
Fallopia japonica (Houtt.) Ronse Decr.
Fallopia sachalinensis (F. Schmidt) Ronse Decr.
Frankenia pulverulenta L. subsp. *pulverulenta*
Galega officinalis L.
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Galium saxatile L.
Gaura biennis L.
Geranium sibiricum L.
Glebionis coronaria (L.) Spach
Glebionis segetum (L.) Fourr.
Gleditsia triacanthos L.
Glycyrrhiza glabra L.
Guizotia abyssinica (L. f.) Cass.
Gypsophila muralis L.
Gypsophila pilosa Huds.
Halogeton sativus (L.) Moq.
Helianthus annuus L.
Helianthus multiflorus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Heliotropium curassavicum L.
Heliotropium peruvianum L.
Heliotropium suaveolens M. Bieb. subsp. *suaveolens*
Hemerocallis fulva (L.) L.
Hesperis matronalis L. s.l.
Hibiscus syriacus L.
Hippocrepis biflora Spreng.
Hirschfeldia incana (L.) Lagr.-Foss. subsp. *incana*
Hordeum marinum Huds. subsp. *gussoneanum* (Parl.) K. Richt.
Hordeum vulgare L.
Hyacinthoides non-scripta (L.) Chouard ex Rothm.
Hypochaeris glabra L.
Iberis amara L. subsp. *amara*
Iberis umbellata L.
Impatiens balfourii Hook. f.
Impatiens balsamina L.
Impatiens glandulifera Royle
Impatiens parviflora DC.
Inula helenium L.
Ipheion uniflorum (Graham) Raf.
Ipomoea purpurea (L.) Roth
Iris foetidissima L.
Iris germanica L.
Jasminum nudiflorum Lindl.
Jasminum officinale L.
Juglans nigra L.
Juglans regia L.
Juncus tenuis Willd.
Kerria japonica (L.) DC.
Lactuca sativa L.
Lagenaria siceraria (Molina) Standl.
Lamium argentatum (Smejkal) Henker ex G.H. Loos
Lathyrus ochrus (L.) DC.
Lathyrus sativus L.
Laurus nobilis L.
Lavandula angustifolia Mill. subsp. *angustifolia*
Lavatera cretica L.
Lemna minuta Kunth
Lepidium densiflorum Schrad.

- Lepidium latifolium* L.
Lepidium perfoliatum L.
Lepidium sativum L. subsp. *sativum*
Lepidium virginicum L.
Levisticum officinale W.D.J. Koch
Ligustrum japonicum Thunb.
Ligustrum lucidum Aiton
Ligustrum ovalifolium Hassk.
Ligustrum sinense Lour.
Linaria genistifolia (L.) Mill.
Linaria repens (L.) Mill.
Linaria simplex (Willd.) DC.
Linum usitatissimum L.
Lobularia maritima (L.) Desv. subsp. *maritima*
Lonicera japonica Thunb.
Lotus ornithopodioides L.
Lupinus albus L. subsp. *albus*
Lupinus angustifolius L.
Lupinus polyphyllus Lindl.
Lycium barbarum L.
Lycium chinense Mill.
Maclura pomifera (Raf.) C.K. Schneid.
Mahonia aquifolium (Pursh) Nutt.
Malcolmia africana (L.) R. Br.
Malcolmia maritima (L.) R. Br.
Malus dasycphylla Borkh.
Malus domestica (Borkh.) Borkh.
Malva verticillata L.
Marrubium peregrinum L.
Matricaria chamomilla L.
Matricaria discoidea DC.
Medicago sativa L.
Melilotus indicus (L.) All.
Melilotus italicus (L.) Lam.
Melilotus neapolitanus Ten.
Melilotus siculus (Turra) Steud.
Mentha x piperita L.
Mentha x smithiana R.A. Graham
Mespilus germanica L.
Morus alba L.
Morus nigra L.
Muscari tenuiflorum Tausch
Najas graminea Delile
Narcissus incomparabilis Mill.
Narcissus medioluteus Mill.
Narcissus poeticus L.
Narcissus pseudonarcissus L.
Nicandra physalodes (L.) Gaertn.
Nigella sativa L.
Nonea lutea (Desr.) DC.
Nymphoides peltata (S.G. Gmel.) Kuntze
Ocimum basilicum L.
Oenothera glazioviana Micheli
Oenothera grandiflora L'Hér.
Oenothera italica Rostanski & Soldano
Oenothera oakesiana (A. Gray) Robbins ex S. Watson & J.M. Coult.
Oenothera royleana R.R. Gates
Oenothera suaveolens Desf. ex Pers.
Olea europaea L.
Onopordum illyricum L. subsp. *illyricum*
Onosma visianii Clementi
Origanum majorana L.
Ornithopus pinnatus (Mill.) Druce
Oryza sativa L.
Oxalis amoena Salisb.
Oxalis articulata Savigny
Oxalis corniculata L.
Oxalis latifolia Kunth
Oxalis stricta L.
Oxalis violacea L. non Thunb.
Panicum capillare L.
Panicum dichotomiflorum Michx.
Panicum gattereri Nash
Panicum miliaceum L.
Papaver somniferum L.
Parentucellia viscosa (L.) Caruel
Parthenocissus quinquefolia (L.) Planch.
Parthenocissus tricuspidata (Siebold & Zucc.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Passiflora coerulea L.
Paulownia tomentosa (Thunb.) Steud.
Periploca graeca L.
Persicaria orientalis (L.) Spach
Persicaria pensylvanica (L.) M. Gómez
Petasites fragrans (Vill.) C. Presl
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phacelia tanacetifolia Benth.
Phalaris aquatica L.
Phalaris canariensis L.
Phalaris minor Retz.
Phalaris paradoxa L.
Phalaris truncata Guss.
Phedimus spurius (M.Bieb.) 't Hart in 't Hart & Eggli
Philadelphus coronarius L.
Phyllostachys edulis (Carrière) Houz.
Phytolacca americana L.
Picnemon acarna (L.) Cass.
Picris rhagadioloides (L.) Desf.
Pimpinella anisum L.
Pinus brutia Ten.
Pinus cembra L.
Pinus halepensis Mill.
Pinus nigra J.F. Arnold subsp. *laricio* Maire
Pinus pinaster Aiton s.l.
Pinus pinea L.
Pisum sativum L. subsp. *sativum*
Platanus hispanica Mill. ex Münchh.
Populus canadensis Moench
Populus deltoides Marshall
Potentilla indica (Jacks.) Th. Wolf
Potentilla leucopolitana P.J. Müll.
Potentilla norvegica L.
Potentilla supina L. subsp. *supina*
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus persica (L.) Batsch
Prunus serotina Ehrh.
Pseudofumaria lutea (L.) Borkh.
Pseudohysimachion maritimum (L.) Á. & D. Löve
Pteris multifida Poir.
Punica granatum L.
Pyracantha coccinea M. Roem.
Pyrus communis L.
Quercus rubra L.
Raphanus sativus L.
Rapistrum perenne (L.) All.
Rhamnus alaternus L. subsp. *alaternus*
Rhus coriaria L.
Rhus typhina L.

- Ribes rubrum* L.
Ribes uva-crispa L.
Ricinus communis L.
Robinia pseudacacia L.
Roemeria hybrida (L.) DC. subsp. *hybrida*
Rorippa austriaca (Crantz) Besser
Rosa multiflora Thunb.
Rosmarinus officinalis L.
Rubia tinctorum L.
Rubus laciniatus Willd.
Rubus phoenicolasius Maxim.
Rudbeckia hirta L.
Rudbeckia laciniata L.
Rudbeckia pinnata Vent.
Rumex cristatus DC. subsp. *kernerii* (Borbás) Akeroyd & D.A. Webb
Rumex patientia L. subsp. *patientia*
Sagittaria latifolia Willd.
Salix apennina A.K. Skvortsov
Salix triandra L. subsp. *amygdalina* (L.) Schübl. & G. Martens
Salvia nemorosa L. subsp. *nemorosa*
Satureja hortensis L.
Scabiosa ochroleuca L.
Scorpiurus muricatus L.
Scutellaria altissima L.
Secale cereale L.
Securigera cretica (L.) Lassen
Sedum sarmentosum Bunge
Senecio inaequidens DC.
Setaria italica (L.) P. Beauv.
Sicyos angulatus L.
Sideritis romana L. subsp. *romana*
Silene coelirosa (L.) Godr.
Silene coronaria (L.) Clairv.
Silene pendula L.
Silphium perfoliatum L.
Silybum marianum (L.) Gaertn.
Sinapis alba L. subsp. *alba*
Sisymbrium altissimum L.
Sisymbrium irio L.
Sisymbrium loeselii L.
Sisymbrium orientale L. subsp. *orientale*
Sisymbrium strictissimum L.
Sisyrinchium angustifolium Mill.
Smyrnum olusatrum L.
Solanum carolinense L.
Solanum chenopodioides Lam.
Solanum lycopersicum L.
Solanum sodomaicum L.
Solanum tuberosum L.
Solanum villosum Mill. subsp. *alatum* (Moench) Edmonds
Solanum villosum Mill. subsp. *villosum*
Solidago canadensis L.
Solidago gigantea Aiton subsp. *gigantea*
Solidago gigantea Aiton subsp. *serotina* (Kuntze) McNeill
Sonchus tenerimus L.
Sophora japonica L.
Sorbaria sorbifolia (L.) A. Braun
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Spergularia bocconeii (Scheele) Graebn.
Spiraea japonica L.
Spiraea salicifolia L.
Sporobolus indicus (L.) R. Br.
Sporobolus neglectus Nash
Sporobolus vaginiflorus (Torr.) Wood
Sternbergia lutea (L.) Ker Gawl. ex Spreng.
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum lanceolatum (Willd.) G.L.Nesom
Symphyotrichum lateriflorum (L.) Á.Löve & D.Löve
Symphyotrichum novae-angliae (L.) G.L.Nesom
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum salignum (Willd.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Symphytum asperum Lepech.
Syringa vulgaris L.
Tagetes erecta L.
Tagetes minuta L.
Tanacetum parthenium (L.) Sch. Bip.
Teline monspessulana (L.) K. Koch
Tetragonia tetragonoides (Pallas) Kuntze
Theligonum cynocrambe L.
Thesium arvense Horv.
Thymus vulgaris L. subsp. *vulgaris*
Tilia x vulgaris Hayne
Tordylium officinale L.
Trachycarpus fortunei (Hook.) H. Wendl.
Trifolium cherleri L.
Trifolium glomeratum L.
Trifolium hybridum L. subsp. *elegans* (Savi) Asch. & Graebn.
Trifolium hybridum L. subsp. *hybridum*
Trifolium incarnatum L. subsp. *incarnatum*
Trifolium pratense L. subsp. *sativum* (Schreb.) Schübl. & G.Martens
Trifolium resupinatum L.
Trifolium squamosum L.
Trifolium subterraneum L. s.l.
Trifolium suffocatum L.
Trigonella monspeliaca L.
Trisetaria panicea (Lam.) Maire
Triticum aestivum L.
Triticum turgidum L.
Ulex europaeus L. subsp. *europaeus*
Ulmus laevis Pall.
Ulmus pumila L.
Valerianella pumila (L.) DC.
Verbascum virgatum Stokes
Veronica filiformis Sm.
Veronica peregrina L. subsp. *peregrina*
Viburnum tinus L. subsp. *tinus*
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia pannonica Crantz subsp. *striata* (M. Bieb.) Nyman
Vicia sativa L. subsp. *sativa*
Vinca major L. subsp. *major*
Viola obliqua Hill
Vitis labrusca L.
Vitis vinifera L. subsp. *vinifera*
Weigela florida (Bunge) A. DC.
Wisteria sinensis (Sims) Sweet
Wolffia arrhiza (L.) Horkel ex Wimm.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Xeranthemum annuum L.
Yucca aloifolia L.
Zantedeschia aethiopica (L.) Spreng.
Zea mays L.
Zoysia matrella (L.) Merr.

LAZIO

Exclusive units

<i>Asphodelus ayardii</i> Jahand. & Maire	?
<i>Callitriche cribrosa</i> Schotsman	?
<i>Campanula reatina</i> Lucchese	+
<i>Centaurea aeolica</i> Guss. ex Lojac. subsp. <i>pandataria</i> (Fiori & Bég. ex Fiori) Anzal.	+
<i>Centaurea cineraria</i> L. subsp. <i>circae</i> (Sommier) Cela-Renzoni & Viegi	+
<i>Cornucopie cucullatum</i> L.	+
<i>Iris sabina</i> N. Terracc.	+
<i>Iris setina</i> Colas.	+
<i>Limonium amynclaeum</i> Pignatti	+
<i>Limonium circaei</i> Pignatti	+
<i>Limonium pandatariae</i> Pignatti	+
<i>Limonium pontium</i> Pignatti	+
<i>Trifolium latinum</i> Sebast.	0
<i>Vicia sativa</i> L. subsp. <i>incisa</i> (M. Bieb.) Arcang.	+

Endemic units

<i>Acer cappadocicum</i> Gled. subsp. <i>lobelii</i> (Ten.) Murray	
<i>Achillea barrelieri</i> Ten. subsp. <i>barrelieri</i>	
<i>Achillea barrelieri</i> Ten. subsp. <i>mucronulata</i> (Bertol.) Heimerl	
<i>Achillea tenorii</i> Grande	
<i>Adenocarpus samniticus</i> Brullo, De Marco & Siracusa	
<i>Adonis distorta</i> Ten.	
<i>Ajuga tenorei</i> C. Presl	
<i>Alchemilla marsica</i> Buser	
<i>Allium anzaloni</i> Brullo, Pavone & Salmeri	
<i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>praetutiana</i> (Sünd.) Kress	
<i>Aquilegia magellensis</i> F. Conti & Soldano	
<i>Arabis collina</i> Ten. subsp. <i>rosea</i> (DC.) Minuto	
<i>Arenaria bertolonii</i> Fiori	
<i>Armeria majellensis</i> Boiss. subsp. <i>ausonia</i> Bianchini	
<i>Armeria majellensis</i> Boiss. subsp. <i>majellensis</i>	
<i>Artemisia caerulea</i> L. subsp. <i>cretacea</i> (Fiori) Brilli-Catt. & Gubellini	
<i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter	
<i>Asperula neglecta</i> Guss.	
<i>Astragalus pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>	
<i>Astrantia pauciflora</i> Bertol. subsp. <i>tenorei</i> (Mariotti) Bechi & Garbari	
<i>Aubrieta columnae</i> Guss. subsp. <i>columnae</i>	
<i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti	
<i>Biscutella incana</i> Ten.	
<i>Biscutella mollis</i> Loisel.	
<i>Bunium petraeum</i> Ten.	
<i>Bupleurum rollei</i> (Monteluc.) Moraldo	
<i>Calamagrostis corsica</i> (Hack.) D. Prain	
<i>Campanula fragilis</i> Cirillo subsp. <i>cavolinii</i> (Ten.) Damboldt	
<i>Campanula fragilis</i> Cirillo subsp. <i>fragilis</i>	
<i>Campanula micrantha</i> Bertol.	
<i>Campanula reatina</i> Lucchese	
<i>Campanula scheuchzeri</i> Vill. subsp. <i>pseudostenocodon</i> (Lacaita) Bernardo, Gargano & Peruzzi	
<i>Campanula tanfani</i> Podlech	
<i>Cardamine apennina</i> Lihová & Marhold	
<i>Cardamine montelluccii</i> Brilli-Catt. & Gubellini	
<i>Carduus affinis</i> Guss. subsp. <i>affinis</i>	
<i>Carduus micropterus</i> (Borbás) Teyber subsp. <i>perspinosus</i> (Fiori) Kazmi	
<i>Carex microcarpa</i> Bertol. ex Moris	
<i>Carum flexuosum</i> (Ten.) Nyman	
<i>Centaurea aeolica</i> Guss. ex Lojac. s.l.	
<i>Centaurea aeolica</i> Guss. ex Lojac. subsp. <i>pandataria</i> (Fiori & Bég. ex Fiori) Anzal.	

<i>Centaurea ambigua</i> Guss. s.l.
<i>Centaurea ambigua</i> Guss. subsp. <i>ambigua</i>
<i>Centaurea ambigua</i> Guss. subsp. <i>nigra</i> (Fiori) Pignatti
<i>Centaurea cineraria</i> L. subsp. <i>cineraria</i>
<i>Centaurea cineraria</i> L. subsp. <i>circae</i> (Sommier) Cela-Renzoni & Viegi
<i>Centaurea nigrescens</i> Willd. subsp. <i>neapolitana</i> (Boiss.) Dostál
<i>Centaurea rupestris</i> L. subsp. <i>ceratophylla</i> (Ten.) Gugler
<i>Cerastium scaranii</i> Ten.
<i>Cerastium thomasi</i> Ten.
<i>Cerastium tomentosum</i> L.
<i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti
<i>Cirsium lobelii</i> Ten.
<i>Cirsium tenoreanum</i> Petr.
<i>Crepis bursifolia</i> L.
<i>Crepis lacera</i> Ten.
<i>Crocus imperati</i> Ten.
<i>Crocus suaveolens</i> Bertol.
<i>Cymbalaria glutinosa</i> Bigazzi & Raffaelli subsp. <i>glutinosa</i>
<i>Cymbalaria pallida</i> (Ten.) Wettst.
<i>Cynoglossum magellense</i> Ten.
<i>Dianthus carthusianorum</i> L. subsp. <i>tenorei</i> (Lacaita) Pignatti
<i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.
<i>Echinops ritro</i> L. subsp. <i>siculus</i> (Strobl) Greuter
<i>Epipactis helleborine</i> (L.) Crantz subsp. <i>latina</i> W. Rossi & E. Klein
<i>Epipactis meridionalis</i> H. Baumann & R. Lorenz
<i>Epipactis placentina</i> Bongiorno & Grünanger
<i>Erodium alpinum</i> L'Hér.
<i>Erysimum pseudorhaeticum</i> Polatschek
<i>Euphorbia barrelieri</i> Savi subsp. <i>barrelieri</i>
<i>Euphorbia corallioidea</i> L.
<i>Festuca centro-apenninica</i> (Markgr.-Dann.) Foggi, F. Conti & Pignatti
<i>Festuca inops</i> De Not.
<i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>italica</i> Foggi, Graz. Rossi & Signorini
<i>Galium aetnium</i> Biv.
<i>Galium magellense</i> Ten.
<i>Genista tyrrhena</i> Vals.
<i>Gentianella columnae</i> (Ten.) Holub
<i>Geranium austroapenninum</i> Aedo
<i>Helleborus bocconeii</i> Ten. subsp. <i>bocconeii</i>
<i>Hieracium grovesianum</i> Arv.-Touv. ex Belli (<i>racemosum</i> = <i>murorum</i>)
<i>Iris marsica</i> I. Ricci & Colas.
<i>Iris relicta</i> Colas.
<i>Iris sabina</i> N. Terracc.
<i>Iris setina</i> Colas.
<i>Jonopsidium savianum</i> (Caruel) Arcang.
<i>Klasea flavescens</i> (L.) Holub subsp. <i>cichoracea</i> (L.) Greuter & Wagenitz
<i>Laserpitium siler</i> L. subsp. <i>siculum</i> (Spreng.) Santangelo, F. Conti & Gubellini
<i>Lathyrus odoratus</i> L.
<i>Leontodon intermedius</i> Huter, Porta & Rigo
<i>Leontodon montanus</i> Lam. subsp. <i>breviscapus</i> (DC.) Cavara & Grande
<i>Leucanthemum tridactylites</i> (Kern. & Huter) Huter, Porta & Rigo
<i>Ligusticum lucidum</i> Mill. subsp. <i>cuneifolium</i> (Guss.) Tammaro
<i>Limonium amynclaeum</i> Pignatti
<i>Limonium circaei</i> Pignatti
<i>Limonium pandatariae</i> Pignatti

Limonium pontium Pignatti
Linaria purpurea (L.) Mill.
Melampyrum italicum Soó
Melampyrum variegatum Huter, Porta & Rigo
Micromeria graeca (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman
Minuartia graminifolia (Ard.) Jáv. subsp. *rosani* (Ten.) Mattf.
Myosotis ambigens (Bég.) Grau
Myosotis decumbens Host subsp. *florentina* Grau
Onosma echioides (L.) L.
Ophrys crabronifera Mauri
Ophrys exaltata Ten. subsp. *tyrrhena* (Gözl & H.R. Reinhard) Del Prete
Ophrys promontorii O. & E. Danesch
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson
Ophrys sphegodes Mill. subsp. *majellensis* Helga & Herm. Deiss
Ornithogalum etruscum Parl.
Ornithogalum exscapum Ten.
Orobancha ebuli Huter & Rigo
Oxytropis pilosa (L.) DC. subsp. *caputoi* (Moraldo & La Valva) Brilli-Catt., Di Massimo & Gubellini
Paeonia officinalis L. subsp. *italica* N.G. Passal. & Bernardo
Pedicularis elegans Ten.
Pimpinella anisoides V. Brig.
Polygala flavescens DC.
Potentilla rigoana Th. Wolf
Pulmonaria apennina Cristof. & Puppi
Ranunculus apenninus (Chiov.) Pignatti
Ranunculus magellensis Ten.
Ranunculus pollinensis (N. Terracc.) Chiov.
Ranunculus polyanthemus L. subsp. *thomasi* (Ten.) Tutin
Rhinanthus wettsteinii (Sterneck) Soó
Robertia taraxacoides (Loisel.) DC.
Salvia haematodes L.
Santolina etrusca (Lacaita) Marchi & D'Amato
Saxifraga exarata Vill. subsp. *ampullacea* (Ten.) D.A. Webb
Saxifraga italica D.A. Webb
Saxifraga oppositifolia L. subsp. *speciosa* (Dörf. & Hayek) Engl. & Irmsch.
Saxifraga porophylla Bertol. subsp. *porophylla*
Scabiosa holosericea Bertol.
Scabiosa uniseta Savi
Sedum magellense Ten. subsp. *magellense*
Sempervivum riccii Iberite & Anzal.
Senecio apenninus Tausch
Senecio gibbosus (Guss.) DC. subsp. *bicolor* (Willd.) Peruzzi, N.G. Passal. & Soldano
Senecio stabianus Lacaita
Seseli polyphyllum Ten.
Sesleria italica (Pamp.) Ujhelyi
Sesleria nitida Ten.
Sideritis italica (Mill.) Greuter & Burdet
Silene cattariniana Ferrarini & Cecchi
Silene echinata Otth
Silene notarisii Ces.
Silene roemerii Friv. subsp. *staminea* (Bertol.) Nyman
Solenanthus apenninus (L.) Fisch. & C.A. Mey.
Stachys alopecuroides (L.) Benth. subsp. *divulsa* (Ten.) Grande
Stellaria media (L.) Vill. subsp. *romana* Bég.
Stipa dasyvaginata Martinovský subsp. *apenninica* Martinovský & Moraldo
Stipa etrusca Moraldo
Taraxacum glaciale E. & A. Huet ex Hand.-Mazz.
Thlaspi stylosum (Ten.) Mutel
Thymus spinulosus Ten.

Tragopogon eriospermus Ten.
Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti
Trisetaria villosa (Bertol.) Banfi & Soldano
Verbascum niveum Ten. subsp. *garganicum* (Ten.) Murb.
Verbascum niveum Ten. subsp. *inarimense* Murb.
Vicia ochroleuca Ten. subsp. *ochroleuca*
Vicia tenuifolia Roth subsp. *elegans* (Guss.) Nyman
Viola eugeniae Parl. subsp. *eugeniae*
Viola eugeniae Parl. subsp. *levieri* (Parl.) Arcang.
Viola pseudogracilis Strobl subsp. *cassinensis* (Strobl) Merxm. & A.F.W. Schmidt
Viola pseudogracilis Strobl subsp. *pseudogracilis*

Protected units

Adenocarpus bionii (C. Presl) C. Presl.
Agrostis canina L. s.l.
Allium sardoum Moris
Ambrosia maritima L.
Ammophila arenaria (L.) Link subsp. *australis* (Mabille) Lainz
Andrachne telephioides L.
Arisarum proboscideum (L.) Savi
Asphodeline lutea (L.) Rchb.
Athamanta sicula L.
Berteroa obliqua (Sm.) DC. subsp. *obliqua*
Biarum tenuifolium (L.) Schott s.l.
Biscutella didyma L. s.l.
Bupleurum rollii (Monteluc.) Moraldo
Cardamine chelidonia L.
Cardamine graeca L.
Carex griottii Roem.
Ceterach officinarum Willd. subsp. *bivalens* D.E. Mey.
Chaenorhinum rubrifolium (Robill. & Castagne ex DC.) Fourr. subsp. *rubrifolium*
Chamaerops humilis L.
Cirsium monspessulanum (L.) Hill
Cladium mariscus (L.) Pohl
Corrigiola litoralis L. subsp. *litoralis*
Crepis lacera Ten.
Crocus imperati Ten.
Cynoglossum magellense Ten.
Dactylorhiza romana (Sebast.) Soó s.l.
Daphne sericea Vahl
Erinus alpinus L.
Euphorbia corallioides L.
Ferula glauca L.
Fritillaria persica L.
Galanthus nivalis L.
Galatella linosyris (L.) Rchb.f. subsp. *linosyris*
Galium cinereum All.
Geropogon glaber L.
Helichrysum saxatile Moris s.l.
Hesperis matronalis L. subsp. *matronalis*
Ilex aquifolium L.
Imperata cylindrica (L.) P. Beauv.
Juniperus oxycedrus L. subsp. *oxycedrus*
Klasea flavescens (L.) Holub subsp. *cichoracea* (L.) Greuter & Wagenitz
Kundmannia sicula (L.) DC.
Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Limonium multifforme Pignatti
Linaria purpurea (L.) Mill.
Mandragora autumnalis Bertol.
Medicago intertexta (L.) Mill.
Medicago scutellata (L.) Mill.
Myoporum tenuifolium G. Forst.
Narcissus poeticus L.

Orchis pallens L.
Osmunda regalis L.
Paeonia mascula (L.) Mill.
Pancratium maritimum L.
Polygonum romanum Jacq.
Ribes multiflorum Kit. ex Roem. & Schult. s.l.
Sarcopoterium spinosum (L.) Spach
Schoenus nigricans L.
Sedum caespitosum (Cav.) DC.
Senecio leucanthemifolius Poir. subsp. *leucanthemifolius*
Silene catholica (L.) W.T. Aiton
Solenanthes apenninus (L.) Fisch. & C.A. Mey.
Staphylea pinnata L.
Sternbergia lutea (L.) Ker Gawl. ex Spreng.
Styrax officinalis L.
Taxus baccata L.
Teucrium fruticans L. subsp. *fruticans*
Thymus vulgaris L. subsp. *vulgaris*
Ulex europaeus L. subsp. *europaeus*
Velezia rigida L.
Verbascum lychnitis L.
Verbascum niveum Ten. subsp. *niveum*

Alien units

Abies alba Mill.
Acacia dealbata Link
Acanthus mollis L. subsp. *mollis*
Acer negundo L.
Achnatherum caudatum (Trin.) S.W.L. Jacobs & Everett
Acorus calamus L.
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Alcea biennis Winterl subsp. *biennis*
Alcea rosea L.
Alcea setosa (Boiss.) Alef.
Allium cepa L.
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus bouchonii Thell.
Amaranthus crispus (Lesp. & Thévenau) N. Terracc.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus polygonoides L.
Amaranthus retroflexus L.
Amaranthus tricolor L.
Amaranthus viridis L.
Ambrosia artemisiifolia L.
Ambrosia coronopifolia Torr. & A. Gray
Ambrosia trifida L.
Amorpha fruticosa L.
Anethum graveolens L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Antirrhinum majus L. subsp. *tortuosum* (Bosc. ex Lam.) Rouy
Apium graveolens L.
Apium leptophyllum (Pers.) F. Muell.
Aptenia cordifolia (L. f.) Schwantes
Armoracia rusticana P. Gaertn., B. Mey. & Scherb.
Artemisia abrotanum L.
Artemisia annua L.

Artemisia verlotiorum Lamotte
Asparagus officinalis L.
Atriplex halimus L.
Atriplex hortensis L.
Avena sativa L. subsp. *sativa*
Ballota pseudodictamnus (L.) Benth.
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Beta vulgaris L. subsp. *vulgaris*
Bidens bipinnata L.
Bidens frondosa L.
Boehmeria nivea (L.) Gaudich.
Boerhavia repens L. subsp. *diandra* (L.) Maire & Weiller
Boussingaultia cordifolia Ten.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica rapa L. subsp. *campestris* (L.) Clapham
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Calendula officinalis L.
Campanula medium L.
Campsis radicans (L.) Seem.
Cannabis sativa L.
Carpobrotus edulis (L.) N.E. Br.
Carrichtera annua (L.) DC.
Cenchrus incertus Curtis
Centaurea pullata L.
Centranthus macrosiphon Boiss.
Ceratochloa cathartica (Vahl) Herter
Cestrum parqui L'Hér.
Chamaemelum nobile (L.) All.
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Cicer arietinum L.
Cichorium endivia L. subsp. *endivia*
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Cleome spinosa Jacq.
Cnicus benedictus L.
Commelina communis L.
Consolida hispanica (Costa) Greuter & Burdet
Convolvulus tricolor L. subsp. *tricolor*
Coriandrum sativum L.
Coronopus didymus (L.) Sm.
Cortaderia selloana (Schult.) Asch. & Graebn.
Cotula coronopifolia L.
Cucumis melo L.
Cucumis sativus L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta campestris Yunck.
Cuscuta epilinum Weihe
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Cyperus eragrostis Lam.
Cyperus esculentus L.
Cyperus involucratus Rottb.
Dactyloctenium aegyptium (L.) Richt.
Datura ferox L.
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Digitaria ciliaris (Retz.) Koeler
Diospyros lotus L.

- Echinochloa colona* (L.) Link
Eclipta prostrata (L.) L.
Ehrharta erecta Lam.
Eichornia crassipes (Mart.) Solms
Elaeagnus angustifolia L.
Eleusine indica (L.) Gaertn. subsp. *indica*
Eleusine tristachya (Lam.) Lam.
Elodea canadensis Michx.
Eragrostis curvula (Schräd.) Nees
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Erysimum cheiri (L.) Crantz
Eucalyptus camaldulensis Dehnh.
Euonymus japonicus L. f.
Euphorbia lathyris L.
Fagopyrum esculentum Moench
Fallopia baldschuanica (Regel) Holub
Ficus carica L.
Fritillaria persica L.
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Gleditsia triacanthos L.
Glinus lotoides L.
Glycyrrhiza glabra L.
Guizotia abyssinica (L. f.) Cass.
Hedera helix L. subsp. *poetarum* (Bertol.) Nyman
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hemerocallis fulva (L.) L.
Hibiscus syriacus L.
Hibiscus trionum L.
Honorus nutans S.F. Gray
Hordeum vulgare L.
Hyacinthoides hispanica (Mill.) Rothm.
Hypericum calycinum L.
Impatiens balfourii Hook. f.
Impatiens parviflora DC.
Inula helenium L.
Ipheion uniflorum (Graham) Raf.
Ipomoea acuminata (Vahl) Roem. & Schult.
Ipomoea purpurea (L.) Roth
Iris albicans Lange
Iris germanica L.
Iris japonica Thunb.
Iris pallida Lam.
Jasminum officinale L.
Juglans regia L.
Lactuca sativa L.
Lathyrus sativus L.
Lavandula angustifolia Mill. subsp. *angustifolia*
Lavandula latifolia Medik.
Lens culinaris Medik.
Lepidium bonariense L.
Lepidium sativum L. subsp. *sativum*
Lepidium virginicum L.
Leptochloa fusca (L.) Kunth subsp. *uninervia* (J. Presl) N. Snow
Ligustrum lucidum Aiton
Lilium candidum L.
Limoniastrum monopetalum (L.) Boiss.
Linum usitatissimum L.
Lonicera japonica Thunb.
Lupinus albus L. subsp. *albus*
Lycium chinense Mill.
Maclura pomifera (Raf.) C.K. Schneid.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Matricaria discoidea DC.
Melissa officinalis L. subsp. *officinalis*
Mentha x piperita L.
Mespilus germanica L.
Mirabilis jalapa L.
Morus alba L.
Morus nigra L.
Myagrimum perfoliatum L.
Myoporum tenuifolium G. Forst.
Myriophyllum aquaticum (Velloso) Verdc.
Myrtus communis L. subsp. *tarentina* (L.) Nyman
Najas graminea Delile
Narcissus medioluteus Mill.
Narcissus pseudonarcissus L.
Nassella mucronata (Kunth) R.W. Pohl
Nectaroscilla hyacinthoides (L.) Parl.
Nelumbo nucifera Gaertn.
Nerium oleander L. subsp. *oleander*
Nicandra physalodes (L.) Gaertn.
Nicotiana glauca Graham
Nicotiana tabacum L.
Ocimum basilicum L.
Oenothera glazioviana Micheli
Oenothera stricta Link
Opuntia amyclaea Ten.
Opuntia ficus-indica (L.) Mill.
Oxalis articulata Savigny
Oxalis pes-caprae L.
Oxalis stricta L.
Panicum capillare L.
Panicum dichotomiflorum Michx.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Pennisetum villosum R. Br.
Petasites fragrans (Vill.) C. Presl
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phalaris canariensis L.
Philadelphus coronarius L.
Phyla canescens (Kunth) Greene
Phyllostachys bambusoides Siebold & Zucc.
Physalis angulata L.
Phytolacca americana L.
Pinus pinea L.
Pisum sativum L. subsp. *sativum*
Pittosporum tobira (Thunb.) W.T. Aiton
Platanus hispanica Mill. ex Münchh.
Platanus orientalis L.
Polanisia trachysperma Torr. & A. Gray
Populus canadensis Moench
Portulaca grandiflora Hook.
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Prunus laurocerasus L.
Prunus persica (L.) Batsch
Pteris vittata L.
Punica granatum L.

- Pyrus communis* L.
Raphanus sativus L.
Reseda odorata L.
Rhus coriaria L.
Ricinus communis L.
Robinia pseudacacia L.
Roemeria hybrida (L.) DC. subsp. *hybrida*
Rorippa austriaca (Crantz) Besser
Rosa foetida Herm.
Rosa multiflora Thunb.
Rubia tinctorum L.
Salix babylonica L.
Salpichroa origanifolia (Lam.) Thell.
Salvia grahamii Benth.
Salvinia molesta D.S. Mitch.
Santolina marchii Arrigoni
Satureja hortensis L.
Secale cereale L.
Sedum praealtum DC.
Senecio angulatus L. f.
Senecio inaequidens DC.
Senecio mikanioides Otto ex Walp.
Senecio petasitis (Sims) DC.
Setaria italica (L.) P. Beauv.
Setaria parviflora (Poir.) Kerguelen
Silene conoidea L.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Sisylx atropurpurea (L.) Greuter & Burdet subsp. *atropurpurea*
Solanum bonariense L.
Solanum elaeagnifolium Cav.
Solanum lycopersicum L.
Solanum sisymbriifolium Lam.
Solanum sodomaeum L.
Solidago canadensis L.
Solidago gigantea Aiton subsp. *serotina* (Kuntze) McNeill
Sorghum halepense (L.) Pers.
Spinacia oleracea L.
Sporobolus indicus (L.) R. Br.
Stachys byzantina C. Koch
Sulla coronaria (L.) Medik.
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum lanceolatum (Willd.) G.L.Nesom
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Tamarix parviflora DC.
Tanacetum balsamita L.
Tanacetum parthenium (L.) Sch. Bip.
Tetragonia tetragonoides (Pallas) Kuntze
Trachelium caeruleum L. subsp. *caeruleum*
Trifolium alexandrinum L.
Trifolium incarnatum L. subsp. *incarnatum*
Trigonella foenum-graecum L.
Tripleurospermum inodorum (L.) Sch. Bip.
Triticum aestivum L.
Tulipa agenensis DC.
Tulipa clusiana DC.
Tulipa praecox Ten.
Ulmus laevis Pall.
Ulmus minor Mill. subsp. *canescens* (Melville) Browicz & Ziel.
Ulmus pumila L.
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *macrocarpa* (Moris) Arcang.
Vicia sativa L. subsp. *sativa*
Vinca major L. subsp. *major*
Vitis vinifera L. s.l.
Wisteria sinensis (Sims) Sweet
Wolffia arrhiza (L.) Horkel ex Wimm.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Yucca aloifolia L.
Yucca gloriosa L.
Zea mays L.
Ziziphora capitata L. subsp. *capitata*
Ziziphus zizyphus (L.) Meikle

LIGURIA

Exclusive units

<i>Aira provincialis</i> Jord.	+	<i>Armeria seticeps</i> Rchb.
<i>Arenaria aggregata</i> (L.) Loisel. subsp. <i>aggregata</i>	+	<i>Astragalus pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>
<i>Ballota frutescens</i> (L.) Woods	+	<i>Campanula isophylla</i> Moretti
<i>Cachrys trifida</i> Mill.	0	<i>Campanula sabatia</i> De Not.
<i>Campanula isophylla</i> Moretti	+	<i>Centaurea apolepa</i> Moretti subsp. <i>apolepa</i>
<i>Campanula sabatia</i> De Not.	+	<i>Centaurea apolepa</i> Moretti subsp. <i>bertolonii</i> (Arrigoni)
<i>Carex mairii</i> Coss. & Germ.	+	Greuter
<i>Carthamus carduncellus</i> L.	0	<i>Centaurea apolepa</i> Moretti subsp. <i>levantina</i> (Arrigoni)
<i>Centaurea apolepa</i> Moretti subsp. <i>bertolonii</i> (Arrigoni)	+	Greuter
Greuter		<i>Centaurea paniculata</i> L. subsp. <i>brunnescens</i> (Briq.) Arrigoni
<i>Centaurea apolepa</i> Moretti subsp. <i>levantina</i> (Arrigoni)	+	<i>Centaurea paniculata</i> L. subsp. <i>gallinariae</i> (Briq. & Cavill.) Arrigoni
Greuter		<i>Centaurea paniculata</i> L. subsp. <i>ligustica</i> (Gremli ex Briq.) Arrigoni
<i>Centaurea paniculata</i> L. subsp. <i>brunnescens</i> (Briq.) Arrigoni	+	<i>Centaurea paniculata</i> L. subsp. <i>lunensis</i> (Fiori) Arrigoni
<i>Centaurea paniculata</i> L. subsp. <i>gallinariae</i> (Briq. & Cavill.) Arrigoni	+	<i>Centaurea veneris</i> (Sommier) Bég.
<i>Centaurea paniculata</i> L. subsp. <i>paniculata</i>	+	<i>Cerastium thomasii</i> Ten.
<i>Centaurea veneris</i> (Sommier) Bég.	+	<i>Cerastium utriense</i> Barberis
<i>Cyperus flavidus</i> Retz.	0	<i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti
<i>Dipcadi serotinum</i> L.W. Medicus	?	<i>Crepis bursifolia</i> L.
<i>Euphorbia hyberna</i> L. subsp. <i>canuti</i> (Parl.) Tutin	+	<i>Dianthus furcatus</i> Balb. subsp. <i>lereschii</i> (Burnat) Pignatti
<i>Festuca veneris</i> Graz. Rossi, Foggi & Signorini	+	<i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.
<i>Genista hispanica</i> L. subsp. <i>hispanica</i>	+	<i>Epipactis placentina</i> Bongiorno & Grünanger
<i>Hieracium bicknellianum</i> Arv.-Touv. & Belli (<i>lawsonii</i> > <i>pedemontanum</i>)	+	<i>Euphorbia pithyusa</i> L. subsp. <i>cupanii</i> (Guss. ex Bertol.) Radcl.-Sm.
<i>Hieracium digenum</i> Burn. & Gremli (<i>amplexicaule</i> - <i>tomentosum</i>)	+	<i>Euphorbia spinosa</i> L. subsp. <i>ligustica</i> (Fiori) Pignatti
<i>Hieracium hispidulum</i> Arv.-Touv. (<i>humile</i> > <i>scorzonerifolium</i>)	+	<i>Festuca inops</i> De Not.
<i>Hieracium pseudoprasinops</i> Zahn (<i>caesioides</i> - <i>murorum</i>)	+	<i>Festuca robustifolia</i> Markgr.-Dann.
<i>Holcus notarisii</i> Nyman	0	<i>Festuca veneris</i> Graz. Rossi, Foggi & Signorini
<i>Hypericum nummularium</i> L.	?	<i>Galium baldense</i> Spreng.
<i>Iberis linifolia</i> L. subsp. <i>stricta</i> (Jord.) P. Fourn.	0	<i>Genista desoleana</i> Vals.
<i>Lepidium hirtum</i> (L.) Sm. subsp. <i>hirtum</i>	+	<i>Globularia incanescens</i> Viv.
<i>Leucanthemum subglaucum</i> De Laramb.	+	<i>Helianthemum lunulatum</i> (All.) DC.
<i>Leucojum nicaeense</i> Ardoino	+	<i>Hieracium grovesianum</i> Arv.-Touv. ex Belli (<i>racemosum</i> = <i>murorum</i>)
<i>Lilium pomponium</i> L.	+	<i>Holcus notarisii</i> Nyman
<i>Limonium cordatum</i> (L.) Mill.	+	<i>Leontodon anomalus</i> Ball
<i>Linum maritimum</i> L. subsp. <i>ligusticum</i> (Rouy) P. Fourn.	0	<i>Leontodon muelleri</i> (Sch. Bip.) Fiori subsp. <i>muelleri</i>
<i>Lycopus europaeus</i> L. subsp. <i>menthaefolius</i> (Mabille) Skalický	+	<i>Melampyrum italicum</i> Soó
<i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>imperica</i> Chater	+	<i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>imperica</i> Chater
<i>Moehringia lebrunii</i> Merxm.	+	<i>Minuartia laricifolia</i> (L.) Schinz & Thell. subsp. <i>ophiolitica</i> Pignatti
<i>Orobancha caudata</i> De Not.	+	<i>Moehringia lebrunii</i> Merxm.
<i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>corsica</i> (Boreau) P. Graebn.	+	<i>Ophrys benacensis</i> (Reisigl) O. Danesch, E. Danesch & Ehrend.
<i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>gariodiana</i> (Jord. & Fourn.) Chodat	+	<i>Ophrys exaltata</i> Ten. subsp. <i>tyrrhena</i> (Gözl & H.R. Reinhard) Del Prete
<i>Polygala rupestris</i> Pourr.	?	<i>Ornithogalum exscapum</i> Ten.
<i>Potentilla saxifraga</i> Ardoino ex De Not.	0	<i>Orobancha caudata</i> De Not.
<i>Prunella hyssopifolia</i> L.	+	<i>Polygala flavescens</i> DC.
<i>Rubus euprepes</i> Focke	+	<i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>corsica</i> (Boreau) P. Graebn.
<i>Santolina ligustica</i> Arrigoni	+	<i>Pulmonaria apennina</i> Cristof. & Puppi
<i>Sempervivum calcareum</i> Jord.	+	<i>Ranunculus apenninus</i> (Chiov.) Pignatti
<i>Senecio crassifolius</i> Willd.	+	<i>Robertia taraxacoides</i> (Loisel.) DC.
<i>Sideritis hirsuta</i> L.	0	<i>Santolina ligustica</i> Arrigoni
<i>Silene portensis</i> L.	0	<i>Scabiosa holosericea</i> Bertol.
<i>Teucrium chamaedrys</i> L. subsp. <i>pectinatum</i> Rech. f.	+	<i>Scabiosa uniseta</i> Savi
<i>Triticum speltoides</i> (Tausch) Gren. ex K.Richter	0	<i>Silene badaroi</i> Breistr.
<i>Tuberaria acuminata</i> (Viv.) Grosser	+	<i>Solidago litoralis</i> Savi
<i>Vincetoxicum nigrum</i> (L.) Moench	+	<i>Stipa epilosa</i> Martinovský subsp. <i>montana</i> Moraldo
<i>Viola jordanii</i> Hanry	+	<i>Stipa oligotricha</i> Moraldo s.l.
		<i>Tephrosia italica</i> Holub

Endemic units

Anemone trifolia L. subsp. *brevidentata* Ubaldi & Puppi
Arenaria bertolonii Fiori

Protected units

Aquilegia alpina L.
Aquilegia atrata W.D.J. Koch
Aquilegia bertolonii Schott
Aquilegia vulgaris auct. Fl. Ital.
Arnica montana L. subsp. *montana*
Aster alpinus L. subsp. *alpinus*
Campanula isophylla Moretti
Campanula sabatia De Not.
Convallaria majalis L.
Convolvulus sabatius Viv. subsp. *sabatius*
Cyclamen hederifolium Aiton s.l.
Cyclamen purpurascens Mill. subsp. *purpurascens*
Daphne alpina L. subsp. *alpina*
Daphne cneorum L.
Daphne gnidium L.
Daphne laureola L.
Daphne mezereum L.
Daphne oleoides Schreb.
Dictamnus albus L.
Drosera rotundifolia L.
Echinops ritro L. s.l.
Eryngium spinalba Vill.
Erythronium dens-canis L.
Fritillaria involucrata All.
Fritillaria tubiformis Gren. & Godr. subsp. *moggridgei* (Boiss. & Reuter ex Planch.) Rix
Galanthus nivalis L.
Gentiana acaulis L.
Gentiana asclepiadea L.
Gentiana bavarica L.
Gentiana cruciata L. subsp. *cruciata*
Gentiana dinarica Beck
Gentiana ligustica R. Vilm. & Chop.
Gentiana lutea L. subsp. *lutea*
Gentiana nivalis L.
Gentiana pneumonanthe L. subsp. *pneumonanthe*
Gentiana punctata L.
Gentiana verna L. s.l.
Gentianella campestris (L.) Börner subsp. *campestris*
Gentianella germanica (Willd.) E.F. Warb.
Gentianopsis ciliata (L.) Ma subsp. *ciliata*
Iris graminea L.
Iris lutescens Lam.
Leontopodium alpinum Cass.
Leucojum vernum L.
Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Lilium martagon L.
Lilium pomponium L.
Narcissus medioluteus Mill.
Narcissus poeticus L.
Narcissus pseudonarcissus L.
Narcissus tazetta L. subsp. *aureus* (Loisel.) Baker
Narcissus tazetta L. subsp. *tazetta*
Paeonia officinalis L. subsp. *huthii* Soldano
Phyteuma cordatum Balb.
Pinguicula vulgaris L.
Primula marginata Curtis
Pulsatilla alpina (L.) Delarbre subsp. *alpina*
Pulsatilla alpina (L.) Delarbre subsp. *apifolia* (Scop.) Nyman
Rhaponticum confertum (L.) Greuter
Romulea ligustica Parl.
Ruscus aculeatus L.
Saxifraga caesia L.
Saxifraga callosa Sm. subsp. *callosa*

Saxifraga cochlearis Rchb.
Saxifraga oppositifolia L. subsp. *oppositifolia*
Scilla bifolia L.
Sempervivum arachnoideum L.
Sempervivum calcareum Jord.
Sempervivum tectorum (group)
Soldanella alpina L. subsp. *alpina*
Trollius europaeus L. s.l.
Tulipa agenensis DC.
Tulipa australis Link
Tulipa praecox Ten.

Alien units

Acacia dealbata Link
Acacia longifolia (Andrews) Willd.
Acacia saligna (Labill.) H.L. Wendl.
Acalypha australis L.
Acalypha virginica L.
Acer negundo L.
Acorus calamus L.
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Allium fistulosum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus bouchonii Thell.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus retroflexus L.
Amaranthus viridis L.
Ambrosia artemisiifolia L.
Ambrosia coronopifolia Torr. & A. Gray
Amorpha fruticosa L.
Anemone pavonina Lam.
Antirrhinum majus L. subsp. *majus*
Aptenia cordifolia (L. f.) Schwantes
Araujia sericifera Brot.
Aristolochia sempervirens L.
Artemisia verlotiorum Lamotte
Asparagus officinalis L.
Atriplex hortensis L.
Aubrieta columnae Guss. subsp. *columnae*
Avena sativa L. subsp. *sativa*
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Beta trigyna Waldst. & Kit.
Bidens bipinnata L.
Bidens frondosa L.
Bothriochloa saccharoides (Sw.) Rydb. subsp. *saccharoides*
Boussingaultia cordifolia Ten.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. s.l.
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Calendula officinalis L.
Carpobrotus acinaciformis (L.) L. Bolus
Carpobrotus edulis (L.) N.E. Br.
Ceratochloa cathartica (Vahl) Herter
Ceratostigma plumbaginoides Bunge
Chamaesyce maculata (L.) Small
Chamaesyce prostrata (Aiton) Small

- Chamaesyce serpens* (Kunth) Small
Chenopodium ambrosioides L.
Commelina communis L.
Consolida hispanica (Costa) Greuter & Burdet
Coronopus didymus (L.) Sm.
Cotyledon orbiculata L.
Cyperus eragrostis Lam.
Cyperus glomeratus L.
Cyrtomium falcatum (L. f.) C. Presl
Cyrtomium fortunei J. Sm.
Datura stramonium L. subsp. *stramonium*
Digitaria ciliaris (Retz.) Koeler
Echinochloa colona (L.) Link
Echinochloa hispidula (Retz.) Nees ex Royle
Echium candicans L. fil.
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Eriobotrya japonica (Thunb.) Lindl.
Eriocephalus africanus L.
Erysimum cheiri (L.) Crantz
Euphorbia lathyris L.
Fagopyrum esculentum Moench
Fallopia baldschuanica (Regel) Holub
Fallopia japonica (Houtt.) Ronse Decr.
Foeniculum vulgare Mill.
Galinsoga parviflora Cav.
Gleditsia triacanthos L.
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hemerocallis fulva (L.) L.
Hyacinthus orientalis L.
Impatiens balfourii Hook. f.
Impatiens balsamina L.
Impatiens glandulifera Royle
Impatiens parviflora DC.
Ipheion uniflorum (Graham) Raf.
Ipomoea acuminata (Vahl) Roem. & Schult.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Jasminum fruticans L.
Jasminum officinale L.
Juncus tenuis Willd.
Juniperus thurifera L.
Lathyrus sativus L.
Lepidium sativum L. subsp. *sativum*
Lepidium virginicum L.
Linum usitatissimum L.
Lolium remotum Schrank
Lomelosia prolifera (L.) Greuter & Burdet
Lonicera japonica Thunb.
Lycium europaeum L.
Maclura pomifera (Raf.) C.K. Schneid.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Matricaria discoidea DC.
Medicago arborea L.
Melissa officinalis L. subsp. *officinalis*
Mesembryanthemum cristallinum L.
Mespilus germanica L.
Mirabilis jalapa L.
Narcissus pseudonarcissus L.
Nassella trichotoma (Nees) Hack.
Nectaroscilla hyacinthoides (L.) Parl.
Nephrolepis cordifolia C. Presl
Nicotiana glauca Graham
Oenothera biennis L.
Oenothera fallacoides Soldano & Rostanski
Oenothera glazioviana Micheli
Oenothera italica Rostanski & Soldano
Oenothera marinellae Soldano
Oenothera suaveolens Desf. ex Pers.
Opuntia elatior Mill.
Opuntia ficus-indica (L.) Mill.
Opuntia humifusa (Raf.) Raf.
Opuntia stricta (Haworth) Haworth
Oxalis debilis Kunth
Oxalis pes-caprae L.
Oxalis purpurata Jacq.
Oxalis stricta L.
Oxalis violacea L. non Thunb.
Panicum capillare L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Parthenocissus tricuspidata (Siebold & Zucc.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Paspalum quadrifarium Lam.
Paspalum vaginatum Sw.
Passiflora coerulea L.
Pelargonium peltatum (L.) Aiton
Pennisetum villosum R. Br.
Pentaglottis sempervirens (L.) L.H. Bailey
Persicaria orientalis (L.) Spach
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phalaris canariensis L.
Physalis peruviana L.
Physalis pubescens L.
Phytolacca americana L.
Pinus nigra J.F. Arnold s.l.
Pisum sativum L. subsp. *biflorum* (Raf.) Soldano
Pittosporum tobira (Thunb.) W.T. Aiton
Pittosporum undulatum Vent.
Polanisia trachysperma Torr. & A. Gray
Polygala myrtifolia L.
Prunus dulcis (Mill.) D.A. Webb
Pteris vittata L.
Punica granatum L.
Pyrus communis L.
Retama monosperma (L.) Boiss.
Rhus coriaria L.
Ricinus communis L.
Robinia pseudacacia L.
Rorippa austriaca (Crantz) Besser
Salix viminalis L.
Satureja hortensis L.
Sedum palmeri S. Watson
Sedum praealtum DC.
Senecio angulatus L. f.
Senecio deltoideus Less.
Senecio grisebachii Baker
Senecio inaequidens DC.
Senecio mikanioides Otto ex Walp.
Setaria italica (L.) P. Beauv.
Setaria parviflora (Poir.) Kerguelen
Sinapis alba L. subsp. *alba*
Sisymbrium altissimum L.
Sisymbrium loeselii L.

Sisymbrium orientale L. subsp. *orientale*
Sisyrinchium angustifolium Mill.
Solanum aviculare G. Forst.
Solanum lycopersicum L.
Solanum sodomaeum L.
Soleirolia soleirolii (Req.) Dandy
Solidago canadensis L.
Solidago gigantea Aiton s.l.
Sorghum halepense (L.) Pers.
Sporobolus indicus (L.) R. Br.
Sulla coronaria (L.) Medik.
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum salignum (Willd.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Tanacetum cinerariifolium (Trevir.) Sch. Bip.
Tanacetum parthenium (L.) Sch. Bip.
Teline linifolia (L.) Webb subsp. *linifolia*
Tillaea campestris (Eckl. & Zeyh.) Brullo, Giusso & Siracusa
Trachelium caeruleum L. subsp. *caeruleum*
Tradescantia fluminensis Velloso
Tulipa praecox Ten.
Ulmus laevis Pall.
Verbena bonariensis L.
Veronica peregrina L. subsp. *peregrina*
Vicia sativa L. subsp. *sativa*
Wigandia caracasana Kunth
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Ziziphus zizyphus (L.) Meikle

LOMBARDIA

Exclusive units

<i>Agrostis schleicheri</i> Jord. & Verlot	+	<i>Biscutella laevigata</i> L. subsp. <i>lucida</i> (Balb. ex DC.) Mach.-Laur.
<i>Allium insubricum</i> Boiss. & Reut.	+	<i>Campanula bertolae</i> Colla
<i>Androsace brevis</i> (Hegetschw.) Ces.	+	<i>Campanula carnica</i> Mert. & W.D.J. Koch subsp. <i>puberula</i> Podlech
<i>Asplenium adulterinum</i> Milde subsp. <i>presolanense</i> Mokry, Rasbach & Reichst.	+	<i>Campanula elatinoides</i> Moretti
<i>Betula nana</i> L. subsp. <i>nana</i>	0	<i>Campanula raineri</i> Perp.
<i>Bromus hordeaceus</i> L. subsp. <i>longipedicellatus</i> L.M.Spalton	+	<i>Daphne petraea</i> Leyb.
<i>Colutea brevilata</i> Lange	+	<i>Daphne reichsteinii</i> Landolt & Hauser
<i>Crepis mollis</i> (Jacq.) Asch. subsp. <i>mollis</i>	?	<i>Euphorbia spinosa</i> L. subsp. <i>ligustica</i> (Fiori) Pignatti
<i>Cuscuta monogyna</i> Vahl subsp. <i>monogyna</i>	+	<i>Festuca ticinensis</i> (Markgr.-Dann.) Markgr.-Dann.
<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>brevifolia</i> (R. Br.) Tzvelev	+	<i>Galium baldense</i> Spreng.
<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>parviflora</i> (Thuill.) Dumort.	+	<i>Galium montis-arerae</i> Merxm. & Ehrend.
<i>Galium montis-arerae</i> Merxm. & Ehrend.	+	<i>Hieracium lathraeum</i> Nägeli & Peter (<i>brachycomum</i> > <i>hoppeanum</i>)
<i>Gentiana pannonica</i> Scop.	+	<i>Hieracium tolstoii</i> Fen. & Zahn (<i>porrifolium</i> - <i>australe</i>)
<i>Hieracium australe</i> Fr. (<i>racemosum</i> - <i>laevigatum</i>)	+	<i>Hypochaeris facchiniana</i> Ambrosi
<i>Hieracium geilingeri</i> Zahn (<i>porrifolium</i> > <i>murorum</i>)	+	<i>Iris cengialti</i> Ambrosi ex A. Kern. subsp. <i>cengialti</i>
<i>Hieracium hayekii</i> Murr (<i>porrifolium</i> - <i>lachenalii</i>)	+	<i>Isoëtes malinverniana</i> Ces. & De Not.
<i>Hieracium pietroszense</i> Degen & Zahn (<i>alpinum</i> = <i>bifidum</i>)	+	<i>Knautia baldensis</i> Borbás
<i>Hieracium plaicense</i> Wol. (<i>guthnickianum</i> - <i>lactucella</i>)	+	<i>Knautia persicina</i> A. Kern.
<i>Hieracium speciosum</i> Willd. ex Hornem. (<i>scorzonerifolium</i> > <i>umbellatum</i>)	+	<i>Knautia velutina</i> Briq.
<i>Hydrocotyle sibthorpioides</i> Lam.	+	<i>Laserpitium nitidum</i> Zanted.
<i>Isatis praecox</i> Tratt.	+	<i>Linaria tonzigii</i> Lona
<i>Juncus castaneus</i> Sm.	+	<i>Minuartia grignensis</i> (Rchb.) Mattf.
<i>Linaria tonzigii</i> Lona	+	<i>Minuartia loricifolia</i> (L.) Schinz & Thell. subsp. <i>ophiolitica</i> Pignatti
<i>Linum hirsutum</i> L.	+	<i>Moehringia bavarica</i> (L.) Gren. subsp. <i>insubrica</i> (Degen) W. Sauer
<i>Luzula glabrata</i> (Hoppe) Desv.	+	<i>Moehringia concarenae</i> F. Fen. & F. Martini
<i>Minuartia grignensis</i> (Rchb.) Mattf.	+	<i>Moehringia dielsiana</i> Mattf.
<i>Moehringia bavarica</i> (L.) Gren. subsp. <i>insubrica</i> (Degen) W. Sauer	+	<i>Moehringia glaucovirens</i> Bertol.
<i>Moehringia concarenae</i> F. Fen. & F. Martini	+	<i>Moehringia markgrafii</i> Merxm. & Gutermann
<i>Moehringia dielsiana</i> Mattf.	+	<i>Ophrys benacensis</i> (Reisigl) O. Danesch, E. Danesch & Ehrend.
<i>Moehringia markgrafii</i> Merxm. & Gutermann	+	<i>Potentilla johanniniana</i> Goiran
<i>Persicaria virginiana</i> (L.) Gaertn.	+	<i>Primula albenensis</i> Banfi & Ferlinghetti
<i>Polygala calcarea</i> F.W. Schultz	?	<i>Primula glaucescens</i> Moretti
<i>Primula albenensis</i> Banfi & Ferlinghetti	+	<i>Primula spectabilis</i> Tratt.
<i>Pyrus nivalis</i> Jacq.	?	<i>Pulmonaria vallarsae</i> A. Kern.
<i>Rhinanthus antiquus</i> (Sterneck) Schinz & Thell.	+	<i>Ranunculus apenninus</i> (Chiov.) Pignatti
<i>Rosa uriensis</i> Lagget & Puget ex Cottet	+	<i>Ranunculus bilobus</i> Bertol.
<i>Rubus foliosus</i> Weihe	?	<i>Ranunculus venetus</i> Landolt
<i>Rubus napaeus</i> Focke	+	<i>Rhinanthus facchinii</i> Chabert
<i>Rubus pedatifolius</i> Genev.	?	<i>Robertia taraxacoides</i> (Loisel.) DC.
<i>Saxifraga presolanensis</i> Engl.	+	<i>Sanguisorba dodecandra</i> Moretti
<i>Saxifraga umbrosa</i> L.	+	<i>Saxifraga arachnoidea</i> Sternb.
<i>Senecio incanus</i> L. subsp. <i>insubricus</i> (Chenevard) Braun-Blanq.	+	<i>Saxifraga hostii</i> Tausch subsp. <i>rhaetica</i> (A. Kern.) Braun-Blanq.
<i>Sorbus hostii</i> (Jacq. ex Host) Heynh.	+	<i>Saxifraga presolanensis</i> Engl.
<i>Sorbus latifolia</i> (Lam.) Pers.	+	<i>Saxifraga tombeanensis</i> Boiss. ex Engl.
<i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>grignense</i> (F.K. Mey.) Greuter & Burdet	+	<i>Saxifraga vandellii</i> Sternb.
<i>Thymus kostelezkyanus</i> Opiz	+	<i>Stachys recta</i> L. subsp. <i>serpentinii</i> (Fiori) Arrigoni
<i>Viola comollia</i> Massara	+	<i>Stipa crassiculmis</i> Smirn. subsp. <i>picentina</i> Martinovský, Moraldo & Caputo
<i>Viola culminis</i> F. Fen. & Moraldo	+	<i>Stipa epilosa</i> Martinovský subsp. <i>montana</i> Moraldo

Endemic units

<i>Allium insubricum</i> Boiss. & Reut.
<i>Anemone trifolia</i> L. subsp. <i>brevidentata</i> Ubaldi & Puppi
<i>Aquilegia thalictrifolia</i> Schott & Kotschy
<i>Aquilegia vestinae</i> Pfenninger & D.M. Moser
<i>Armeria seticeps</i> Rchb.
<i>Asplenium adulterinum</i> Milde subsp. <i>presolanense</i> Mokry, Rasbach & Reichst.
<i>Athamanta vestina</i> A. Kern.

Protected units

<i>Adiantum capillus-veneris</i> L.
<i>Allium insubricum</i> Boiss. & Reut.

- Anacamptis pyramidalis* (L.) Rich.
Anemone nemorosa L.
Anemone trifolia L. subsp. *trifolia*
Anemone trifolia L. subsp. *brevidentata* Ubaldi & Puppi
Anemone ranunculoides L.
Anemone narcissiflora L. subsp. *narcissiflora*
Anemone baldensis L.
Anemone coronaria L.
Aquilegia vulgaris auct. Fl. Ital.
Aquilegia atrata W.D.J. Koch
Aquilegia brauneana (Hoppe) Jáv.
Aquilegia thalictrifolia Schott & Kotschy
Aquilegia alpina L.
Aquilegia vestinae Pfenninger & D.M. Moser
Armeria alpina Willd.
Aruncus dioicus (Walter) Fernald
Asphodelus albus Mill. subsp. *delphinensis* (Gren. & Godr.) Z. Díaz & Valdés
Barlia robertiana (Loisel.) Greuter
Campanula cenisia L.
Campanula raineri Perp.
Campanula ramosissima Sibth. & Sm.
Campanula patula L. subsp. *patula*
Campanula rapunculus L.
Campanula persicifolia L. s.l.
Campanula medium L.
Campanula barbata L.
Campanula sibirica L. subsp. *sibirica*
Campanula petraea L.
Campanula glomerata L.
Campanula cervicaria L.
Campanula spicata L.
Campanula thyrsoidea L. subsp. *thyrsoidea*
Campanula pyramidalis L.
Campanula elatinoidea Moretti
Campanula erinus L.
Campanula latifolia L.
Campanula trachelium L. subsp. *trachelium*
Campanula rapunculoides L. subsp. *rapunculoides*
Campanula bononiensis L.
Campanula carnica Mert. & W.D.J. Koch subsp. *carnica*
Campanula carnica Mert. & W.D.J. Koch subsp. *puberula* Podlech
Campanula bertolae Colla
Campanula rhomboidalis L.
Campanula cochleariifolia Lam.
Campanula scheuchzeri Vill. s.l.
Campanula rotundifolia L. subsp. *rotundifolia*
Cephalanthera damasonium (Mill.) Druce
Cephalanthera longifolia (L.) Fritsch
Cephalanthera rubra (L.) Rich.
Chamorchis alpina (L.) Rich.
Clematis alpina (L.) Mill.
Coeloglossum viride (L.) Hartm.
Convallaria majalis L.
Corallorhiza trifida Châtel.
Cyclamen purpurascens Mill. subsp. *purpurascens*
Cypripedium calceolus L.
Dactylorhiza sambucina (L.) Soó
Dactylorhiza incarnata (L.) Soó subsp. *incarnata*
Dactylorhiza incarnata (L.) Soó subsp. *cruenta* (O.F. Müll.) P.D. Sell
Dactylorhiza majalis (Rchb.) P.F. Hunt & Summerh.
Dactylorhiza traunsteineri (Sauter ex Rchb.) Soó subsp. *traunsteineri*
Dactylorhiza traunsteineri (Sauter ex Rchb.) Soó subsp. *lapponica* (Laest. ex Rchb. f.) Soó
Dactylorhiza maculata (L.) Soó subsp. *maculata*
Dactylorhiza maculata (L.) Soó subsp. *fuchsii* (Druce) Hyl.
Daphne mezereum L.
Daphne laureola L.
Daphne alpina L. subsp. *alpina*
Daphne cneorum L.
Daphne striata Tratt.
Daphne petraea Leyb.
Daphne reichsteinii Landolt & Hauser
Dianthus balbisii Ser. subsp. *balbisii*
Dianthus carthusianorum L. subsp. *carthusianorum*
Dianthus carthusianorum L. subsp. *vaginatus* (Chaix) Hegi
Dianthus carthusianorum L. subsp. *atrorubens* (All.) Hegi
Dianthus barbatus L. subsp. *barbatus*
Dianthus armeria L. subsp. *armeria*
Dianthus deltoidea L. subsp. *deltoidea*
Dianthus seguieri Vill. subsp. *seguieri*
Dianthus sylvestris Wulfen subsp. *sylvestris*
Dianthus glacialis Haenke subsp. *glacialis*
Dianthus pavonius Tausch
Dianthus monspessulanus L.
Dianthus plumarius L.
Dianthus superbus L. subsp. *superbus*
Dianthus superbus L. subsp. *alpestris* Celak.
Dryas octopetala L. subsp. *octopetala*
Epipactis palustris (L.) Crantz
Epipactis helleborine (L.) Crantz subsp. *helleborine*
Epipactis helleborine (L.) Crantz subsp. *orbicularis* (K. Richt.) E. Klein
Epipactis leptochila (Godfery) Godfery
Epipactis muelleri Godfery
Epipactis viridiflora Hoffm. ex Krock.
Epipactis atrorubens (Hoffm. ex Bernh.) Besser
Epipactis microphylla (Ehrh.) Sw.
Epipogium aphyllum Sw.
Eriophorum angustifolium Honck.
Eriophorum latifolium Hoppe
Eriophorum vaginatum L.
Eriophorum scheuchzeri Hoppe
Eritrichium nanum (L.) Schrad. ex Gaudin
Erythronium dens-canis L.
Fragaria vesca L. subsp. *vesca*
Fritillaria tubiformis Gren. & Godr. subsp. *tubiformis*
Fritillaria montana Hoppe ex Koch
Galanthus nivalis L.
Gentiana lutea L. subsp. *lutea*
Gentiana punctata L.
Gentiana pannonica Scop.
Gentiana purpurea L.
Gentiana asclepiadea L.
Gentiana pneumonanthe L. subsp. *pneumonanthe*
Gentiana cruciata L. subsp. *cruciata*
Gentiana clusii Perr. & Sonceon
Gentiana acaulis L.
Gentiana alpina Vill.
Gentiana verna L. subsp. *verna*
Gentiana brachyphylla Vill. subsp. *brachyphylla*
Gentiana brachyphylla Vill. subsp. *favratii* (Rittener) Tutin
Gentiana bavarica L.
Gentiana nivalis L.
Gentiana utriculosa L.
Gentianopsis ciliata (L.) Ma subsp. *ciliata*
Gladiolus communis L. subsp. *communis*
Gladiolus palustris Gaudin
Gladiolus imbricatus L.
Gladiolus italicus Mill.
Goodyera repens (L.) R. Br.

- Gymnadenia conopsea* (L.) R. Br.
Gymnadenia odoratissima (L.) Rich.
Helleborus niger L. subsp. *niger*
Helleborus niger L. subsp. *macranthus* (Freyn) Schiffn.
Herminium monorchis (L.) R. Br.
Himantoglossum adriaticum H. Baumann
Ilex aquifolium L.
Iris sibirica L.
Iris foetidissima L.
Iris pseudacorus L.
Iris graminea L.
Iris cengialti Ambrosi ex A. Kern. subsp. *cengialti*
Leontopodium alpinum Cass.
Leucojum vernum L.
Leucojum aestivum L. subsp. *aestivum*
Lilium martagon L.
Lilium bulbiferum L. subsp. *bulbiferum*
Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Limodorum abortivum (L.) Sw.
Linnaea borealis L.
Liparis loeselii (L.) Rich.
Listera ovata (L.) R. Br.
Listera cordata (L.) R. Br.
Malaxis monophyllos (L.) Sw.
Matteuccia struthiopteris (L.) Tod.
Narcissus poeticus L.
Neottia nidus-avis (L.) Rich.
Nigritella rubra (Wettst.) K. Richt.
Nigritella rhellicani Teppner & E. Klein
Nuphar lutea (L.) Sm.
Nymphaea alba L.
Ophrys insectifera L.
Ophrys fusca Link subsp. *fusca*
Ophrys sphegodes Mill. subsp. *sphgodes*
Ophrys benacensis (Reisigl) O. Danesch, E. Danesch & Ehrend.
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *fuciflora*
Ophrys tetraloniae W.P. Teschner
Ophrys apifera Huds.
Orchis anthropophora (L.) All.
Orchis papilionacea L.
Orchis morio L.
Orchis coriophora L.
Orchis ustulata L.
Orchis tridentata Scop.
Orchis simia Lam.
Orchis militaris L.
Orchis purpurea Huds.
Orchis spitzelii Saut. ex W.D.J. Koch
Orchis mascula (L.) L. subsp. *mascula*
Orchis pallens L.
Orchis provincialis Balb. ex Lam. & DC.
Orchis laxiflora Lam.
Orchis palustris Jacq.
Osmunda regalis L.
Paeonia officinalis L. subsp. *officinalis*
Physoplexis comosa (L.) Schur
Platanthera bifolia (L.) Rchb.
Platanthera chlorantha (Custer) Rchb.
Polemonium caeruleum L.
Primula farinosa L.
Primula halleri J.F. Gmel.
Primula glutinosa Wulfen
Primula spectabilis Tratt.
Primula glaucescens Moretti
Primula minima L.
Primula integrifolia L.
Primula latifolia Lapeyr. subsp. *graveolens* (Hegetschw.) Rouy
Primula auricula L. subsp. *ciliata* (Moretti) Lüdi
Primula albenensis Banfi & Ferlinghetti
Primula hirsuta All.
Primula daonensis (Leyb.) Leyb.
Pseudorchis albida (L.) A. & D. Love
Pulsatilla alpina (L.) Delarbre subsp. *apiifolia* (Scop.) Nyman
Pulsatilla vernalis (L.) Mill.
Pulsatilla montana (Hoppe) Rchb. subsp. *montana*
Rhododendron ferrugineum L.
Rhododendron hirsutum L.
Rhodothamnus chamaecistus (L.) Rchb.
Rubus idaeus L.
Ruscus aculeatus L.
Saxifraga stellaris L. subsp. *engleri* P. Fourn.
Saxifraga cuneifolia L. subsp. *cuneifolia*
Saxifraga umbrosa L.
Saxifraga rotundifolia L. subsp. *rotundifolia*
Saxifraga arachnoidea Sternb.
Saxifraga petraea L.
Saxifraga adscendens L. subsp. *adscendens*
Saxifraga tridactylites L.
Saxifraga bulbifera L.
Saxifraga granulata L. subsp. *granulata*
Saxifraga aphylla Sternb.
Saxifraga exarata Vill. subsp. *exarata*
Saxifraga exarata Vill. subsp. *moschata* (Wulfen) Cavill.
Saxifraga androsacea L.
Saxifraga sedoides L. subsp. *sedoides*
Saxifraga seguieri Spreng.
Saxifraga presolanensis Engl.
Saxifraga muscoides All.
Saxifraga aspera L.
Saxifraga bryoides L.
Saxifraga aizoides L.
Saxifraga oppositifolia L. subsp. *oppositifolia*
Saxifraga oppositifolia L. subsp. *murithiana* (Tissière) Braun-Blanq.
Saxifraga oppositifolia L. subsp. *rudolphiana* (Hornsch.) Nyman
Saxifraga biflora All. subsp. *biflora*
Saxifraga tombeanensis Boiss. ex Engl.
Saxifraga vandellii Sternb.
Saxifraga burseriana L.
Saxifraga squarrosa Sieber
Saxifraga caesia L.
Saxifraga cotyledon L.
Saxifraga paniculata Mill.
Saxifraga hostii Tausch subsp. *hostii*
Saxifraga hostii Tausch subsp. *rhaetica* (A. Kern.) Braun-Blanq.
Saxifraga mutata L. subsp. *mutata*
Sempervivum wulfenii Mert. & W.D.J. Koch subsp. *wulfenii*
Sempervivum arachnoideum L.
Sempervivum montanum L. subsp. *montanum*
Sempervivum tectorum (group)
Sempervivum alpinum Griseb. & Schenk
Serapias cordigera L.
Serapias vomeracea (Burm. f.) Briq. subsp. *vomeracea*
Silene elisabethae Jan
Spiranthes spiralis (L.) Chevall.
Spiranthes aestivalis (Poir.) Rich.
Traunsteinera globosa (L.) Rchb.
Typha angustifolia L.
Typha minima Funk

Typha laxmannii Lepech.
Typha latifolia L.
Vaccinium uliginosum L. subsp. *uliginosum*
Vaccinium uliginosum L. subsp. *microphyllum* (Lange) Tolm.
Vaccinium myrtillus L.
Viola calcarata L. subsp. *calcarata*
Viola dubyana Burnat ex Gremli

Alien units

Acalypha australis L.
Acalypha virginica L.
Acer negundo L.
Acorus calamus L.
Agave americana L.
Agave ferox K. Koch
Ailanthus altissima (Mill.) Swingle
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus bouchonii Thell.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus retroflexus L.
Amaranthus rudis Sauer
Amaranthus viridis L.
Ambrosia artemisiifolia L.
Amelanchier lamarckii F.G. Schroed.
Ammannia coccinea Rottb.
Amorpha fruticosa L.
Antirrhinum majus L. subsp. *majus*
Apios americana Medik.
Apium leptophyllum (Pers.) F. Muell.
Artemisia scoparia Waldst. & Kit.
Artemisia verlotiorum Lamotte
Asclepias syriaca L.
Bidens bipinnata L.
Bidens frondosa L.
Bidens subalternans DC.
Boehmeria nivea (L.) Gaudich.
Borago officinalis L.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica rapa L. subsp. *campestris* (L.) Clapham
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Campsis radicans (L.) Seem.
Capsella grandiflora (Fauché & Chaub.) Boiss.
Carex vulpinoidea Michx.
Ceratochloa cathartica (Vahl) Herter
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Commelina communis L.
Corispermum marschallii Steven
Coronopus didymus (L.) Sm.
Crataegus mollis Scheele
Cupressus sempervirens L.
Cuscuta campestris Yunck.
Cuscuta epilinum Weihe
Cuscuta gronovii Willd. ex Roem. & Schult.
Cyclanthera pedata L.

Cycloloma atriplicifolium (Spreng.) J.M. Coult.
Cynoglossum creticum Mill.
Cyperus congestus Vahl
Cyperus difformis L.
Cyperus eragrostis Lam.
Cyperus glomeratus L.
Cyperus microiria Steud.
Cyperus squarrosus L.
Cyperus strigosus L.
Cyrtomium falcatum (L. f.) C. Presl
Cyrtomium fortunei J. Sm.
Datura stramonium L. subsp. *stramonium*
Deutzia scabra Thunb.
Dichanthelium acuminatum (Sw.) Gould & C.A. Clark
Digitaria ciliaris (Retz.) Koeler
Diospyros lotus L.
Dipsacus laciniatus L.
Echinochloa hispidula (Retz.) Nees ex Royle
Echinochloa muricata (P.Beauv.) Fernald subsp. *microstachya* (Wiegand) Jauzein
Echinochloa oryzicola (Vasing.) Vasing.
Echinochloa oryzoides (Ard.) Fritsch
Egeria densa Planch.
Elatine ambigua Wight
Eleocharis atropurpurea (Retz.) C. Presl
Eleocharis flavescens (Poir.) Urb.
Eleocharis obtusa (Willd.) Schult.
Eleusine indica (L.) Gaertn. subsp. *africana* (Kennedy-O'Byrne) S.M. Philips
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Elodea nuttallii (Planch.) H. St.John
Eragrostis frankii C.A. Mey. ex Steud.
Eragrostis mexicana (Hornem.) Link subsp. *virescens* (J. Presl) S.D. Koch & Sánchez Vega
Eragrostis pectinacea (Michx.) Nees
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Erysimum cheiri (L.) Crantz
Euphorbia lathyris L.
Fallopia baldschuanica (Regel) Holub
Fallopia japonica (Houtt.) Ronse Decr.
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Geranium sibiricum L.
Gleditsia triacanthos L.
Gnaphalium pennsylvanicum Willd.
Helianthus tuberosus L.
Hemerocallis fulva (L.) L.
Heteranthera limosa Willd.
Heteranthera reniformis Ruiz & Pav.
Heteranthera rotundifolia (Kunth) Griseb.
Humulus japonicus Siebold & Zucc.
Hypericum mutilum L.
Impatiens balfourii Hook. f.
Impatiens glandulifera Royle
Impatiens parviflora DC.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Jasminum mesnyi Hance
Lagarosiphon major (Ridl.) Moss
Lemna aequinoctialis Welw.
Lemna minuta Kunth
Lepidium densiflorum Schrad.

- Lepidium virginicum* L.
Leptochloa fusca (L.) Kunth subsp. *fascicularis* (Lam.) N. Snow
Leycesteria formosa Wall.
Lindernia anagallidea (Michx.) Pennell
Lindernia dubia (L.) Pennell
Lonicera japonica Thunb.
Ludwigia uruguayensis (Camb.) Hara
Matricaria chamomilla L.
Matricaria discoidea DC.
Mazus miquelii Makino
Medicago laciniata (L.) Mill. subsp. *laciniata*
Melissa officinalis L. subsp. *officinalis*
Mentha x piperita L.
Mespilus germanica L.
Mimulus guttatus DC.
Mollugo cerviana (L.) Ser.
Mollugo verticillata L.
Morus alba L.
Muhlenbergia schreberi J.F. Gmel.
Najas graminea Delile
Narcissus jonquilla L.
Nelumbo nucifera Gaertn.
Oenanthe javanica DC.
Oenothera chicaginesis Renner ex R.E. Cleland & Blakeslee
Oenothera fallacoides Soldano & Rostanski
Oenothera glazioviana Micheli
Oenothera oehlkersi Kappus ex Rostanski
Oenothera roylfraseri R.R. Gates
Oenothera sesitensis Soldano
Oenothera suaveolens Desf. ex Pers.
Opuntia humifusa (Raf.) Raf.
Opuntia tuna (L.) Mill.
Oryza sativa L.
Ottelia alismoides (L.) Pers.
Oxalis articulata Savigny
Oxalis debilis Kunth
Oxalis latifolia Kunth
Oxalis stricta L.
Oxybaphus nyctagineus (Michx.) Sweet
Panicum capillare L.
Panicum dichotomiflorum Michx.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Paulownia tomentosa (Thunb.) Steud.
Persicaria nepalensis (Meisn.) H. Gross
Persicaria pensylvanica (L.) M. Gómez
Phacelia tanacetifolia Benth.
Phedimus spurius (M.Bieb.) 't Hart in 't Hart & Egli
Philadelphus coronarius L.
Phyllostachys aurea (Carrière) A.Rivière & C.Rivière
Phyllostachys sulphurea (Carrière) Rivière & C. Rivière
Phyllostachys viridiglauescens (Carrière) A.Rivière & C.Rivière
Physocarpus opulifolius (L.) Maxim.
Phytolacca americana L.
Platanus hispanica Mill. ex Münchh.
Polanisia trachysperma Torr. & A. Gray
Pontederia cordata L.
Populus canadensis Moench
Potentilla indica (Jacks.) Th. Wolf
Potentilla intermedia L.
Prunus cerasifera Ehrh.
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus serotina Ehrh.
Pseudolysimachion maritimum (L.) Á. & D. Löve
Pseudosasa japonica (Steud.) Makino ex Nakai
Pueraria lobata (Willd.) Ohwi
Pyrus communis L.
Quercus rubra L.
Robinia pseudacacia L.
Rorippa austriaca (Crantz) Besser
Rosa multiflora Thunb.
Rotala densiflora (Roem. & Schult.) Koehne
Rotala filiformis (Bellardi) Hiern
Rotala indica (Willd.) Koehne
Rotala ramosior (L.) Koehne
Rubus laciniatus Willd.
Rubus phoenicolasius Maxim.
Rudbeckia laciniata L.
Rumex cristatus DC. subsp. *kernerii* (Borbás) Akeroyd & D.A. Webb
Sagittaria latifolia Willd.
Sagittaria platyphylla (Engelm.) J.G. Sm.
Saururus cernuus L.
Sedum sarmentosum Bunge
Senecio inaequidens DC.
Setaria faberi F. Herm.
Sicyos angulatus L.
Sisymbrium orientale L. subsp. *orientale*
Sisyrinchium angustifolium Mill.
Solanum carolinense L.
Solanum chenopodioides Lam.
Solidago canadensis L.
Solidago gigantea Aiton subsp. *serotina* (Kuntze) McNeill
Sorbaria sorbifolia (L.) A. Braun
Sorghum halepense (L.) Pers.
Spiraea japonica L.
Spiraea salicifolia L.
Spirodela oligorrhiza (Kurz) Hegelm.
Sporobolus indicus (L.) R. Br.
Sporobolus neglectus Nash
Sporobolus vaginiflorus (Torr.) Wood
Symphyotrichum lanceolatum (Willd.) G.L.Nesom
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum salignum (Willd.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Syringa vulgaris L.
Tanacetum parthenium (L.) Sch. Bip.
Trachycarpus fortunei (Hook.) H. Wendl.
Tradescantia fluminensis Velloso
Tulipa praecox Ten.
Ulmus pumila L.
Veronica filiformis Sm.
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vicia pseudocracca Bertol.
Vicia sativa L. subsp. *sativa*
Vitis riparia Michx.
Wisteria sinensis (Sims) Sweet
Wolffia arrhiza (L.) Horkel ex Wimm.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium orientale L. subsp. *orientale*
Xanthium spinosum L.
Yucca aloifolia L.
Yucca gloriosa L.

MARCHE

Exclusive units*Moehringia papulosa* Bertol.*Nepeta italica* L.*Polygala pisaurensis* Caldesi

+

0

+

Endemic units*Achillea barrelieri* Ten. subsp. *barrelieri**Achillea barrelieri* Ten. subsp. *mucronulata* (Bertol.)

Heimerl

Achillea tenorii Grande*Adenocarpus samniticus* Brullo, De Marco & Siracusa*Adonis distorta* Ten.*Ajuga tenorei* C. Presl*Androsace vitaliana* (L.) Lapeyr. subsp. *praetutiana* (Sünd.)

Kress

Arabis collina Ten. subsp. *rosea* (DC.) Minuto*Arenaria bertolonii* Fiori*Armeria majellensis* Boiss. subsp. *ausonia* Bianchini*Armeria majellensis* Boiss. subsp. *majellensis**Artemisia caerulescens* L. subsp. *cretacea* (Fiori) Brilli-Catt.

& Gubellini

Asperula neglecta Guss.*Astrantia pauciflora* Bertol. subsp. *tenorei* (Mariotti) Bechi

& Garbari

Avenula praetutiana (Parl. ex Arcang.) Pignatti*Bunium petraeum* Ten.*Campanula micrantha* Bertol.*Campanula scheuchzeri* Vill. subsp. *pseudostenocodon*

(Lacaita) Bernardo, Gargano & Peruzzi

Campanula tanfanii Podlech*Cardamine apennina* Lihová & Marhold*Cardamine monteluccii* Brilli-Catt. & Gubellini*Carduus affinis* Guss. subsp. *affinis**Carduus micropterus* (Borbás) Teyber subsp. *perspinosus*

(Fiori) Kazmi

Carum flexuosum (Ten.) Nyman*Centaurea ambigua* Guss. subsp. *ambigua**Centaurea ambigua* Guss. subsp. *nigra* (Fiori) Pignatti*Centaurea arrigonii* Greuter*Centaurea nigrescens* Willd. subsp. *neapolitana* (Boiss.)

Dostál

Centaurea rupestris L. subsp. *ceratophylla* (Ten.) Gugler*Cerastium scaranii* Ten.*Cerastium tomentosum* L.*Chaerophyllum hirsutum* L. subsp. *magellense* (Ten.)

Pignatti

Cirsium tenoreanum Petr.*Crepis lacera* Ten.*Cynoglossum magellense* Ten.*Dianthus carthusianorum* L. subsp. *tenorei* (Lacaita) Pignatti*Digitalis lutea* L. subsp. *australis* (Ten.) Arcang.*Echinops ritro* L. subsp. *siculus* (Strobl) Greuter*Epipactis helleborine* (L.) Crantz subsp. *latina* W. Rossi &

E. Klein

Epipactis placentina Bongiorno & Grünanger*Erodium alpinum* L'Hér.*Erysimum pseudorhaeticum* Polatschek*Euphorbia gasparrinii* Boiss. subsp. *samnitica* (Fiori)

Pignatti

Festuca centro-apenninica (Markgr.-Dann.) Foggi, F. Conti

& Pignatti

Festuca inops De Not.*Festuca violacea* Schleich. ex Gaudin subsp. *italica* Foggi,

Graz. Rossi & Signorini

Galium magellense Ten.*Genista michelii* Spach*Gentianella columnae* (Ten.) Holub*Geranium austroapenninum* Aedo*Helleborus bocconeii* Ten. subsp. *bocconeii**Hieracium grovesianum* Arv.-Touv. ex Belli (*racemosum* = *murorum*)*Iris marsica* I. Ricci & Colas.*Laserpitium siler* L. subsp. *siculum* (Spreng.) Santangelo, F. Conti & Gubellini*Leontodon montanus* Lam. subsp. *breviscapus* (DC.) Cavara & Grande*Leucanthemum coronopifolium* Vill. subsp. *tenuifolium*

(Guss.) Vogt & Greuter

Linaria purpurea (L.) Mill.*Lomelosia crenata* (Cirillo) Greuter & Burdet subsp.*pseudisetensis* (Lacaita) Greuter & Burdet*Melampyrum italicum* Soó*Melampyrum variegatum* Huter, Porta & Rigo*Moehringia papulosa* Bertol.*Myosotis ambigens* (Bég.) Grau*Myosotis decumbens* Host subsp. *florentina* Grau*Ononis cristata* Mill. subsp. *apennina* Tammara & Catonica*Ononis masquillierii* Bertol.*Ononis oligophylla* Ten.*Onosma echioides* (L.) L.*Ophrys crabronifera* Mauri*Ophrys fuciflora* (F.W. Schmidt) Moench subsp. *apulica* O. & E. Danesch*Ophrys sphegodes* Mill. subsp. *majellensis* Helga & Herm. Deiss*Ornithogalum etruscum* Parl.*Oxytropis pilosa* (L.) DC. subsp. *caputoi* (Moraldo & La

Valva) Brilli-Catt., Di Massimo & Gubellini

Paeonia officinalis L. subsp. *italica* N.G. Passal. & Bernardo*Pedicularis elegans* Ten.*Polygala flavescens* DC.*Polygala pisaurensis* Caldesi*Potentilla rigoana* Th. Wolf*Pulmonaria apennina* Cristof. & Puppi*Ranunculus apenninus* (Chiov.) Pignatti*Ranunculus magellensis* Ten.*Ranunculus pollinensis* (N. Terracc.) Chiov.*Rhinanthus wettsteinii* (Sterneck) Soó*Robertia taraxacoides* (Loisel.) DC.*Saxifraga exarata* Vill. subsp. *ampullacea* (Ten.) D.A. Webb*Saxifraga italica* D.A. Webb*Saxifraga oppositifolia* L. subsp. *speciosa* (Dörf. & Hayek) Engl. & Irmsh.*Saxifraga porophylla* Bertol. subsp. *porophylla**Scabiosa uniseta* Savi*Sedum magellense* Ten. subsp. *magellense**Sempervivum riccii* Iberite & Anzal.*Senecio apenninus* Tausch*Sesleria italica* (Pamp.) Ujhelyi*Sesleria nitida* Ten.*Sideritis italica* (Mill.) Greuter & Burdet*Silene cattariniana* Ferrarini & Cecchi*Silene notarisii* Ces.*Silene roemerii* Friv. subsp. *staminea* (Bertol.) Nyman*Solenanthus apenninus* (L.) Fisch. & C.A. Mey.*Stachys alopecuros* (L.) Benth. subsp. *divulsa* (Ten.) Grande*Stipa dasyvaginata* Martinovský subsp. *apenninicola*

Martinovský & Moraldo

Tephrosia italica Holub*Thlaspi stylosum* (Ten.) Mutel*Thlaspi torreanum* (Ten.) Greuter & Burdet*Verbascum niveum* Ten. subsp. *garganicum* (Ten.) Murb.*Viola eugeniae* Parl. subsp. *eugeniae**Viola magellensis* Porta & Rigo ex Strobl

Protected units

-

Alien units

- Abutilon theophrasti* Medik.
Acanthus mollis L. subsp. *mollis*
Acer negundo L.
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Alcea biennis Winterl subsp. *biennis*
Alcea rosea L.
Alcea setosa (Boiss.) Alef.
Allium cepa L.
Allium neapolitanum Cirillo
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus hypochondriacus L.
Amaranthus polygonoides L.
Amaranthus retroflexus L.
Amaranthus tricolor L.
Ambrosia artemisiifolia L.
Ambrosia coronopifolia Torr. & A. Gray
Amorpha fruticosa L.
Anemone coronaria L.
Anethum graveolens L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Antirrhinum majus L. subsp. *tortuosum* (Bosc. ex Lam.) Rouy
Apium graveolens L.
Artemisia absinthium L.
Artemisia verlotiorum Lamotte
Artemisia vulgaris L.
Arundo donax L.
Asparagus officinalis L.
Atriplex halimus L.
Atriplex hortensis L.
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Beta vulgaris L. subsp. *vulgaris*
Bidens connata Muhl. ex Willd.
Bidens frondosa L.
Bidens subalternans DC.
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Calendula officinalis L.
Capparis spinosa L. subsp. *rupestris* (Sm.) Nyman
Carpobrotus acinaciformis (L.) L. Bolus
Cenchrus incertus Curtis
Ceratochloa cathartica (Vahl) Herter
Ceratostigma plumbaginoides Bunge
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Cichorium endivia L. s.l.
Cirsium alpis-lunae Brilli-Catt. & Gubellini
Consolida ajacis (L.) Schur
Coronopus didymus (L.) Sm.
Cuscuta campestris Yunck.
Cuscuta suaveolens Ser.
Cycloloma atriplicifolium (Spreng.) J.M. Coult.
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *cardunculus*
Cyperus eragrostis Lam.
Cyperus glomeratus L.
Cyrtomium falcatum (L. f.) C. Presl
Datura stramonium L. subsp. *stramonium*
Diospyros lotus L.
Elaeagnus angustifolia L.
Eleusine indica (L.) Gaertn. subsp. *indica*
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron sumatrensis Retz.
Eruca vesicaria (L.) Cav.
Erysimum cheiri (L.) Crantz
Euonymus japonicus L. f.
Euphorbia lathyris L.
Euphorbia marginata Pursh
Fallopia baldschuanica (Regel) Holub
Ferula communis L.
Fragaria virginiana Duchesne
Galinsoga ciliata (Raf.) S.F. Blake
Glebionis coronaria (L.) Spach
Gleditsia triacanthos L.
Goodyera repens (L.) R. Br.
Guizotia abyssinica (L. f.) Cass.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hemerocallis fulva (L.) L.
Hermodactylus tuberosus (L.) Mill.
Hibiscus syriacus L.
Honorius nutans S.F. Gray
Hypericum calycinum L.
Hyssopus officinalis L. subsp. *officinalis*
Impatiens baldfourii Hook. f.
Inula helenium L.
Ipomoea purpurea (L.) Roth
Iris foetidissima L.
Iris germanica L.
Iris pallida Lam.
Iris xiphium L.
Isatis tinctoria L. subsp. *tinctoria*
Jasminum officinale L.
Juglans regia L.
Lepidium virginicum L.
Ligustrum lucidum Aiton
Lonicera japonica Thunb.
Maclura pomifera (Raf.) C.K. Schneid.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Matricaria discoidea DC.
Medicago arborea L.
Medicago sativa L.
Melissa officinalis L. subsp. *officinalis*
Mentha x piperita L.
Mespilus germanica L.
Mirabilis jalapa L.
Morus alba L.
Muscari tenuiflorum Tausch
Myagrurn perfoliatum L.
Narcissus incomparabilis Mill.

- Narcissus medioluteus* Mill.
Narcissus pseudonarcissus L.
Nectaroscilla hyacinthoides (L.) Parl.
Nuphar lutea (L.) Sm.
Nymphaea alba L.
Oenothera adriatica Soldano
Oenothera biennis L.
Oenothera glazioviana Micheli
Oenothera oakesiana (A. Gray) Robbins ex S. Watson & J.M. Coult.
Oenothera suaveolens Desf. ex Pers.
Olea europaea L.
Onobrychis viciifolia Scop.
Oxalis articulata Savigny
Oxalis debilis Kunth
Oxalis latifolia Kunth
Oxalis pes-caprae L.
Oxalis stricta L.
Paliurus spina-christi Mill.
Panicum capillare L.
Panicum dichotomiflorum Michx.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Pennisetum villosum R. Br.
Persicaria orientalis (L.) Spach
Petasites fragrans (Vill.) C. Presl
Petroselinum crispum (Mill.) Fuss
Phalaris canariensis L.
Phytolacca americana L.
Pinus nigra J.F. Arnold subsp. *nigra*
Pittosporum tobira (Thunb.) W.T. Aiton
Platanus hispanica Mill. ex Münchh.
Populus canadensis Moench
Potentilla indica (Jacks.) Th. Wolf
Prunus avium L. subsp. *avium*
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Prunus persica (L.) Batsch
Punica granatum L.
Pyrus communis L.
Rhus coriaria L.
Rhus typhina L.
Robinia pseudacacia L.
Rosa dumalis Bechst.
Rubia tinctorum L.
Ruta graveolens L.
Salpichroa origanifolia (Lam.) Thell.
Salvia officinalis L.
Salvia sclarea L.
Sedum sediforme (Jacq.) Pau
Senecio inaequidens DC.
Setaria italica (L.) P. Beauv.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Solanum lycopersicum L.
Solidago gigantea Aiton subsp. *serotina* (Kuntze) McNeill
Sorghum halepense (L.) Pers.
Sternbergia lutea (L.) Ker Gawl. ex Spreng.
Sulla coronaria (L.) Medik.
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Symphytum officinale L. subsp. *officinale*
Symphytum orientale L.
Syringa vulgaris L.
Tamarix africana Poir.
Tamarix dalmatica Baum
Tamarix gallica L.
Tanacetum balsamita L.
Tanacetum parthenium (L.) Sch. Bip.
Trifolium alexandrinum L.
Trifolium hybridum L. subsp. *hybridum*
Trifolium incarnatum L. subsp. *incarnatum*
Trifolium pratense L. subsp. *sativum* (Schreb.) Schübl. & G.Martens
Tulipa agenensis DC.
Tulipa clusiana DC.
Tulipa praecox Ten.
Ulmus laevis Pall.
Veronica peregrina L. subsp. *peregrina*
Veronica persica Poir.
Vicia ervilia (L.) Willd.
Vicia sativa L. subsp. *sativa*
Vinca major L. subsp. *major*
Vitis labrusca L.
Vitis vinifera L. subsp. *vinifera*
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Yucca gloriosa L.
Ziziphora capitata L. subsp. *capitata*

MOLISE

Exclusive units

-

Endemic units

Acer cappadocicum Gled. subsp. *lobelii* (Ten.) Murray
Achillea barrelieri Ten. subsp. *barrelieri*
Achillea barrelieri Ten. subsp. *mucronulata* (Bertol.) Heimerl
Achillea tenorii Grande
Aquilegia magellensis F. Conti & Soldano
Arabis collina Ten. subsp. *rosea* (DC.) Minuto
Arenaria bertolonii Fiori
Armeria majellensis Boiss. subsp. *ausonia* Bianchini
Armeria majellensis Boiss. subsp. *majellensis*
Artemisia campestris L. subsp. *variabilis* (Ten.) Greuter
Asperula neglecta Guss.
Astrantia pauciflora Bertol. subsp. *tenorei* (Mariotti) Bechi & Garbari
Aubrieta columnae Guss. subsp. *columnae*
Avenula praetutiana (Parl. ex Arcang.) Pignatti
Bunium petraeum Ten.
Bupleurum rollii (Monteluc.) Moraldo
Campanula fragilis Cirillo subsp. *cavolinii* (Ten.) Damboldt
Campanula micrantha Bertol.
Campanula tanfani Podlech
Carduus affinis Guss. subsp. *affinis*
Carduus corymbosus Ten.
Carduus micropterus (Borbás) Teyber subsp. *perspinosus* (Fiori) Kazmi
Carum flexuosum (Ten.) Nyman
Centaurea ambigua Guss. subsp. *ambigua*
Centaurea ambigua Guss. subsp. *nigra* (Fiori) Pignatti
Centaurea centauroides L.
Centaurea nigrescens Willd. subsp. *neapolitana* (Boiss.) Dostál
Cerastium lacaitae Barberis, Bechi & Miceli
Cerastium scaranii Ten.
Cerastium tomentosum L.
Cirsium lobelii Ten.
Cirsium tenoreanum Petr.
Crepis lacera Ten.
Cymbalaria glutinosa Bigazzi & Raffaelli subsp. *glutinosa*
Cymbalaria pallida (Ten.) Wettst.
Dianthus carthusianorum L. subsp. *tenorei* (Lacaita) Pignatti
Dianthus vulturius Guss. & Ten. subsp. *vulturius*
Digitalis lutea L. subsp. *australis* (Ten.) Arcang.
Echinops ritro L. subsp. *siculum* (Strobl) Greuter
Erysimum majellense Polatschek
Erysimum pseudorhaeticum Polatschek
Euphorbia corallioides L.
Euphorbia gasparrinii Boiss. subsp. *samnitica* (Fiori) Pignatti
Festuca inops De Not.
Festuca violacea Schleich. ex Gaudin subsp. *italica* Foggi, Graz. Rossi & Signorini
Galium magellense Ten.
Genista aetnensis (Biv.) DC.
Gentianella columnae (Ten.) Holub
Geranium austroapenninum Aedo
Helleborus boccone Ten. subsp. *boccone*
Hieracium calabrum Nägeli & Peter (*piloselloides* - *pseudopilosella*)
Iris relicta Colas.
Klasea flavescens (L.) Holub subsp. *cichoracea* (L.) Greuter & Wagenitz
Laserpitium siler L. subsp. *siculum* (Spreng.) Santangelo, F. Conti & Gubellini

Lathyrus jordanii Ten.
Lathyrus odoratus L.
Leucanthemum coronopifolium Vill. subsp. *tenuifolium* (Guss.) Vogt & Greuter
Leucanthemum tridactylites (Kern. & Huter) Huter, Porta & Rigo
Ligusticum lucidum Mill. subsp. *cuneifolium* (Guss.) Tammaro
Linaria purpurea (L.) Mill.
Lomelosia crenata (Cirillo) Greuter & Burdet subsp. *pseudisetensis* (Lacaita) Greuter & Burdet
Melampyrum italicum Soó
Melampyrum variegatum Huter, Porta & Rigo
Micromeria canescens (Guss.) Benth.
Micromeria graeca (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman
Minuartia graminifolia (Ard.) Jáv. subsp. *rosani* (Ten.) Mattf.
Myosotis ambigens (Bég.) Grau
Myosotis decumbens Host subsp. *florentina* Grau
Ononis oligophylla Ten.
Onosma echioides (L.) L.
Ophrys crabronifera Mauri
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson
Ophrys sphegodes Mill. subsp. *majellensis* Helga & Herm. Deiss
Ornithogalum etruscum Parl.
Ornithogalum exscapum Ten.
Pedicularis elegans Ten.
Polygala apiculata Porta
Polygala flavescens DC.
Potentilla rigoana Th. Wolf
Pulmonaria apennina Cristof. & Puppi
Ranunculus apenninus (Chiov.) Pignatti
Ranunculus magellensis Ten.
Ranunculus pollinensis (N. Terracc.) Chiov.
Rhinanthus wettsteinii (Sterneck) Soó
Robertia taraxacoides (Loisel.) DC.
Salvia haematodes L.
Saxifraga exarata Vill. subsp. *ampullacea* (Ten.) D.A. Webb
Saxifraga italica D.A. Webb
Saxifraga porophylla Bertol. subsp. *porophylla*
Scabiosa holosericea Bertol.
Scabiosa uniseta Savi
Sedum magellense Ten. subsp. *magellense*
Sempervivum riccii Iberite & Anzal.
Senecio apenninus Tausch
Senecio stabianus Lacaita
Sesleria nitida Ten.
Sideritis italica (Mill.) Greuter & Burdet
Solenanthus apenninus (L.) Fisch. & C.A. Mey.
Stachys alopecuros (L.) Benth. subsp. *divulsa* (Ten.) Grande
Stipa austroitalica Martinovský subsp. *frentana* Moraldo & Ricceri
Stipa dasyvaginata Martinovský subsp. *apenninicola* Martinovský & Moraldo
Taraxacum glaciale E. & A. Huet ex Hand.-Mazz.
Thlaspi stylosum (Ten.) Mutel
Thlaspi torreanum (Ten.) Greuter & Burdet
Thymus spinulosus Ten.
Tragopogon eriospermus Ten.
Tragopogon porrifolius L. subsp. *cupani* (Guss. ex DC.) I. Richardson
Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti
Trisetaria villosa (Bertol.) Banfi & Soldano
Verbascum argenteum Ten.
Verbascum niveum Ten. subsp. *garganicum* (Ten.) Murb.

Verbascum niveum Ten. subsp. *niveum*
Viola aethnensis (DC.) Strobl subsp. *splendida* (W. Becker)
 Merxm. & Lippert
Viola eugeniae Parl. subsp. *eugeniae*
Viola pseudogracilis Strobl subsp. *cassinensis* (Strobl)
 Merxm. & A.F.W. Schmidt
Viola pseudogracilis Strobl subsp. *pseudogracilis*

Protected units

Abies alba Mill.
Acanthus spinosus L.
Achillea collina Becker ex Rchb.
Achillea millefolium L. s.l.
Adonis aestivalis L. s.l.
Adonis flammea Jacq. s.l.
Aeluropus littoralis (Gouan) Parl.
Alchemilla alpigena Buser ex Hegi
Alchemilla coriacea Buser
Alchemilla straminea Buser
Alkanna tinctoria Tausch subsp. *tinctoria*
Allium cupanii Raf. subsp. *cupanii*
Allium flavum L. subsp. *flavum*
Allium moschatum L.
Allium saxatile M. Bieb. subsp. *tergestinum* (Gand.) Bedalov
 & Lovric
Alopecurus aequalis Sobol.
Alopecurus bulbosus Gouan
Alopecurus geniculatus L.
Althaea officinalis L.
Alyssoides utriculata (L.) Medik.
Ambrosia maritima L.
Androsace villosa L. subsp. *villosa*
Anemone apennina L. subsp. *apennina*
Anemone coronaria L.
Anemone hortensis L. subsp. *hortensis*
Anemone ranunculoides L.
Anogramma leptophylla (L.) Link
Anthriscus cerefolium (L.) Hoffm.
Anthriscus nitida (Wahlenb.) Garcke
Anthyllis montana L. subsp. *atropurpurea* (Vuk.) Pignatti
Apium inundatum (L.) Rchb. f.
Arabis surculosa N. Terracc.
Arbutus unedo L.
Arctostaphylos uva-ursi (L.) Spreng.
Arisarum vulgare Targ. Tozz.
Artemisia arborescens L.
Artemisia caerulea L. subsp. *caerulea*
Arum cylindraceum Gasp.
Asparagus officinalis L.
Asphodeline liburnica (Scop.) Rchb.
Asphodeline lutea (L.) Rchb.
Asplenium trichomanes L. subsp. *pachyrachis* (Christ) Lovis
 & Reichst.
Asplenium viride Huds.
Astragalus vesicarius L. subsp. *vesicarius*
Astrantia major L. subsp. *major*
Astrantia pauciflora Bertol. subsp. *tenorei* (Mariotti) Bechi
 & Garbari
Athamanta macedonica (L.) Spreng. subsp. *macedonica*
Athamanta sicula L.
Atriplex portulacoides L.
Aubrieta columnae Guss. subsp. *columnae*
Berberis vulgaris L. s.l.
Betula pendula Roth
Biscutella cichoriifolia Loisel.
Blechnum spicant (L.) Roth
Brassica gravinae Ten.

Caltha palustris L.
Campanula bononiensis L.
Campanula cochleariifolia Lam.
Campanula fragilis Cirillo subsp. *cavolinii* (Ten.) Damboldt
Campanula latifolia L.
Campanula micrantha Bertol.
Capparis spinosa L. s.l.
Carduus chrysacanthus Ten. subsp. *chrysacanthus*
Carex acuta L.
Carex acutiformis Ehrh.
Carex depauperata Curtis ex With.
Carex digitata L.
Carex divisa Huds.
Carex extensa Gooden.
Carex hispida Willd.
Carex liparocarpos Gaudin subsp. *liparocarpos*
Carex olbiensis Jord.
Carex ornithopodioides Hausm.
Carex paniculata L. subsp. *paniculata*
Carex pilosa Scop.
Carex pseudocyperus L.
Carex riparia Curtis
Carex vesicaria L.
Carlina acanthifolia All. subsp. *acanthifolia*
Centaurea melitensis L.
Centaurea rupestris L. subsp. *rupestris*
Cerastium cerastoides (L.) Britton
Cerastium sylvaticum Waldst. & Kit.
Chenopodium bonus-henricus L.
Cichorium intybus L. s.l.
Cirsium palustre (L.) Scop.
Cladium mariscus (L.) Pohl
Clypeola jonthlaspi L. s.l.
Colchicum bivonae Guss.
Colchicum cupanii Guss.
Conopodium capillifolium (Guss.) Boiss.
Convallaria majalis L.
Convolvulus elegantissimus Mill.
Convolvulus pentapetaloides L.
Corallorhiza trifida Châtel.
Coronilla valentina L.
Corydalis pumila (Host) Rchb.
Crepis biennis L.
Crithmum maritimum L.
Crocus biflorus Mill.
Crypsis alopecuroides (Piller & Mitterp.) Schrad.
Cucubalus baccifer L.
Cyclamen hederifolium Aiton s.l.
Cyclamen repandum Sm. subsp. *repandum*
Cymbalaria glutinosa Bigazzi & Raffaelli s.l.
Cymbalaria pallida (Ten.) Wettst.
Cynoglossum cheirifolium L. subsp. *cheirifolium*
Cynosurus effusus Link
Cytinus hypocistis (L.) L.
Dactylorhiza incarnata (L.) Soó subsp. *incarnata*
Daphne alpina L. subsp. *alpina*
Daphne sericea Vahl
Dianthus ciliatus Guss. subsp. *ciliatus*
Dracunculus vulgaris Schott
Dryopteris villarii (Bellardi) Woyn. ex Thell. subsp. *villarii*
Echinophora spinosa L.
Eleocharis uniglumis (Link) Schult. subsp. *uniglumis*
Epipactis baumanniorum Soldano & F. Conti
Epipactis muelleri Godfery
Epipactis palustris (L.) Crantz
Epipogium aphyllum Sw.
Equisetum fluviatile L.

- Eragrostis pilosa* (L.) P. Beauv.
Erica multiflora L.
Erigeron atticus Vill.
Eryngium campestre L.
Erysimum majellense Polatschek
Euonymus verrucosus Scop.
Euphorbia corallioidea L.
Euphorbia gasparrinii Boiss. subsp. *samnitica* (Fiori) Pignatti
Euphorbia palustris L.
Euphorbia paralias L.
Euphorbia terracina L.
Euphrasia italica Wettst.
Euphrasia liburnica Wettst.
Euphrasia minima Jacq. ex DC.
Euphrasia salisburgensis Funck ex Hoppe
Euphrasia stricta D. Wolff ex J.F. Lehm.
Ferula glauca L.
Filipendula ulmaria (L.) Maxim.
Foeniculum vulgare Mill.
Fragaria vesca L. subsp. *vesca*
Fraxinus angustifolia Vahl subsp. *oxycarpa* (Willd.) Franco & Rocha Afonso
Fritillaria montana Hoppe ex Koch
Fumana arabica (L.) Spach
Fumana ericoides (Cav.) Gand.
Fumaria petteri Rchb. subsp. *petteri*
Gagea foliosa (J. & C. Presl) Schult. & Schult. f.
Gagea fragifera (Vill.) Ehrh. Bayer & G. López
Gagea granatellii (Parl.) Parl.
Galium glaucum L.
Galium scabrum L.
Genista sagittalis L.
Gentiana dinarica Beck
Gentiana lutea L. subsp. *lutea*
Gentiana verna L. s.l.
Geranium asphodeloides Burm. f. subsp. *asphodeloides*
Geranium austroapenninum Aedo
Geranium macrorrhizum L.
Geranium reflexum L.
Gladiolus communis L. subsp. *byzantinus* (Mill.) A.P. Ham.
Gladiolus dubius Guss.
Glycyrrhiza glabra L.
Gnaphalium uliginosum L. subsp. *uliginosum*
Groenlandia densa (L.) Fourr.
Gymnocarpium dryopteris (L.) Newman
Helianthemum apenninum (L.) Mill. subsp. *apenninum*
Helianthemum jonium Lacaita
Hesperis matronalis L. subsp. *matronalis*
Holosteum umbellatum L. subsp. *umbellatum*
Hypericum hircinum L. s.l.
Hypericum hyssopifolium Chaix
Hyssopus officinalis L. subsp. *aristatus* (Godr.) Nyman
Iberis umbellata L.
Ilex aquifolium L.
Impatiens noli-tangere L.
Inula helenium L.
Iris foetidissima L.
Iris germanica L.
Iris lorea Janka
Iris pseudacorus L.
Iris pseudopumila Tineo
Isoetes duriei Bory
Isolepis cernua (Vahl) Roem. & Schult.
Juncus ambiguus Guss.
Juncus littoralis C.A. Mey.
Juncus maritimus Lam.
Juniperus communis L.
Jurinea mollis (L.) Rchb. subsp. *mollis*
Kernera saxatilis (L.) Sweet subsp. *saxatilis*
Laburnum alpinum (Mill.) Bercht. & J. Presl
Lamium purpureum L.
Lathyrus odoratus L.
Lathyrus pannonicus (Jacq.) Garcke subsp. *asphodeloides* (Gouan) Bässler
Lemna gibba L.
Ligusticum lucidum Mill. subsp. *cuneifolium* (Guss.) Tammaro
Lilium bulbiferum L. s.l.
Lilium candidum L.
Lilium martagon L.
Limonium narbonense Mill.
Linaria chalepensis (L.) Mill.
Linaria pelisseriana (L.) Mill.
Linaria simplex (Willd.) DC.
Linum austriacum L. subsp. *tommasinii* (Rchb.) Greuter & Burdet
Lomelosia crenata (Cirillo) Greuter & Burdet subsp. *pseudisetensis* (Lacaita) Greuter & Burdet
Lomelosia graminifolia (L.) Greuter & Burdet subsp. *graminifolia*
Malcolmia ramosissima (Desf.) Gennari
Malus florentina (Zuccagni) C.K. Schneid.
Medicago disciformis DC.
Medicago tenoreana DC.
Melampyrum variegatum Huter, Porta & Rigo
Menyanthes trifoliata L.
Mercurialis ovata Sternb. & Hoppe
Minuartia graminifolia (Ard.) Jáv. subsp. *graminifolia*
Montia fontana L. s.l.
Myosotis nemorosa Besser
Myosotis scorpioides L. subsp. *scorpioides*
Myosurus minimus L.
Myriophyllum verticillatum L.
Myrtus communis L. s.l.
Narcissus poeticus L.
Narcissus tazetta L. s.l.
Nigritella widderi Teppner & E. Klein
Oenanthe fistulosa L.
Oenanthe lachenalii C.C. Gmel.
Ononis oligophylla Ten.
Ophioglossum vulgatum L.
Ophrys crabronifera Mauri
Ophrys insectifera L.
Ophrys lacaitae Lojac.
Orchis laxiflora Lam.
Orchis palustris Jacq.
Orchis simia Lam.
Origanum vulgare L. s.l.
Orobanche flava Mart. ex F.W. Schultz
Orobanche lutea Baumg.
Orobanche pubescens d'Urv.
Orobanche sanguinea C. Presl
Orobanche variegata Wallr.
Otanthus maritimus (L.) Hoffmanns. & Link subsp. *maritimus*
Pancratium maritimum L.
Pedicularis hoermanniana K. Malý
Persicaria amphibia (L.) Delarbre
Peucedanum officinale L. subsp. *officinale*
Peucedanum schottii Besser ex DC.
Phagnalon rupestre (L.) DC. subsp. *annoticum* (Jord. ex Burnat) Pignatti

- Phagnalon rupestre* (L.) DC. subsp. *illyricum* (H. Lindb.) Ginzb.
Phalaris arundinacea L. subsp. *arundinacea*
Phyteuma hemisphaericum L.
Piptatherum virescens (Trin.) Boiss.
Pistacia lentiscus L.
Plantago crassifolia Forssk.
Plantago maritima L. subsp. *serpentina* (All.) Arcang.
Polycarpon tetraphyllum (L.) L. subsp. *alsinifolium* (Biv.) Ball
Polycnemum arvense L.
Polygala chamaebuxus L.
Polygala monspeliaca L.
Potamogeton pusillus L.
Potentilla apennina Ten. subsp. *apennina*
Potentilla brauneana Hoppe
Primula auricula L. subsp. *ciliata* (Moretti) Lüdi
Primula vulgaris Huds. subsp. *vulgaris*
Pseudofumaria alba (Mill.) Lidén subsp. *alba*
Pseudohysimachion barrelieri (Schott ex Roem. & Schult.) Holub subsp. *barrelieri*
Pseudorchis albida (L.) A. & D. Love
Puccinellia convoluta (Hornem.) Hayek
Puccinellia festuciformis (Host) Parl.
Quercus robur L. subsp. *robur*
Ranunculus acris L. subsp. *acris*
Ranunculus apenninus (Chiov.) Pignatti
Ranunculus flammula L.
Ranunculus lingua L.
Ranunculus ophioglossifolius Vill.
Ranunculus serpens Schrank s.l.
Ranunculus thora L.
Rhinanthus ovifugus Chabert
Rhynchocorys elephas (L.) Griseb.
Ribes alpinum L.
Ribes multiflorum Kit. ex Roem. & Schult. s.l.
Ribes uva-crispa L.
Romulea columnae Sebast. & Mauri
Romulea rollii Parl.
Rorippa amphibia (L.) Besser
Rosa canina L.
Rosa montana Chaix
Rosa spinosissima L.
Rosa tomentosa Sm.
Rosa villosa L.
Rosmarinus officinalis L.
Rubus idaeus L.
Rubus saxatilis L.
Rubus ulmifolius Schott
Ruscus aculeatus L.
Ruscus hypoglossum L.
Ruta chalepensis L.
Ruta graveolens L.
Salicornia patula Duval-Jouve
Salix cinerea L.
Salix fragilis L.
Salix pentandra L.
Salix retusa L.
Sarcocornia perennis (Mill.) A.J. Scott
Saxifraga caesia L.
Saxifraga callosa Sm. subsp. *callosa*
Saxifraga exarata Vill. subsp. *ampullacea* (Ten.) D.A. Webb
Saxifraga glabella Bertol.
Saxifraga italica D.A. Webb
Saxifraga marginata Sternb.
Saxifraga oppositifolia L. subsp. *oppositifolia*
Saxifraga porophylla Bertol. subsp. *porophylla*
Scorzonera hirsuta L.
Scorzonera hispanica L. s.l.
Scorzonera villosa Scop. subsp. *villosa*
Scutellaria altissima L.
Scutellaria galericulata L.
Selaginella denticulata (L.) Spring
Sempervivum riccii Iberite & Anzal.
Senecio alpinus (L.) Scop.
Serapias parviflora Parl.
Serratula tinctoria L. subsp. *tinctoria*
Sibbaldia procumbens L.
Silene acaulis (L.) Jacq. subsp. *bryoides* (Jord.) Nyman
Silene bellidifolia Jacq.
Silene catholica (L.) W.T. Aiton
Silene fuscata Brot.
Silene muscipula L. subsp. *muscipula*
Silene notarisii Ces.
Silene saxifraga L.
Smyrniium perfoliatum L. s.l.
Soldanella alpina L. subsp. *alpina*
Sonchus maritimus L. subsp. *maritimus*
Sorbus chamaemespilus (L.) Crantz
Sorbus domestica L.
Sparganium emersum Rehmman
Spartina versicolor Fabre
Spergularia salina J. & C. Presl
Sporobolus virginicus Kunth
Stachys maritima Gouan
Staphylea pinnata L.
Stellaria cupaniana (Jord. & Fourr.) Bég.
Sternbergia lutea (L.) Ker Gawl. ex Spreng.
Stipa austroitalica Martinovský subsp. *austroitalica*
Streptopus amplexifolius (L.) DC.
Taraxacum apenninum (group)
Taraxacum glaciale E. & A. Huet ex Hand.-Mazz.
Taraxacum megalorrhizon (Forssk.) Hand.-Mazz.
Taraxacum palustre (group)
Tephrosia integrifolia (L.) Holub s.l.
Thelypteris palustris Schott
Thlaspi stylosum (Ten.) Mutel
Thymelaea hirsuta (L.) Endl.
Thymus longicaulis C. Presl subsp. *longicaulis*
Thymus praecox Opiz subsp. *polytrichus* (Borbás) J alas
Thymus pulegioides L. subsp. *carniolicus* (Borbás) P.A. Schmidt
Thymus spinulosus Ten.
Thymus striatus Vahl
Trifolium aureum Pollich subsp. *aureum*
Trifolium dubium Sibth.
Trifolium phleoides Willd.
Trifolium suffocatum L.
Trollius europaeus L. subsp. *europaeus*
Tuberaria guttata (L.) Fourr.
Typha latifolia L.
Typha laxmannii Lepech.
Typha minima Funk
Valeriana officinalis L.
Verbascum argenteum Ten.
Verbascum chaixii Vill. s.l.
Verbascum samniticum Ten.
Veronica acinifolia L.
Veronica prostrata L. subsp. *prostrata*
Veronica scutellata L.
Vicia barbazitae Ten. & Guss.
Vicia dumetorum L.
Vicia ervilia (L.) Willd.
Vicia sparsiflora Ten.

Viola aethnensis (DC.) Strobl subsp. *splendida* (W. Becker)
Merxm. & Lippert
Viola pseudogracilis Strobl subsp. *cassinensis* (Strobl)
Merxm. & A.F.W. Schmidt
Viola pseudogracilis Strobl subsp. *pseudogracilis*
Vitex agnus-castus L.

Alien units

Abutilon theophrasti Medik.
Acacia saligna (Labill.) H.L. Wendl.
Acanthus mollis L. subsp. *mollis*
Acanthus spinosus L.
Acer negundo L.
Ailanthus altissima (Mill.) Swingle
Alcea rosea L.
Allium cepa L.
Allium neapolitanum Cirillo
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus muricatus (Moq.) Hieron.
Amaranthus polygonoides L.
Amaranthus retroflexus L.
Amorpha fruticosa L.
Anethum graveolens L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Antirrhinum majus L. subsp. *tortuosum* (Bosc. ex Lam.)
Rouy
Apium graveolens L.
Artemisia annua L.
Artemisia verlotiorum Lamotte
Arundo donax L.
Avena sativa L. subsp. *sativa*
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Beta vulgaris L. subsp. *vulgaris*
Bidens bipinnata L.
Bidens frondosa L.
Bifora radians M. Bieb.
Boussingaultia cordifolia Ten.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Brassica tournefortii Gouan
Broussonetia papyrifera (L.) Vent.
Calendula officinalis L.
Capparis spinosa L. s.l.
Carpobrotus edulis (L.) N.E. Br.
Cenchrus incertus Curtis
Centaurea diluta Aiton
Ceratonía siliqua L.
Cestrum parqui L'Hér.
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Cicer arietinum L.
Cichorium endivia L. subsp. *endivia*
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Cnicus benedictus L.

Coriandrum sativum L.
Cupressus sempervirens L.
Cuscuta scandens Brot. subsp. *cesattiana* (Bertol.) Greuter &
Burdet
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Digitaria ciliaris (Retz.) Koeler
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron sumatrensis Retz.
Erysimum cheiri (L.) Crantz
Eucalyptus camaldulensis Dehnh.
Euphorbia lathyris L.
Fallopia baldschuanica (Regel) Holub
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Genista aetnensis (Biv.) DC.
Gleditsia triacanthos L.
Guizotia abyssinica (L. f.) Cass.
Helianthus annuus L.
Helianthus tuberosus L.
Honorius nutans S.F. Gray
Iberis semperflorens L.
Impatiens balfourii Hook. f.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Juglans regia L.
Lactuca macrophylla (Willd.) A. Gray subsp. *uralensis*
(Rouy) N. Kilian & Greuter
Lactuca sativa L.
Lathyrus sativus L.
Lavatera arborea L.
Lepidium sativum L. subsp. *sativum*
Lilium candidum L.
Linum usitatissimum L.
Lunaria annua L.
Lupinus albus L. subsp. *albus*
Maclura pomifera (Raf.) C.K. Schneid.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Matricaria discoidea DC.
Matthiola incana (L.) R. Br. subsp. *incana*
Medicago falcata L. subsp. *falcata*
Medicago sativa L.
Melissa officinalis L. subsp. *officinalis*
Mentha x piperita L.
Mespilus germanica L.
Mirabilis jalapa L.
Morus alba L.
Narcissus jonquilla L.
Narcissus pseudonarcissus L.
Nicotiana glauca Graham
Olea europaea L.
Onobrychis viciifolia Scop.
Opuntia ficus-indica (L.) Mill.
Opuntia tuna (L.) Mill.
Oxalis articulata Savigny
Oxalis pes-caprae L.
Oxalis stricta L.
Papaver somniferum L.
Paspalum dilatatum Poir.
Paspalum distichum L.
Persicaria orientalis (L.) Spach

Petroselinum crispum (Mill.) Fuss
Phacelia tanacetifolia Benth.
Phytolacca americana L.
Platanus hispanica Mill. ex Münchh.
Platanus orientalis L.
Populus canadensis Moench
Prunus armeniaca L.
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. s.l.
Prunus dulcis (Mill.) D.A. Webb
Prunus persica (L.) Batsch
Pyrus communis L.
Raphanus sativus L.
Rapistrum perenne (L.) All.
Rhus coriaria L.
Ribes rubrum L.
Ricinus communis L.
Robinia pseudacacia L.
Rorippa austriaca (Crantz) Besser
Rosa foetida Herrm.
Rubia tinctorum L.
Salvia officinalis L.
Senecio inaequidens DC.
Setaria italica (L.) P. Beauv.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Solanum elaeagnifolium Cav.
Solanum lycopersicum L.
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Sporobolus indicus (L.) R. Br.
Symphytotrichum squamatum (Spreng.) G.L.Nesom
Syringa vulgaris L.
Tanacetum balsamita L.
Tanacetum parthenium (L.) Sch. Bip.
Tragopogon porrifolius L. subsp. *porrifolius*
Trifolium alexandrinum L.
Trifolium incarnatum L. subsp. *incarnatum*
Trigonella foenum-graecum L.
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vitis vinifera L. s.l.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Zea mays L.

PIEMONTE

Exclusive units

<i>Aconogonon polystachyum</i> (Wall. ex Meisn.) Small	+	<i>Hieracium rupigenum</i> Arv.-Touv. (<i>amplexicaule</i> < <i>humile</i>)	?
<i>Alchemilla cavillieri</i> (Briquet in Burnat) Camus	+	<i>Hieracium strafforelloanum</i> Zahn (<i>cydoniifolium</i> - <i>caesioides</i>)	+
<i>Androsace adfinis</i> Biroli subsp. <i>brigantia</i> (Jord. & Fourr.) Kress	+	<i>Hieracium subpamphilei</i> Zahn (<i>pamphilei</i> - <i>chloropsis</i>)	+
<i>Anthemis cretica</i> L. subsp. <i>saxatilis</i> (DC.) R. Fern.	+	<i>Hieracium subtilissimum</i> Zahn (<i>prenanthoides</i> = <i>schmidtii</i>)	+
<i>Arabidopsis pedemontana</i> (Boiss.) O'Kane & Al-Shehbaz	+	<i>Hieracium tardiusculum</i> Peter (<i>lactucella</i> - <i>saussureoides</i>)	+
<i>Asperula rupicola</i> Jord.	?	<i>Hieracium tinctilingua</i> Zahn (<i>laggeri</i> - <i>triplex</i>)	+
<i>Astragalus austriacus</i> Jacq.	+	<i>Hieracium triplex</i> Peter (<i>faurei</i> - <i>lactucella</i>)	+
<i>Berardia subacaulis</i> Vill.	+	<i>Hieracium velutellum</i> Nägeli & Peter (<i>angustifolium</i> - <i>velutinum</i>)	+
<i>Biscutella brevicaulis</i> Jord.	+	<i>Hieracium verbascifolium</i> Vill. (<i>tomentosum</i> - <i>prenanthoides</i>)	+
<i>Biscutella laevigata</i> L. subsp. <i>ossolana</i> Raffaelli & Baldoin	+	<i>Hieracium viride</i> Arv.-Touv. (<i>umbrosum schmidtii</i>)	+
<i>Brassica repanda</i> (Willd.) DC. subsp. <i>repanda</i>	+	<i>Hieracium vogesiacum</i> (Kirschl.) Fr. (<i>cerinthoides</i> - <i>murorum</i>)	+
<i>Campanula elatines</i> L.	+	<i>Hypericum pulchrum</i> L.	?
<i>Cardamine granulosa</i> All.	?	<i>Iberis aurosica</i> Chaix subsp. <i>nana</i> (All.) Moreno	+
<i>Carduus vivariensis</i> Jord. subsp. <i>australis</i> Nyman	?	<i>Inula helvetica</i> Weber	+
<i>Carex hordeistichos</i> Vill.	?	<i>Isoëtes lacustris</i> L.	?
<i>Centaurea bugellensis</i> (Soldano) Soldano	+	<i>Knautia subcanescens</i> Jord.	0
<i>Chaenorhinum origanifolium</i> (L.) Kostel. subsp. <i>origanifolium</i>	+	<i>Lepidium villarsii</i> Gren. & Godr. subsp. <i>villarsii</i>	?
<i>Cytisus proteus</i> Zumagl.	+	<i>Onosma arenaria</i> Waldst. & Kit. subsp. <i>pennina</i> Braun-Blanq.	+
<i>Dianthus furcatus</i> Balb. subsp. <i>dissimilis</i> (Burnat) Pignatti	?	<i>Oreochloa seslerioides</i> (All.) Richt.	+
<i>Dianthus gratianopolitanus</i> Vill.	?	<i>Peucedanum latifolium</i> (M. Bieb.) DC.	?
<i>Diphysastrum zeilleri</i> (Rouy) Holub	+	<i>Phyteuma villarsii</i> R. Schulz	+
<i>Erysimum burnatii</i> G. Vidal	?	<i>Piptatherum paradoxum</i> (L.) P. Beauv.	?
<i>Euphorbia hyberna</i> L. subsp. <i>gibelliana</i> (Peola) Raffaelli	+	<i>Primula allionii</i> Loisel.	+
<i>Festuca amethystina</i> L. subsp. <i>amethystina</i>	+	<i>Primula cottia</i> Widmer	+
<i>Festuca cenisia</i> (Hack.) K. Richt.	+	<i>Pseudohysimachion orchideum</i> (Crantz) Wraber	?
<i>Gagea reverchonii</i> Degen	?	<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>cottianaea</i> (Beauverd) D.M. Moser	?
<i>Galeopsis reuteri</i> Rchb. f.	+	<i>Rubus cercophyllus</i> Focke	?
<i>Galium cinereum</i> All.	0	<i>Saxifraga florulenta</i> Moretti	+
<i>Gentiana pumila</i> Jacq. subsp. <i>delphinensis</i> (Beauverd) P. Fourn.	?	<i>Saxifraga pedemontana</i> All. subsp. <i>pedemontana</i>	?
<i>Gentiana rostanii</i> Reut. ex Verl.	+	<i>Sedum alsinefolium</i> All.	+
<i>Hedysarum brigantiacum</i> Bournérias, Chas & Kerguélen	+	<i>Sedum hirsutum</i> All. subsp. <i>hirsutum</i>	+
<i>Hieracium aletschense</i> Zahn (<i>niphostribes</i> > <i>peleterianum</i>)	+	<i>Senecio persoonii</i> De Not.	+
<i>Hieracium amphipolium</i> (Nägeli & Peter) Soest (<i>velutinum</i> - <i>saussureoides</i>)	+	<i>Silene cordifolia</i> All.	+
<i>Hieracium amphiseriophorum</i> Zahn (<i>tomentosum</i> - <i>piliferum</i>)	+	<i>Viola argenteria</i> Moraldo & Forneris	+
<i>Hieracium arpadianum</i> Zahn (<i>jurassicum</i> - <i>amplexicaule</i>)	+	<i>Viola calcarata</i> L. subsp. <i>villarsiana</i> (Roem. & Schult.) Merxm.	+
<i>Hieracium bastrerianum</i> Zahn (<i>brevifolium</i> - <i>taurinese</i>)	+	<i>Viola laricifolia</i> Marcussen	+
<i>Hieracium beyeri</i> Zahn (<i>tomentosum</i> - <i>lawsonii</i>)	+		
<i>Hieracium burnatii</i> Arv.-Touv. (<i>glaucum</i> > <i>tomentosum</i>)	+		
<i>Hieracium cinerosiforme</i> Zahn (<i>piloselloides</i> = <i>saussureoides</i>)	+		
<i>Hieracium cirritogenes</i> Zahn (<i>cirritum</i> - <i>schmidtii</i>)	+		
<i>Hieracium coronariifolium</i> Arv.-Touv. (<i>tomentosum</i> - <i>verbascifolium</i>)	+		
<i>Hieracium glaucopsis</i> Gren. & Godr. (<i>chondrillifolium</i> > <i>cydoniifolium</i>)	+		
<i>Hieracium gnaphalodes</i> Arv.-Touv. (<i>tomentosum</i> - <i>chloropsis</i>)	+		
<i>Hieracium hybridum</i> Chaix (<i>cymosum</i> > <i>peleterianum</i>)	+		
<i>Hieracium lansicum</i> Arv.-Touv. (<i>tomentosum</i> > <i>humile</i>)	?		
<i>Hieracium leptocladum</i> Griseb. ex Fr. (<i>amplexicaule</i> > <i>lawsonii</i>)	?		
<i>Hieracium lychnoides</i> Arv.-Touv. (<i>verbascifolium</i> - <i>monnieri</i>)	+		
<i>Hieracium monregalense</i> Burnat & Gremlé (<i>tomentosum</i> - <i>jurassicum</i>)	+		
<i>Hieracium neocerinthoides</i> Arv.-Touv. & Briq. (<i>longifolium</i> > <i>villosum</i>)	?		
<i>Hieracium neopictiforme</i> Gottschl. (<i>pictum</i> > <i>glaucinum</i>)	+		
<i>Hieracium pizense</i> Zahn (<i>glaucum</i> - <i>glaucinum</i>)	+		
<i>Hieracium praestans</i> Arv.-Touv. & Gaut. (<i>glaucopsis</i> - <i>chloropsis</i>)	+		
		Endemic units	
		<i>Alchemilla cavillieri</i> (Briquet in Burnat) Camus	
		<i>Alyssum argenteum</i> All.	
		<i>Armeria seticeps</i> Rchb.	
		<i>Biscutella laevigata</i> L. subsp. <i>ossolana</i> Raffaelli & Baldoin	
		<i>Campanula bertolae</i> Colla	
		<i>Campanula elatines</i> L.	
		<i>Cardamine granulosa</i> All.	
		<i>Centaurea apolepa</i> Moretti subsp. <i>apolepa</i>	
		<i>Centaurea bugellensis</i> (Soldano) Soldano	
		<i>Cerastium utriense</i> Barberis	
		<i>Cotoneaster nebrodensis</i> (Guss.) C. Koch	
		<i>Cytisus proteus</i> Zumagl.	
		<i>Dianthus furcatus</i> Balb. subsp. <i>dissimilis</i> (Burnat) Pignatti	
		<i>Dianthus furcatus</i> Balb. subsp. <i>lereschii</i> (Burnat) Pignatti	
		<i>Euphorbia hyberna</i> L. subsp. <i>gibelliana</i> (Peola) Raffaelli	
		<i>Euphorbia spinosa</i> L. subsp. <i>ligustica</i> (Fiori) Pignatti	
		<i>Festuca robustifolia</i> Markgr.-Dann.	
		<i>Festuca ticinensis</i> (Markgr.-Dann.) Markgr.-Dann.	
		<i>Helianthemum lunulatum</i> (All.) DC.	
		<i>Helleborus bocconeii</i> Ten. subsp. <i>bocconeii</i>	
		<i>Hieracium amphiseriophorum</i> Zahn (<i>tomentosum</i> - <i>piliferum</i>)	

Hieracium beyeri Zahn (*tomentosum* - *lawsonii*)
Hieracium bornetii Burnat & Gremli (*humile* > *tomentosum*)
Hieracium cirritogenes Zahn (*cirritum* - *schmidtii*)
Hieracium grovesianum Arv.-Touv. ex Belli (*racemosum* = *murorum*)
Hieracium pizense Zahn (*glaucum* - *glaucinum*)
Hieracium strafforelloianum Zahn (*cydoniifolium* - *caesioides*)
Isoëtes malinverniana Ces. & De Not.
Melampyrum italicum Soó
Onosma echiioides (L.) L.
Ophrys benacensis (Reisigl) O. Danesch, E. Danesch & Ehrend.
Pulmonaria apennina Cristof. & Puppi
Ranunculus apenninus (Chiov.) Pignatti
Robertia taraxacoides (Loisel.) DC.
Scabiosa holosericea Bertol.
Sedum alsinefolium All.
Senecio persoonii De Not.
Stipa epilosa Martinovský subsp. *montana* Moraldo
Tephrosia italica Holub
Viola laricifolia Marcussen

Protected units

-

Alien units

Abutilon theophrasti Medik.
Acalypha virginica L.
Acer negundo L.
Aesculus hippocastanum L.
Ailanthus altissima (Mill.) Swingle
Alcea rosea L.
Allium cepa L.
Allium fistulosum L.
Allium sativum L.
Althaea cannabina L.
Althaea hirsuta L.
Althaea officinalis L.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus blitum L. subsp. *blitum*
Amaranthus bouchonii Thell.
Amaranthus crispus (Lesp. & Thévenau) N. Terracc.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus retroflexus L.
Amaranthus rudis Sauer
Amaranthus tricolor L.
Ambrosia artemisiifolia L.
Ambrosia coronopifolia Torr. & A. Gray
Ambrosia tenuifolia Spreng.
Ambrosia trifida L.
Ammannia auriculata Willd.
Ammannia coccinea Rottb.
Ammannia verticillata (Ard.) Lam.
Amorpha fruticosa L.
Anthoxanthum odoratum L. subsp. *nipponicum* (Honda) Tzvelev
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Apios americana Medik.
Apium leptophyllum (Pers.) F. Muell.
Armoracia rusticana P. Gaertn., B. Mey. & Scherb.
Artemisia verlotiorum Lamotte
Arundo donax L.
Asclepias syriaca L.
Atriplex hortensis L.
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Bidens bipinnata L.
Bidens cernua L.
Bidens frondosa L.
Bidens pilosa L.
Blyxa japonica (Miq.) Maxim.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. s.l.
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Calendula officinalis L.
Cannabis sativa L.
Catalpa bignonioides Walter
Cenchrus incertus Curtis
Centaurea tenuiflora DC.
Cerastium tomentosum L.
Ceratochloa cathartica (Vahl) Herter
Ceratostigma plumbaginoides Bunge
Chaerophyllum bulbosum L. subsp. *bulbosum*
Chamaesyce glyptosperma (Engelm.) Small
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium capitatum (L.) Asch.
Cicer arietinum L.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Clematis orientalis L.
Cochlearia glastifolia L.
Coleostephus myconis (L.) Cass. ex Rchb. f.
Commelina communis L.
Conringia orientalis (L.) Andr. ex DC.
Coronopus didymus (L.) Sm.
Crataegus submollis Sarg.
Crepis dioscoridis L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta campestris Yunck.
Cuscuta epilinum Weihe
Cuscuta gronovii Willd. ex Roem. & Schult.
Cuscuta suaveolens Ser.
Cyanus segetum Hill
Cycloloma atriplicifolium (Spreng.) J.M. Coult.
Cydonia oblonga Mill.
Cyperus congestus Vahl
Cyperus difformis L.
Cyperus eragrostis Lam.
Cyperus glomeratus L.
Cyperus michelianus (L.) Link
Cyperus microiria Steud.
Cyperus squarrosus L.
Cyperus strigosus L.
Cyrtomium fortunei J. Sm.
Dactyloctenium aegyptium (L.) Richt.
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Deutzia scabra Thunb.
Dichanthelium acuminatum (Sw.) Gould & C.A. Clark
Digitaria ciliaris (Retz.) Koeler
Dipsacus laciniatus L.
Dipsacus sativus (L.) Honck.

- Ecballium elaterium* (L.) A. Rich.
Echinochloa hispidula (Retz.) Nees ex Royle
Echinochloa muricata (P.Beauv.) Fernald subsp.
microstachya (Wiegand) Jauzein
Echinochloa oryzicola (Vasing.) Vasing.
Echinochloa oryzoides (Ard.) Fritsch
Egeria densa Planch.
Elatine ambigua Wight
Elatine hexandra (Lapierre) DC.
Elatine triandra Schkuhr
Eleocharis atropurpurea (Retz.) C. Presl
Eleocharis flavescens (Poir.) Urb.
Eleocharis obtusa (Willd.) Schult.
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Eragrostis curvula (Schrud.) Nees
Eragrostis pectinacea (Michx.) Nees
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Erinus alpinus L.
Eriocaulon cinereum R. Br.
Erodium moschatum (L.) L'Hér.
Erysimum cheiri (L.) Crantz
Euphorbia dentata Michx.
Euphorbia lathyris L.
Euthamia graminifolia (L.) Nutt.
Fagopyrum tataricum (L.) Gaertn.
Fallopia baldschuanica (Regel) Holub
Fallopia japonica (Houtt.) Ronse Decr.
Fallopia sachalinensis (F. Schmidt) Ronse Decr.
Ficus carica L.
Fimbristylis annua (All.) Roem. & Schult.
Fimbristylis bisumbellata (Forssk.) Bubani
Fimbristylis squarrosa Vahl
Fumaria schleicheri Soy.-Will.
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Geranium sibiricum L.
Gleditsia triacanthos L.
Helianthus annuus L.
Helianthus decapetalus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hemerocallis fulva (L.) L.
Hesperis matronalis L. subsp. *matronalis*
Heteranthera limosa Willd.
Heteranthera reniformis Ruiz & Pav.
Heteranthera rotundifolia (Kunth) Griseb.
Hibiscus syriacus L.
Hibiscus trionum L.
Honorius nutans S.F. Gray
Humulus japonicus Siebold & Zucc.
Hypericum calycinum L.
Hypericum mutilum L.
Iberis amara L. subsp. *amara*
Impatiens balfourii Hook. f.
Impatiens balsamina L.
Impatiens glandulifera Royle
Impatiens parviflora DC.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Isatis tinctoria L. subsp. *tinctoria*
Jasminum officinale L.
Juglans cinerea L.
Juglans nigra L.
Juglans regia L.
Kerria japonica (L.) DC.
Lagarosiphon major (Ridl.) Moss
Lagenaria siceraria (Molina) Standl.
Lathyrus odoratus L.
Lathyrus sativus L.
Lemna aequinoctialis Welw.
Lepidium densiflorum Schrad.
Lepidium latifolium L.
Lepidium sativum L. subsp. *sativum*
Lepidium virginicum L.
Leptochloa fusca (L.) Kunth subsp. *fascicularis* (Lam.) N. Snow
Levisticum officinale W.D.J. Koch
Ligustrum lucidum Aiton
Ligustrum ovalifolium Hassk.
Lindernia anagallidea (Michx.) Pennell
Lindernia dubia (L.) Pennell
Linum usitatissimum L.
Lolium remotum Schrank
Lonicera japonica Thunb.
Lycium chinense Mill.
Maclura pomifera (Raf.) C.K. Schneid.
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Malus sylvestris (L.) Mill.
Malva verticillata L.
Matricaria chamomilla L.
Matricaria discoidea DC.
Mentha x piperita L.
Mentha x verticillata L.
Mespilus germanica L.
Mimulus moschatus Douglas ex Lindl.
Miscanthus sinensis Anderss.
Mollugo verticillata L.
Morus alba L.
Morus nigra L.
Muhlenbergia frondosa (Poir.) Fernald
Muhlenbergia schreberi J.F. Gmel.
Murdannia keisak (Hassk.) Hand.-Mazz.
Najas graminea Delile
Narcissus incomparabilis Mill.
Narcissus medioluteus Mill.
Narcissus pseudonarcissus L.
Nelumbo nucifera Gaertn.
Nicandra physalodes (L.) Gaertn.
Nonea lutea (Desr.) DC.
Nonea pulla (L.) DC. subsp. *pulla*
Nymphaea mexicana Zuccarini
Oenothera fallacoides Soldano & Rostanski
Oenothera glazioviana Micheli
Oenothera laciniata Hill
Oenothera oakesiana (A. Gray) Robbins ex S. Watson & J.M. Coult.
Oenothera oehlkersi Kappus ex Rostanski
Oenothera pedemontana Soldano
Oenothera rosea L'Hér.
Oenothera sesitensis Soldano
Oenothera suaveolens Desf. ex Pers.
Opuntia humifusa (Raf.) Raf.
Oryza sativa L.
Ottelia alismoides (L.) Pers.
Oxalis stricta L.
Paliurus spina-christi Mill.
Panicum capillare L.
Panicum dichotomiflorum Michx.

- Panicum miliaceum* L.
Papaver apulum Ten.
Papaver atlanticum (Ball) Cosson subsp. *atlanticum*
Papaver hybridum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Parthenocissus tricuspidata (Siebold & Zucc.) Planch.
Paspalum distichum L.
Paulownia tomentosa (Thunb.) Steud.
Pennisetum villosum R. Br.
Persicaria capitata (D. Don.) H. Gross
Persicaria nepalensis (Meisn.) H. Gross
Persicaria orientalis (L.) Spach
Persicaria pensylvanica (L.) M. Gómez
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phacelia tanacetifolia Benth.
Phalaris canariensis L.
Phedimus spurius (M.Bieb.) 't Hart in 't Hart & Eggli
Philadelphus coronarius L.
Physalis alkekengi L.
Physalis pubescens L.
Physocarpus opulifolius (L.) Maxim.
Phytolacca americana L.
Pinus nigra J.F. Arnold subsp. *nigra*
Pinus pinaster Aiton subsp. *pinaster*
Pinus strobus L.
Plantago virginica L.
Platanus hispanica Mill. ex Münchh.
Platanus orientalis L.
Polanisia trachysperma Torr. & A. Gray
Populus canadensis Moench
Portulaca grandiflora Hook.
Portulaca oleracea L. s.l.
Potentilla indica (Jacks.) Th. Wolf
Potentilla norvegica L.
Prunus armeniaca L.
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus dulcis (Mill.) D.A. Webb
Prunus laurocerasus L.
Prunus persica (L.) Batsch
Prunus serotina Ehrh.
Pseudolysimachion maritimum (L.) Á. & D. Löve
Pueraria lobata (Willd.) Ohwi
Punica granatum L.
Pyracantha coccinea M. Roem.
Pyrus communis L.
Quercus rubra L.
Raphanus sativus L.
Rapistrum perenne (L.) All.
Rhus coriaria L.
Rhus typhina L.
Ribes rubrum L.
Robinia pseudacacia L.
Rorippa austriaca (Crantz) Besser
Rosa foetida Herrm.
Rosa multiflora Thunb.
Rotala densiflora (Roem. & Schult.) Koehne
Rotala indica (Willd.) Koehne
Rotala ramosior (L.) Koehne
Rubus laciniatus Willd.
Rubus phoenicolasius Maxim.
Rudbeckia hirta L.
Rudbeckia laciniata L.
Rudbeckia pinnata Vent.
Ruta angustifolia Pers.
Ruta graveolens L.
Ruta montana (L.) L.
Salix babylonica L.
Salix viminalis L.
Salpichroa origanifolia (Lam.) Thell.
Sanguisorba annua (Nutt. ex Hook.) Torr. & Gray
Satureja hortensis L.
Schoenoplectus juncooides (Roxb.) V.I. Krecz.
Scirpus atrovirens Willd.
Sedum sarmentosum Bunge
Senecio inaequidens DC.
Setaria italica (L.) P. Beauv.
Sicyos angulatus L.
Siegesbeckia orientalis L.
Silphium perfoliatum L.
Sinapis alba L. subsp. *alba*
Sison amomum L.
Sisymbrium orientale L. subsp. *orientale*
Sium sisarum L.
Solanum carolinense L.
Solanum lycopersicum L.
Solanum sodomaicum L.
Solanum tuberosum L.
Solidago canadensis L.
Solidago gigantea Aiton subsp. *serotina* (Kuntze) McNeill
Sorbaria sorbifolia (L.) A. Braun
Sorghum halepense (L.) Pers.
Spiraea japonica L.
Spiraea salicifolia L.
Sporobolus vaginiflorus (Torr.) Wood
Sulla coronaria (L.) Medik.
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum lanceolatum (Willd.) G.L.Nesom
Symphyotrichum novae-angliae (L.) G.L.Nesom
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum salignum (Willd.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Symphytum asperum Lepech.
Syringa vulgaris L.
Tagetes patula L.
Tanacetum balsamita L.
Tanacetum parthenium (L.) Sch. Bip.
Trachelium caeruleum L. subsp. *caeruleum*
Trachycarpus fortunei (Hook.) H. Wendl.
Tradescantia virginiana L.
Trifolium resupinatum L.
Trifolium squamosum L.
Trigonella caerulea (L.) Ser.
Tulipa clusiana DC.
Tulipa praecox Ten.
Ulmus laevis Pall.
Ulmus pumila L.
Verbascum virgatum Stokes
Verbena brasiliensis Vell.
Veronica filiformis Sm.
Veronica peregrina L. subsp. *peregrina*
Veronica persica Poir.
Vicia faba L.
Vicia sativa L. subsp. *cordata* (Hoppe) Batt.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Vitis vinifera L. subsp. *vinifera*
Wolffia arrhiza (L.) Horkel ex Wimm.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Zantedeschia aethiopica (L.) Spreng.

PUGLIA

Exclusive units

<i>Aegialophila pumilio</i> (L.) Boiss.	+
<i>Allium apulum</i> Brullo, Guglielmo, Pavone & Salmeri	+
<i>Allium diomedium</i> Brullo, Guglielmo, Pavone & Salmeri	+
<i>Arum apulum</i> (Carano) P.C. Boyce	+
<i>Asperula garganica</i> Huter, Porta & Rigo ex Ehrend. & Krendl	+
<i>Asperula staliana</i> Vis. subsp. <i>diomedea</i> Korica, Lausi & Ehrend.	+
<i>Aurinia leucadea</i> (Guss.) Koch	+
<i>Bellevia ciliata</i> (Cirillo) Nees	0
<i>Bufonia tenuifolia</i> L.	+
<i>Campanula garganica</i> Ten. subsp. <i>garganica</i>	+
<i>Centaurea diomedea</i> Gasp.	+
<i>Centaurea japygica</i> (Lacaita) Brullo	+
<i>Centaurea leucadea</i> Lacaita	+
<i>Centaurea nobilis</i> (H. Groves) Brullo	+
<i>Dianthus garganicus</i> (Ten.) Brullo	+
<i>Dianthus japygicus</i> Bianco & Brullo	+
<i>Ephedra foeminea</i> Forssk.	+
<i>Erica forskalii</i> Vitm.	+
<i>Inula verbascifolia</i> (Willd.) Hausskn. subsp. <i>verbascifolia</i>	+
<i>Iris bicipitata</i> Colas.	+
<i>Iris revoluta</i> Colas.	+
<i>Lagoecia cuminoidea</i> L.	?
<i>Limonium cancellatum</i> (Bertol.) Kuntze	+
<i>Limonium diomedium</i> Brullo	+
<i>Limonium japygicum</i> (H. Groves) Pignatti	+
<i>Limonium peucetium</i> Pignatti	0
<i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>dallaportae</i> (Boiss.) Greuter & Burdet	+
<i>Malcolmia flexuosa</i> (Sm.) Sm.	+
<i>Malva cretica</i> Cav. subsp. <i>althaeoides</i> (Cav.) Bég.	?
<i>Nonea echioides</i> (L.) Roem. & Schult.	0
<i>Ophrys scolopax</i> Cav. subsp. <i>cornuta</i> (Steven) E.G. Camus	+
<i>Ornithogalum umbratile</i> Tornad. & Garbari	+
<i>Plantago grovesii</i> Brullo	+
<i>Ranunculus asiaticus</i> L.	+
<i>Stipa oligotricha</i> Moraldo subsp. <i>kiemii</i> (Martinovský) Moraldo	+
<i>Triticum biunciale</i> (Vis.) K. Richter	+
<i>Umbilicus chloranthus</i> Heldr. & Sart. ex Boiss.	+
<i>Vicia giacominiiana</i> Segelb.	+
<i>Viola graeca</i> (W. Becker) Halácsy	+

Endemic units

<i>Achillea tenorii</i> Grande	
<i>Ajuga tenorei</i> C. Presl	
<i>Allium apulum</i> Brullo, Guglielmo, Pavone & Salmeri	
<i>Allium diomedium</i> Brullo, Guglielmo, Pavone & Salmeri	
<i>Anthemis arvensis</i> L. subsp. <i>sphacelata</i> (C. Presl) R. Fern.	
<i>Anthemis hydruntina</i> H. Groves	
<i>Aristolochia clusii</i> Lojac.	
<i>Armeria majellensis</i> Boiss. subsp. <i>ausonia</i> Bianchini	
<i>Asperula garganica</i> Huter, Porta & Rigo ex Ehrend. & Krendl	
<i>Asperula staliana</i> Vis. subsp. <i>diomedea</i> Korica, Lausi & Ehrend.	
<i>Astragalus pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>	
<i>Aubrieta columnae</i> Guss. subsp. <i>columnae</i>	
<i>Aubrieta columnae</i> Guss. subsp. <i>italica</i> (Boiss.) Mattf.	
<i>Biscutella incana</i> Ten.	
<i>Bupleurum rollii</i> (Monteluc.) Moraldo	
<i>Campanula garganica</i> Ten. subsp. <i>garganica</i>	
<i>Carduus corymbosus</i> Ten.	

<i>Carduus micropterus</i> (Borbás) Teyber subsp. <i>perspinosus</i> (Fiori) Kazmi	
<i>Carex microcarpa</i> Bertol. ex Moris	
<i>Carlina sicula</i> Ten.	
<i>Centaurea brulla</i> Greuter	
<i>Centaurea centauroides</i> L.	
<i>Centaurea diomedea</i> Gasp.	
<i>Centaurea japygica</i> (Lacaita) Brullo	
<i>Centaurea leucadea</i> Lacaita	
<i>Centaurea nigrescens</i> Willd. subsp. <i>neapolitana</i> (Boiss.) Dostál	
<i>Centaurea nobilis</i> (H. Groves) Brullo	
<i>Centaurea subtilis</i> Bertol.	
<i>Centaurea tenacissima</i> (H. Groves) Brullo	
<i>Cerastium lacaitae</i> Barberis, Bechi & Miceli	
<i>Cirsium tenoreanum</i> Petr.	
<i>Crepis brulla</i> Greuter	
<i>Crepis lacera</i> Ten.	
<i>Dianthus garganicus</i> (Ten.) Brullo	
<i>Dianthus japygicus</i> Bianco & Brullo	
<i>Dianthus vulturius</i> Guss. & Ten. subsp. <i>vulturius</i>	
<i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.	
<i>Echinops ritro</i> L. subsp. <i>siculus</i> (Strobl) Greuter	
<i>Epipactis meridionalis</i> H. Baumann & R. Lorenz	
<i>Erodium nervulosum</i> L'Hér.	
<i>Euphorbia ceratocarpa</i> Ten.	
<i>Euphorbia nicaeensis</i> All. subsp. <i>japygica</i> (Ten.) Arcang.	
<i>Genista michelii</i> Spach	
<i>Gypsophila arrostii</i> Guss. subsp. <i>arrostii</i>	
<i>Heptaptera angustifolia</i> (Bertol.) Tutin	
<i>Iris bicipitata</i> Colas.	
<i>Iris revoluta</i> Colas.	
<i>Klasea flavescens</i> (L.) Holub subsp. <i>cichoracea</i> (L.) Greuter & Wagenitz	
<i>Lathyrus jordanii</i> Ten.	
<i>Leontodon apulus</i> (Fiori) Brullo	
<i>Leontodon intermedius</i> Huter, Porta & Rigo	
<i>Limonium diomedium</i> Brullo	
<i>Limonium japygicum</i> (H. Groves) Pignatti	
<i>Limonium peucetium</i> Pignatti	
<i>Linaria purpurea</i> (L.) Mill.	
<i>Melampyrum variegatum</i> Huter, Porta & Rigo	
<i>Micromeria canescens</i> (Guss.) Benth.	
<i>Ononis oligophylla</i> Ten.	
<i>Onosma echioides</i> (L.) L.	
<i>Ophrys bertoloniiiformis</i> O. & E. Danesch	
<i>Ophrys biscutella</i> O. & E. Danesch	
<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>apulica</i> O. & E. Danesch	
<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>parvimaculata</i> O. & E. Danesch	
<i>Ophrys oxyrrhynchos</i> Tod.	
<i>Ophrys promontorii</i> O. & E. Danesch	
<i>Ophrys sphegodes</i> Mill. subsp. <i>garganica</i> E. Nelson	
<i>Ophrys tardans</i> O. & E. Danesch	
<i>Ophrys tarentina</i> Gözl & H.R. Reinhard	
<i>Ornithogalum exscapum</i> Ten.	
<i>Ornithogalum umbratile</i> Tornad. & Garbari	
<i>Phlomis tenorei</i> Soldano	
<i>Polygala apiculata</i> Porta	
<i>Polygala flavescens</i> DC.	
<i>Pulmonaria apennina</i> Cristof. & Puppi	
<i>Ranunculus polyanthemus</i> L. subsp. <i>thomasii</i> (Ten.) Tutin	
<i>Rhaponticoides centaurium</i> (L.) M.V. Agab. & Greuter	
<i>Salvia haematodes</i> L.	
<i>Scabiosa holosericea</i> Bertol.	
<i>Scabiosa uniseta</i> Savi	

Senecio lycopifolius Desf.
Sideritis italica (Mill.) Greuter & Burdet
Solenanthes apenninus (L.) Fisch. & C.A. Mey.
Spergularia macrorrhiza (Loisel.) Heynh.
Stellaria media (L.) Vill. subsp. *romana* Bég.
Stipa austroitalica Martinovský subsp. *appendiculata* (Celak.) Moraldo
Stipa oligotricha Moraldo subsp. *kiemii* (Martinovský) Moraldo
Stipa oligotricha Moraldo subsp. *oligotricha*
Thymus spinulosus Ten.
Tolpis virgata (Desf.) Bertol. subsp. *grandiflora* (Ten.) Arcang.
Tragopogon porrifolius L. subsp. *cupani* (Guss. ex DC.) I. Richardson
Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti
Verbascum niveum Ten. subsp. *garganicum* (Ten.) Murb.
Verbascum niveum Ten. subsp. *niveum*
Vicia giacominiiana Segelb.
Viola aethnensis (DC.) Strobl subsp. *splendida* (W. Becker) Merxm. & Lippert
Viola eugeniae Parl. s.l.

Protected units

-

Alien units

Acalypha virginica L.
Acorus calamus L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Alcea rosea L.
Alnus glutinosa (L.) Gaertn.
Amaranthus albus L.
Amaranthus caudatus L.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus retroflexus L.
Amaranthus viridis L.
Amorpha fruticosa L.
Antirrhinum majus L. subsp. *majus*
Antirrhinum majus L. subsp. *tortuosum* (Bosc. ex Lam.) Rouy
Ballota pseudodictamnus (L.) Benth.
Beta vulgaris L. subsp. *vulgaris*
Bidens bipinnata L.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Calendula officinalis L.
Carpobrotus acinaciformis (L.) L. Bolus
Carpobrotus edulis (L.) N.E. Br.
Cenchrus incertus Curtis
Centranthus macrosiphon Boiss.
Cercis siliquastrum L. subsp. *siliquastrum*
Cestrum parqui L'Hér.
Chamaesyce maculata (L.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Convolvulus sabatius Viv. subsp. *sabatius*
Coriandrum sativum L.
Coronopus didymus (L.) Sm.
Cortaderia selloana (Schult.) Asch. & Graebn.
Crataegus azarolus L.

Crepis bursifolia L.
Cullen americanum (L.) Rydb.
Cuscuta campestris Yunck.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Cyrtomium falcatum (L. f.) C. Presl
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Echinochloa colona (L.) Link
Eleusine indica (L.) Gaertn. subsp. *indica*
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron sumatrensis Retz.
Erodium glaucophyllum (L.) L'Hér.
Erysimum cheiri (L.) Crantz
Eucalyptus camaldulensis Dehnh.
Fallopia baldschuanica (Regel) Holub
Galinoga ciliata (Raf.) S.F. Blake
Gleditsia triacanthos L.
Glycyrrhiza echinata L.
Hedera helix L. subsp. *poetarum* (Bertol.) Nyman
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Ipheion uniflorum (Graham) Raf.
Ipomoea acuminata (Vahl) Roem. & Schult.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Lavandula dentata L.
Ligustrum lucidum Aiton
Linum usitatissimum L.
Lippia triphylla (L'Hér.) Kuntze
Lotus drepanocarpus Durieu
Lupinus albus L. subsp. *albus*
Lycium afrum L.
Maclura pomifera (Raf.) C.K. Schneid.
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Melomphis arabica (L.) Raf.
Mespilus germanica L.
Mirabilis jalapa L.
Morus alba L.
Morus nigra L.
Myoporum tenuifolium G. Forst.
Myrtus communis L. subsp. *tarentina* (L.) Nyman
Narcissus jonquilla L.
Narcissus medioluteus Mill.
Narcissus pseudonarcissus L.
Nicotiana glauca Graham
Oenothera suaveolens Desf. ex Pers.
Oncostema elongata (Parl.) Speta
Opuntia amyclaea Ten.
Opuntia ficus-indica (L.) Mill.
Opuntia humifusa (Raf.) Raf.
Origanum majorana L.
Oxalis debilis Kunth
Oxalis pes-caprae L.
Panicum dichotomiflorum Michx.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Pennisetum villosum R. Br.
Petroselinum crispum (Mill.) Fuss
Phyla canescens (Kunth) Greene
Pimpinella anisum L.
Pinus pinaster Aiton subsp. *pinaster*

Pisum sativum L. s.l.
Polygala myrtifolia L.
Populus canadensis Moench
Punica granatum L.
Pyrus communis L.
Raphanus sativus L.
Rhus coriaria L.
Ricinus communis L.
Robinia pseudacacia L.
Rosa foetida Herrm.
Salpichroa origanifolia (Lam.) Thell.
Salvia grahamii Benth.
Secale cereale L.
Senecio gibbosus (Guss.) DC. subsp. *cineraria* (DC.)
Peruzzi, N.G. Passal. & Soldano
Senecio mikanioides Otto ex Walp.
Senecio petasitis (Sims) DC.
Setaria italica (L.) P. Beauv.
Sisymbrium orientale L. subsp. *orientale*
Solanum elaeagnifolium Cav.
Solanum lycopersicum L.
Solanum rostratum Dunal
Solanum sodomaeum L.
Solanum tuberosum L.
Sorghum halepense (L.) Pers.
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Tanacetum parthenium (L.) Sch. Bip.
Trachelium caeruleum L. subsp. *caeruleum*
Trifolium alexandrinum L.
Triticum peregrinum Hack.
Triticum turgidum L.
Tropaeolum majus L.
Tulipa agenensis DC.
Tulipa praecox Ten.
Ulex europaeus L. subsp. *europaeus*
Ulmus laevis Pall.
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vitis vinifera L. subsp. *vinifera*
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Ziziphus zizyphus (L.) Meikle

SARDEGNA

Exclusive units

<i>Acinos sardous</i> (Asch. & Levier) Arrigoni	+	<i>Colchicum corsicum</i> Baker	+
<i>Alyssum tavolarae</i> Briq.	+	<i>Colchicum gonarei</i> Camarda	+
<i>Anagallis crassifolia</i> Thore	+	<i>Convolvulus siculus</i> L. subsp. <i>elongatus</i> Batt.	+
<i>Anagallis monelli</i> L. subsp. <i>monelli</i>	+	<i>Cuscuta epithymum</i> (L.) L. subsp. <i>corsicana</i> (Yunck.)	+
<i>Anchusa capellii</i> Moris	+	Lambinon	
<i>Anchusa crispa</i> Viv. subsp. <i>crispa</i>	+	<i>Cymbalaria muelleri</i> (Moris) A. Chev.	+
<i>Anchusa crispa</i> Viv. subsp. <i>maritima</i> (Vals.) Selvi & Bigazzi	+	<i>Dactylorhiza elata</i> (Poir.) Soó subsp. <i>sesquipedalis</i> (Willd.)	+
<i>Anchusa formosa</i> Selvi, Bigazzi & Bacch.	+	Soó	
<i>Anchusa littorea</i> Moris	+	<i>Delphinium pictum</i> Willd. subsp. <i>pictum</i>	+
<i>Anchusa sardoa</i> (Illario) Selvi & Bigazzi	+	<i>Dianthus morisianus</i> Vals.	+
<i>Aquilegia barbaricina</i> Arrigoni & E. Nardi	+	<i>Dianthus mossanus</i> Bacch. & Brullo	+
<i>Aquilegia nugorensis</i> Arrigoni & E. Nardi	+	<i>Dianthus stellaris</i> Camarda	+
<i>Aquilegia nuragica</i> Arrigoni & E. Nardi	+	<i>Echium anchusoides</i> Bacch., Brullo & Selvi	+
<i>Aristolochia tyrrhena</i> E. Nardi & Arrigoni	+	<i>Echium creticum</i> L. subsp. <i>coyncianum</i> (Lacaita) R. Fern.	+
<i>Armeria morisii</i> Boiss.	+	<i>Echium creticum</i> L. subsp. <i>creticum</i>	+
<i>Armeria pungens</i> (Link) Hoffmanns. & Link	+	<i>Elymus corsicus</i> (Hack.) Kerguélen	+
<i>Armeria sardoa</i> Spreng. subsp. <i>genargentea</i> Arrigoni	+	<i>Erodium corsicum</i> Léman	+
<i>Armeria sardoa</i> Spreng. subsp. <i>sardoa</i>	+	<i>Erodium salzmannii</i> Delile	+
<i>Armeria sulcitana</i> Arrigoni	+	<i>Eryngium corniculatum</i> Lam.	+
<i>Arrhenatherum album</i> (Vahl) Clayton	+	<i>Euphorbia amygdaloides</i> L. subsp. <i>semiperfoliata</i> (Viv.)	+
<i>Arrhenatherum murcicum</i> Sennen	+	Radcl.-Sm.	
<i>Artemisia gallica</i> Willd. subsp. <i>densiflora</i> (Viv.) Gamisans	+	<i>Euphorbia gayi</i> Salis	+
<i>Asperula deficiens</i> Viv.	+	<i>Euphrasia genargentea</i> (Feoli) Diana	+
<i>Asperula pumila</i> Moris	+	<i>Ferula arrigonii</i> Bocchieri	+
<i>Astragalus maritimus</i> Moris	+	<i>Festuca morisiana</i> Parl.	+
<i>Astragalus sirinicus</i> Ten. subsp. <i>genargenteus</i> (Moris)	+	<i>Festuca sardoa</i> (Hack. in Barbey) K. Richt.	+
Arcang.		<i>Filago tyrrhenica</i> Chrték & Holub ex Soldano & F. Conti	+
<i>Astragalus terraccianoii</i> Vals.	+	<i>Gagea soleirolii</i> Schultz subsp. <i>soleirolii</i>	+
<i>Astragalus tragacantha</i> L.	?	<i>Galium corsicum</i> Spreng.	+
<i>Astragalus verrucosus</i> Moris	+	<i>Galium glaucophyllum</i> Em. Schmid	+
<i>Atriplex mollis</i> Desf.	0	<i>Galium schmidii</i> Arrigoni	+
<i>Barbarea rupicola</i> Moris	+	<i>Genista arbusensis</i> Vals.	+
<i>Bellium bellidioides</i> L.	+	<i>Genista cadasonensis</i> Vals.	+
<i>Bellium crassifolium</i> Moris	+	<i>Genista corsica</i> (Loisel.) DC.	+
<i>Biarum dispar</i> (Schott) Talavera	+	<i>Genista ephedroides</i> DC.	+
<i>Biscutella morisiana</i> Raffaelli	+	<i>Genista morisii</i> Colla	+
<i>Bituminaria morisiana</i> (Pignatti & Metlesics) Greuter	+	<i>Genista pichisermolliana</i> Vals.	+
<i>Borago morisiana</i> Bigazzi & Ricceri	+	<i>Genista salzmannii</i> DC.	+
<i>Brassica tyrrhena</i> Giotta, Piccitto & Arrigoni	+	<i>Genista sardoa</i> Vals.	+
<i>Brimeura fastigiata</i> (Viv.) Chouard	+	<i>Genista sulcitana</i> Vals.	+
<i>Bryonia marmorata</i> Petit	+	<i>Genista toluensis</i> Vals.	+
<i>Bunium corydalinum</i> DC.	+	<i>Genista valsecchiai</i> Brullo & De Marco	+
<i>Bupthalmum inuloides</i> Moris	+	<i>Glechoma sardoa</i> (Bég.) Bég.	+
<i>Bupleurum falcatum</i> L. subsp. <i>corsicum</i> (Coss. & Kralik)	?	<i>Helianthemum caput-felis</i> Boiss.	+
Rouy & E.G. Camus		<i>Helianthemum morisianum</i> Bertol.	+
<i>Bupleurum trichopodum</i> Boiss. & Spruner	+	<i>Helichrysum frigidum</i> (Labill.) Willd.	+
<i>Buxus balearica</i> Lam.	+	<i>Helichrysum italicum</i> (Roth) G. Don subsp. <i>microphyllum</i>	+
<i>Callitriche regis-jubae</i> Schotsman	+	(Willd.) Nyman	
<i>Campanula forsythii</i> (Arcang.) Bég.	+	<i>Helichrysum montelinasanum</i> Ed. Schmid	+
<i>Carex oedipostyla</i> Duval-Jouve	+	<i>Helichrysum saxatile</i> Moris subsp. <i>morisianum</i> Bacch.,	+
<i>Carlina racemosa</i> L.	+	Brullo & Mossa	
<i>Centaurea filiformis</i> Viv. subsp. <i>ferulacea</i> (Martelli)	+	<i>Helichrysum saxatile</i> Moris subsp. <i>saxatile</i>	+
Arrigoni		<i>Helicodiceros muscivorus</i> (L. f.) Engl.	+
<i>Centaurea filiformis</i> Viv. subsp. <i>filiformis</i>	+	<i>Helleborus lividus</i> Aiton subsp. <i>corsicus</i> (Briq.) P. Fourn.	+
<i>Centaurea horrida</i> Badarò	+	<i>Herniaria litardierei</i> (Gamisans) Greuter & Burdet	+
<i>Centaurea magistrorum</i> Arrigoni & Camarda	+	<i>Hieracium bernardii</i> Rouy (<i>racemosum</i> - <i>amplexicaule</i>)	+
<i>Centranthus amazonum</i> Fridl. & A. Raynal	+	<i>Hieracium leiopogon</i> Gren. ex Verlot (<i>pictum</i> - <i>glaucinum</i>)	+
<i>Cephalaria squamiflora</i> (Sieber) Greuter subsp.	+	<i>Hieracium soleirolianum</i> Arv.-Touv. & Briq.	+
<i>mediterranea</i> (Viv.) Pignatti		<i>Hypericum annulatum</i> Moris	+
<i>Cerastium boissierianum</i> Greuter & Burdet	+	<i>Hypochaeris sardoa</i> Bacch., Brullo & Terrasi	+
<i>Cerastium palustre</i> Moris	+	<i>Iberis integerrima</i> Moris	+
<i>Cerastium supramontanum</i> Arrigoni	+	<i>Isoëtes velata</i> A. Braun subsp. <i>dubia</i> (Gennari) Batt. & Trab.	?
<i>Chaetonychia cymosa</i> (L.) Sweet	+	<i>Jasione laevis</i> Lam. subsp. <i>laevis</i>	+
<i>Charybdis undulata</i> (Desf.) Speta	+	<i>Lactuca longidentata</i> Moris	+
<i>Cistus creticus</i> L. subsp. <i>corsicus</i> (Loisel.) Greuter & Burdet	+	<i>Lamium garganicum</i> L. subsp. <i>corsicum</i> (Gren. & Godr.)	+
<i>Colchicum actupii</i> Fridlender	+	Arcang.	
		<i>Lamyropsis microcephala</i> (Moris) Dittrich & Greuter	+

<i>Laserpitium nestleri</i> Soy.-Will.	+	<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp.	+
<i>Lathyrus cirrhosus</i> Ser.	+	<i>chestermanii</i> (J.J. Wood) Blatt & M. Wirth	
<i>Lathyrus tingitanus</i> L.	+	<i>Ophrys ortuabis</i> M.P. Grasso & L. Manca	+
<i>Lavatera plazzae</i> Atzei	+	<i>Ophrys sphegodes</i> Mill. subsp. <i>praecox</i> Corrias	+
<i>Lavatera triloba</i> L. subsp. <i>pallescens</i> (Moris) Nyman	+	<i>Orchis mascula</i> (L.) L. subsp. <i>ichnusae</i> Corrias	+
<i>Lavatera triloba</i> L. subsp. <i>triloba</i>	+	<i>Ornithogalum corsicum</i> Jord. & Fourr.	+
<i>Legousia castellana</i> (Lange) Samp.	+	<i>Orobanche denudata</i> Moris	+
<i>Leucojum aestivum</i> L. subsp. <i>pulchellum</i> (Salisb.) Briq.	+	<i>Paeonia coriacea</i> Boiss.	+
<i>Leucojum roseum</i> F. Martin	+	<i>Phalaris rotgesii</i> (Husn.) Litard.	+
<i>Limonium acutifolium</i> (Rchb.) Salmon	+	<i>Phleum sardoum</i> (Hack.) Hack.	+
<i>Limonium ampuriense</i> Arrigoni & Diana	+	<i>Plagius flosculosus</i> (L.) Alavi & Heywood	+
<i>Limonium angustifolium</i> (Tausch) Degen	+	<i>Plantago subulata</i> L. subsp. <i>insularis</i> (Gren. & Godr.)	+
<i>Limonium bosanum</i> Arrigoni & Diana	+	Nyman	
<i>Limonium capititis-eliae</i> Erben	+	<i>Poa balbisii</i> Parl.	+
<i>Limonium capititis-marci</i> Arrigoni & Diana	+	<i>Polygala sardoa</i> Chodat	+
<i>Limonium caralitanum</i> Erben	+	<i>Polygala saxatilis</i> Desf.	+
<i>Limonium carisae</i> Erben	+	<i>Polygala sinisica</i> Arrigoni	+
<i>Limonium cornusianum</i> Arrigoni & Diana	+	<i>Polygonum scoparium</i> Loisel.	+
<i>Limonium cunicularium</i> Arrigoni & Diana	+	<i>Potentilla crassinervia</i> Viv.	+
<i>Limonium dictyocladum</i> (Boiss. in A. DC.) Kuntze	+	<i>Potentilla rupestris</i> L. subsp. <i>corsica</i> (Soleirol ex Lehm.)	+
<i>Limonium dolcheri</i> (Pignatti) Pignatti	+	Rouy & E.G. Camus	
<i>Limonium gallurense</i> Arrigoni & Diana	+	<i>Pseudorhiza minuscula</i> (Pau) M. Lainz	+
<i>Limonium hermaeum</i> (Pignatti) Pignatti	+	<i>Ptychotis sardoa</i> Pignatti & Metlesics	+
<i>Limonium insulare</i> (Bég. & Landi) Arrigoni & Diana	+	<i>Quercus ichnusae</i> Mossa, Bacch. & Brullo	+
<i>Limonium laetum</i> Pignatti	+	<i>Ranunculus batrachoides</i> Pomel	+
<i>Limonium lausianum</i> Pignatti	+	<i>Ranunculus cordiger</i> Viv. subsp. <i>cordiger</i>	+
<i>Limonium malfatanicum</i> Erben	+	<i>Ranunculus cordiger</i> Viv. subsp. <i>diffusus</i> (Moris) Arrigoni	+
<i>Limonium merxmuelieri</i> Erben	+	<i>Ranunculus cymbalariifolius</i> Moris	+
<i>Limonium morisianum</i> Arrigoni	+	<i>Ranunculus revelierei</i> Boreau	+
<i>Limonium multifurcatum</i> Erben	+	<i>Rhamnus persicifolia</i> Moris	+
<i>Limonium nymphaeum</i> Erben	+	<i>Ribes multiflorum</i> Kit. ex Roem. & Schult. subsp.	+
<i>Limonium oristanum</i> Mayer	+	<i>sandaliticum</i> Arrigoni	
<i>Limonium protohermaeum</i> Arrigoni & Diana	+	<i>Ribes sardoum</i> Martelli	+
<i>Limonium pseudolaetum</i> Arrigoni & Diana	+	<i>Romulea limbarae</i> Bég.	+
<i>Limonium pulviniforme</i> Arrigoni & Diana	+	<i>Rouya polygama</i> (Desf.) Coincy	+
<i>Limonium racemosum</i> (Lojac.) Diana	+	<i>Rubus arrigonii</i> Camarda	+
<i>Limonium retirameum</i> Greuter & Burdet	+	<i>Rubus limbarae</i> Camarda	+
<i>Limonium strictissimum</i> (Salzm.) Arrigoni	+	<i>Rumex pulcher</i> L. subsp. <i>suffocatus</i> (Moris ex Bertol.)	+
<i>Limonium sulcitanum</i> Arrigoni	+	Nyman	
<i>Limonium tenuifolium</i> (Bertol. ex Moris) Erben	+	<i>Ruta corsica</i> DC.	+
<i>Limonium tharrosianum</i> Arrigoni & Diana	+	<i>Sagina pilifera</i> (DC.) Fenzl	+
<i>Limonium tibulatum</i> (Pignatti) Pignatti	+	<i>Sagina revelieri</i> Jord. & Fourr.	+
<i>Limonium tigulianum</i> Arrigoni & Diana	+	<i>Salix arrigonii</i> Brullo	+
<i>Limonium tyrrhenicum</i> Arrigoni & Diana	+	<i>Salix purpurea</i> L. subsp. <i>eburnea</i> (Borzi) Cif. & Giacom.	+
<i>Limonium ursanum</i> Erben	+	<i>Salsola vermiculata</i> L.	+
<i>Limonium vintolae</i> Arrigoni & Diana	+	<i>Salvia desoleana</i> Atzei & Picci	+
<i>Linaria arcusangeli</i> Atzei & Camarda	+	<i>Santolina corsica</i> Jord. & Fourr.	+
<i>Linaria flava</i> (Poir.) Desf. subsp. <i>sardoa</i> (Sommier) A. Terracc.	+	<i>Santolina insularis</i> (Gennari ex Fiori) Arrigoni	+
<i>Linum muelleri</i> Moris	+	<i>Saponaria ocymoides</i> L. subsp. <i>alsinoides</i> (Viv.) Arcang.	+
<i>Lomelosia simplex</i> (Desf.) Raf. subsp. <i>simplex</i>	+	<i>Satureja thymbra</i> L.	+
<i>Lotus cytisoides</i> L. subsp. <i>conradiae</i> Gamisans	+	<i>Saxifraga pedemontana</i> All. subsp. <i>cervicornis</i> (Viv.) Engl.	+
<i>Medicago lesinsii</i> E. Small	+	<i>Scleranthus perennis</i> L. subsp. <i>burnatii</i> (Briq.) P.D. Sell	?
<i>Mentha requienii</i> Benth. subsp. <i>requienii</i>	+	<i>Scorzonera callosa</i> Moris	+
<i>Mercurialis corsica</i> Coss. & Kralil	+	<i>Scrophularia morisii</i> Vals.	+
<i>Micromeria filiformis</i> (Aiton) Benth. subsp. <i>cordata</i> (Bertol.)	+	<i>Scrophularia oblongifolia</i> Loisel.	+
Pignatti		<i>Scrophularia ramosissima</i> Loisel.	+
<i>Moenchia erecta</i> (L.) P. Gaertn., B. Mey. & Scherb. subsp.	+	<i>Sedum amplexicaule</i> DC. subsp. <i>amplexicaule</i>	+
<i>octandra</i> (Ziz ex Mert. & W.D.J. Koch) Gürke ex Cout.	+	<i>Sedum villosum</i> L. subsp. <i>glandulosum</i> (Moris) P. Fourn.	+
<i>Morisia monanthos</i> (Viv.) Asch.	+	<i>Senecio transiens</i> (Rouy) Jeanm.	+
<i>Myosotis soleirolii</i> Godr.	+	<i>Sesamoides spathulifolia</i> (Revelière ex Boreau) Rothm.	+
<i>Nanantea perpusilla</i> (Loisel.) DC.	+	<i>Seseli praecox</i> (Gamisans) Gamisans	+
<i>Nepeta foliosa</i> Moris	+	<i>Sesleria insularis</i> Sommier subsp. <i>barbaricina</i> Arrigoni	+
<i>Odontites corsicus</i> (Loisel.) G. Don	+	<i>Sesleria insularis</i> Sommier subsp. <i>morisiana</i> Arrigoni	+
<i>Oenanthe lisae</i> Moris	+	<i>Silene beguinotii</i> Vals.	+
<i>Ophrys exaltata</i> Ten. subsp. <i>morisii</i> (Martelli) Del Prete	+	<i>Silene ichnusae</i> Brullo, De Marco & De Marco f.	+
		<i>Silene martinoli</i> Bocchieri & Mulas	+
		<i>Silene morisiana</i> Bég. & Ravano	+

<i>Silene nodulosa</i> Viv.	+	<i>Biscutella morisiana</i> Raffaelli
<i>Silene pseudoatocion</i> Desf.	?	<i>Bituminaria morisiana</i> (Pignatti & Metlesics) Greuter
<i>Silene requienii</i> Otth	+	<i>Borago morisiana</i> Bigazzi & Ricceri
<i>Silene rosulata</i> Soy.-Will. & Godr. subsp. <i>sanctae-theresiae</i> (Jeanm.) Jeann.	+	<i>Borago pygmaea</i> (DC.) Chater & Greuter
<i>Silene succulenta</i> Forssk. subsp. <i>corsica</i> (DC.) Nyman	+	<i>Brassica tyrrhena</i> Giotta, Piccitto & Arrigoni
<i>Silene valsecchiae</i> Bocchieri	+	<i>Bryonia marmorata</i> Petit
<i>Silene velutina</i> Loisel.	+	<i>Buglossoides minima</i> (Moris) R. Fernandes
<i>Silene velutinoides</i> Pomel	+	<i>Buphthalmum inuloides</i> Moris
<i>Solenopsis minuta</i> (L.) C. Presl subsp. <i>corsica</i> Meikle	+	<i>Bupleurum falcatum</i> L. subsp. <i>corsicum</i> (Coss. & Kralik) Rouy & E.G. Camus
<i>Stachys brachyclada</i> Noë	?	<i>Campanula forsythii</i> (Arcang.) Bég.
<i>Tamarix arborea</i> Ehrenb. ex Bunge	+	<i>Carduus corymbosus</i> Ten.
<i>Tamarix hampeana</i> Boiss. & Heldr. emend. Boiss.	+	<i>Carduus fasciculiflorus</i> Viv.
<i>Tamarix passerinoides</i> Delile	+	<i>Carduus sardous</i> DC.
<i>Tamarix tetragyna</i> Ehrenb.	+	<i>Carex microcarpa</i> Bertol. ex Moris
<i>Tamarix tetrandra</i> Pall. ex M. Bieb.	+	<i>Carex panormitana</i> Guss.
<i>Tanacetum audibertii</i> (Req.) DC.	+	<i>Carlina macrocephala</i> Moris subsp. <i>macrocephala</i>
<i>Teucrium massiliense</i> L.	+	<i>Centaurea filiformis</i> Viv. subsp. <i>ferulacea</i> (Martelli) Arrigoni
<i>Thesium italicum</i> A. DC.	+	<i>Centaurea filiformis</i> Viv. subsp. <i>filiformis</i>
<i>Thlaspi brevistylum</i> (DC.) Mutel	+	<i>Centaurea horrida</i> Badarò
<i>Thymus catharinae</i> Camarda	+	<i>Centaurea magistrorum</i> Arrigoni & Camarda
<i>Thymus herba-barona</i> Loisel.	+	<i>Centaurea solstitialis</i> L. subsp. <i>scheuchii</i> (DC.) Gugler
<i>Trifolium subterraneum</i> L. subsp. <i>yanninicum</i> Katzn. & F. Morley	+	<i>Centranthus amazonum</i> Fridl. & A. Raynal
<i>Trisetaria gracilis</i> (Moris) Banfi & Arrigoni	+	<i>Cephalaria squamiflora</i> (Sieber) Greuter subsp. <i>mediterranea</i> (Viv.) Pignatti
<i>Triticum caudatum</i> (L.) Raspail	+	<i>Cerastium palustre</i> Moris
<i>Verbascum plantagineum</i> Moris	+	<i>Cerastium supramontanum</i> Arrigoni
<i>Veronica verna</i> L. subsp. <i>brevistyla</i> (Moris) Rouy	+	<i>Colchicum actupii</i> Fridlender
<i>Vinca difformis</i> Pourr. subsp. <i>sardoa</i> Stearn	+	<i>Colchicum alpinum</i> Lam. & DC. subsp. <i>parvulum</i> (Ten.) Arcang.
<i>Viola arborescens</i> L.	+	<i>Colchicum corsicum</i> Baker
<i>Viola corsica</i> Nyman subsp. <i>limbarae</i> Merxm. & W. Lippert	+	<i>Colchicum gonarei</i> Camarda

Endemic units

<i>Acinos sardous</i> (Asch. & Levier) Arrigoni		<i>Crepis vesicaria</i> L. subsp. <i>hyemalis</i> (Biv.) Babc.
<i>Allium parviflorum</i> Viv.		<i>Cuscuta epithymum</i> (L.) L. subsp. <i>corsicana</i> (Yunck.) Lambinon
<i>Alyssum tavolarae</i> Briq.		<i>Cymbalaria muelleri</i> (Moris) A. Chev.
<i>Anchusa capellii</i> Moris		<i>Dianthus morisianus</i> Vals.
<i>Anchusa crispa</i> Viv. subsp. <i>crispa</i>		<i>Dianthus mossanus</i> Bacch. & Brullo
<i>Anchusa crispa</i> Viv. subsp. <i>maritima</i> (Vals.) Selvi & Bigazzi		<i>Dianthus stellaris</i> Camarda
<i>Anchusa formosa</i> Selvi, Bigazzi & Bacch.		<i>Echium anchusoides</i> Bacch., Brullo & Selvi
<i>Anchusa littorea</i> Moris		<i>Elymus acutus</i> (DC.) Thiébaud
<i>Anchusa sardoa</i> (Illario) Selvi & Bigazzi		<i>Elymus corsicus</i> (Hack.) Kerguelén
<i>Aquilegia barbaricina</i> Arrigoni & E. Nardi		<i>Erodium corsicum</i> Lèman
<i>Aquilegia nugorensis</i> Arrigoni & E. Nardi		<i>Erodium nervulosum</i> L'Hér.
<i>Aquilegia nuragica</i> Arrigoni & E. Nardi		<i>Euphorbia amygdaloides</i> L. subsp. <i>arbuscula</i> Meusel
<i>Arabis collina</i> Ten. subsp. <i>rosea</i> (DC.) Minuto		<i>Euphorbia amygdaloides</i> L. subsp. <i>semiperfoliata</i> (Viv.) Radcl.-Sm.
<i>Arenaria bertolonii</i> Fiori		<i>Euphorbia pithyusa</i> L. subsp. <i>cupanii</i> (Guss. ex Bertol.) Radcl.-Sm.
<i>Aristolochia tyrrhena</i> E. Nardi & Arrigoni		<i>Euphrasia genargentea</i> (Feoli) Diana
<i>Armeria morisii</i> Boiss.		<i>Ferula arrigonii</i> Bocchieri
<i>Armeria sardoa</i> Spreng. subsp. <i>genargentea</i> Arrigoni		<i>Festuca morisiana</i> Parl.
<i>Armeria sardoa</i> Spreng. subsp. <i>sardoa</i>		<i>Festuca sardoa</i> (Hack. in Barbey) K. Richt.
<i>Armeria sulcitana</i> Arrigoni		<i>Filago tyrrhenica</i> Chrtek & Holub ex Soldano & F. Conti
<i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter		<i>Galium corsicum</i> Spreng.
<i>Artemisia gallica</i> Willd. subsp. <i>densiflora</i> (Viv.) Gamisans		<i>Galium glaucophyllum</i> Em. Schmid
<i>Asperula deficiens</i> Viv.		<i>Galium schmidii</i> Arrigoni
<i>Asperula pumila</i> Moris		<i>Galium verrucosum</i> Huds. subsp. <i>halophilum</i> (Ponzo) Lambinon
<i>Astragalus maritimus</i> Moris		<i>Genista aetnensis</i> (Biv.) DC.
<i>Astragalus pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>		<i>Genista arbusensis</i> Vals.
<i>Astragalus sirinicus</i> Ten. subsp. <i>genargenteus</i> (Moris) Arcang.		<i>Genista cadasonensis</i> Vals.
<i>Astragalus terraccianoi</i> Vals.		<i>Genista corsica</i> (Loisel.) DC.
<i>Astragalus thermensis</i> Vals.		<i>Genista desoleana</i> Vals.
<i>Astragalus verrucosus</i> Moris		<i>Genista ephedroides</i> DC.
<i>Barbarea rupicola</i> Moris		<i>Genista morisii</i> Colla
<i>Bellium crassifolium</i> Moris		
<i>Berberis vulgaris</i> L. subsp. <i>aetnensis</i> (C. Presl) Rouy & Foucaud		

- Genista pichisermolliana* Vals.
Genista salzmännii DC.
Genista sardoa Vals.
Genista sulcitana Vals.
Genista toluensis Vals.
Genista valsecchiaae Brullo & De Marco
Glechoma sardoa (Bég.) Bég.
Helianthemum morisianum Bertol.
Helianthemum oelandicum (L.) Dum. Cours. subsp. *allionii* (Tineo) Greuter & Burdet
Helichrysum frigidum (Labill.) Willd.
Helichrysum montelinasanum Ed. Schmid
Helichrysum saxatile Moris subsp. *morisianum* Bacch., Brullo & Mossa
Helichrysum saxatile Moris subsp. *saxatile*
Herniaria litardierei (Gamisans) Greuter & Burdet
Hornungia revelierei Soldano, F. Conti, Banfi & Galasso
Hyoseris taurina (Pamp.) Martinoli
Hypochaeris sardoa Bacch., Brullo & Terrasi
Iberis integerrima Moris
Lactuca longidentata Moris
Lamium garganicum L. subsp. *corsicum* (Gren. & Godr.) Arcang.
Lamyropsis microcephala (Moris) Dittrich & Greuter
Lavatera plazzae Atzei
Leontodon muelleri (Sch. Bip.) Fiori subsp. *muelleri*
Leucocjum roseum F. Martin
Limonium acutifolium (Rchb.) Salmon
Limonium ampuriense Arrigoni & Diana
Limonium angustifolium (Tausch) Degen
Limonium articulatum (Loisel.) Kuntze
Limonium bosanum Arrigoni & Diana
Limonium capitis-eliae Erben
Limonium capitis-marci Arrigoni & Diana
Limonium caralitanum Erben
Limonium carisae Erben
Limonium contortirameum (Mabille) Erben
Limonium cornusianum Arrigoni & Diana
Limonium cunicularium Arrigoni & Diana
Limonium dictyocladum (Boiss. in A. DC.) Kuntze
Limonium dolcheri (Pignatti) Pignatti
Limonium dubium (Guss.) Litard.
Limonium gallurensae Arrigoni & Diana
Limonium glomeratum (Tausch) Erben
Limonium hermaeum (Pignatti) Pignatti
Limonium insulare (Bég. & Landi) Arrigoni & Diana
Limonium laetum Pignatti
Limonium lausianum Pignatti
Limonium malfatanicum Erben
Limonium merxmülleri Erben
Limonium morisianum Arrigoni
Limonium multifurcatum Erben
Limonium nymphaeum Erben
Limonium oristanum Mayer
Limonium protohermaeum Arrigoni & Diana
Limonium pseudolaetum Arrigoni & Diana
Limonium pulviniforme Arrigoni & Diana
Limonium racemosum (Lojac.) Diana
Limonium retirameum Greuter & Burdet
Limonium strictissimum (Salzm.) Arrigoni
Limonium sulcitatum Arrigoni
Limonium tenuifolium (Bertol. ex Moris) Erben
Limonium tharrosianum Arrigoni & Diana
Limonium tibulatum (Pignatti) Pignatti
Limonium tigulianum Arrigoni & Diana
Limonium tyrrhenicum Arrigoni & Diana
Limonium ursanum Erben
Limonium viniolae Arrigoni & Diana
Linaria arcusangeli Atzei & Camarda
Linaria flava (Poir.) Desf. subsp. *sardoa* (Sommier) A. Terracc.
Linum muelleri Moris
Lotus cytisoides L. subsp. *conradiae* Gamisans
Luzula spicata (L.) DC. subsp. *italica* (Parl.) Arcang.
Mentha requienii Benth. subsp. *requienii*
Mercurialis corsica Coss. & Kralil
Micromeria filiformis (Aiton) Benth. subsp. *cordata* (Bertol.) Pignatti
Micromeria graeca (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman
Morisia monanthos (Viv.) Asch.
Myosotis soleirolii Godr.
Nananthea perpusilla (Loisel.) DC.
Nepeta foliosa Moris
Nigella arvensis L. subsp. *glaucescens* (Guss.) Greuter & Burdet
Odontites corsicus (Loisel.) G. Don
Oenanthe lisae Moris
Ophrys exaltata Ten. subsp. *morisii* (Martelli) Del Prete
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *chestermanii* (J.J. Wood) Blatt & M. Wirth
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *parvimaculata* O. & E. Danesch
Ophrys panattensis Scrugli, Cogoni & Pessei
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson
Ophrys sphegodes Mill. subsp. *praecox* Corrias
Orchis brancifortii Biv.
Orchis mascula (L.) L. subsp. *ichnusae* Corrias
Ornithogalum corsicum Jord. & Fourr.
Orobanche denudata Moris
Paeonia morisii Cesca, Bernardo & N.G. Passal.
Phleum sardoum (Hack.) Hack.
Plagius flosculosus (L.) Alavi & Heywood
Plantago subulata L. subsp. *insularis* (Gren. & Godr.) Nyman
Poa balbisii Parl.
Polygala sardoa Chodat
Polygala sinisica Arrigoni
Polygonum scoparium Loisel.
Potentilla crassinervia Viv.
Potentilla rupestris L. subsp. *corsica* (Soleirol ex Lehm.) Rouy & E.G. Camus
Ptychotis sardoa Pignatti & Metlesics
Quercus ichnusae Mossa, Bacch. & Brullo
Ranunculus cordiger Viv. subsp. *cordiger*
Ranunculus cordiger Viv. subsp. *diffusus* (Moris) Arrigoni
Ranunculus cymbalariaefolius Moris
Ranunculus pratensis C. Presl
Ranunculus revelierei Boreau
Rhamnus persicifolia Moris
Ribes multiflorum Kit. ex Roem. & Schult. subsp. *sandaliticum* Arrigoni
Ribes sardoum Martelli
Robertia taraxacoides (Loisel.) DC.
Romulea revelieri Jord. & Fourr.
Rubia peregrina L. subsp. *requienii* (Duby) Cardona & Sierra
Rubus arrigonii Camarda
Rubus limbarae Camarda
Rumex pulcher L. subsp. *suffocatus* (Moris ex Bertol.) Nyman
Rumex scutatus L. subsp. *glaucescens* (Guss.) Brullo, Scelsi & Spamp.
Ruta corsica DC.

Sagina pilifera (DC.) Fenzl
Sagina revelieri Jord. & Fourn.
Salicornia veneta Pignatti & Lausi
Salix arrigonii Brullo
Salix purpurea L. subsp. *eburnea* (Borzi) Cif. & Giacom.
Salvia desoleana Atzei & Picci
Santolina corsica Jord. & Fourn.
Santolina insularis (Gennari ex Fiori) Arrigoni
Saponaria ocymoides L. subsp. *alsinoides* (Viv.) Arcang.
Saxifraga corsica (Duby) Gren. & Godr. subsp. *corsica*
Saxifraga pedemontana All. subsp. *cervicornis* (Viv.) Engl.
Scabiosa holosericea Bertol.
Scorzonera callosa Moris
Scrophularia morisii Vals.
Scrophularia oblongifolia Loisel.
Scrophularia trifoliata L.
Sedum villosum L. subsp. *glandulosum* (Moris) P. Fourn.
Senecio transiens (Rouy) Jeanm.
Seseli bocconi Guss.
Seseli praecox (Gamisans) Gamisans
Sesleria insularis Sommier subsp. *barbaricina* Arrigoni
Sesleria insularis Sommier subsp. *morisiana* Arrigoni
Silene beguinotii Vals.
Silene giraldii Guss.
Silene ichnusae Brullo, De Marco & De Marco f.
Silene martinoli Bocchieri & Mulas
Silene morisiana Bég. & Ravano
Silene nummica Vals.
Silene requienii Othh
Silene rosulata Soy.-Will. & Godr. subsp. *sanctae-theresiae* (Jeanm.) Jeanm.
Silene valsecchiae Bocchieri
Silene velutina Loisel.
Solenopsis minuta (L.) C. Presl subsp. *corsica* Meikle
Spergularia macrorrhiza (Loisel.) Heynh.
Stachys corsica Pers.
Tanacetum audibertii (Req.) DC.
Thlaspi brevistylum (DC.) Mutel
Thymus catharinae Camarda
Trisetaria gracilis (Moris) Banfi & Arrigoni
Verbasicum conocarpum Moris subsp. *conocarpum*
Veronica verna L. subsp. *brevistyla* (Moris) Rouy
Vinca difformis Pourr. subsp. *sardoa* Stearn
Viola corsica Nyman subsp. *limbarae* Merxm. & W. Lippert

Protected units

-

Alien units

Acacia karroo Hayne
Acacia longifolia (Andrews) Willd.
Acacia melanoxylon R. Br.
Acacia pycnantha Benth.
Acacia retinoides Schltdl.
Acacia saligna (Labill.) H.L. Wendl.
Acer negundo L.
Acer pseudoplatanus L.
Achyranthes aspera L.
Aeonium arboreum (L.) Webb & Berthel.
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Albizia julibrissin Durazz.
Allium cepa L.
Allium sativum L.
Alnus cordata (Loisel.) Loisel.

Alnus incana (L.) Moench
Amaranthus albus L.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus muricatus (Moq.) Hieron.
Amaranthus retroflexus L.
Amorpha fruticosa L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Aristolochia sempervirens L.
Artemisia verlotiorum Lamotte
Avena sativa L. subsp. *sativa*
Beta trigyna Waldst. & Kit.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica rapa L. s.l.
Broussonetia papyrifera (L.) Vent.
Calendula officinalis L.
Camelina sativa (L.) Crantz s.l.
Cannabis sativa L.
Carpobrotus acinaciformis (L.) L. Bolus
Carpobrotus edulis (L.) N.E. Br.
Cercis siliquastrum L. subsp. *siliquastrum*
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Cicer arietinum L.
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Colocasia esculenta (L.) Schott
Consolida ajacis (L.) Schur
Coronopus didymus (L.) Sm.
Cotula coronopifolia L.
Crataegus azarolus L.
Cucumis melo L.
Cucumis sativus L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta epilinum Weihe
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Datura ferox L.
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Echinochloa colona (L.) Link
Eclipta prostrata (L.) L.
Ehrharta erecta Lam.
Eleocharis geniculata (L.) Roem. & Schult.
Eleusine indica (L.) Gaertn. subsp. *indica*
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron sumatrensis Retz.
Erysimum cheiri (L.) Crantz
Eucalyptus camaldulensis Dehnh.
Euonymus japonicus L. f.
Euphorbia lathyris L.
Fraxinus excelsior L. subsp. *excelsior*
Fumaria kralikii Jord.
Galinsoga parviflora Cav.
Gaura sinuata Nutt.
Geum urbanum L.
Glinus lotoides L.
Gypsophila muralis L.
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*

- Heliotropium curassavicum* L.
Hibiscus syriacus L.
Hyacinthus orientalis L.
Iris germanica L.
Juglans regia L.
Lactuca sativa L.
Lathyrus sativus L.
Laurus nobilis L.
Lens culinaris Medik.
Lepidium sativum L. subsp. *sativum*
Ligustrum lucidum Aiton
Ligustrum ovalifolium Hassk.
Lilium candidum L.
Linum usitatissimum L.
Lupinus albus L. subsp. *albus*
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Melissa officinalis L. subsp. *officinalis*
Mentha x piperita L.
Mespilus germanica L.
Mirabilis jalapa L.
Myoporum tenuifolium G. Forst.
Nectaroscilla hyacinthoides (L.) Parl.
Nelumbo nucifera Gaertn.
Nicotiana glauca Graham
Ocimum basilicum L.
Oenothera glazioviana Micheli
Oenothera rosea L'Hér.
Onobrychis viciifolia Scop.
Opuntia amyclaea Ten.
Opuntia ficus-indica (L.) Mill.
Origanum majorana L.
Oryza sativa L.
Oxalis pes-caprae L.
Oxalis stricta L.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum distichum L.
Paspalum vaginatum Sw.
Passiflora coerulea L.
Pastinaca divaricata Desf.
Pennisetum setaceum (Forssk.) Chiov.
Pennisetum villosum R. Br.
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phytolacca americana L.
Phytolacca dioica L.
Pisum sativum L. subsp. *biflorum* (Raf.) Soldano
Pisum sativum L. subsp. *sativum*
Pittosporum tobira (Thunb.) W.T. Aiton
Pittosporum undulatum Vent.
Platanus hispanica Mill. ex Münchh.
Platycapnos spicatus (L.) Bernh.
Portulaca grandiflora Hook.
Prunus armeniaca L.
Prunus cerasus L.
Prunus cocomilia Ten.
Prunus domestica L. subsp. *domestica*
Prunus dulcis (Mill.) D.A. Webb
Prunus laurocerasus L.
Prunus persica (L.) Batsch
Punica granatum L.
Pyrus communis L.
Raphanus sativus L.
Retama monosperma (L.) Boiss.
Rhus typhina L.
Ricinus communis L.
Robinia pseudacacia L.
Rubus idaeus L.
Rumex acetosa L. subsp. *acetosa*
Rumex lunaria L.
Salix babylonica L.
Salix fragilis L.
Salvia officinalis L.
Schinus molle L.
Secale cereale L.
Sedum aetnense Tineo in Guss.
Senecio angulatus L. f.
Senecio inaequidens DC.
Senecio mikanioides Otto ex Walp.
Setaria italica (L.) P. Beauv.
Silene nocturna L.
Silene pendula L.
Sisymbrium orientale L. subsp. *orientale*
Solanum elaeagnifolium Cav.
Solanum lycopersicum L.
Solanum sodomaeum L.
Sophora japonica L.
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Stellarioides canaliculata Medik.
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Syringa vulgaris L.
Tamarix parviflora DC.
Tanacetum parthenium (L.) Sch. Bip.
Tetragonolobus purpureus Moench
Tilia platyphyllos Scop. s.l.
Tilia x vulgaris Hayne
Trifolium incarnatum L. subsp. *incarnatum*
Triticum aestivum L.
Triticum turgidum L.
Verbascum virgatum Stokes
Veronica peregrina L. subsp. *peregrina*
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vicia villosa Roth subsp. *villosa*
Vitis vinifera L. subsp. *sylvestris* (C.C. Gmel.) Hegi
Vitis vinifera L. subsp. *vinifera*
Wisteria sinensis (Sims) Sweet
Withania somnifera (L.) Dunal subsp. *somnifera*
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Zea mays L.
Zygophyllum fabago L.

SICILIA

Exclusive units

<i>Abies nebrodensis</i> (Lojac.) Mattei	+	<i>Brassica villosa</i> Biv. subsp. <i>brevisiliqua</i> (Raimondo & Mazzola) Raimondo & Geraci	+
<i>Adenocarpus commutatus</i> Guss.	+	<i>Brassica villosa</i> Biv. subsp. <i>drepanensis</i> (Caruel) Raimondo & Mazzola	+
<i>Adenostyles glabra</i> (Mill.) DC. subsp. <i>nebrodensis</i> (Strobl) Wagenitz & I. Müll.	?	<i>Brassica villosa</i> Biv. subsp. <i>tinei</i> (Lojac.) Raimondo & Mazzola	+
<i>Allium aethusanum</i> Garbari	+	<i>Brassica villosa</i> Biv. subsp. <i>villosa</i>	+
<i>Allium agrigentinum</i> Brullo & Pavone	+	<i>Buglossoides tenuiflora</i> (L. fil.) I.M. Johnst.	?
<i>Allium castellanense</i> (Garbari, Miceli & Raimondo) Brullo, Guglielmo, Pavone & Salmeri	+	<i>Bunium macuca</i> Boiss.	?
<i>Allium francinae</i> Brullo & Pavone	+	<i>Bupleurum dianthifolium</i> Guss.	+
<i>Allium hemisphaericum</i> (Sommier) Brullo	+	<i>Bupleurum elatum</i> Guss.	+
<i>Allium hirtovaginatatum</i> Kunth	+	<i>Calendula bicolor</i> Raf.	+
<i>Allium lehmannii</i> Lojac.	+	<i>Calendula stellata</i> Cav.	+
<i>Allium lopadusanum</i> Bartolo, Brullo & Pavone	+	<i>Calendula suffruticosa</i> Vahl subsp. <i>maritima</i> (Guss.) Meikle	+
<i>Allium nebrodense</i> Guss.	+	<i>Callitriche truncata</i> Guss. subsp. <i>occidentalis</i> (Rouy) Schotsman	+
<i>Allium obtusiflorum</i> DC.	+	<i>Caralluma europaea</i> (Guss.) N.E. Br. subsp. <i>europaea</i>	+
<i>Allium permixtum</i> Guss.	0	<i>Cardamine dubia</i> Nicotra	+
<i>Allium subvillosum</i> Salzm.	+	<i>Carduus nutans</i> L. subsp. <i>siculus</i> (Franco) Greuter	+
<i>Alyssum nebrodense</i> Tineo subsp. <i>nebrodense</i>	+	<i>Carduus rugulosus</i> Guss.	0
<i>Alyssum siculum</i> Jord.	+	<i>Carex illegitima</i> Ces.	+
<i>Amelanchier ovalis</i> Medik. subsp. <i>embergeri</i> Favarger & Stearn	+	<i>Carex laevigata</i> Sm.	+
<i>Androsace elongata</i> L. subsp. <i>breistrofferi</i> (Charpin & Greuter) Molero & Monts.	+	<i>Carex nigra</i> (L.) Reichard subsp. <i>intricata</i> (Tineo) Rivas Mart.	+
<i>Anthemis abrotanifolia</i> (Willd.) Guss.	0	<i>Carlina involucrata</i> Poir.	+
<i>Anthemis aetnensis</i> Schouw	+	<i>Carthamus dentatus</i> Vahl	+
<i>Anthemis cupaniana</i> Tod. ex Nyman	+	<i>Carthamus lanatus</i> L. subsp. <i>baeticus</i> (Boiss. & Reut.) Nyman	+
<i>Anthemis ismelia</i> Lojac.	+	<i>Carthamus pinnatus</i> Desf. subsp. <i>pinnatus</i>	+
<i>Anthemis lopadusana</i> Lojac.	+	<i>Celtis aetnensis</i> Strobl	+
<i>Anthemis muricata</i> (DC.) Guss.	+	<i>Cenchrus ciliaris</i> L.	+
<i>Anthemis secundiramea</i> Biv. subsp. <i>intermedia</i> (Guss.) R. Fern.	+	<i>Centaurea aeolica</i> Guss. ex Lojac. subsp. <i>aeolica</i>	+
<i>Anthemis urvilleana</i> (DC.) Sommier & Caruana	+	<i>Centaurea busambarensis</i> Guss.	+
<i>Anthyllis vulneraria</i> L. subsp. <i>busambarensis</i> (Lojac.) Pignatti	+	<i>Centaurea deusta</i> Ten. subsp. <i>divaricata</i> (Guss.) Matthäs & Pignatti	+
<i>Arabis madonia</i> C. Presl	+	<i>Centaurea macroacantha</i> Guss.	+
<i>Aristolochia sicula</i> Tineo	+	<i>Centaurea parlatoris</i> Heldr.	+
<i>Armeria gussonei</i> Boiss.	+	<i>Centaurea tauromenitana</i> Guss.	+
<i>Armeria nebrodensis</i> (Guss.) Boiss.	+	<i>Centaurea ucriae</i> Lacaita subsp. <i>todari</i> (Lacaita) Cela-Renzoni & Viegi	+
<i>Asparagus pastorianus</i> Webb & Berthel.	?	<i>Centaurea ucriae</i> Lacaita subsp. <i>ucriae</i>	+
<i>Asperula gussonii</i> Boiss.	+	<i>Centaurea ucriae</i> Lacaita subsp. <i>umbrosa</i> (Lacaita) Cela-Renzoni & Viegi	+
<i>Asperula rupestris</i> Tineo	+	<i>Chiladenus lopadusanus</i> Brullo	+
<i>Astragalus caprinus</i> L. subsp. <i>huetii</i> (Bunge) Podlech	+	<i>Cichorium intybus</i> L. subsp. <i>glabratum</i> (C. Presl) Arcang.	+
<i>Astragalus nebrodensis</i> (Guss.) Strobl	+	<i>Cichorium spinosum</i> L.	+
<i>Astragalus peregrinus</i> Vahl subsp. <i>warionis</i> (Gand.) Maire	+	<i>Cirsium echinatum</i> (Desf.) DC.	+
<i>Astragalus raphaelis</i> Ferro	+	<i>Cirsium misilmerense</i> Ces., Pass. & Gibelli	+
<i>Astragalus siculus</i> Biv.	+	<i>Citrullus colocynthis</i> (L.) Schrad.	+
<i>Atriplex glauca</i> L.	0	<i>Colchicum triphyllum</i> G. Kunze	+
<i>Aubrieta deltoidea</i> (L.) DC.	+	<i>Crataegus orientalis</i> M. Bieb. subsp. <i>orientalis</i>	+
<i>Avena matritensis</i> Baum	+	<i>Crataegus orientalis</i> M. Bieb. subsp. <i>presliana</i> K.I. Chr.	+
<i>Bellardiochloa variegata</i> (Lam.) Kerguélen subsp. <i>aetnensis</i> (C. Presl) Giardina & Raimondo	+	<i>Crataegus rhipidophylla</i> Gand.	+
<i>Bellardiochloa variegata</i> (Lam.) Kerguélen subsp. <i>nebrodensis</i> Giardina & Raimondo	+	<i>Crepis bioniana</i> (Rchb.) Soldano & F. Conti	+
<i>Bellevia dubia</i> (Guss.) Kunth subsp. <i>dubia</i>	+	<i>Crocus siculus</i> Tineo	+
<i>Bellium minutum</i> L.	+	<i>Crucianella rupestris</i> Guss.	+
<i>Beta patellaris</i> Moq.	+	<i>Cuscuta approximata</i> Bab. subsp. <i>macranthera</i> (Boiss.) Feinbrun & Greuter	+
<i>Betula emensis</i> Raf.	+	<i>Cymbalaria pubescens</i> (J. Presl) Cufod.	+
<i>Biarum tenuifolium</i> (L.) Schott subsp. <i>abbreviatum</i> (Schott) K. Richt.	+	<i>Cynara cardunculus</i> L. subsp. <i>flavescens</i> Wiklund	+
<i>Bothriochloa insculpta</i> (Hochst.) A.Camus	+	<i>Cynoglossum nebrodense</i> Guss.	+
<i>Brassica macrocarpa</i> Guss.	+	<i>Cyperus laevigatus</i> L. subsp. <i>laevigatus</i>	+
<i>Brassica rupestris</i> Raf. subsp. <i>hispida</i> Raimondo & Mazzola	+	<i>Cyperus papyrus</i> L. subsp. <i>siculus</i> (Parl.) Chiov.	+
<i>Brassica souliei</i> (Batt.) Batt. subsp. <i>amplexicaulis</i> (Desf.) Greuter & Burdet	+	<i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>markusii</i> (Tineo) Holub	+
<i>Brassica villosa</i> Biv. subsp. <i>bivoniana</i> (Mazzola & Raimondo) Raimondo & Mazzola	+	<i>Damasonium polyspermum</i> Coss.	+
		<i>Daucus carota</i> L. subsp. <i>rupestris</i> (Guss.) Heywood	+

<i>Daucus foliosus</i> Guss.	+	<i>Lagurus ovatus</i> L. subsp. <i>vestitus</i> (Messeri) H. Scholz	+
<i>Daucus lopadusanus</i> Tineo	+	<i>Launaea nudicaulis</i> (L.) Hook. f.	+
<i>Daucus siculus</i> Tineo	+	<i>Launaea resedifolia</i> (L.) Kuntze	+
<i>Delphinium emarginatum</i> C. Presl subsp. <i>emarginatum</i>	+	<i>Leontodon siculus</i> (Guss.) Nyman	+
<i>Desmazeria pignattii</i> Brullo & Pavone	+	<i>Limonium aegusae</i> Brullo	+
<i>Dianthus busambrae</i> Soldano & F. Conti	+	<i>Limonium albidum</i> (Guss.) Pignatti	+
<i>Dianthus rupicola</i> Biv. subsp. <i>aeolicus</i> (Lojac.) Brullo & Minissale	+	<i>Limonium algusae</i> (Brullo) Greuter	+
<i>Dianthus rupicola</i> Biv. subsp. <i>lopadusanus</i> Brullo & Minissale	+	<i>Limonium bocconeii</i> (Lojac.) Litard.	+
<i>Diplotaxis harra</i> (Forssk.) Boiss. subsp. <i>crassifolia</i> (Raf.) Maire	+	<i>Limonium calcarae</i> (Tod.) Pignatti	+
<i>Diplotaxis scaposa</i> DC.	+	<i>Limonium catanense</i> (Tineo ex Lojac.) Brullo	0
<i>Dipsacus arcimusi</i> Lojac.	+	<i>Limonium catanzaroi</i> Brullo	+
<i>Draba olympicoides</i> Strobl	+	<i>Limonium cosyrense</i> (Guss.) Kuntze	+
<i>Echinops spinosissimus</i> Turra subsp. <i>spinosissimus</i>	+	<i>Limonium ferulaceum</i> (L.) Chaz.	+
<i>Echinops spinosissimus</i> Turra subsp. <i>spinosus</i> Greuter	+	<i>Limonium flagellare</i> (Lojac.) Brullo	+
<i>Echium italicum</i> L. subsp. <i>siculum</i> (Lacaita) Greuter & Burdet	+	<i>Limonium furnarii</i> Brullo	+
<i>Echium spurium</i> Lojac.	+	<i>Limonium hyblaeum</i> Brullo	+
<i>Elymus flaccidifolius</i> (Boiss. & Heldr.) Melderis	+	<i>Limonium intermedium</i> (Guss.) Brullo	0
<i>Ephedra fragilis</i> Desf.	+	<i>Limonium ionicum</i> Brullo	+
<i>Erica sicula</i> Guss. subsp. <i>sicula</i>	+	<i>Limonium lilybaeum</i> Brullo	+
<i>Erodium neuradifolium</i> Delile	+	<i>Limonium lojaconi</i> Brullo	+
<i>Eryngium crinitum</i> C. Presl	+	<i>Limonium lopadusanum</i> Brullo	+
<i>Erysimum bonannianum</i> C. Presl	+	<i>Limonium mazararum</i> Pignatti	+
<i>Erysimum metlesicium</i> Polatschek	+	<i>Limonium melancholicum</i> Brullo, Marcenò & S. Romano	+
<i>Euphorbia biconae</i> Steud. subsp. <i>biconae</i>	+	<i>Limonium minutiflorum</i> (Guss.) Kuntze	+
<i>Euphorbia papillaris</i> (Boiss.) Raffaelli & Ricceri	+	<i>Limonium optimae</i> Raimondo	+
<i>Evacium discolor</i> (DC.) Maire	+	<i>Limonium opulentum</i> (Lojac.) Brullo	+
<i>Ferulago nodosa</i> (L.) Boiss.	+	<i>Limonium pachynense</i> Brullo	+
<i>Festuca humifusa</i> Brullo & Guarino	+	<i>Limonium panormitanum</i> (Tod.) Pignatti	+
<i>Festuca pignattiorum</i> Markgr.-Dann.	+	<i>Limonium parvifolium</i> (Tineo) Pignatti	+
<i>Filago lojaconii</i> (Brullo) Greuter	+	<i>Limonium pavonianum</i> Brullo	+
<i>Fraxinus angustifolia</i> Vahl subsp. <i>angustifolia</i>	+	<i>Limonium ponzoii</i> (Fiori & Bég.) Brullo	+
<i>Gagea lacaitae</i> A. Terracc.	?	<i>Limonium secundirameum</i> (Lojac.) Brullo	+
<i>Gagea ramulosa</i> A. Terracc.	?	<i>Limonium selinuntinum</i> Brullo	+
<i>Gagea trinervia</i> (Viv.) Greuter	+	<i>Limonium sibthorpium</i> (Guss.) Kuntze	+
<i>Galanthus reginae-olgae</i> Orph. subsp. <i>reginae-olgae</i>	+	<i>Limonium syracusanum</i> Brullo	+
<i>Galatella sorrentinoides</i> Tod.	+	<i>Limonium tauromenitanum</i> Brullo	+
<i>Galium litorale</i> Guss.	+	<i>Limonium tenuiculum</i> (Tineo) Pignatti	+
<i>Galium tunetanum</i> Lam.	?	<i>Limonium todaroanum</i> Raimondo & Pignatti	+
<i>Genista aristata</i> C. Presl	+	<i>Linaria multicaulis</i> (L.) Mill. subsp. <i>aetnensis</i> Giardina & Zizza	+
<i>Genista aspalathoides</i> Lam.	+	<i>Linaria multicaulis</i> (L.) Mill. subsp. <i>humilis</i> (Guss.) De Leon., Giardina & Zizza	+
<i>Genista cupanii</i> Guss.	+	<i>Linaria pseudolaxiflora</i> Lojac.	+
<i>Genista demarcoi</i> Brullo, Scelsi & Siracusa	+	<i>Linaria reflexa</i> (L.) Desf. subsp. <i>lubbockii</i> (Batt.) Brullo	+
<i>Genista madoniensis</i> Raimondo	+	<i>Linaria reflexa</i> (L.) Desf. subsp. <i>reflexa</i>	+
<i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>nebrodense</i> (Guss.) Greuter & Burdet	+	<i>Linum punctatum</i> C. Presl subsp. <i>punctatum</i>	+
<i>Helichrysum barrelieri</i> (Ten.) Greuter	+	<i>Lobularia libyca</i> (Viv.) Meisn.	+
<i>Helichrysum hyblaeum</i> Brullo	+	<i>Loeflingia hispanica</i> L.	+
<i>Helichrysum nebrodense</i> Heldr.	+	<i>Lolium temulentum</i> L. subsp. <i>gussonei</i> (Parl.) Arcang.	+
<i>Helichrysum pendulum</i> (C. Presl) C. Presl	+	<i>Lotus longisiliquosus</i> R. Roem.	+
<i>Herniaria fontanesii</i> Gay subsp. <i>empedocleana</i> (Lojac.) Brullo	+	<i>Lotus peregrinus</i> L.	+
<i>Hesperis cupaniana</i> Guss.	+	<i>Malva oxyloba</i> Boiss.	+
<i>Hieracium cophanense</i> Lojac. (<i>lucidum</i> - <i>symphytifolium</i>)	+	<i>Matricaria aurea</i> (Loefl.) Sch. Bip.	+
<i>Hieracium lucidum</i> Guss.	+	<i>Matthiola incana</i> (L.) R. Br. subsp. <i>pulchella</i> (Conti) Greuter & Burdet	+
<i>Hieracium symphytifolium</i> Froelich in DC. (<i>lucidum</i> - <i>racemosum</i>)	+	<i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>micrantha</i> (Brot.) Greuter & Burdet	+
<i>Hormuzakia aggregata</i> (Lehm.) Gusul.	+	<i>Moricandia longirostris</i> Pomel	+
<i>Hypericum pubescens</i> Boiss.	+	<i>Muscari gussonei</i> (Parl.) Tod.	+
<i>Jurinea bocconii</i> (Guss.) DC.	+	<i>Myosotis congesta</i> Shuttlew.	+
<i>Kickxia lanigera</i> (Desf.) Hand.-Mazz.	?	<i>Nepeta apuleii</i> Ucria	+
<i>Klasea flavescens</i> (L.) Holub subsp. <i>mucronata</i> (Desf.) Cantó & Rivas Mart.	+	<i>Nepeta tuberosa</i> L. subsp. <i>tuberosa</i>	+
<i>Lagurus ovatus</i> L. subsp. <i>nanus</i> (Guss.) Messeri	+	<i>Nigella papillosa</i> G. López subsp. <i>atlantica</i> (Murb.) Amich ex G. López	+
		<i>Nonea vesicaria</i> (L.) Rchb.	+
		<i>Odontites bocconii</i> (Guss.) Walp.	+
		<i>Odontites rigidifolius</i> (Biv.) Benth.	+

<i>Odontites vulgaris</i> Moench subsp. <i>siculus</i> (Guss.) Bolliger	+	<i>Silene hicesiae</i> Brullo & Signorello	+
<i>Oncostema cerulea</i> (Raf.) Speta	+	<i>Silene minae</i> Strobl	+
<i>Oncostema dimartinoi</i> (Brullo & Pavone) F. Conti & Soldano	+	<i>Silene turbinata</i> Guss.	?
<i>Ononis hispida</i> Desf. subsp. <i>hispida</i>	+	<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>aetnensis</i> (Strobl) Pignatti	+
<i>Ononis pubescens</i> L.	+	<i>Sinapis alba</i> L. subsp. <i>mairei</i> (H. Lindb.) Maire	+
<i>Ononis serrata</i> Forssk.	+	<i>Solenopsis minuta</i> (L.) C. Presl subsp. <i>minuta</i>	+
<i>Onopordum argolicum</i> Boiss.	+	<i>Sorbus umbellata</i> (Desf.) Fritsch	?
<i>Ophrys calliantha</i> Bartolo & Pulv.	+	<i>Spergula fallax</i> (Lowe) E.H.L. Krause	+
<i>Ophrys discors</i> Bianca	+	<i>Spergularia tunetana</i> (Maire) Jalas	?
<i>Ophrys explanata</i> (Lojac.) P. Delforge	+	<i>Stachys germanica</i> L. subsp. <i>dasyanthos</i> (Raf.) Arcang.	+
<i>Ophrys lunulata</i> Parl.	+	<i>Stipa barbata</i> Desf.	+
<i>Ophrys mirabilis</i> Geniez & Melki	+	<i>Stipa letourneuxii</i> Trabut subsp. <i>pellita</i> (Trin. & Rupr.) H. Scholz	+
<i>Ophrys pallida</i> Raf.	+	<i>Stipa sicula</i> Moraldo, Caputo, La Valva & Ricciardi	+
<i>Ophrys panormitana</i> (Tod.) Soó	+	<i>Suaeda pelagica</i> Bartolo, Brullo & Pavone	+
<i>Origanum onites</i> L.	+	<i>Suaeda vermiculata</i> Forssk. ex J.F. Gmel.	+
<i>Orobanchae aegyptiaca</i> Pers.	+	<i>Symphytum gussonei</i> F.W. Schultz	+
<i>Orobanchae chironii</i> Lojac.	?	<i>Tanacetum siculum</i> (Guss.) Strobl	+
<i>Pancratium linosae</i> Soldano & F. Conti	+	<i>Taraxacum caramanicae</i> Lojac.	+
<i>Parietaria mauritanica</i> Durieu	?	<i>Tetragonolobus conjugatus</i> (L.) Link subsp. <i>conjugatus</i>	+
<i>Paronychia arabica</i> (L.) DC. subsp. <i>longiseta</i> Batt.	+	<i>Teucrium aureum</i> Schreb. subsp. <i>aureum</i>	+
<i>Periploca angustifolia</i> Labill.	+	<i>Teucrium creticum</i> L.	0
<i>Petagnaena gussonei</i> (Spreng.) Rausch.	+	<i>Thlaspi perfoliatum</i> L. subsp. <i>tineoi</i> (Paol.) Maire	+
<i>Peucedanum nebrodense</i> (Guss.) Strobl	+	<i>Thymus richardii</i> Pers. subsp. <i>nitidus</i> (Guss.) Jalas	+
<i>Phagnalon metlesicium</i> Pignatti	+	<i>Tillaea basaltica</i> (Brullo & Siracusa) Brullo, Giusso & Siracusa	+
<i>Plantago afra</i> L. subsp. <i>zwierleinii</i> (Nicotra) Brullo	+	<i>Torilis nemoralis</i> (Brullo) Brullo & Giusso	+
<i>Plantago cupanii</i> Guss.	+	<i>Trachelium caeruleum</i> L. subsp. <i>lanceolatum</i> (Guss.) Arcang.	+
<i>Plantago peloritana</i> Lojac.	+	<i>Trifolium bivaricatum</i> Guss.	+
<i>Poa bivonae</i> Parl. ex Guss.	+	<i>Trifolium clusii</i> Godr. & Gren.	+
<i>Prunus cupaniana</i> Guss.	+	<i>Trifolium isthmocarpum</i> Brot. subsp. <i>jaminianum</i> (Boiss.) Murb.	?
<i>Pseudoscabiosa limonifolia</i> (Vahl) Devesa	+	<i>Trifolium nigrescens</i> Viv. subsp. <i>petrisavii</i> (Clementi) Holmboe	+
<i>Ranunculus angulatus</i> C. Presl	+	<i>Trifolium purpureum</i> Loisel.	?
<i>Ranunculus isthmicus</i> Boiss.	?	<i>Trifolium setiferum</i> Boiss.	+
<i>Ranunculus spicatus</i> Desf. subsp. <i>rupestris</i> (Guss.) Maire	+	<i>Triplachne nitens</i> (Guss.) Link	+
<i>Reaumuria vermiculata</i> L.	+	<i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>splendens</i> (C. Presl) Banfi & Soldano	+
<i>Reichardia tingitana</i> (L.) Roth	+	<i>Tuberaria villosissima</i> (Pomel) Grosser	+
<i>Rhamnus lojaconoi</i> Raimondo	+	<i>Urtica rupestris</i> Guss.	+
<i>Rhaponticoides africana</i> (Lam.) M.V. Agab. & Greuter	?	<i>Valantia calva</i> Brullo	+
<i>Rhus pentaphylla</i> (Jacq.) Desf.	+	<i>Valantia deltoidea</i> Brullo	+
<i>Rhus tripartita</i> (Ucria) Grande	+	<i>Valerianella costata</i> (Stev.) Betcke	+
<i>Romulea linaresii</i> Parl. subsp. <i>linaresii</i>	+	<i>Verbascum siculum</i> Tod.	+
<i>Rosa strobiliana</i> Burnat & Gremli	?	<i>Vicia villosa</i> Roth subsp. <i>eriocarpa</i> (Hauskn.) P.W. Ball	?
<i>Rubus aetnensis</i> Ten.	+	<i>Viola aethnensis</i> (DC.) Strobl subsp. <i>aethnensis</i>	+
<i>Rumex aetnensis</i> C. Presl	+	<i>Viola nebrodensis</i> C. Presl	+
<i>Rumex bucephalophorus</i> L. subsp. <i>aegaeus</i> Rech. f.	+	<i>Viola tineorum</i> Erben & Raimondo	+
<i>Rumex cristatus</i> DC. subsp. <i>cristatus</i>	+	<i>Viola ucriana</i> Erben & Raimondo	+
<i>Rumex dentatus</i> L.	0	<i>Volutaria lippii</i> (L.) Maire	+
<i>Rumex vesicarius</i> L.	+	<i>Zelkova sicula</i> Di Pasq., Garfi & Quézel	+
<i>Saccharum spontaneum</i> L. subsp. <i>aegyptiacum</i> (Willd.) Hack.	+	<i>Ziziphus lotus</i> (L.) Lam. subsp. <i>lotus</i>	+
<i>Salix gussonei</i> Brullo & Spamp.	+		
<i>Salsola agrigentina</i> Guss.	+	Endemic units	
<i>Saxifraga carpetana</i> Boiss. & Reut. subsp. <i>carpetana</i>	+	<i>Abies nebrodensis</i> (Lojac.) Mattei	
<i>Scabiosa parviflora</i> Desf.	+	<i>Adenocarpus bivaricatus</i> (C. Presl) C. Presl.	
<i>Scleranthus aetnensis</i> Strobl	+	<i>Adenocarpus commutatus</i> Guss.	
<i>Scleranthus perennis</i> L. subsp. <i>vulcanicus</i> (Strobl) Bég.	+	<i>Adenostyles alliariae</i> (Gouan) A. Kern. subsp. <i>macrocephala</i> (Huter, Porta & Rigo) Wagenitz & I. Müll.	
<i>Scrophularia frutescens</i> L.	+	<i>Adenostyles glabra</i> (Mill.) DC. subsp. <i>nebrodensis</i> (Strobl) Wagenitz & I. Müll.	
<i>Scutellaria rubicunda</i> Hornem.	+	<i>Ajuga tenorei</i> C. Presl	
<i>Sedum gypsicola</i> Boiss. & Reut.	+	<i>Allium aethusanum</i> Garbari	
<i>Senecio ambiguus</i> (Biv.) DC. subsp. <i>ambiguus</i>	+	<i>Allium agrigentinum</i> Brullo & Pavone	
<i>Senecio ambiguus</i> (Biv.) DC. subsp. <i>nebrodensis</i> (Guss.) Peruzzi & N.G. Passal.	+		
<i>Senecio glaber</i> Ucria	+		
<i>Senecio incrassatus</i> Guss.	+		
<i>Senecio pygmaeus</i> DC.	+		
<i>Serapias cossyrensis</i> B. & H. Baumann	+		
<i>Silene fruticosa</i> L.	+		

- Allium castellanense* (Garbari, Miceli & Raimondo) Brullo, Guglielmo, Pavone & Salmeri
Allium francinae Brullo & Pavone
Allium hemisphaericum (Sommier) Brullo
Allium hirtovaginatatum Kunth
Allium lehmannii Lojac.
Allium lopadusanum Bartolo, Brullo & Pavone
Allium nebrodense Guss.
Allium permixtum Guss.
Alyssum nebrodense Tineo subsp. *nebrodense*
Anthemis aetnensis Schouw
Anthemis arvensis L. subsp. *sphacelata* (C. Presl) R. Fern.
Anthemis cupaniana Tod. ex Nyman
Anthemis ismelia Lojac.
Anthemis lopadusana Lojac.
Anthemis muricata (DC.) Guss.
Anthemis secundiramea Biv. subsp. *intermedia* (Guss.) R. Fern.
Anthemis urvilleana (DC.) Sommier & Caruana
Anthyllis vulneraria L. subsp. *busambarensis* (Lojac.) Pignatti
Arabis collina Ten. subsp. *rosea* (DC.) Minuto
Arabis madonia C. Presl
Arenaria bertolonii Fiori
Aristolochia clusii Lojac.
Aristolochia sicula Tineo
Armeria gussonei Boiss.
Armeria nebrodensis (Guss.) Boiss.
Artemisia campestris L. subsp. *variabilis* (Ten.) Greuter
Asperula gussonii Boiss.
Asperula rupestris Tineo
Astragalus caprinus L. subsp. *huetii* (Bunge) Podlech
Astragalus nebrodensis (Guss.) Strobl
Astragalus pelecinus (L.) Barneby subsp. *pelecinus*
Astragalus raphaelis Ferro
Astragalus siculus Biv.
Astragalus thermensis Vals.
Asyneuma trichocalycinum (Ten.) K. Malý
Avenula praetutiana (Parl. ex Arcang.) Pignatti
Bassia saxicola (Guss.) A.J. Scott
Bellardiochloa variegata (Lam.) Kerguélen subsp. *aetnensis* (C. Presl) Giardina & Raimondo
Bellardiochloa variegata (Lam.) Kerguélen subsp. *nebrodensis* Giardina & Raimondo
Bellevalia dubia (Guss.) Kunth subsp. *dubia*
Bellis margaritifolia Huter
Berberis vulgaris L. subsp. *aetnensis* (C. Presl) Rouy & Foucaud
Brassica macrocarpa Guss.
Brassica rupestris Raf. subsp. *hispida* Raimondo & Mazzola
Brassica rupestris Raf. subsp. *rupestris*
Brassica villosa Biv. subsp. *bivoniana* (Mazzola & Raimondo) Raimondo & Mazzola
Brassica villosa Biv. subsp. *brevisiliqua* (Raimondo & Mazzola) Raimondo & Geraci
Brassica villosa Biv. subsp. *drepanensis* (Caruel) Raimondo & Mazzola
Brassica villosa Biv. subsp. *tinei* (Lojac.) Raimondo & Mazzola
Brassica villosa Biv. subsp. *villosa*
Buglossoides minima (Moris) R. Fernandes
Bunium petraeum Ten.
Bupleurum dianthifolium Guss.
Bupleurum elatum Guss.
Bupleurum rollei (Monteluc.) Moraldo
Calendula suffruticosa Vahl subsp. *maritima* (Guss.) Meikle
Cardamine dubia Nicotra
Cardamine monteluccii Brilli-Catt. & Gubellini
Carduus corymbosus Ten.
Carduus nutans L. subsp. *siculus* (Franco) Greuter
Carduus rugulosus Guss.
Carex panormitana Guss.
Carlina nebrodensis Guss. ex DC.
Carlina sicula Ten.
Celtis aetnensis Strobl
Centaurea aeolica Guss. ex Lojac. subsp. *aeolica*
Centaurea ambigua Guss. s.l.
Centaurea busambarensis Guss.
Centaurea macroacantha Guss.
Centaurea parlatoris Heldr.
Centaurea solstitialis L. subsp. *schouwii* (DC.) Gugler
Centaurea tauromenitana Guss.
Centaurea ucriae Lacaita subsp. *todari* (Lacaita) Cela-Renzoni & Viegi
Centaurea ucriae Lacaita subsp. *ucriae*
Centaurea ucriae Lacaita subsp. *umbrosa* (Lacaita) Cela-Renzoni & Viegi
Cerastium lacaitae Barberis, Bechi & Miceli
Cerastium tomentosum L.
Chiliadenus lopadusanus Brullo
Cirsium misilmerense Ces., Pass. & Gibelli
Cirsium vallis-demonis Lojac.
Corydalis solida (L.) Clairv. subsp. *densiflora* (J. & C. Presl) Arcang.
Cotoneaster nebrodensis (Guss.) C. Koch
Crepis bivoniana (Rchb.) Soldano & F. Conti
Crepis bursifolia L.
Crepis sprengeli Nicotra
Crepis vesicaria L. subsp. *hyemalis* (Biv.) Babc.
Crocus siculus Tineo
Cymbalaria pubescens (J. Presl) Cufod.
Cyperus papyrus L. subsp. *siculus* (Parl.) Chiov.
Cytisus aeolicus Guss.
Daucus foliosus Guss.
Daucus lopadusanus Tineo
Daucus siculus Tineo
Delphinium emarginatum C. Presl subsp. *emarginatum*
Desmazeria pignattii Brullo & Pavone
Dianthus busambrae Soldano & F. Conti
Dianthus rupicola Biv. subsp. *aeolicus* (Lojac.) Brullo & Minissale
Dianthus rupicola Biv. subsp. *lopadusanus* Brullo & Minissale
Diplotaxis scaposa DC.
Dipsacus arcimusi Lojac.
Draba olympicoides Strobl
Echinops ritro L. subsp. *siculus* (Strobl) Greuter
Echium italicum L. subsp. *siculum* (Lacaita) Greuter & Burdet
Edraianthus graminifolius (L.) A. DC. subsp. *siculus* (Strobl) Greuter & Burdet
Epipactis flaminia P.R. Savelli & Aless.
Epipactis meridionalis H. Baumann & R. Lorenz
Epipactis placentina Bongiorno & Grünanger
Erodium nervulosum L'Hér.
Eryngium crinitum C. Presl
Erysimum bonannianum C. Presl
Erysimum metlesicsii Polatschek
Euphorbia amygdaloides L. subsp. *arbuscula* Meusel
Euphorbia ceratocarpa Ten.
Euphorbia corallioides L.
Euphorbia gasparrinii Boiss. subsp. *gasparrinii*
Euphorbia papillaris (Boiss.) Raffaelli & Ricceri

- Euphorbia pithyusa* L. subsp. *cupanii* (Guss. ex Bertol.) Radcl.-Sm.
Festuca humifusa Brullo & Guarino
Festuca pignattiorum Markgr.-Dann.
Filago lojaconoi (Brullo) Greuter
Gagea lacaitae A. Terracc.
Gagea ramulosa A. Terracc.
Galatella sorrentinoi Tod.
Galium aetnium Biv.
Galium litorale Guss.
Galium lucidum All. subsp. *venustum* (Jord.) Arcang.
Galium verrucosum Huds. subsp. *halophilum* (Ponzo) Lambinon
Genista aetnensis (Biv.) DC.
Genista aristata C. Presl
Genista cupanii Guss.
Genista demarcoi Brullo, Scelsi & Siracusa
Genista gasparrinii (Guss.) C. Presl
Genista madoniensis Raimondo
Genista tyrrhena Vals.
Gypsophila arrostii Guss. subsp. *arrostii*
Helianthemum oelandicum (L.) Dum. Cours. subsp. *allionii* (Tineo) Greuter & Burdet
Helianthemum oelandicum (L.) Dum. Cours. subsp. *nebrodense* (Guss.) Greuter & Burdet
Helichrysum hyblaum Brullo
Helichrysum nebrodense Heldr.
Helichrysum pendulum (C. Presl) C. Presl
Heliotropium suaveolens M. Bieb. subsp. *bocconei* (Guss.) Brummitt
Helleborus bocconei Ten. subsp. *bocconei*
Herniaria fontanesii Gay subsp. *empedocleana* (Lojac.) Brullo
Hesperis cupaniana Guss.
Hieracium cophanense Lojac. (*lucidum* - *symphytifolium*)
Hieracium lucidum Guss.
Hieracium symphytifolium Froelich in DC. (*lucidum* - *racemosum*)
Hormungia revelierei Soldano, F. Conti, Banfi & Galasso
Hyoseris taurina (Pamp.) Martinoli
Jurinea bocconii (Guss.) DC.
Klasea flavescens (L.) Holub subsp. *cichoracea* (L.) Greuter & Wagenitz
Lagurus ovatus L. subsp. *vestitus* (Messeri) H. Scholz
Laserpitium siler L. subsp. *siculum* (Spreng.) Santangelo, F. Conti & Gubellini
Lathyrus odoratus L.
Lavatera agrigentina Tineo
Leontodon muelleri (Sch. Bip.) Fiori subsp. *muelleri*
Leontodon sculus (Guss.) Nyman
Limonium aegusae Brullo
Limonium albidum (Guss.) Pignatti
Limonium algusae (Brullo) Greuter
Limonium bocconei (Lojac.) Litard.
Limonium calcarae (Tod.) Pignatti
Limonium catanense (Tineo ex Lojac.) Brullo
Limonium catanzaroii Brullo
Limonium cosyrense (Guss.) Kuntze
Limonium dubium (Guss.) Litard.
Limonium flagellare (Lojac.) Brullo
Limonium furnarii Brullo
Limonium glomeratum (Tausch) Erben
Limonium hyblaum Brullo
Limonium intermedium (Guss.) Brullo
Limonium ionicum Brullo
Limonium lilybaeum Brullo
Limonium lojaconi Brullo
Limonium lopadusanum Brullo
Limonium mazarae Pignatti
Limonium melancholicum Brullo, Marcenò & S. Romano
Limonium minutiflorum (Guss.) Kuntze
Limonium optimae Raimondo
Limonium opulentum (Lojac.) Brullo
Limonium pachynense Brullo
Limonium panormitanum (Tod.) Pignatti
Limonium parvifolium (Tineo) Pignatti
Limonium pavonianum Brullo
Limonium ponzoii (Fiori & Bég.) Brullo
Limonium secundirameum (Lojac.) Brullo
Limonium selinuntinum Brullo
Limonium syracusanum Brullo
Limonium tauromenitanum Brullo
Limonium tenuiculum (Tineo) Pignatti
Limonium todaroanum Raimondo & Pignatti
Linaria multicaulis (L.) Mill. subsp. *aetnensis* Giardina & Zizza
Linaria multicaulis (L.) Mill. subsp. *humilis* (Guss.) De Leon., Giardina & Zizza
Linaria multicaulis (L.) Mill. subsp. *multicaulis*
Linaria pseudolaxiflora Lojac.
Linaria purpurea (L.) Mill.
Linum punctatum C. Presl subsp. *punctatum*
Luzula sicula Parl.
Matthiola incana (L.) R. Br. subsp. *pulchella* (Conti) Greuter & Burdet
Matthiola incana (L.) R. Br. subsp. *rupestris* (Raf.) Nyman
Micromeria canescens (Guss.) Benth.
Micromeria consentina (Ten.) N. Terracc.
Micromeria graeca (L.) Benth. ex Rechb. subsp. *longiflora* (C. Presl) Nyman
Micromeria graeca (L.) Benth. ex Rechb. subsp. *tenuifolia* (Ten.) Nyman
Minuartia graminifolia (Ard.) Jáv. subsp. *rosani* (Ten.) Mattf.
Muscari gussonei (Parl.) Tod.
Myosotis sylvatica Hoffm. subsp. *elongata* (Strobl) Grau
Nigella arvensis L. subsp. *glaucescens* (Guss.) Greuter & Burdet
Odontites bocconii (Guss.) Walp.
Odontites rigidifolius (Biv.) Benth.
Oncostema dimartinii (Brullo & Pavone) F. Conti & Soldano
Ononis oligophylla Ten.
Onosma canescens C. Presl
Ophrys benacensis (Reisigl) O. Danesch, E. Danesch & Ehrend.
Ophrys biscutella O. & E. Danesch
Ophrys calliantha Bartolo & Pulv.
Ophrys discors Bianca
Ophrys exaltata Ten. subsp. *exaltata*
Ophrys exaltata Ten. subsp. *tyrrhena* (Gözl & H.R. Reinhard) Del Prete
Ophrys explanata (Lojac.) P. Delforge
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *apulica* O. & E. Danesch
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *parvimaclulata* O. & E. Danesch
Ophrys lunulata Parl.
Ophrys mirabilis Geniez & Melki
Ophrys oxyrrhynchus Tod.
Ophrys panattensis Scrugli, Cogoni & Pessei
Ophrys panormitana (Tod.) Soó
Ophrys promontorii O. & E. Danesch
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson

Ophrys tardans O. & E. Danesch
Orchis brancifortii Biv.
Ornithogalum exscapum Ten.
Orobanche chironii Lojac.
Paeonia morisii Cesca, Bernardo & N.G. Passal.
Pancratium linosae Soldano & F. Conti
Petagnaea gussonii (Spreng.) Rausch.
Peucedanum nebrodense (Guss.) Strobl
Phagnalon metlesicsii Pignatti
Pimpinella anisoides V. Brig.
Plantago peloritana Lojac.
Polygala preslii Spreng.
Polygonum gussonei Tod.
Polygonum tenorei C. Presl
Pseudoscabiosa limonifolia (Vahl) Devesa
Ptilostemon niveus (C. Presl) Greuter
Ranunculus angulatus C. Presl
Ranunculus monspeliacus L. subsp. *aspromontanus* (Huter) Peruzzi & N.G. Passal.
Ranunculus pratensis C. Presl
Retama raetam (Forssk.) Webb & Berthel. subsp. *gussonei* (Webb) Greuter
Rhamnus lojaconoi Raimondo
Robertia taraxacoides (Loisel.) DC.
Romulea linaresii Parl. subsp. *linaresii*
Rosa viscosa Jan ex Guss.
Rumex aetnensis C. Presl
Rumex scutatus L. subsp. *glaucescens* (Guss.) Brullo, Scelsi & Spamp.
Salix gussonei Brullo & Spamp.
Salsola agrigentina Guss.
Scabiosa parviflora Desf.
Scleranthus aetnensis Strobl
Scleranthus perennis L. subsp. *vulcanicus* (Strobl) Bég.
Scutellaria columnae All. subsp. *gussonei* (Ten.) Arcang.
Scutellaria rubicunda Hornem.
Senecio ambiguus (Biv.) DC. subsp. *ambiguus*
Senecio ambiguus (Biv.) DC. subsp. *nebrodensis* (Guss.) Peruzzi & N.G. Passal.
Senecio gibbosus (Guss.) DC. subsp. *bicolor* (Willd.) Peruzzi, N.G. Passal. & Soldano
Senecio gibbosus (Guss.) DC. subsp. *gibbosus*
Senecio glaber Ucria
Senecio incrassatus Guss.
Senecio lycopiifolius Desf.
Senecio pygmaeus DC.
Serapias cossyrensis B. & H. Baumann
Seseli bocconi Guss.
Sesleria nitida Ten.
Sideritis italica (Mill.) Greuter & Burdet
Silene hicesiae Brullo & Signorello
Silene minae Strobl
Silene nummica Vals.
Silene turbinata Guss.
Silene vulgaris (Moench) Garcke subsp. *aetnensis* (Strobl) Pignatti
Solenanthus apenninus (L.) Fisch. & C.A. Mey.
Stachys germanica L. subsp. *dasyanthes* (Raf.) Arcang.
Stipa austroitalica Martinovský subsp. *appendiculata* (Celak.) Moraldo
Stipa gussonei Moraldo
Stipa sicula Moraldo, Caputo, La Valva & Ricciardi
Suaeda pelagica Bartolo, Brullo & Pavone
Symphytum gussonei F.W. Schultz
Tanacetum siculum (Guss.) Strobl
Thalictrum calabricum Spreng.
Thymus richardii Pers. subsp. *nitidus* (Guss.) J alas

Thymus spinulosus Ten.
Tillaea basaltica (Brullo & Siracusa) Brullo, Giusso & Siracusa
Tolpis virgata (Desf.) Bertol. subsp. *grandiflora* (Ten.) Arcang.
Torilis nemoralis (Brullo) Brullo & Giusso
Trachelium caeruleum L. subsp. *lanceolatum* (Guss.) Arcang.
Tragopogon porrifolius L. subsp. *cupani* (Guss. ex DC.) I. Richardson
Trifolium bivonae Guss.
Trifolium brutium Ten.
Trifolium isthmocarpum Brot. subsp. *jaminianum* (Boiss.) Murb.
Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti
Trifolium setiferum Boiss.
Trifolium uniflorum L. subsp. *savianum* (Guss.) Asch. & Graebn.
Urtica rupestris Guss.
Valantia deltoidea Brullo
Verbascum siculum Tod.
Vicia ochroleuca Ten. subsp. *ochroleuca*
Vicia tenuifolia Roth subsp. *elegans* (Guss.) Nyman
Viola aethnensis (DC.) Strobl subsp. *aethnensis*
Viola aethnensis (DC.) Strobl subsp. *messanensis* (W. Becker) Merxm. & Lippert
Viola nebrodensis C. Presl
Viola tineorum Erben & Raimondo
Viola ucriana Erben & Raimondo
Zelkova sicula Di Pasq., Garfi & Quézel

Protected units

-

Alien units

Abies alba Mill.
Acacia dealbata Link
Acacia karroo Hayne
Acacia saligna (Labill.) H.L. Wendl.
Achyranthes aspera L.
Aeonium arboreum (L.) Webb & Berthel.
Aeonium decorum Webb ex Bolle
Aeonium simsii (Sweet) Stearn
Aesculus hippocastanum L.
Agave americana L.
Agave ferox K. Koch
Ailanthus altissima (Mill.) Swingle
Albizia julibrissin Durazz.
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus caudatus L.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus hypochondriacus L.
Amaranthus muricatus (Moq.) Hieron.
Amaranthus retroflexus L.
Amaranthus tricolor L.
Amaranthus viridis L.
Antholyza aethiopica L.
Antirrhinum majus L. subsp. *majus*
Antirrhinum majus L. subsp. *tortuosum* (Bosc. ex Lam.) Rouy
Aptenia cordifolia (L. f.) Schwantes

- Araujia sericifera* Brot.
Artemisia annua L.
Artemisia verlotiorum Lamotte
Asclepias fruticosus L.
Avena byzantina Koch
Avena sativa L. subsp. *macrantha* (Hack.) Rocha Afonso
Avena sativa L. subsp. *sativa*
Ballota pseudodictamnus (L.) Benth.
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Beta vulgaris L. subsp. *vulgaris*
Bidens aurea (Aiton) Sherff
Bidens bipinnata L.
Bidens frondosa L.
Bidens pilosa L.
Boerhavia repens L. subsp. *viscosa* (Choisy) Maire
Boussingaultia cordifolia Ten.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Broussonetia papyrifera (L.) Vent.
Calendula officinalis L.
Canna indica L.
Cannabis sativa L.
Carpobrotus acinaciformis (L.) L. Bolus
Carpobrotus edulis (L.) N.E. Br.
Celosia argentea L.
Centaurea acaulis L.
Centaurea diluta Aiton
Centaurea hyalolepis Boiss.
Cephalaria syriaca (L.) Roem. & Schult.
Ceratochloa cathartica (Vahl) Herter
Cercis siliquastrum L. subsp. *siliquastrum*
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Christella dentata (Forssk.) Brownsey & Jermy
Chrysanthemoides monilifera (L.) Norl.
Cicer arietinum L.
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Coix lacryma-jobi L.
Colocasia esculenta (L.) Schott
Colutea arborescens L.
Consolida ajacis (L.) Schur
Consolida hispanica (Costa) Greuter & Burdet
Convolvulus betonicifolius Mill.
Convolvulus sabatius Viv. subsp. *sabatius*
Convolvulus tricolor L. subsp. *tricolor*
Coriandrum sativum L.
Coronopus didymus (L.) Sm.
Cortaderia selloana (Schult.) Asch. & Graebn.
Crassula lycopodioides Lam.
Crassula tetragona L.
Crataegus azarolus L.
Cucumis melo L.
Cucumis sativus L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta campestris Yunc.
Cuscuta epilinum Weihe
Cyanus depressus (Marsch.-Bieb.) Soják
Cycloloma atriplicifolium (Spreng.) J.M. Coult.
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Cyperus difformis L.
Dactyloctenium aegyptium (L.) Richt.
Datura ferox L.
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Dichanthium annulatum (Forssk.) Stapf
Dichondra micrantha Urb.
Echinochloa colona (L.) Link
Eclipta prostrata (L.) L.
Eichornia crassipes (Mart.) Solms
Eleocharis atropurpurea (Retz.) C. Presl
Eleocharis geniculata (L.) Roem. & Schult.
Eleusine indica (L.) Gaertn. subsp. *indica*
Elide asparagoides (L.) Kerguelen
Eragrostis caroliniana (Biehler) Scribn.
Eragrostis pectinacea (Michx.) Nees
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Erysimum cheiri (L.) Crantz
Fagopyrum esculentum Moench
Freesia refracta (Jacq.) Ecklon ex Klatt
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Glinus lotoides L.
Gossypium herbaceum L.
Gossypium hirsutum L.
Graptopetalum paraguayense (N.E. Br.) Walther subsp. *paraguayense*
Guizotia abyssinica (L. f.) Cass.
Halophila stipulacea (Forssk.) Asch.
Hedera helix L. subsp. *poetarum* (Bertol.) Nyman
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Heliotropium curassavicum L.
Hesperis matronalis L. subsp. *matronalis*
Hibiscus syriacus L.
Hordeum vulgare L.
Iberis umbellata L.
Iris germanica L.
Jasminum fruticans L.
Juglans regia L.
Kalanchoe daigremontiana Hamet & H. Perrier
Kleinia mandraliscae Tineo
Lactuca sativa L.
Lappula patula (Lehm.) Gürke
Lathyrus sativus L.
Lavandula angustifolia Mill. subsp. *angustifolia*
Lavandula latifolia Medik.
Lens culinaris Medik.
Lepidium densiflorum Schrad.
Lepidium sativum L. subsp. *sativum*
Lepidium virginicum L.
Leptochloa fusca (L.) Kunth subsp. *uninervia* (J. Presl) N. Snow
Leucanthemum vulgare Lam. subsp. *vulgare*
Limonium sinuatum (L.) Mill. subsp. *bondouellei* (T. Lestib.) Sauvage & Vindt
Linum usitatissimum L.
Lunaria annua L.
Lupinus albus L. subsp. *albus*
Lycium intricatum Boiss.

- Maclura pomifera* (Raf.) C.K. Schneid.
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Mentha x piperita L.
Mesembryanthemum hispidum L.
Mespilus germanica L.
Mirabilis jalapa L.
Mirabilis longiflora L.
Morus alba L.
Morus nigra L.
Muscarimia muscari (L.) Losinsk.
Myoporum tenuifolium G. Forst.
Nicandra physalodes (L.) Gaertn.
Nicotiana glauca Graham
Oenothera glazioviana Micheli
Oenothera rosea L'Hér.
Oenothera stricta Link
Onobrychis viciifolia Scop.
Opuntia amyclaea Ten.
Opuntia dillenii (Ker-Gawler) Haworth
Opuntia ficus-indica (L.) Mill.
Opuntia humifusa (Raf.) Raf.
Opuntia monacantha (Willd.) Haw.
Opuntia robusta Wendland
Opuntia stricta (Haworth) Haworth
Opuntia tuna (L.) Mill.
Origanum majorana L.
Oxalis articulata Savigny
Oxalis latifolia Kunth
Oxalis pes-caprae L.
Oxalis purpurata Jacq.
Oxalis purpurea L.
Panicum maximum Jacq.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Pennisetum setaceum (Forssk.) Chiov.
Pennisetum villosum R. Br.
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Phacelia tanacetifolia Benth.
Phytolacca americana L.
Pistacia vera L.
Pisum sativum L. subsp. *sativum*
Platanus hispanica Mill. ex Münchh.
Polygala myrtifolia L.
Populus canadensis Moench
Populus deltoides Marshall
Portulaca grandiflora Hook.
Portulaca oleracea L. subsp. *sativa* (Haw.) Celak.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Punica granatum L.
Pyrus communis L.
Raphanus sativus L.
Rhus coriaria L.
Ricinus communis L.
Robinia pseudacacia L.
Rosa moschata Herrm.
Rumex lunaria L.
Salix babylonica L.
Salpichroa origanifolia (Lam.) Thell.
Salvia grahamii Benth.
Salvia officinalis L.
Salvia pinnata L.
Satureja hortensis L.
Schinus molle L.
Schoenoplectus juncooides (Roxb.) V.I. Krecz.
Secale cereale L.
Sechium edule (Jacq.) Sw.
Sedum nussbaumerianum Bitter
Sedum praealtum DC.
Senecio angulatus L. f.
Senecio inaequidens DC.
Senecio petasitis (Sims) DC.
Setaria italica (L.) P. Beauv.
Setaria parviflora (Poir.) Kerguélen
Sicyos angulatus L.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Sisylx atropurpurea (L.) Greuter & Burdet subsp. *atropurpurea*
Solanum bonariense L.
Solanum elaeagnifolium Cav.
Solanum lycopersicum L.
Solanum melongena L.
Solanum rostratum Dunal
Solanum sodomaeum L.
Solanum torvum Sw.
Solanum tuberosum L.
Sophora japonica L.
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Spinacia oleracea L.
Stachys byzantina C. Koch
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Tagetes minuta L.
Tamarix parviflora DC.
Tanacetum balsamita L.
Tanacetum parthenium (L.) Sch. Bip.
Tillaea campestris (Eckl. & Zeyh.) Brullo, Giusso & Siracusa
Trachelium caeruleum L. subsp. *caeruleum*
Tradescantia fluminensis Velloso
Trifolium alexandrinum L.
Trifolium incarnatum L. subsp. *incarnatum*
Trigonella foenum-graecum L.
Triticum aestivum L.
Triticum turgidum L.
Tropaeolum majus L.
Tulipa praecox Ten.
Verbascum virgatum Stokes
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Wigandia caracasana Kunth
Withania somnifera (L.) Dunal subsp. *somnifera*
Wolffia arrhiza (L.) Horkel ex Wimm.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Zantedeschia aethiopica (L.) Spreng.
Zea mays L.
Ziziphus zizyphus (L.) Meikle

TOSCANA

Exclusive units

<i>Alchemilla ceroniana</i> Buser	+
<i>Artemisia gallica</i> Willd. subsp. <i>gallica</i>	+
<i>Asperula purpurea</i> (L.) Ehrend. subsp. <i>apuana</i> (Fiori) Bechi & Garbari	+
<i>Astragalus scorpioides</i> Willd.	0
<i>Astrantia pauciflora</i> Bertol. subsp. <i>pauciflora</i>	+
<i>Athamanta cortiana</i> Ferrarini	+
<i>Biscutella apuana</i> Raffaelli	+
<i>Biscutella pichiana</i> Raffaelli subsp. <i>ilvensis</i> Raffaelli	+
<i>Biscutella pichiana</i> Raffaelli subsp. <i>pichiana</i>	+
<i>Brassica procumbens</i> (Poir.) O.E. Schulz	+
<i>Bupthalmum salicifolium</i> L. subsp. <i>flexile</i> (Bertol.) Garbari	+
<i>Carum apuanum</i> (Viv.) Grande subsp. <i>apuanum</i>	+
<i>Centaurea aetaliae</i> (Sommier) Bég.	+
<i>Centaurea gymnocarpa</i> Moris & De Not.	+
<i>Centaurea ilvensis</i> (Sommier) Arrigoni	+
<i>Centaurea litigiosa</i> (Fiori) Arrigoni	+
<i>Centaurea montisborlae</i> Soldano	+
<i>Centaurea paniculata</i> L. subsp. <i>cosana</i> (Fiori) Arrigoni	+
<i>Centaurea paniculata</i> L. subsp. <i>maremmana</i> (Fiori) Arrigoni	+
<i>Centaurea paniculata</i> L. subsp. <i>subciliata</i> (DC.) Arrigoni	+
<i>Deschampsia media</i> (Gouan) Roem. & Schult.	+
<i>Euphorbia epithymoides</i> L.	+
<i>Euphorbia nicaeensis</i> All. subsp. <i>prostrata</i> (Fiori) Arrigoni	+
<i>Festuca apuanica</i> Markgr.-Dann.	+
<i>Festuca arundinacea</i> Schreb. subsp. <i>corsica</i> (Hoek.) Kerguélen	+
<i>Festuca gamisansii</i> Kerguélen subsp. <i>aethaliae</i> Signorini & Foggi	+
<i>Festuca halleri</i> All. subsp. <i>yvesii</i> Kerguélen & Plonka	+
<i>Filago neglecta</i> (Soy.-Will.) DC.	0
<i>Galium caprarium</i> Natali	+
<i>Hieracium urticaceum</i> Arv.-Touv. & Ravaud (<i>amplexicaule</i> - <i>humile</i>)	+
<i>Holcus setiglumis</i> Boiss. & Reut.	+
<i>Hymenophyllum tunbrigense</i> (L.) Sowerby	+
<i>Limonium dianium</i> Pignatti	+
<i>Limonium doriae</i> (Sommier) Pignatti	+
<i>Limonium etruscum</i> Arrigoni & Rizzotto	+
<i>Limonium gorgonae</i> Pignatti	+
<i>Limonium herculis</i> Pignatti	+
<i>Limonium ilvae</i> Pignatti	+
<i>Limonium montis-christi</i> Rizzotto	+
<i>Limonium multifforme</i> Pignatti	+
<i>Limonium planesiae</i> Pignatti	+
<i>Limonium sommierianum</i> (Fiori) Arrigoni	+
<i>Limonium trojae</i> Pignatti	+
<i>Linaria caprarica</i> Moris & De Not.	+
<i>Linaria cossonii</i> Barratte	+
<i>Medicago soleirolii</i> Duby	+
<i>Narcissus etruscus</i> Parl.	+
<i>Ophioglossum azoricum</i> C. Presl	+
<i>Poa perligulata</i> (H. Scholz) H. Scholz	+
<i>Polygala carueliana</i> (Benn.) Burnat	+
<i>Potentilla anglica</i> Laichard.	+
<i>Rhamnus glaucophylla</i> Sommier	+
<i>Salix crataegifolia</i> Bertol.	+
<i>Santolina leucantha</i> Bertol.	+
<i>Scleranthus perennis</i> L. subsp. <i>dichotomus</i> (Schur) Nyman	+
<i>Senecio apuanus</i> Tausch	+
<i>Silene caprarica</i> Sommier	+
<i>Silene lanuginosa</i> Bertol.	+
<i>Silene pichiana</i> Ferrarini & Cecchi	+
<i>Thesium sommieri</i> Hendrych	+
<i>Trisetaria burnouffii</i> (Req. ex Parl.) Banfi & Soldano	+
<i>Veronica aphylla</i> L. subsp. <i>longistyla</i> (Ball) Arcang.	+

<i>Viola corsica</i> Nyman subsp. <i>ilvensis</i> (W. Becker) Merxm.	+
<i>Viola etrusca</i> Erben	+

Endemic units

<i>Alchemilla ceroniana</i> Buser
<i>Allium anzalonei</i> Brullo, Pavone & Salmeri
<i>Allium parviflorum</i> Viv.
<i>Arenaria bertolonii</i> Fiori
<i>Armeria denticulata</i> (Bertol.) DC.
<i>Armeria majellensis</i> Boiss. subsp. <i>ausonia</i> Bianchini
<i>Armeria majellensis</i> Boiss. subsp. <i>majellensis</i>
<i>Armeria marginata</i> (Levier) Bianchini
<i>Armeria seticeps</i> Rehb.
<i>Artemisia caerulea</i> L. subsp. <i>cretacea</i> (Fiori) Brilli-Catt. & Gubellini
<i>Asperula purpurea</i> (L.) Ehrend. subsp. <i>apuana</i> (Fiori) Bechi & Garbari
<i>Astragalus pelecinus</i> (L.) Barneby subsp. <i>pelecinus</i>
<i>Astrantia pauciflora</i> Bertol. subsp. <i>pauciflora</i>
<i>Athamanta cortiana</i> Ferrarini
<i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti
<i>Bellevia webbiana</i> Parl.
<i>Biscutella apuana</i> Raffaelli
<i>Biscutella mollis</i> Loisel.
<i>Biscutella pichiana</i> Raffaelli subsp. <i>ilvensis</i> Raffaelli
<i>Biscutella pichiana</i> Raffaelli subsp. <i>pichiana</i>
<i>Borago pygmaea</i> (DC.) Chater & Greuter
<i>Bupthalmum salicifolium</i> L. subsp. <i>flexile</i> (Bertol.) Garbari
<i>Bupleurum gussonei</i> (Arcang.) S. & B. Snogerup
<i>Calamagrostis corsica</i> (Hack.) D.Prain
<i>Cardamine apennina</i> Lihová & Marhold
<i>Cardamine monteluccii</i> Brilli-Catt. & Gubellini
<i>Carduus fasciculiflorus</i> Viv.
<i>Carduus micropterus</i> (Borbás) Teyber subsp. <i>perspinosus</i> (Fiori) Kazmi
<i>Carduus sardous</i> DC.
<i>Carex ferruginea</i> Scop. subsp. <i>macrostachys</i> (Bertol.) Arcang.
<i>Carex microcarpa</i> Bertol. ex Moris
<i>Carlina macrocephala</i> Moris subsp. <i>macrocephala</i>
<i>Carlina nebrodensis</i> Guss. ex DC.
<i>Carum apuanum</i> (Viv.) Grande subsp. <i>apuanum</i>
<i>Carum flexuosum</i> (Ten.) Nyman
<i>Centaurea aetaliae</i> (Sommier) Bég.
<i>Centaurea ambigua</i> Guss. subsp. <i>laciniata</i> (Guss.) Arcang.
<i>Centaurea apolepa</i> Moretti subsp. <i>apolepa</i>
<i>Centaurea arrigonii</i> Greuter
<i>Centaurea gymnocarpa</i> Moris & De Not.
<i>Centaurea ilvensis</i> (Sommier) Arrigoni
<i>Centaurea litigiosa</i> (Fiori) Arrigoni
<i>Centaurea montisborlae</i> Soldano
<i>Centaurea nigrescens</i> Willd. subsp. <i>pinnatifida</i> (Fiori) Dostál
<i>Centaurea paniculata</i> L. subsp. <i>carueliana</i> (Micheletti) Arrigoni
<i>Centaurea paniculata</i> L. subsp. <i>cosana</i> (Fiori) Arrigoni
<i>Centaurea paniculata</i> L. subsp. <i>lunensis</i> (Fiori) Arrigoni
<i>Centaurea paniculata</i> L. subsp. <i>maremmana</i> (Fiori) Arrigoni
<i>Centaurea paniculata</i> L. subsp. <i>subciliata</i> (DC.) Arrigoni
<i>Cerastium scaranii</i> Ten.
<i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti
<i>Cirsium alpis-lunae</i> Brilli-Catt. & Gubellini
<i>Cirsium bertolonii</i> Spreng.
<i>Cirsium tenoreanum</i> Petr.
<i>Crepis bursifolia</i> L.
<i>Crepis lacera</i> Ten.

- Crocus etruscus* Parl.
Digitalis lutea L. subsp. *australis* (Ten.) Arcang.
Echinops ritro L. subsp. *siculus* (Strobl) Greuter
Elymus acutus (DC.) Thiebaut
Epipactis flaminia P.R. Savelli & Aless.
Epipactis helleborine (L.) Crantz subsp. *latina* W. Rossi & E. Klein
Epipactis placentina Bongiorno & Grünanger
Erysimum pseudorhaeticum Polatschek
Euphorbia barrelieri Savi subsp. *barrelieri*
Euphorbia nicaeensis All. subsp. *prostrata* (Fiori) Arrigoni
Euphorbia pithyusa L. subsp. *cupanii* (Guss. ex Bertol.) Radcl.-Sm.
Festuca apuanica Markgr.-Dann.
Festuca centro-apenninica (Markgr.-Dann.) Foggi, F. Conti & Pignatti
Festuca gamisansii Kerguelen subsp. *aethaliae* Signorini & Foggi
Festuca inops De Not.
Festuca riccerii Foggi & Graz. Rossi
Festuca robustifolia Markgr.-Dann.
Festuca violacea Schleich. ex Gaudin subsp. *puccinellii* (Parl.) Foggi, Graz. Rossi & Signorini
Galium caprarium Natali
Galium palaeoitalicum Ehrend.
Galium verrucosum Huds. subsp. *halophilum* (Ponzo) Lambinon
Genista desoleana Vals.
Globularia incanescens Viv.
Helleborus bocconeii Ten. subsp. *bocconeii*
Hieracium grovesianum Arv.-Touv. ex Belli (*racemosum* = *murorum*)
Jonopsidium savianum (Carmel) Arcang.
Klasea flavescens (L.) Holub subsp. *cichoracea* (L.) Greuter & Wagenitz
Laserpitium siler L. subsp. *siculum* (Spreng.) Santangelo, F. Conti & Gubellini
Leontodon anomalus Ball
Limonium articulatum (Loisel.) Kuntze
Limonium contortirameum (Mabille) Erben
Limonium daniunum Pignatti
Limonium doriae (Sommier) Pignatti
Limonium etruscum Arrigoni & Rizzotto
Limonium gorgonae Pignatti
Limonium herculis Pignatti
Limonium ilvae Pignatti
Limonium montis-christi Rizzotto
Limonium multifforme Pignatti
Limonium planesiae Pignatti
Limonium sommierianum (Fiori) Arrigoni
Limonium trojae Pignatti
Linaria capraria Moris & De Not.
Linaria purpurea (L.) Mill.
Melampyrum italicum Soó
Mentha requienii Benth. subsp. *bistaminata* Mannocci & Falconcini
Micromeria graeca (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman
Minuartia laricifolia (L.) Schinz & Thell. subsp. *ophiolitica* Pignatti
Moltkia suffruticosa (L.) Brand
Murbeckiella zanonii (Ball) Rothm.
Myosotis decumbens Host subsp. *florentina* Grau
Narcissus etruscus Parl.
Ononis masquillierii Bertol.
Onosma echioides (L.) L.
Ophrys crabronifera Mauri
Ophrys exaltata Ten. subsp. *tyrrhena* (Gözl & H.R. Reinhard) Del Prete
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *parvimaculata* O. & E. Danesch
Ophrys sphegodes Mill. subsp. *garganica* E. Nelson
Ophrys sphegodes Mill. subsp. *majellensis* Helga & Herm. Deiss
Ornithogalum etruscum Parl.
Ornithogalum exscapum Ten.
Ornithogalum orthophyllum Ten.
Polygala carueliana (Benn.) Burnat
Polygala flavescens DC.
Primula apennina Widmer
Pulmonaria apennina Cristof. & Puppi
Ranunculus apenninus (Chiov.) Pignatti
Ranunculus pollinensis (N. Terracc.) Chiov.
Rhamnus glaucophylla Sommier
Rhinanthus apuanus Soldano
Robertia taraxacoides (Loisel.) DC.
Romulea revelieri Jord. & Fourr.
Santolina etrusca (Lacaita) Marchi & D'Amato
Santolina leucantha Bertol.
Saxifraga corsica (Duby) Gren. & Godr. subsp. *corsica*
Scabiosa holosericea Bertol.
Scabiosa uniseta Savi
Scrophularia trifoliata L.
Senecio apuanus Tausch
Sesleria italica (Pamp.) Ujhelyi
Silene badaroi Breistr.
Silene capraria Sommier
Silene pichiana Ferrarini & Cecchi
Solenanthus apenninus (L.) Fisch. & C.A. Mey.
Solidago litoralis Savi
Stachys corsica Pers.
Stachys recta L. subsp. *serpentinii* (Fiori) Arrigoni
Stipa etrusca Moraldo
Stipa oligotricha Moraldo s.l.
Taraxacum aemilianum Foggi & Ricceri
Tephrosia italica Holub
Thesium sommieri Hendrych
Verbascum conocarpum Moris subsp. *conocarpum*
Veronica aphylla L. subsp. *longistyla* (Ball) Arcang.
Vicia ochroleuca Ten. subsp. *ochroleuca*
Viola corsica Nyman subsp. *ilvensis* (W. Becker) Merxm.
Viola etrusca Erben
Viola eugeniae Parl. subsp. *eugeniae*

Protected units

- Anacamptis pyramidalis* (L.) Rich.
Callianthemum kernerianum A. Kern.
Campanula morettiana Rchb.
Campanula raineri Perp.
Cypripedium calceolus L.
Dactylorhiza incarnata (L.) Soó subsp. *cruenta* (O.F. Müll.) P.D. Sell
Dactylorhiza incarnata (L.) Soó subsp. *incarnata*
Dactylorhiza maculata (L.) Soó subsp. *maculata*
Dactylorhiza maculata (L.) Soó subsp. *saccifera* (Brongn.) Diklic
Dactylorhiza majalis (Rchb.) P.F. Hunt & Summerh.
Dactylorhiza sambucina (L.) Soó
Dactylorhiza traunsteineri (Sauter ex Rchb.) Soó subsp. *lapponica* (Laest. ex Rchb. f.) Soó
Dactylorhiza traunsteineri (Sauter ex Rchb.) Soó subsp. *traunsteineri*
Daphne alpina L. subsp. *scopoliana* Urbani
Daphne cneorum L.

Daphne laureola L.
Daphne mezereum L.
Daphne petraea Leyb.
Daphne reichsteinii Landolt & Hauser
Daphne striata Tratt.
Dictamnus albus L.
Dracocephalum austriacum L.
Drosera anglica Huds.
Drosera intermedia Hayne
Drosera rotundifolia L.
Epipactis palustris (L.) Crantz
Erysimum sylvestre (Crantz) Scop. subsp. *aurantiacum* (Leyb.) P.W. Ball
Erythronium dens-canis L.
Euphorbia variabilis Ces.
Fritillaria montana Hoppe ex Koch
Fritillaria tubiformis Gren. & Godr. subsp. *tubiformis*
Gladiolus palustris Gaudin
Himantoglossum adriaticum H. Baumann
Ilex aquifolium L.
Lactuca alpina (L.) A. Gray
Leontopodium alpinum Cass.
Leucojum vernum L.
Lilium bulbiferum L. subsp. *bulbiferum*
Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Lilium martagon L.
Limodorum abortivum (L.) Sw.
Liparis loeselii (L.) Rich.
Narcissus poeticus L.
Nigritella austriaca (Teppner & E. Klein) P. Delforge
Nigritella buschmanniae Teppner & Ster
Nigritella rhellicani Teppner & E. Klein
Nigritella rubra (Wettst.) K. Richt.
Nuphar lutea (L.) Sm.
Nymphaea alba L.
Ophrys apifera Huds.
Ophrys benacensis (Reisigl) O. Danesch, E. Danesch & Ehrend.
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *fuciflora*
Ophrys insectifera L.
Ophrys sphegodes Mill. subsp. *sphegodes*
Ophrys tetraloniae W.P. Teschner
Orchis coriophora L.
Orchis laxiflora Lam.
Orchis mascula (L.) L. subsp. *mascula*
Orchis militaris L.
Orchis morio L.
Orchis pallens L.
Orchis provincialis Balb. ex Lam. & DC.
Orchis purpurea Huds.
Orchis simia Lam.
Orchis spitzelii Saut. ex W.D.J. Koch
Orchis tridentata Scop.
Orchis ustulata L.
Paeonia officinalis L. subsp. *officinalis*
Physoplexis comosa (L.) Schur
Primula auricula L. subsp. *ciliata* (Moretti) Lüdi
Primula daonensis (Leyb.) Leyb.
Primula glaucescens Moretti
Primula recubariensis Prosser & Scorteg.
Primula spectabilis Tratt.
Primula tyrolensis Schott
Pulsatilla alpina (L.) Delarbre s.l.
Ruscus aculeatus L.
Saxifraga arachnoidea Sternb.
Saxifraga depressa Sternb.
Saxifraga facchinii Koch

Saxifraga tombeanensis Boiss. ex Engl.
Saxifraga vandellii Sternb.
Sempervivum dolomiticum Facchini
Serapias vomeracea (Burm. f.) Briq. subsp. *vomeracea*
Silene elisabethae Jan
Spiranthes aestivalis (Poir.) Rich.
Spiranthes spiralis (L.) Chevall.
Taxus baccata L.
Typha angustifolia L.
Typha latifolia L.
Typha minima Funk

Alien units

Acacia dealbata Link
Acacia saligna (Labill.) H.L. Wendl.
Acanthus spinosus L.
Acer negundo L.
Aeonium arboreum (L.) Webb & Berthel.
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Albizia julibrissin Durazz.
Allium cepa L.
Allium fistulosum L.
Allium moly L.
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Alternanthera philoxeroides (Mart.) Griseb.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus bouchonii Thell.
Amaranthus caudatus L.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus hypochondriacus L.
Amaranthus retroflexus L.
Amaranthus viridis L.
Ambrosia coronopifolia Torr. & A. Gray
Amorpha fruticosa L.
Anemone pavonina Lam.
Antirrhinum majus L. subsp. *majus*
Apium leptophyllum (Pers.) F. Muell.
Aptenia cordifolia (L. f.) Schwantes
Araujia sericifera Brot.
Artemisia verlotiorum Lamotte
Asclepias fruticosus L.
Avena sativa L. subsp. *macrantha* (Hack.) Rocha Afonso
Avena sativa L. subsp. *praegravis* (Krause) Tab. Morais
Avena sativa L. subsp. *sativa*
Ballota pseudodictamnus (L.) Benth.
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Bidens aurea (Aiton) Sherff
Bidens bipinnata L.
Bidens frondosa L.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Calendula officinalis L.
Cannabis sativa L.
Carpobrotus acinaciformis (L.) L. Bolus
Carpobrotus edulis (L.) N.E. Br.

- Catalpa bignonioides* Walter
Cenchrus incertus Curtis
Centaurea cineraria L. s.l.
Centaurea diluta Aiton
Centaurea hyalolepis Boiss.
Cephalaria syriaca (L.) Roem. & Schult.
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium multifidum L.
Cicer arietinum L.
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Cleome spinosa Jacq.
Consolida hispanica (Costa) Greuter & Burdet
Convolvulus tricolor L. subsp. *tricolor*
Coriandrum sativum L.
Coronopus didymus (L.) Sm.
Crataegus azarolus L.
Crataegus crus-galli L.
Crepis dioscoridis L.
Crepis suffreniana (DC.) Steud.
Cucumis melo L.
Cucumis sativus L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta campestris Yunck.
Cuscuta epilinum Weihe
Cycloloma atriplicifolium (Spreng.) J.M. Coult.
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Cyperus difformis L.
Cyperus eragrostis Lam.
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Dianthus caryophyllus L.
Dianthus plumarius L.
Digitaria ciliaris (Retz.) Koeler
Diospyros lotus L.
Echinochloa colona (L.) Link
Eleocharis geniculata (L.) Roem. & Schult.
Eleusine indica (L.) Gaertn. subsp. *africana* (Kennedy-O'Byrne) S.M. Philips
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Eragrostis pectinacea (Michx.) Nees
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Eriobotrya japonica (Thunb.) Lindl.
Erysimum cheiri (L.) Crantz
Eucalyptus camaldulensis Dehnh.
Euphorbia lathyris L.
Fallopia baldschuanica (Regel) Holub
Fallopia japonica (Houtt.) Ronse Decr.
Fallopia sachalinensis (F. Schmidt) Ronse Decr.
Fimbristylis cioniana Savi
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Gaura sinuata Nutt.
Gleditsia triacanthos L.
Gnaphalium americanum Mill.
Gnaphalium pensylvanicum Willd.
Hedera helix L. subsp. *poetarum* (Bertol.) Nyman
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hibiscus syriacus L.
Honorus nutans S.F. Gray
Humulus japonicus Siebold & Zucc.
Hyacinthoides hispanica (Mill.) Rothm.
Hyacinthoides non-scripta (L.) Chouard ex Rothm.
Hyacinthus orientalis L.
Hypericum mutilum L.
Impatiens balfourii Hook. f.
Inula helenium L.
Ipheion uniflorum (Graham) Raf.
Ipomoea purpurea (L.) Roth
Iris germanica L.
Jasminum officinale L.
Juglans nigra L.
Juglans regia L.
Lactuca sativa L.
Lantana camara L.
Lathyrus sativus L.
Lens culinaris Medik.
Lepidium virginicum L.
Ligustrum lucidum Aiton
Lilium candidum L.
Lilium chalcedonicum L.
Linum usitatissimum L.
Liriodendron tulipifera L.
Lonicera japonica Thunb.
Lupinus albus L. subsp. *albus*
Lupinus polyphyllus Lindl.
Lycium europaeum L.
Maclura pomifera (Raf.) C.K. Schneid.
Magnolia grandiflora L.
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Medicago blanchiana Boiss.
Melilotus dentatus (Waldst. & Kit.) Desf.
Melissa officinalis L. subsp. *officinalis*
Mespilus germanica L.
Mimulus guttatus DC.
Mirabilis jalapa L.
Morus alba L.
Morus nigra L.
Myriophyllum aquaticum (Velloso) Verdc.
Narcissus jonquilla L.
Narcissus medioluteus Mill.
Narcissus odoratus L.
Narcissus pseudonarcissus L.
Nassella trichotoma (Nees) Hack.
Nectaroscilla hyacinthoides (L.) Parl.
Nelumbo nucifera Gaertn.
Nephrolepis cordifolia C. Presl
Nicotiana glauca Graham
Nigella sativa L.
Ocimum basilicum L.
Oenothera chicaginensis Renner ex R.E. Cleland & Blakeslee
Oenothera depressa Green
Oenothera fallacoides Soldano & Rostanski
Oenothera glazioviana Micheli
Oenothera italica Rostanski & Soldano
Oenothera laciniata Hill
Oenothera marinellae Soldano

- Oenothera oehlkersi* Kappus ex Rostanski
Oenothera pellegrini Soldano
Oenothera rosea L'Hér.
Oenothera stricta Link
Oenothera suaveolens Desf. ex Pers.
Olea europaea L.
Omphalodes verna Moench
Opuntia amyclaea Ten.
Opuntia ficus-indica (L.) Mill.
Opuntia humifusa (Raf.) Raf.
Origanum majorana L.
Oryza sativa L.
Oxalis articulata Savigny
Oxalis debilis Kunth
Oxalis pes-caprae L.
Oxalis purpurata Jacq.
Oxalis purpurea L.
Oxalis stricta L.
Panicum capillare L.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Parthenocissus tricuspidata (Siebold & Zucc.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Paspalum quadrifarium Lam.
Paspalum vaginatum Sw.
Passiflora coerulea L.
Persicaria orientalis (L.) Spach
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Photinia serrulata Lindl.
Phyla canescens (Kunth) Greene
Phytolacca americana L.
Pinus cembra L.
Pinus strobus L.
Pisum sativum L. subsp. *sativum*
Pittosporum tobira (Thunb.) W.T. Aiton
Platanus hispanica Mill. ex Münchh.
Plumbago europaea L.
Polanisia trachysperma Torr. & A. Gray
Polygala myrtifolia L.
Populus canadensis Moench
Populus deltoides Marshall
Portulaca grandiflora Hook.
Portulaca oleracea L. subsp. *sativa* (Haw.) Celak.
Potentilla indica (Jacks.) Th. Wolf
Prunus armeniaca L.
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Prunus laurocerasus L.
Prunus persica (L.) Batsch
Pterocephalus plumosus (L.) Coult.
Punica granatum L.
Pyrus communis L.
Quercus rubra L.
Raphanus sativus L.
Rhus coriaria L.
Ricinus communis L.
Robinia pseudacacia L.
Roemeria hybrida (L.) DC. subsp. *hybrida*
Romulea rosea (L.) Eckl.
Salix babylonica L.
Salpichroa organifolia (Lam.) Thell.
Salvia viridis L.
Salvinia molesta D.S. Mitch.
Satureja hortensis L.
Schinus molle L.
Scirpus atrovirens Willd.
Secale cereale L.
Sechium edule (Jacq.) Sw.
Senecio angulatus L. f.
Senecio inaequidens DC.
Senecio mikanioides Otto ex Walp.
Setaria italica (L.) P. Beauv.
Setaria parviflora (Poir.) Kerguélen
Sisymbrium orientale L. subsp. *orientale*
Solanum chenopodioides Lam.
Solanum elaeagnifolium Cav.
Solanum heterodoxum Dunal ex DC.
Solanum lycopersicum L.
Solanum melongena L.
Solanum rostratum Dunal
Solanum sisymbriifolium Lam.
Solanum sodomaeum L.
Solidago canadensis L.
Solidago gigantea Aiton s.l.
Sorbaria sorbifolia (L.) A. Braun
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Spiraea japonica L.
Sporobolus indicus (L.) R. Br.
Stachys byzantina C. Koch
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum lanceolatum (Willd.) G.L.Nesom
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum salignum (Willd.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Symphytum orientale L.
Syringa vulgaris L.
Tagetes minuta L.
Tamarix parviflora DC.
Tanacetum balsamita L.
Tanacetum parthenium (L.) Sch. Bip.
Tilia americana L.
Tilia heterophylla Vent.
Tilia tomentosa Moench
Trachelium caeruleum L. subsp. *caeruleum*
Trifolium alexandrinum L.
Trigonella foenum-graecum L.
Triticum aestivum L.
Tulipa clusiana DC.
Ulmus laevis Pall.
Ulmus minor Mill. subsp. *canescens* (Melville) Browicz & Ziel.
Verbena brasiliensis Vell.
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vitex agnus-castus L.
Vitis labrusca L.
Vitis vinifera L. subsp. *vinifera*
Wisteria sinensis (Sims) Sweet
Wolffia arrhiza (L.) Horkel ex Wimm.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Yucca aloifolia L.
Yucca gloriosa L.
Zea mays L.
Ziziphus zizyphus (L.) Meikle

TRENTINO-ALTO ADIGE

Exclusive units

<i>Achillea pratensis</i> Saukel & Länger	+	<i>Potamogeton praelongus</i> Wulfen	+
<i>Alchemilla acrodon</i> S.E. Fröhner	+	<i>Potentilla neglecta</i> Baumg.	+
<i>Alchemilla cymatophylla</i> Juz.	+	<i>Ranunculus kuepferi</i> Greuter & Burdet subsp. <i>orientalis</i> W. Huber	+
<i>Alchemilla diversiloba</i> Buser	+	<i>Ranunculus pygmaeus</i> Wahlenb.	+
<i>Alchemilla propinqua</i> H. Lindb. ex Juz.	+	<i>Rosa pseudoscabriuscula</i> (R. Keller) Henker & G. Schulze	+
<i>Alchemilla rubristipula</i> Buser	+	<i>Rubus armeniacus</i> Focke	+
<i>Alchemilla subglobosa</i> C.G. Westerl.	+	<i>Rubus festii</i> H.E. Weber	+
<i>Braya alpina</i> Sternb. & Hoppe	+	<i>Rubus vestitus</i> Weihe & Nees	?
<i>Buglossoides incrassata</i> (Guss.) I.M. Johnst. subsp. <i>leithneri</i> (Heldr.) Zippel & Clermont	+	<i>Rumex obtusifolius</i> L. subsp. <i>subalpinus</i> (Schur) Rech. f.	+
<i>Cardamine udicola</i> Jord.	+	<i>Sparganium hyperboreum</i> Beurl. ex Laest.	+
<i>Carex capitata</i> L.	+	<i>Stellaria longifolia</i> Willd.	+
<i>Carex nigra</i> (L.) Reichard subsp. <i>alpina</i> (Gaudin) Lemke	+	<i>Taraxacum aureocucullatum</i> Soest	+
<i>Carex supina</i> Wahlenb.	+	<i>Taraxacum brachyglossum</i> (Dahlst.) Dahlst.	+
<i>Chenopodium album</i> L. subsp. <i>borbasii</i> (J. Murr) Soó	+	<i>Taraxacum cordatifolium</i> Soest	+
<i>Coleanthus subtilis</i> (Tratt.) Seidel	0	<i>Taraxacum croceicarpum</i> Soest	+
<i>Crepis mollis</i> (Jacq.) Asch. subsp. <i>succisiifolia</i> (All.) Jáv.	+	<i>Taraxacum handelii</i> Murr	+
<i>Equisetum arvense</i> L. subsp. <i>boreale</i> (Bong.) Tolm.	+	<i>Taraxacum helveticum</i> Soest	+
<i>Erysimum sylvestre</i> (Crantz) Scop. subsp. <i>aurantiacum</i> (Leyb.) P.W. Ball	+	<i>Taraxacum madidum</i> Kirschner & Štěpánek	+
<i>Festuca stricta</i> Host subsp. <i>bauzanina</i> Pils	+	<i>Taraxacum magnopyramidophorum</i> Soest	+
<i>Hammarbya paludosa</i> (L.) Kuntze	+	<i>Taraxacum oreophilum</i> C.E. Haglund	+
<i>Hieracium annae-toutoniae</i> Zahn (<i>dollineri</i> - <i>schmidtii</i>)	+	<i>Taraxacum petiolulatum</i> (Huter) Soest	+
<i>Hieracium antholzense</i> Zahn (<i>bocconeii</i> > <i>valdepilosum</i>)	+	<i>Taraxacum plumbeum</i> Dahlst.	+
<i>Hieracium aphyllum</i> Nägeli & Peter (<i>piliferum</i> - <i>dentatum</i>)	+	<i>Taraxacum pohlii</i> Soest	+
<i>Hieracium caespitosum</i> Dumort.	+	<i>Taraxacum reichenbachii</i> Huter ex Dahlst.	+
<i>Hieracium dunkelii</i> Gottschl. (<i>vetteri</i> - <i>amplexicaule</i>)	+	<i>Taraxacum reophilum</i> Soest	+
<i>Hieracium fainense</i> Soest (<i>velutinum</i> - <i>hoppeanum</i>)	+	<i>Taraxacum saasense</i> Soest	+
<i>Hieracium fallacinum</i> F.W. Schultz (<i>densiflorum</i> = <i>pilosella</i>)	+	<i>Taraxacum silesiacum</i> Dahlst. ex G.E. Haglund	+
<i>Hieracium frigidarium</i> Nägeli & Peter (<i>piloselloides</i> > <i>angustifolium</i>)	+	<i>Taraxacum tirolense</i> Dahlst	+
<i>Hieracium huberi</i> (Zahn) Soest (<i>piloselloides</i> < <i>velutinum</i>)	+	<i>Taraxacum turfosum</i> (Sch. Bip.) Soest	+
<i>Hieracium kalsianum</i> Huter (<i>villosum</i> > <i>picroides</i>)	+	<i>Taraxacum vetteri</i> Soest	+
<i>Hieracium kofelicum</i> Gottschl. (<i>schmidtii</i> > <i>villosum</i>)	+	<i>Trollius europaeus</i> L. subsp. <i>transsilvanicus</i> (Schur) Domin & Podp.	?
<i>Hieracium liptoviense</i> Borbás (<i>atratum</i> - <i>lachenalii</i>)	+	<i>Utricularia ochroleuca</i> R.W. Hartm.	?
<i>Hieracium mediopositum</i> Gottschl. (<i>cymosum</i> - <i>hoppeanum</i>)	+	<i>Utricularia stygia</i> G. Thor	+
<i>Hieracium misaucinum</i> Nägeli & Peter (<i>dentatum</i> - <i>humile</i>)	+	<i>Valeriana celtica</i> L. subsp. <i>norica</i> Vierh.	?
<i>Hieracium neogelmii</i> Gottschl. (<i>cymosum</i> < <i>hoppeanum</i>)	+	<i>Valeriana tripteris</i> L. subsp. <i>tomentella</i> E. Walther	+
<i>Hieracium nigrocephalum</i> Gottschl. (<i>racemosum</i> - <i>laurianum</i>)	+	<i>Vicia oreophila</i> Zertová	+
<i>Hieracium oligodon</i> Nägeli & Peter (<i>porrifolium</i> - <i>glabratum</i>)	?		
<i>Hieracium pachycymigerum</i> Gottschl. (<i>cymosum</i> > <i>hoppeanum</i>)	+	Endemic units	
<i>Hieracium peterianum</i> Käser ex Zahn (<i>fuscum</i> < <i>pilosella</i>)	+	<i>Alchemilla diversiloba</i> Buser	
<i>Hieracium pujattii</i> Gottschl. (<i>bocconeii</i> - <i>racemosum</i>)	+	<i>Alchemilla nipogeton</i> Buser ex Pamp.	
<i>Hieracium ramosum</i> Waldst. & Kit. ex Willd. (<i>caesium</i> - <i>laevigatum</i>)	?	<i>Aquilegia thalictrifolia</i> Schott & Kotschy	
<i>Hieracium rupicoliforme</i> Zahn (<i>schmidtii</i> - <i>pallascens</i>)	+	<i>Aquilegia vestinae</i> Pfenninger & D.M. Moser	
<i>Hieracium salernicola</i> Vetter & Zahn (<i>piloselloides</i> - <i>brachycomum</i>)	+	<i>Arenaria huteri</i> A. Kern.	
<i>Hieracium simia</i> (Huter ex Zahn) Zahn (<i>bocconeii</i> - <i>lachenalii</i>)	+	<i>Athamanta vestina</i> A. Kern.	
<i>Hieracium sterzingense</i> Zahn (<i>bocconeii</i> - <i>umbrosum</i>)	+	<i>Biscutella laevigata</i> L. subsp. <i>lucida</i> (Balb. ex DC.) Mach.-Laur.	
<i>Hieracium stoloniflorum</i> Waldst. & Kit. (<i>aurantiacum</i> = <i>pilosella</i>)	+	<i>Biscutella prealpina</i> Raffaelli & Baldoin	
<i>Hieracium tonalense</i> Gottschl. (<i>conicum</i> - <i>umbrosum</i>)	+	<i>Campanula morettiana</i> Rchb.	
<i>Hieracium venostorum</i> (Zahn) Gottschl. (<i>illyricum</i> - <i>schmidtii</i>)	+	<i>Campanula raineri</i> Perp.	
<i>Hieracium vetteri</i> Ronn. (<i>sparsum</i> > <i>picroides</i>)	+	<i>Daphne petraea</i> Leyb.	
<i>Hieracium vollmannii</i> Zahn (<i>bocconeii</i> - <i>murorum</i>)	+	<i>Daphne reichsteinii</i> Landolt & Hauser	
<i>Lathyrus pratensis</i> L. subsp. <i>lusseri</i> (Heer ex W.D.J. Koch) Soják	+	<i>Erysimum sylvestre</i> (Crantz) Scop. subsp. <i>aurantiacum</i> (Leyb.) P.W. Ball	
<i>Nigritella buschmanniae</i> Teppner & Ster	+	<i>Festuca austrodolomitica</i> Pils & Prosser	
<i>Picris hieracioides</i> L. subsp. <i>auriculata</i> (Sch. Bip.) Hayek	+	<i>Galium baldense</i> Spreng.	
		<i>Galium margaritaceum</i> A. Kern.	
		<i>Gypsophila papillosa</i> Porta	
		<i>Hieracium antholzense</i> Zahn (<i>bocconeii</i> > <i>valdepilosum</i>)	
		<i>Hieracium dunkelii</i> Gottschl. (<i>vetteri</i> - <i>amplexicaule</i>)	
		<i>Hieracium huberi</i> (Zahn) Soest (<i>piloselloides</i> < <i>velutinum</i>)	
		<i>Hieracium lathraeum</i> Nägeli & Peter (<i>brachycomum</i> > <i>hoppeanum</i>)	
		<i>Hieracium mediopositum</i> Gottschl. (<i>cymosum</i> - <i>hoppeanum</i>)	
		<i>Hieracium neogelmii</i> Gottschl. (<i>cymosum</i> < <i>hoppeanum</i>)	

Hieracium pachycymigerum Gottschl. (*cymosum* > *hoppeanum*)
Hieracium salernicola Vetter & Zahn (*piloselloides* - *brachycomum*)
Hieracium tolstoidii Fen. & Zahn (*porrifolium* - *australe*)
Hieracium tonalense Gottschl. (*conicum* - *umbrosum*)
Hieracium venostorum (Zahn) Gottschl. (*illyricum* - *schmidtii*)
Hypochaeris facchiniana Ambrosi
Iris cengialti Ambrosi ex A. Kern. subsp. *cengialti*
Knautia baldensis Borbás
Knautia persicina A. Kern.
Knautia velutina Briq.
Laserpitium nitidum Zanted.
Melampyrum italicum Soó
Moehringia glaucovirens Bertol.
Oncostema sicula (Tineo ex Guss.) Speta
Ophrys benacensis (Reisigl) O. Danesch, E. Danesch & Ehrend.
Potentilla johanniniana Goiran
Primula glaucescens Moretti
Primula recubariensis Prosser & Scorteg.
Primula spectabilis Tratt.
Primula tyrolensis Schott
Pulmonaria vallsae A. Kern.
Ranunculus bilobus Bertol.
Ranunculus venetus Landolt
Rhinanthus facchinii Chabert
Rhizobotrya alpina Tausch
Salvia pratensis L. subsp. *saccardiana* (Pamp.) Poldini
Saxifraga arachnoidea Sternb.
Saxifraga depressa Sternb.
Saxifraga facchinii Koch
Saxifraga hostii Tausch subsp. *rhaetica* (A. Kern.) Braun-Blanq.
Saxifraga tombeanensis Boiss. ex Engl.
Saxifraga vandellii Sternb.
Sempervivum dolomiticum Facchini
Tephrosia italica Holub
Viola dubyana Burnat ex Gremli
Xerolekia speciosissima (L.) Anderb.

Protected units

Aconitum variegatum L. s.l.
Agrostemma githago L.
Anemone pavonina Lam.
Aquilegia alpina L.
Aquilegia bertolonii Schott
Aquilegia vulgaris auct. Fl. Ital.
Asparagus acutifolius L.
Asparagus tenuifolius Lam.
Aster alpinus L. subsp. *alpinus*
Campanula medium L.
Centaurea ambigua Guss. subsp. *ambigua*
Centaurea aplolepa Moretti s.l.
Centaurea aspera L. subsp. *aspera*
Centaurea calcitrapa L.
Centaurea deusta Ten. subsp. *deusta*
Centaurea deusta Ten. subsp. *splendens* (Arcang.) Matthäs & Pignatti
Centaurea gymnocarpa Moris & De Not.
Centaurea jacea L. subsp. *angustifolia* Gremli
Centaurea jacea L. subsp. *gaudini* (Boiss. & Reut.) Gremli
Centaurea melitensis L.
Centaurea napifolia L.
Centaurea nigra L. s.l.

Centaurea nigrescens Willd. subsp. *pinnatifida* (Fiori) Dostál
Centaurea paniculata L. subsp. *carueliana* (Micheletti) Arrigoni
Centaurea paniculata L. subsp. *ligustica* (Gremli ex Briq.) Arrigoni
Centaurea paniculata L. subsp. *subciliata* (DC.) Arrigoni
Centaurea rupestris L. subsp. *rupestris*
Centaurea scabiosa L. subsp. *scabiosa*
Centaurea solstitialis L. subsp. *solstitialis*
Centaurea sphaerocephala L.
Centaurea uniflora Turra s.l.
Consolida regalis Gray s.l.
Convallaria majalis L.
Cosentinia vellea (Aiton) Tod. subsp. *vellea*
Crataegus monogyna Jacq.
Crocus etruscus Parl.
Cyanus montanus (L.) Hill
Cyanus segetum Hill
Cyanus triumfetti (All.) Dostál ex Á. & D. Löve
Delphinium fissum Waldst. & Kit. subsp. *fissum*
Delphinium halteratum Sm. subsp. *halteratum*
Delphinium staphysagria L.
Dianthus armeria L. subsp. *armeria*
Dianthus balbisii Ser. subsp. *balbisii*
Dianthus carthusianorum L. subsp. *carthusianorum*
Dianthus ciliatus Guss. subsp. *ciliatus*
Dianthus deltoideus L. subsp. *deltoideus*
Dianthus monspessulanus L.
Dianthus seguieri Vill. subsp. *seguieri*
Dianthus sylvestris Wulfen subsp. *longicaulis* (Ten.) Greuter & Burdet
Dianthus sylvestris Wulfen subsp. *siculus* (C. Presl) Tutin
Dianthus sylvestris Wulfen subsp. *sylvestris*
Dianthus tripunctatus Sm.
Dracunculus vulgaris Schott
Drosera anglica Huds.
Drosera intermedia Hayne
Drosera rotundifolia L.
Eriophorum angustifolium Honck.
Eriophorum gracile W.D.J. Koch ex Roth
Eriophorum latifolium Hoppe
Eriophorum scheuchzeri Hoppe
Erythronium dens-canis L.
Galanthus nivalis L.
Geum rivale L.
Gladiolus palustris Gaudin
Globularia incanescens Viv.
Leucojum aestivum L. subsp. *aestivum*
Leucojum vernum L.
Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Lilium martagon L.
Loranthus europaeus Jacq.
Narcissus jonquilla L.
Narcissus medioluteus Mill.
Narcissus odoratus L.
Narcissus poeticus L.
Narcissus pseudonarcissus L.
Narcissus serotinus L.
Narcissus tazetta L. subsp. *aureus* (Loisel.) Baker
Narcissus tazetta L. subsp. *italicus* (Ker Gawl.) Baker
Narcissus tazetta L. subsp. *tazetta*
Nuphar lutea (L.) Sm.
Nymphaea alba L.
Osmunda regalis L.
Paeonia mascula (L.) Mill.
Phleum hirsutum Honck. s.l.

Pinguicula vulgaris L.
Pteris vittata L.
Pulsatilla alpina (L.) Delarbre s.l.
Pulsatilla montana (Hoppe) Rchb. subsp. *montana*
Saxifraga adscendens L. subsp. *adscendens*
Saxifraga aizoides L.
Saxifraga aspera L.
Saxifraga bulbifera L.
Saxifraga caesia L.
Saxifraga callosa Sm. subsp. *callosa*
Saxifraga corsica (Duby) Gren. & Godr. subsp. *corsica*
Saxifraga cuneifolia L. s.l.
Saxifraga exarata Vill. subsp. *moschata* (Wulfen) Cavill.
Saxifraga granulata L. subsp. *granulata*
Saxifraga oppositifolia L. s.l.
Saxifraga paniculata Mill.
Saxifraga rotundifolia L. subsp. *rotundifolia*
Saxifraga stellaris L. subsp. *engleri* P. Fourn.
Saxifraga tridactylites L.
Solidago litoralis Savi
Trollius europaeus L. s.l.
Tulipa agenensis DC.
Tulipa australis Link
Tulipa praecox Ten.
Tulipa saxatilis Sieber ex Spreng.
Tulipa sylvestris L.
Viscum album L. subsp. *album*

Alien units

Acalypha virginica L.
Acer monspessulanum L. subsp. *monspessulanum*
Acer negundo L.
Aesculus hippocastanum L.
Agropyron desertorum (Fisch. ex Link) Schult.
Agropyron pectiniforme Roem. & Schult.
Ailanthus altissima (Mill.) Swingle
Alcea rosea L.
Allium neapolitanum Cirillo
Amaranthus albus L.
Amaranthus bouchonii Thell.
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus powellii S. Watson
Amaranthus retroflexus L.
Ambrosia artemisiifolia L.
Ambrosia coronopifolia Torr. & A. Gray
Amorpha fruticosa L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Apera interrupta (L.) P. Beauv.
Armoracia rusticana P. Gaertn., B. Mey. & Scherb.
Artemisia verlotiorum Lamotte
Arum italicum Mill. subsp. *italicum*
Arundo donax L.
Asclepias syriaca L.
Asparagus acutifolius L.
Ballota nigra L. subsp. *nigra*
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Bidens bipinnata L.
Bidens frondosa L.
Bifora testiculata (L.) Spreng.
Borago officinalis L.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch

Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Bromus pannonicus Kumm. & Sendtn.
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Bunias orientalis L.
Buxus sempervirens L.
Cannabis sativa L.
Carlina acanthifolia All. subsp. *acanthifolia*
Catalpa bignonioides Walter
Celtis occidentalis L.
Cerastium tomentosum L.
Ceratochloa carinata (Hook. & Arn.) Tutin
Ceratochloa cathartica (Vahl) Herter
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chorispora tenella (Pallas) DC.
Clematis tangutica (Maxim.) Korsh.
Commelina communis L.
Coronopus didymus (L.) Sm.
Cota austriaca (Jacq.) Sch. Bip.
Cota tinctoria (L.) J. Gay s.l.
Crepis rheoadifolia M. Bieb.
Cuscuta campestris Yunck.
Cyperus esculentus L.
Cyperus glomeratus L.
Cyrtomium fortunei J. Sm.
Datura stramonium L. subsp. *stramonium*
Daucus carota L. subsp. *sativus* (Hoffm.) Schübl. & G. Martens
Digitaria ciliaris (Retz.) Koeler
Diospyros lotus L.
Diploaxis erucoides (L.) DC. subsp. *erucoides*
Draba muralis L.
Draba nemorosa L.
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Elymus obtusiflorus (DC.) Conert
Epilobium ciliatum Raf.
Eragrostis barrelieri Daveau
Eragrostis mexicana (Hornem.) Link subsp. *virescens* (J. Presl) S.D. Koch & Sánchez Vega
Eragrostis pectinacea (Michx.) Nees
Erica tetralix L.
Erigeron annuus (L.) Desf.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Erodium malacoides (L.) L'Hér. subsp. *malacoides*
Eruca vesicaria (L.) Cav.
Erucastrum gallicum (Willd.) O.E. Schulz
Erysimum cheiri (L.) Crantz
Euonymus japonicus L. f.
Euphorbia agraria M. Bieb.
Euphorbia lathyris L.
Fallopia baldschuanica (Regel) Holub
Fallopia japonica (Houtt.) Ronse Decr.
Fallopia sachalinensis (F. Schmidt) Ronse Decr.
Foeniculum vulgare Mill.
Fumaria capreolata L. subsp. *capreolata*
Galega officinalis L.
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Galium rubioides L.

- Geranium sibiricum* L.
Gleditsia triacanthos L.
Glyceria striata (Lam.) Hitchc.
Helianthus tuberosus L.
Hemerocallis fulva (L.) L.
Heracleum mantegazzianum Sommier & Levier
Hesperis matronalis L. subsp. *matronalis*
Hirschfeldia incana (L.) Lagr.-Foss. subsp. *incana*
Honorius boucheanus (Kunth) J. Holub
Honorius nutans S.F. Gray
Hordeum europaeus (L.) Harz
Hordeum jubatum L.
Impatiens balfourii Hook. f.
Impatiens glandulifera Royle
Impatiens parviflora DC.
Ipomoea purpurea (L.) Roth
Iris foetidissima L.
Iris germanica L.
Jasminum nudiflorum Lindl.
Juglans regia L.
Lagarosiphon major (Ridl.) Moss
Laurus nobilis L.
Lemna minuta Kunth
Leontodon saxatilis Lam. subsp. *saxatilis*
Lepidium densiflorum Schrad.
Lepidium virginicum L.
Ligustrum lucidum Aiton
Linum austriacum L. subsp. *austriacum*
Lolium rigidum Gaudin s.l.
Lonicera japonica Thunb.
Lunaria annua L.
Lupinus polyphyllus Lindl.
Lycium barbarum L.
Lysimachia punctata L.
Maclura pomifera (Raf.) C.K. Schneid.
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Malva moschata L.
Matricaria chamomilla L.
Matricaria discoidea DC.
Melica altissima L.
Melissa officinalis L. subsp. *officinalis*
Mentha x piperita L.
Mentha x smithiana R.A. Graham
Mespilus germanica L.
Mimulus guttatus DC.
Morus alba L.
Morus nigra L.
Muhlenbergia schreberi J.F. Gmel.
Muscari armeniacum Leichtlin ex Baker
Narcissus poeticus L.
Nepeta cataria L.
Nymphoides peltata (S.G. Gmel.) Kuntze
Oenothera fallacoides Soldano & Rostanski
Oenothera glazioviana Micheli
Oenothera suaveolens Desf. ex Pers.
Olea europaea L.
Opuntia humifusa (Raf.) Raf.
Oxalis stricta L.
Paliurus spina-christi Mill.
Panicum capillare L.
Panicum dichotomiflorum Michx.
Panicum miliaceum L.
Parthenocissus quinquefolia (L.) Planch.
Parthenocissus tricuspidata (Siebold & Zucc.) Planch.
Paulownia tomentosa (Thunb.) Steud.
Persicaria nepalensis (Meisn.) H. Gross
Petasites fragrans (Vill.) C. Presl
Phacelia tanacetifolia Benth.
Phalaris canariensis L.
Phedimus spurius (M.Bieb.) 't Hart in 't Hart & Eggli
Physalis alkekengi L.
Phytolacca americana L.
Pinus halepensis Mill.
Pinus nigra J.F. Arnold s.l.
Pittosporum tobira (Thunb.) W.T. Aiton
Platanus hispanica Mill. ex Münchh.
Populus canadensis Moench
Potentilla indica (Jacks.) Th. Wolf
Potentilla intermedia L.
Potentilla norvegica L.
Prunus cerasifera Ehrh.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus persica (L.) Batsch
Prunus serotina Ehrh.
Psathyrostachys juncea (Fisch.) Nevski
Psilurus incurvus (Gouan) Schinz & Thell.
Pyracantha coccinea M. Roem.
Pyrus communis L.
Raphanus sativus L.
Rhamnus alaternus L. subsp. *alaternus*
Rheum palmatum L.
Rhus typhina L.
Ribes nigrum L.
Ribes rubrum L.
Robinia pseudacacia L.
Rorippa austriaca (Crantz) Besser
Rosa majalis Herm.
Rosa multiflora Thunb.
Rubus laciniatus Willd.
Rubus phoenicolasius Maxim.
Rudbeckia laciniata L.
Rumex crispatus DC. subsp. *kernerii* (Borbás) Akeroyd & D.A. Webb
Rumex longifolius DC.
Rumex thyrsiflorus Fingerh.
Ruta graveolens L.
Salix viminalis L.
Salvia officinalis L.
Sanguisorba dodecandra Moretti
Satureja hortensis L.
Sedum praealtum DC.
Sedum sarmentosum Bunge
Senecio inaequidens DC.
Setaria italica (L.) P. Beauv.
Sicyos angulatus L.
Silene coronaria (L.) Clairv.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Sisyrinchium angustifolium Mill.
Solanum chenopodioides Lam.
Solanum lycopersicum L.
Solanum sarrachoides Sendtn.
Solidago canadensis L.
Solidago gigantea Aiton subsp. *gigantea*
Solidago gigantea Aiton subsp. *serotina* (Kuntze) McNeill
Sorbaria lindleyana (Wall. ex Lindley) Maxim.
Sorbaria sorbifolia (L.) A. Braun
Sorghum halepense (L.) Pers.
Spartium junceum L.
Spiraea japonica L.
Spiraea salicifolia L.
Sporobolus neglectus Nash

Sporobolus vaginiflorus (Torr.) Wood
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum lanceolatum (Willd.) G.L.Nesom
Symphyotrichum lateriflorum (L.) Á.Löve & D.Löve
Symphyotrichum novae-angliae (L.) G.L.Nesom
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum salignum (Willd.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Tanacetum parthenium (L.) Sch. Bip.
Telekia speciosa (Schreb.) Baumg.
Thlaspi alliaceum L.
Trachycarpus fortunei (Hook.) H. Wendl.
Tribulus terrestris L.
Trifolium hybridum L. s.l.
Trifolium incarnatum L. subsp. *incarnatum*
Trifolium resupinatum L.
Tripleurospermum inodorum (L.) Sch. Bip.
Typha laxmannii Lepech.
Typha shuttleworthii W.D.J. Koch & Sond.
Ulmus laevis Pall.
Ulmus pumila L.
Valerianella eriocarpa Desv.
Verbascum sinuatum L.
Veronica filiformis Sm.
Veronica peregrina L. subsp. *peregrina*
Viburnum tinus L. subsp. *tinus*
Vicia sativa L. subsp. *sativa*
Vicia villosa Roth subsp. *villosa*
Vinca major L. subsp. *major*
Viola obliqua Hill
Vitis labrusca L.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.

UMBRIA

Exclusive units

-

Endemic units

Achillea barrelieri Ten. subsp. *barrelieri*
Achillea barrelieri Ten. subsp. *mucronulata* (Bertol.) Heimerl
Achillea tenorii Grande
Adonis distorta Ten.
Ajuga tenorei C. Presl
Anthemis cretica L. subsp. *alpina* (L.) R. Fern.
Arenaria bertolonii Fiori
Armeria majellensis Boiss. subsp. *ausonia* Bianchini
Armeria majellensis Boiss. subsp. *majellensis*
Artemisia caeruleascens L. subsp. *cretacea* (Fiori) Brilli-Catt. & Gubellini
Asperula neglecta Guss.
Avenula praetutiana (Parl. ex Arcang.) Pignatti
Bellevallia webbiana Parl.
Bunium petraeum Ten.
Campanula micrantha Bertol.
Campanula tanfanii Podlech
Cardamine apennina Lihová & Marhold
Cardamine monteluccii Brilli-Catt. & Gubellini
Carduus affinis Guss. subsp. *affinis*
Carum flexuosum (Ten.) Nyman
Centaurea ambigua Guss. subsp. *ambigua*
Centaurea ambigua Guss. subsp. *nigra* (Fiori) Pignatti
Centaurea arrigonii Greuter
Centaurea nigrescens Willd. subsp. *neapolitana* (Boiss.) Dostál
Centaurea rupestris L. subsp. *ceratophylla* (Ten.) Gugler
Cerastium scaranii Ten.
Cerastium tomentosum L.
Chaerophyllum hirsutum L. subsp. *magellense* (Ten.) Pignatti
Cirsium lobelii Ten.
Cirsium tenoreanum Petr.
Corydalis solida (L.) Clairv. subsp. *densiflora* (J. & C. Presl) Arcang.
Crepis lacera Ten.
Crocus imperati Ten.
Crocus suaveolens Bertol.
Cynoglossum magellense Ten.
Dianthus carthusianorum L. subsp. *tenorei* (Lacaita) Pignatti
Digitalis lutea L. subsp. *australis* (Ten.) Arcang.
Echinops ritro L. subsp. *siculus* (Strobl) Greuter
Epipactis helleborine (L.) Crantz subsp. *latina* W. Rossi & E. Klein
Erodium alpinum L'Hér.
Erysimum pseudorhaeticum Polatschek
Festuca centro-apenninica (Markgr.-Dann.) Foggi, F. Conti & Pignatti
Festuca inops De Not.
Festuca violacea Schleich. ex Gaudin subsp. *italica* Foggi, Graz. Rossi & Signorini
Galium magellense Ten.
Gentianella columnae (Ten.) Holub
Helleborus bocconeii Ten. subsp. *bocconeii*
Hieracium grovesianum Arv.-Touv. ex Belli (*racemosum* = *murorum*)
Iris marsica I. Ricci & Colas.
Jonopsidium savianum (Caruel) Arcang.
Klasea flavescens (L.) Holub subsp. *cichoracea* (L.) Greuter & Wagenitz
Laserpitium siler L. subsp. *siculus* (Spreng.) Santangelo, F. Conti & Gubellini

Leontodon montanus Lam. subsp. *breviscapus* (DC.) Cavaia & Grande
Linaria purpurea (L.) Mill.
Luzula spicata (L.) DC. subsp. *italica* (Parl.) Arcang.
Melampyrum italicum Soó
Micromeria graeca (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman
Minuartia loricifolia (L.) Schinz & Thell. subsp. *ophiolitica* Pignatti
Myosotis ambigens (Bég.) Grau
Myosotis decumbens Host subsp. *florentina* Grau
Onosma echioides (L.) L.
Ophrys crabronifera Mauri
Ophrys sphegodes Mill. subsp. *majellensis* Helga & Herm. Deiss
Ornithogalum orthophyllum Ten.
Oxytropis pilosa (L.) DC. subsp. *caputoi* (Moraldo & La Valva) Brilli-Catt., Di Massimo & Gubellini
Paeonia officinalis L. subsp. *italica* N.G. Passal. & Bernardo
Pedicularis elegans Ten.
Polygala flavescens DC.
Potentilla rigoana Th. Wolf
Pulmonaria apennina Cristof. & Puppi
Ranunculus apenninus (Chiov.) Pignatti
Ranunculus pollinensis (N. Terracc.) Chiov.
Rhinanthus wettsteinii (Sterneck) Soó
Robertia taraxacoides (Loisel.) DC.
Santolina etrusca (Lacaita) Marchi & D'Amato
Saxifraga exarata Vill. subsp. *ampullacea* (Ten.) D.A. Webb
Saxifraga italica D.A. Webb
Saxifraga oppositifolia L. subsp. *speciosa* (Dörf. & Hayek) Engl. & Irmsch.
Saxifraga porophylla Bertol. subsp. *porophylla*
Scabiosa uniseta Savi
Sedum magellense Ten. subsp. *magellense*
Senecio apenninus Tausch
Sesleria italica (Pamp.) Ujhelyi
Sesleria nitida Ten.
Sideritis italica (Mill.) Greuter & Burdet
Silene cattariniana Ferrarini & Cecchi
Silene notarisii Ces.
Silene roemerii Friv. subsp. *staminea* (Bertol.) Nyman
Solenanthus apenninus (L.) Fisch. & C.A. Mey.
Stachys alopecuroides (L.) Benth. subsp. *divulsa* (Ten.) Grande
Stipa dasyvaginata Martinovský subsp. *apenninicola* Martinovský & Moraldo
Thlaspi stylosum (Ten.) Mutel
Tolpis virgata (Desf.) Bertol. subsp. *grandiflora* (Ten.) Arcang.
Trifolium pratense L. subsp. *semipurpureum* (Strobl) Pignatti
Viola eugeniae Parl. subsp. *eugeniae*

Protected units

Abies alba Mill.
Acer campestre L.
Acer monspessulanum L. subsp. *monspessulanum*
Acer negundo L.
Acer opalus Mill. subsp. *obtusatum* (Waldst. & Kit. ex Willd.) Gams
Acer platanoides L.
Acer pseudoplatanus L.
Adonis distorta Ten.
Alnus cordata (Loisel.) Loisel.
Alnus glutinosa (L.) Gaertn.
Alyssum diffusum Ten.
Aquilegia vulgaris auct. Fl. Ital.
Arabis glabra (L.) Bernh.

- Arabis pauciflora* (Grimm) Garcke
Arabis surculosa N. Terracc.
Asarum europaeum L.
Asphodeline lutea (L.) Rchb.
Aster alpinus L. subsp. *alpinus*
Astragalus australis (L.) Lam.
Astragalus danicus Retz.
Astragalus onobrychis L.
Astragalus vesicarius L. s.l.
Berberis vulgaris L. s.l.
Berteroa incana (L.) DC.
Biscutella cichoriifolia Loisel.
Bulbocodium vernum L.
Caltha palustris L.
Campanula persicifolia L. s.l.
Campanula scheuchzeri Vill. s.l.
Campanula tanfanii Podlech
Cardamine amara L. s.l.
Cardamine granulosa All.
Cardamine monteluccii Brilli-Catt. & Gubellini
Carpinus betulus L.
Carpinus orientalis Mill. subsp. *orientalis*
Castanea sativa Mill.
Celtis australis L. subsp. *australis*
Cerastium scaranii Ten.
Cerastium sylvaticum Waldst. & Kit.
Ceratocephala falcata (L.) Pers.
Ceratophyllum demersum L.
Ceterach officinarum Willd. subsp. *bivalens* D.E. Mey.
Clematis recta L.
Coronilla valentina L.
Coronopus didymus (L.) Sm.
Corydalis solida (L.) Clairv. subsp. *solida*
Cupressus sempervirens L.
Cytinus hypocistis (L.) L.
Cytinus ruber Fourr. ex Fritsch
Cytisus spinescens C. Presl
Daphne oleoides Schreb.
Descurainia sophia (L.) Webb ex Prantl
Dorycnium rectum (L.) Ser.
Dryas octopetala L. subsp. *octopetala*
Dryopteris carthusiana (Vill.) H.P. Fuchs
Dryopteris villarii (Bellardi) Woy. ex Thell. subsp. *villarii*
Drypis spinosa L. subsp. *spinosa*
Emerus majus Mill. s.l.
Equisetum fluviatile L.
Equisetum hyemale L.
Erigeron karvinskianus DC.
Fagus sylvatica L. subsp. *sylvatica*
Filipendula ulmaria (L.) Maxim.
Fragaria viridis Duchesne subsp. *viridis*
Fraxinus excelsior L. subsp. *excelsior*
Fraxinus ornus L. subsp. *ornus*
Fumaria barnolae Sennen & Pau subsp. *barnolae*
Fumaria densiflora DC.
Genista germanica L.
Genista pilosa L.
Genista radiata (L.) Scop.
Gentiana dinarica Beck
Gentiana lutea L. subsp. *lutea*
Gentiana nivalis L.
Gentiana utriculosa L.
Gentiana verna L. subsp. *verna*
Gentianella anisodonta (Borbás) A. & D. Löve
Gentianella columnae (Ten.) Holub
Geum molle Vis. & Pancic
Geum rivale L.
Herniaria incana Lam.
Hesperis matronalis L. subsp. *matronalis*
Hornungia alpina (L.) O. Appel subsp. *alpina*
Hypericum humifusum L.
Hypericum hyssopifolium Chaix
Hyssopus officinalis L. subsp. *aristatus* (Godr.) Nyman
Hyssopus officinalis L. subsp. *officinalis*
Iberis umbellata L.
Ilex aquifolium L.
Isoetes histrix Bory
Jonopsidium savianum (Caruel) Arcang.
Juglans nigra L.
Juglans regia L.
Juniperus communis L.
Lathyrus linifolius (Reichard) Bässler
Lathyrus tuberosus L.
Leontopodium nivale (Ten.) Huet ex Hand.-Mazz.
Lilium bulbiferum L. subsp. *croceum* (Chaix) Jan
Lilium martagon L.
Linaria alpina (L.) Mill.
Lunaria rediviva L.
Malus florentina (Zuccagni) C.K. Schneid.
Minuartia capillacea (All.) Graebn.
Minuartia laricifolia (L.) Schinz & Thell. subsp. *ophiolitica*
Pignatti
Minuartia mediterranea (Link) K. Malý
Moenchia erecta (L.) P. Gaertn., B. Mey. & Scherb. subsp. *erecta*
Moenchia mantica (L.) Bartl. subsp. *mantica*
Montia fontana L. subsp. *chondrosperma* (Fenzl) Walters
Moricandia arvensis (L.) DC.
Narcissus poeticus L.
Nuphar lutea (L.) Sm.
Nymphaea alba L.
Ophioglossum vulgatum L.
Ophrys apifera Huds.
Ophrys bertolonii Moretti
Ophrys bombyliflora Link
Ophrys crabronifera Mauri
Ophrys fuciflora (F.W. Schmidt) Moench subsp. *fuciflora*
Ophrys fusca Link s.l.
Ophrys incubacea Bianca
Ophrys insectifera L.
Ophrys speculum Link
Ophrys sphegodes Mill. subsp. *sphegodes*
Ophrys tenthredinifera Willd.
Opopanax chironium (L.) W.D.J. Koch
Orchis anthropophora (L.) All.
Orchis coriophora L.
Orchis italica Poir.
Orchis laxiflora Lam.
Orchis mascula (L.) L. subsp. *mascula*
Orchis militaris L.
Orchis morio L.
Orchis papilionacea L.
Orchis pauciflora Ten.
Orchis provincialis Balb. ex Lam. & DC.
Orchis purpurea Huds.
Orchis simia Lam.
Orchis tridentata Scop.
Orchis ustulata L.
Ostrya carpinifolia Scop.
Oxytropis campestris (L.) DC.
Oxytropis pilosa (L.) DC. s.l.
Paeonia officinalis L. subsp. *huthii* Soldano
Paeonia officinalis L. subsp. *italica* N.G. Passal. & Bernardo
Paris quadrifolia L.

Persicaria amphibia (L.) Delarbre
Pinus halepensis Mill.
Pinus nigra J.F. Arnold s.l.
Pinus pinaster Aiton subsp. *pinaster*
Pinus pinea L.
Pistacia lentiscus L.
Platanus hispanica Mill. ex Münchh.
Platanus orientalis L.
Populus nigra L.
Potentilla apennina Ten. subsp. *apennina*
Primula auricula L. subsp. *ciliata* (Moretti) Lüdi
Prunus avium L. subsp. *avium*
Pseudofumaria alba (Mill.) Lidén subsp. *alba*
Pulsatilla alpina (L.) Delarbre subsp. *millefoliata* (Bertol.) D.M. Moser
Quercus cerris L.
Quercus crenata Lam.
Quercus dalechampii Ten.
Quercus frainetto Ten.
Quercus ilex L. subsp. *ilex*
Quercus petraea (Matt.) Liebl. subsp. *petraea*
Quercus pubescens Willd. subsp. *pubescens*
Quercus robur L. subsp. *robur*
Quercus suber L.
Ranunculus brevifolius Ten.
Ranunculus flammula L.
Ranunculus illyricus L.
Ranunculus lingua L.
Ranunculus thora L.
Ribes alpinum L.
Robinia pseudacacia L.
Rorippa amphibia (L.) Besser
Rosa agrestis Savi
Rosa gallica L.
Rosa micrantha Borrer ex Sm.
Rosa pouzinii Tratt.
Rosa tomentosa Sm.
Rosa villosa L.
Rubus bifrons Vest ex Tratt.
Rubus sulcatus Vest
Rumex bucephalophorus L. subsp. *bucephalophorus*
Rumex hydrolapathum Huds.
Ruscus aculeatus L.
Salix retusa L.
Salvinia natans (L.) All.
Sanguisorba officinalis L.
Saponaria bellidifolia Sm.
Saxifraga exarata Vill. subsp. *ampullacea* (Ten.) D.A. Webb
Saxifraga italica D.A. Webb
Saxifraga porophylla Bertol. subsp. *porophylla*
Scorpiurus vermiculatus L.
Sedum magellense Ten. subsp. *magellense*
Sempervivum arachnoideum L.
Senecio alpinus (L.) Scop.
Silene behen L.
Silene coronaria (L.) Clairv.
Silene cretica L.
Silene dichotoma Ehrh.
Silene italica (L.) Pers. subsp. *sicula* (Ucria) Jeanm.
Silene latifolia Poir. subsp. *alba* (Mill.) Greuter & Burdet
Silene multicaulis Guss. subsp. *multicaulis*
Silene muscipula L. subsp. *muscipula*
Spergula arvensis L.
Spergula pentandra L.
Spergularia segetalis (L.) G. Don
Stellaria graminea L.
Sulla capitata (Desf.) B.H. Choi & H. Ohashi

Taxus baccata L.
Thalictrum simplex L. s.l.
Thelypteris palustris Schott
Thesium parnassi A. DC.
Thlaspi brachypetalum Jord.
Thlaspi praecox Wulfen
Tilia cordata Mill.
Tilia platyphyllos Scop. subsp. *cordifolia* (Besser) C.K. Schneid.
Tilia platyphyllos Scop. subsp. *platyphyllos*
Trifolium badium Schreb.
Trifolium ligusticum Loisel.
Trifolium phleoides Willd.
Trifolium spadiceum L.
Trifolium squamosum L.
Trifolium suffocatum L.
Trigonella monspeliaca L.
Trollius europaeus L. subsp. *europaeus*
Tulipa sylvestris L.
Ulex europaeus L. subsp. *europaeus*
Ulmus glabra Huds.
Vaccaria hispanica (Mill.) Rauschert
Vicia articulata Hornem.
Vicia cassubica L.
Vicia dumetorum L.

Alien units

Abies alba Mill.
Acer negundo L.
Aesculus hippocastanum L.
Ailanthus altissima (Mill.) Swingle
Albizia julibrissin Durazz.
Allium cepa L.
Allium sativum L.
Alnus cordata (Loisel.) Loisel.
Amaranthus albus L.
Amaranthus blitum L. subsp. *blitum*
Amaranthus cruentus L.
Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus retroflexus L.
Ambrosia coronopifolia Torr. & A. Gray
Amorpha fruticosa L.
Anemone coronaria L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Artemisia verlotiorum Lamotte
Atriplex hortensis L.
Avena sativa L. subsp. *sativa*
Azolla filiculoides Lam.
Beta trigyna Waldst. & Kit.
Beta vulgaris L. subsp. *vulgaris*
Bidens frondosa L.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. subsp. *campestris* (L.) Clapham
Broussonetia papyrifera (L.) Vent.
Calendula officinalis L.
Capparis spinosa L. subsp. *rupestris* (Sm.) Nyman
Capsicum annuum L.
Carpobrotus acinaciformis (L.) L. Bolus
Carthamus tinctorius L.
Cercis siliquastrum L. subsp. *siliquastrum*
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.

- Chamaesyce maculata* (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Cicer arietinum L.
Cichorium endivia L. subsp. *endivia*
Cichorium endivia L. subsp. *pumilum* (Jacq.) Cout.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Consolida ajacis (L.) Schur
Coriandrum sativum L.
Coronopus didymus (L.) Sm.
Cucumis melo L.
Cucumis sativus L.
Cucurbita maxima Duchesne
Cucurbita pepo L.
Cupressus sempervirens L.
Cuscuta epilinum Weihe
Cydonia oblonga Mill.
Cynara cardunculus L. subsp. *scolymus* (L.) Hayek
Datura ferox L.
Datura stramonium L. subsp. *stramonium*
Dichondra micrantha Urb.
Diospyros lotus L.
Elodea canadensis Michx.
Eragrostis pectinacea (Michx.) Nees
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Eriobotrya japonica (Thunb.) Lindl.
Erysimum cheiri (L.) Crantz
Euphorbia lathyris L.
Fagopyrum esculentum Moench
Fallopia baldschuanica (Regel) Holub
Ficus carica L.
Hedera helix L. subsp. *poetarum* (Bertol.) Nyman
Helianthus annuus L.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Hemerocallis fulva (L.) L.
Hibiscus syriacus L.
Honorius nutans S.F. Gray
Hypericum calycinum L.
Iris germanica L.
Jasminum officinale L.
Juglans nigra L.
Juglans regia L.
Lactuca sativa L.
Larix decidua Mill.
Lathyrus sativus L.
Lavandula latifolia Medik.
Lens culinaris Medik.
Lepidium latifolium L.
Linum usitatissimum L.
Lobularia maritima (L.) Desv. subsp. *maritima*
Lupinus albus L. subsp. *albus*
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Matricaria chamomilla L.
Melissa officinalis L. subsp. *officinalis*
Mespilus germanica L.
Mirabilis jalapa L.
Morus alba L.
Morus nigra L.
Muscari tenuiflorum Tausch
Narcissus jonquilla L.
Narcissus medioluteus Mill.
Narcissus pseudonarcissus L.
Ocimum basilicum L.
Oenothera glazioviana Micheli
Oenothera rosea L'Hér.
Origanum majorana L.
Oxalis stricta L.
Panicum capillare L.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Paspalum dilatatum Poir.
Paspalum distichum L.
Pennisetum villosus R. Br.
Petasites fragrans (Vill.) C. Presl
Petroselinum crispum (Mill.) Fuss
Petunia hybrida Vilm.
Philadelphus coronarius L.
Phytolacca americana L.
Picea abies (L.) H. Karst.
Pinus nigra J.F. Arnold s.l.
Pinus pinaster Aiton s.l.
Pinus pinea L.
Pisum sativum L. subsp. *sativum*
Pittosporum tobira (Thunb.) W.T. Aiton
Platanus hispanica Mill. ex Münchh.
Platanus orientalis L.
Populus canadensis Moench
Prunus armeniaca L.
Prunus avium L. subsp. *avium*
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Prunus laurocerasus L.
Prunus persica (L.) Batsch
Punica granatum L.
Pyrus communis L.
Quercus suber L.
Raphanus sativus L.
Rhus coriaria L.
Ribes rubrum L.
Robinia pseudacacia L.
Rosa foetida Herm.
Salix babylonica L.
Salpichroa origanifolia (Lam.) Thell.
Salsola soda L.
Salvia haematodes L.
Satureja hortensis L.
Secale cereale L.
Sedum sediforme (Jacq.) Pau
Senecio inaequidens DC.
Setaria italica (L.) P. Beauv.
Sicyos angulatus L.
Sinapis alba L. subsp. *alba*
Sisymbrium orientale L. subsp. *orientale*
Solanum lycopersicum L.
Solanum melongena L.
Solanum tuberosum L.
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Spinacia oleracea L.
Spiraea hypericifolia L. subsp. *obovata* (Waldst. & Kit. ex Willd.) H. Huber
Sternbergia lutea (L.) Ker Gawl. ex Spreng.
Sulla coronaria (L.) Medik.
Symphyotrichum squamatum (Spreng.) G.L.Nesom

Syringa vulgaris L.
Tanacetum parthenium (L.) Sch. Bip.
Trifolium incarnatum L. subsp. *incarnatum*
Trigonella foenum-graecum L.
Triticum aestivum L.
Triticum turgidum L.
Tulipa agenensis DC.
Tulipa praecox Ten.
Ulmus laevis Pall.
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vicia faba L.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Vitis vinifera L. subsp. *vinifera*
Wisteria sinensis (Sims) Sweet
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium spinosum L.
Zea mays L.
Ziziphora capitata L. subsp. *capitata*
Zizyphus zizyphus (L.) Meikle

VALLE D'AOSTA

Exclusive units

<i>Alchemilla conjuncta</i> Bab.	?
<i>Alchemilla cuneata</i> Gaudin	+
<i>Alchemilla flavicomma</i> Buser ex Schröt.	+
<i>Alchemilla frigens</i> Buser ex Jaquet	+
<i>Alchemilla longiuscula</i> Buser	+
<i>Alchemilla radiisecta</i> Buser	+
<i>Alchemilla vaccariana</i> Buser	+
<i>Artemisia campestris</i> L. subsp. <i>alpina</i> (DC.) Arcang.	+
<i>Artemisia vallesiaca</i> All.	+
<i>Astragalus alopecurus</i> Pall.	+
<i>Bassia prostrata</i> (L.) Beck	+
<i>Hieracium adriaticiforme</i> (Zahn) Zahn (<i>piloselloides</i> > <i>peleterianum</i>)	+
<i>Hieracium calocymum</i> Zahn (<i>laevigatum</i> - <i>onosmoides</i>)	+
<i>Hieracium fulcratum</i> Arv.-Touv. (<i>oxyodon</i> - <i>humile</i>)	+
<i>Hieracium leucense</i> F.O. Wolf (<i>piloselloides</i> = <i>peleterianum</i>)	+
<i>Hieracium rubrum</i> Peter (<i>aurantiacum</i> > <i>pilosella</i>)	+
<i>Hieracium subrubens</i> (Arv.-Touv.) St.-Lag. (<i>angustifolium</i> - <i>peleterianum</i>)	+
<i>Hieracium tessellatum</i> Arv.-Touv. & Faure (<i>velutinum</i> - <i>peleterianum</i>)	+
<i>Ranunculus monspeliacus</i> L. subsp. <i>saxatilis</i> (Balb.) Nyman	0
<i>Sempervivum glaucum</i> Ten.	+
<i>Seseli elatum</i> L. subsp. <i>elatum</i>	?

Endemic units

<i>Alchemilla cuneata</i> Gaudin
<i>Alchemilla vaccariana</i> Buser
<i>Alyssum argenteum</i> All.
<i>Campanula bertolae</i> Colla
<i>Dianthus furcatus</i> Balb. subsp. <i>lereschii</i> (Burnat) Pignatti
<i>Stipa pilosa</i> Martinovský subsp. <i>montana</i> Moraldo

Protected units

<i>Aconitum lycoctonum</i> L. emend. Koelle
<i>Adiantum capillus-veneris</i> L.
<i>Aethionema thomasianum</i> Gay
<i>Androsace alpina</i> (L.) Lam.
<i>Aquilegia alpina</i> L.
<i>Aquilegia vulgaris</i> auct. Fl. Ital.
<i>Arnica montana</i> L. subsp. <i>montana</i>
<i>Arum italicum</i> Mill. subsp. <i>italicum</i>
<i>Asphodelus albus</i> Mill. subsp. <i>delphinensis</i> (Gren. & Godr.) Z. Díaz & Valdés
<i>Astragalus alopecurus</i> Pall.
<i>Campanula alpestris</i> All.
<i>Campanula thyrsoidea</i> L. subsp. <i>thyrsoidea</i>
<i>Carlina acanthifolia</i> All. subsp. <i>acanthifolia</i>
<i>Centranthus ruber</i> (L.) DC. subsp. <i>ruber</i>
<i>Cephalanthera damasonium</i> (Mill.) Druce
<i>Cephalanthera rubra</i> (L.) Rich.
<i>Cerastium lineare</i> All.
<i>Clematis alpina</i> (L.) Mill.
<i>Convallaria majalis</i> L.
<i>Cortusa matthioli</i> L.
<i>Cyclamen purpurascens</i> Mill. subsp. <i>purpurascens</i>
<i>Cypripedium calceolus</i> L.
<i>Daphne mezereum</i> L.
<i>Delphinium elatum</i> L. subsp. <i>helveticum</i> Pawl.
<i>Dictamnus albus</i> L.
<i>Ephedra helvetica</i> C.A. Mey.
<i>Epipactis palustris</i> (L.) Crantz
<i>Eritrichium nanum</i> (L.) Schrad. ex Gaudin
<i>Gentiana acaulis</i> L.

<i>Gentiana asclepiadea</i> L.
<i>Gentiana bavarica</i> L.
<i>Gentiana brachyphylla</i> Vill. subsp. <i>brachyphylla</i>
<i>Gentiana punctata</i> L.
<i>Iris sibirica</i> L.
<i>Leontopodium alpinum</i> Cass.
<i>Lilium bulbiferum</i> L. subsp. <i>croceum</i> (Chaix) Jan
<i>Lilium martagon</i> L.
<i>Linnaea borealis</i> L.
<i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>valesiaca</i> (Gay ex Gaudin) P.W. Ball
<i>Menyanthes trifoliata</i> L.
<i>Narcissus poeticus</i> L.
<i>Nigritella rhellicani</i> Teppner & E. Klein
<i>Notholaena marantae</i> (L.) Desv. subsp. <i>marantae</i>
<i>Paeonia officinalis</i> L. subsp. <i>officinalis</i>
<i>Paradisea liliastrum</i> (L.) Bertol.
<i>Potentilla grammopetala</i> Moretti
<i>Potentilla pensylvanica</i> L.
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>apifolia</i> (Scop.) Nyman
<i>Pulsatilla halleri</i> (All.) Willd. subsp. <i>halleri</i>
<i>Pulsatilla montana</i> (Hoppe) Rchb. subsp. <i>montana</i>
<i>Silene flos-jovis</i> (L.) Greuter & Burdet
<i>Silene suecica</i> (Lodd.) Greuter & Burdet
<i>Stipa eriocaulis</i> Borbás s.l.
<i>Stipa pennata</i> L. subsp. <i>pennata</i>
<i>Tulipa australis</i> Link
<i>Viola pinnata</i> L.

Alien units

<i>Ailanthus altissima</i> (Mill.) Swingle
<i>Amaranthus blitoides</i> S. Watson
<i>Amaranthus cruentus</i> L.
<i>Amaranthus deflexus</i> L.
<i>Amaranthus hybridus</i> L.
<i>Amaranthus retroflexus</i> L.
<i>Ambrosia artemisiifolia</i> L.
<i>Amorpha fruticosa</i> L.
<i>Anthriscus cerefolium</i> (L.) Hoffm.
<i>Apera interrupta</i> (L.) P. Beauv.
<i>Artemisia annua</i> L.
<i>Artemisia verlotiorum</i> Lamotte
<i>Asparagus officinalis</i> L.
<i>Atriplex hortensis</i> L.
<i>Atriplex tatarica</i> L.
<i>Barbarea intermedia</i> Boreau
<i>Bassia scoparia</i> (L.) A.J. Scott subsp. <i>scoparia</i>
<i>Bidens bipinnata</i> L.
<i>Bidens frondosa</i> L.
<i>Brassica napus</i> L. subsp. <i>napus</i>
<i>Brassica rapa</i> L. subsp. <i>campestris</i> (L.) Clapham
<i>Buddleja davidii</i> Franch.
<i>Chamaesyce maculata</i> (L.) Small
<i>Chamaesyce prostrata</i> (Aiton) Small
<i>Chenopodium ambrosioides</i> L.
<i>Chenopodium glaucum</i> L.
<i>Commelina communis</i> L.
<i>Coronopus didymus</i> (L.) Sm.
<i>Cuscuta campestris</i> Yunk.
<i>Cyperus glomeratus</i> L.
<i>Datura stramonium</i> L. subsp. <i>stramonium</i>
<i>Diurichia graveolens</i> (L.) Greuter
<i>Eleusine indica</i> (L.) Gaertn. subsp. <i>indica</i>
<i>Elodea canadensis</i> Michx.
<i>Epilobium ciliatum</i> Raf.

- Eragrostis pectinacea* (Michx.) Nees
Erigeron annuus (L.) Desf.
Erigeron canadensis L.
Erysimum repandum L.
Euphorbia esula L. subsp. *tommasiniana* (Bertol.) Kuzmanov
Euphorbia lathyris L.
Ficus carica L.
Foeniculum vulgare Mill.
Fumaria capreolata L. subsp. *capreolata*
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Helianthus tuberosus L.
Heracleum mantegazzianum Sommier & Levier
Hesperis matronalis L. subsp. *matronalis*
Hyssopus officinalis L. subsp. *officinalis*
Impatiens balfourii Hook. f.
Impatiens glandulifera Royle
Iris germanica L.
Isatis tinctoria L. subsp. *tinctoria*
Juglans regia L.
Laurus nobilis L.
Lepidium densiflorum Schrad.
Lepidium draba L. subsp. *draba*
Levisticum officinale W.D.J. Koch
Lonicera japonica Thunb.
Lunaria annua L.
Matricaria chamomilla L.
Matricaria discoidea DC.
Medicago rigidula (L.) All.
Medicago sativa L.
Melilotus dentatus (Waldst. & Kit.) Desf.
Mespilus germanica L.
Narcissus pseudonarcissus L.
Oenothera biennis L.
Oenothera glazioviana Micheli
Opuntia humifusa (Raf.) Raf.
Oxalis stricta L.
Panicum capillare L.
Panicum dichotomiflorum Michx.
Parthenocissus quinquefolia (L.) Planch.
Persicaria orientalis (L.) Spach
Phalaris canariensis L.
Phytolacca americana L.
Plantago arenaria Waldst. & Kit.
Polemonium caeruleum L.
Polycarpon tetraphyllum (L.) L. s.l.
Prunus dulcis (Mill.) D.A. Webb
Robinia pseudacacia L.
Rosmarinus officinalis L.
Rumex patientia L. subsp. *patientia*
Sagina apetala Ard. subsp. *apetala*
Salvia sclarea L.
Sclerochloa dura (L.) P. Beauv.
Senecio inaequidens DC.
Senecio squalidus L. s.l.
Setaria italica (L.) P. Beauv.
Silene coronaria (L.) Clairv.
Sisymbrium altissimum L.
Solanum villosum Mill. subsp. *alatum* (Moench) Edmonds
Solidago gigantea Aiton s.l.
Sorbaria sorbifolia (L.) A. Braun
Sorghum halepense (L.) Pers.
Spartium junceum L.
Stellaria pallida (Dumort.) Crép.
Tanacetum parthenium (L.) Sch. Bip.
Tripleurospermum inodorum (L.) Sch. Bip.
Veronica peregrina L. subsp. *peregrina*
Vicia sativa L. subsp. *sativa*
Vinca major L. subsp. *major*
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter

VENETO

Exclusive units

<i>Alchemilla pampaniniana</i> Buser ex Pamp.	+
<i>Anemone sylvestris</i> L.	?
<i>Campanula alpina</i> Jacq.	+
<i>Carex pediformis</i> C.A. Mey. subsp. <i>pediformis</i>	?
<i>Centaurea bracthii</i> Rchb. f.	+
<i>Festuca pseudovaria</i> Vetter subsp. <i>pseudovaria</i>	+
<i>Gagea spathacea</i> (Hayne) Salisb.	0
<i>Haplophyllum patavinum</i> (L.) G. Don	+
<i>Iris cengialti</i> Ambrosi ex A. Kern. subsp. <i>veneta</i> (Pamp.) Trinajstić	+
<i>Juncus atratus</i> Krock.	+
<i>Luronium natans</i> (L.) Raf.	?
<i>Onobrychis arenaria</i> (Kit.) DC. subsp. <i>taurERICA</i> Hand.-Mazz.	+
<i>Plantago major</i> L. subsp. <i>winteri</i> (Wirtg. ex Geisenh.) W. Ludw.	+
<i>Polygonatum latifolium</i> (Jacq.) Desf.	+
<i>Prunus fruticosa</i> Pall.	+
<i>Ranunculus penicillatus</i> (Dumort.) Bab. subsp. <i>pseudofluitans</i> (Syme) S.D. Webster	+
<i>Rhinanthus helenae</i> Chabert	+
<i>Rubus kaltenbachii</i> Metsch	+
<i>Rubus koehleri</i> Weihe	+
<i>Rubus plicatus</i> Weihe & Nees	+
<i>Rubus tereticaulis</i> P.J. Müll.	+
<i>Rumex nivalis</i> Hegetschw.	+
<i>Saxifraga berica</i> (Bég.) D.A. Webb	+
<i>Sesleria tatrae</i> (Degen) Deyl	+
<i>Sesleriella leucocephala</i> (DC.) Deyl	+

Endemic units

<i>Adenocarpus bionii</i> (C. Presl) C. Presl.
<i>Alchemilla nipogeton</i> Buser ex Pamp.
<i>Alchemilla pampaniniana</i> Buser ex Pamp.
<i>Aquilegia thalictrifolia</i> Schott & Kotschy
<i>Arenaria huteri</i> A. Kern.
<i>Athamanta vestina</i> A. Kern.
<i>Biscutella laevigata</i> L. subsp. <i>lucida</i> (Balb. ex DC.) Mach.-Laur.
<i>Biscutella prealpina</i> Raffaelli & Baldoin
<i>Campanula carnica</i> Mert. & W.D.J. Koch subsp. <i>puberula</i> Podlech
<i>Campanula elatinoides</i> Moretti
<i>Campanula morettiana</i> Rchb.
<i>Crepis lacera</i> Ten.
<i>Daphne petraea</i> Leyb.
<i>Festuca austrodolomitica</i> Pils & Prosser
<i>Galium baldense</i> Spreng.
<i>Galium margaritaceum</i> A. Kern.
<i>Gentiana froelichii</i> Jan subsp. <i>zenariae</i> F. Martini & Poldini
<i>Gypsophila papillosa</i> Porta
<i>Hieracium grovesianum</i> Arv.-Touv. ex Belli (<i>racemosum</i> = <i>murorum</i>)
<i>Hypochaeris facchiniana</i> Ambrosi
<i>Iris cengialti</i> Ambrosi ex A. Kern. subsp. <i>veneta</i> (Pamp.) Trinajstić
<i>Knautia baldensis</i> Borbás
<i>Knautia persicina</i> A. Kern.
<i>Knautia velutina</i> Briq.
<i>Melampyrum italicum</i> Soó
<i>Minuartia graminifolia</i> (Ard.) Jáv. subsp. <i>graminifolia</i>
<i>Moehringia glaucovirens</i> Bertol.
<i>Moltkia suffruticosa</i> (L.) Brand
<i>Oncostema sicula</i> (Tineo ex Guss.) Speta
<i>Onosma echioides</i> (L.) L.

<i>Ophrys benacensis</i> (Reisigl) O. Danesch, E. Danesch & Ehrend.
<i>Potentilla johanniniana</i> Goiran
<i>Primula recubariensis</i> Prosser & Scorteg.
<i>Primula spectabilis</i> Tratt.
<i>Primula tyrolensis</i> Schott
<i>Pulmonaria vallarsae</i> A. Kern.
<i>Ranunculus venetus</i> Landolt
<i>Rhinanthus facchinii</i> Chabert
<i>Rhizobotrya alpina</i> Tausch
<i>Salicornia veneta</i> Pignatti & Lausi
<i>Salvia pratensis</i> L. subsp. <i>saccardiana</i> (Pamp.) Poldini
<i>Saxifraga berica</i> (Bég.) D.A. Webb
<i>Saxifraga depressa</i> Sternb.
<i>Saxifraga facchinii</i> Koch
<i>Saxifraga sedoides</i> L. subsp. <i>tomentosa</i> (Zenari) Poldini
<i>Saxifraga tombeanensis</i> Boiss. ex Engl.
<i>Scabiosa uniseta</i> Savi
<i>Sempervivum dolomiticum</i> Facchini
<i>Silene pudibunda</i> Hoffm. ex Rchb.
<i>Stipa epilosa</i> Martinovský subsp. <i>montana</i> Moraldo
<i>Stipa veneta</i> Moraldo
<i>Tephrosia italica</i> Holub
<i>Teucrium siculum</i> (Raf.) Guss. subsp. <i>euganeum</i> (Vis.) Tornad.

Protected units

<i>Anemone narcissiflora</i> L. subsp. <i>narcissiflora</i>
<i>Anemone sylvestris</i> L.
<i>Aquilegia atrata</i> W.D.J. Koch
<i>Aquilegia brauneana</i> (Hoppe) Jáv.
<i>Aquilegia vulgaris</i> auct. Fl. Ital.
<i>Artemisia genipi</i> Weber
<i>Asplenium foreziense</i> Legrand ex Magnier
<i>Asplenium septentrionale</i> (L.) Hoffm. subsp. <i>septentrionale</i>
<i>Betula pendula</i> Roth
<i>Betula pubescens</i> Ehrh.
<i>Callianthemum kernerianum</i> A. Kern.
<i>Cistus creticus</i> L. subsp. <i>eriocephalus</i> (Viv.) Greuter & Burdet
<i>Clematis alpina</i> (L.) Mill.
<i>Cortusa matthioli</i> L.
<i>Daphne alpina</i> L. s.l.
<i>Daphne cneorum</i> L.
<i>Daphne laureola</i> L.
<i>Daphne mezereum</i> L.
<i>Daphne petraea</i> Leyb.
<i>Daphne striata</i> Tratt.
<i>Erica arborea</i> L.
<i>Fagus sylvatica</i> L. subsp. <i>sylvatica</i>
<i>Gentiana acaulis</i> L.
<i>Gentiana asclepiadea</i> L.
<i>Gentiana bavarica</i> L.
<i>Gentiana clusii</i> Perr. & Songeon
<i>Gentiana cruciata</i> L. subsp. <i>cruciata</i>
<i>Gentiana lutea</i> L. subsp. <i>symphyandra</i> (Murb.) Hayek
<i>Gentiana nivalis</i> L.
<i>Gentiana pneumonanthe</i> L. subsp. <i>pneumonanthe</i>
<i>Gentiana prostrata</i> Haenke
<i>Gentiana pumila</i> Jacq. s.l.
<i>Gentiana punctata</i> L.
<i>Gentiana terglouensis</i> Hacq. s.l.
<i>Gentiana utriculosa</i> L.
<i>Gentiana verna</i> L. s.l.
<i>Geranium argenteum</i> L.
<i>Haplophyllum patavinum</i> (L.) G. Don

Helleborus niger L. s.l.
Laburnum alpinum (Mill.) Bercht. & J. Presl
Laburnum anagyroides Medik. s.l.
Leontopodium alpinum Cass.
Lilium bulbiferum L. subsp. *bulbiferum*
Lilium carnioolicum Bernh.
Lilium martagon L.
Nuphar lutea (L.) Sm.
Nymphaea alba L.
Paeonia mascula (L.) Mill.
Paeonia officinalis L. s.l.
Phillyrea latifolia L.
Pinus cembra L.
Pistacia terebinthus L. subsp. *terebinthus*
Potentilla nitida L.
Primula auricula L. subsp. *ciliata* (Moretti) Lüdi
Primula spectabilis Tratt.
Pulsatilla alpina (L.) Delarbre s.l.
Pulsatilla montana (Hoppe) Rchb. subsp. *montana*
Pyracantha coccinea M. Roem.
Quercus cerris L.
Quercus dalechampii Ten.
Quercus ilex L. subsp. *ilex*
Quercus petraea (Matt.) Liebl. subsp. *petraea*
Quercus pubescens Willd. subsp. *pubescens*
Quercus robur L. s.l.
Rhododamnus chamaecistus (L.) Rchb.
Saxifraga hostii Tausch subsp. *hostii*
Saxifraga mutata L. subsp. *mutata*
Saxifraga oppositifolia L. s.l.
Saxifraga paniculata Mill.
Saxifraga petraea L.
Saxifraga rotundifolia L. subsp. *rotundifolia*
Saxifraga sedoides L. subsp. *tomentosa* (Zenari) Poldini
Saxifraga seguieri Spreng.
Saxifraga squarrosa Sieber
Saxifraga stellaris L. subsp. *engleri* P. Fourn.
Saxifraga tombeanensis Boiss. ex Engl.
Saxifraga tridactylites L.
Sorbus aria (L.) Crantz s.l.
Sorbus aucuparia L. subsp. *glabrata* (Wimm. & Grab.)
 Cajander
Sorbus chamaemespilus (L.) Crantz
Sorbus domestica L.
Sorbus torminalis (L.) Crantz
Spartium junceum L.
Taxus baccata L.
Trachomitum venetum (L.) Woodson subsp. *venetum*
Trapa natans L.

Alien units

Abutilon theophrasti Medik.
Acacia longifolia (Andrews) Willd.
Acalypha virginica L.
Acer negundo L.
Acorus calamus L.
Aesculus hippocastanum L.
Agave americana L.
Ailanthus altissima (Mill.) Swingle
Albizia julibrissin Durazz.
Alcea biennis Winterl subsp. *biennis*
Allium fistulosum L.
Amaranthus albus L.
Amaranthus blitoides S. Watson
Amaranthus blitum L. subsp. *blitum*
Amaranthus cruentus L.

Amaranthus deflexus L.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus retroflexus L.
Amaranthus spinosus L.
Ambrosia artemisiifolia L.
Ambrosia coronopifolia Torr. & A. Gray
Ambrosia maritima L.
Ambrosia tenuifolia Spreng.
Ammannia robusta Heer & Regel
Ammannia verticillata (Ard.) Lam.
Amorpha fruticosa L.
Anethum graveolens L.
Anthriscus cerefolium (L.) Hoffm.
Antirrhinum majus L. subsp. *majus*
Apium graveolens L.
Arachis hypogaea L.
Armoracia rusticana P. Gaertn., B. Mey. & Scherb.
Artemisia abrotanum L.
Artemisia verlotiorum Lamotte
Arundo donax L.
Asclepias syriaca L.
Asparagus officinalis L.
Atriplex hortensis L.
Avena byzantina Koch
Avena sativa L. subsp. *sativa*
Ballota pseudodictamnus (L.) Benth.
Bassia scoparia (L.) A.J. Scott subsp. *scoparia*
Beta vulgaris L. subsp. *vulgaris*
Bidens aurea (Aiton) Sherff
Bidens bipinnata L.
Bidens cernua L.
Bidens frondosa L.
Bifora radians M. Bieb.
Brassica napus L. subsp. *napus*
Brassica nigra (L.) W.D.J. Koch
Brassica oleracea L.
Brassica rapa L. s.l.
Broussonetia papyrifera (L.) Vent.
Buddleja davidii Franch.
Calendula officinalis L.
Cannabis sativa L.
Carex vulpinoidea Michx.
Cenchrus incertus Curtis
Centaurea ragusina L.
Centaurea tenuiflora DC.
Cerastium tomentosum L.
Ceratochloa cathartica (Vahl) Herter
Chamaesyce humifusa (Willd. ex Schltr.) Prokh.
Chamaesyce maculata (L.) Small
Chamaesyce nutans (Lag.) Small
Chamaesyce prostrata (Aiton) Small
Chenopodium ambrosioides L.
Chenopodium aristatum L.
Chenopodium capitatum (L.) Asch.
Cicer arietinum L.
Citrullus lanatus (Thunb.) Matsum. & Nakai
Claytonia perfoliata Donn ex Willd.
Cleome spinosa Jacq.
Cochlearia officinalis L. subsp. *officinalis*
Collomia linearis Nutt.
Commelina communis L.
Conringia orientalis (L.) Andr. ex DC.
Coriandrum sativum L.
Corispermum marschallii Steven
Coronopus didymus (L.) Sm.
Corylus colurna L.

- Corylus maxima* Mill.
Cotoneaster horizontalis Decne.
Crataegus crus-galli L.
Crataegus submollis Sarg.
Cucumis melo L.
Cucumis sativus L.
Cuscuta campestris Yunck.
Cuscuta epilinum Weihe
Cuscuta gronovii Willd. ex Roem. & Schult.
Cuscuta suaveolens Ser.
Cycloloma atriplicifolium (Spreng.) J.M. Coult.
Cydonia oblonga Mill.
Cyperus congestus Vahl
Cyperus difformis L.
Cyperus glomeratus L.
Cyperus squarrosus L.
Cyperus strigosus L.
Cyrtomium falcatum (L. f.) C. Presl
Cyrtomium fortunei J. Sm.
Datura innoxia Mill.
Datura stramonium L. subsp. *stramonium*
Deutzia scabra Thunb.
Dianthus plumarius L.
Dichanthelium acuminatum (Sw.) Gould & C.A. Clark
Dichrocephala integrifolia (L. f.) Kuntze
Digitaria ciliaris (Retz.) Koeler
Dipsacus laciniatus L.
Ecballium elaterium (L.) A. Rich.
Echinochloa oryzoides (Ard.) Fritsch
Elaeagnus angustifolia L.
Eleocharis atropurpurea (Retz.) C. Presl
Eleocharis obtusa (Willd.) Schult.
Eleusine indica (L.) Gaertn. subsp. *indica*
Elodea canadensis Michx.
Epilobium ciliatum Raf.
Eragrostis caroliniana (Biehler) Scribn.
Eragrostis frankii C.A. Mey. ex Steud.
Eragrostis pectinacea (Michx.) Nees
Erigeron annuus (L.) Desf.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron karvinskianus DC.
Erigeron sumatrensis Retz.
Eriobotrya japonica (Thunb.) Lindl.
Erysimum cheiri (L.) Crantz
Euonymus japonicus L. f.
Euphorbia dentata Michx.
Euphorbia lathyris L.
Euphorbia marginata Pursh
Euphorbia serrata L.
Fallopia baldschuanica (Regel) Holub
Fallopia japonica (Houtt.) Ronse Decr.
Fragaria virginiana Duchesne
Galinsoga ciliata (Raf.) S.F. Blake
Galinsoga parviflora Cav.
Geranium sibiricum L.
Gleditsia triacanthos L.
Glyceria striata (Lam.) Hitchc.
Guizotia abyssinica (L. f.) Cass.
Helianthus pauciflorus Nutt. subsp. *pauciflorus*
Helianthus tuberosus L.
Heliotropium amplexicaule Vahl
Hemerocallis fulva (L.) L.
Heraclium mantegazzianum Sommier & Levier
Hibiscus trionum L.
Hordeum jubatum L.
Humulus japonicus Siebold & Zucc.
Hyacinthoides hispanica (Mill.) Rothm.
Hydrilla verticillata (L. f.) Royle
Hypericum calycinum L.
Iberis amara L. subsp. *amara*
Iberis umbellata L.
Impatiens balfourii Hook. f.
Impatiens balsamina L.
Impatiens glandulifera Royle
Impatiens parviflora DC.
Ipheion uniflorum (Graham) Raf.
Iris germanica L.
Jonopsidium acaule (Desf.) Rchb.
Juglans regia L.
Kosteletzkya pentacarpos (L.) Ledeb.
Lactuca sativa L.
Lagarosiphon major (Ridl.) Moss
Lemna aequinoctialis Welw.
Lemna minuta Kunth
Lens culinaris Medik.
Lepidium densiflorum Schrad.
Lepidium latifolium L.
Lepidium sativum L. subsp. *sativum*
Lepidium virginicum L.
Levisticum officinale W.D.J. Koch
Lindernia anagallidea (Michx.) Pennell
Linum usitatissimum L.
Liriodendron tulipifera L.
Lolium remotum Schrank
Lonicera japonica Thunb.
Ludwigia uruguayensis (Camb.) Hara
Lycium barbarum L.
Lycium chinense Mill.
Maclura pomifera (Raf.) C.K. Schneid.
Magnolia grandiflora L.
Mahonia aquifolium (Pursh) Nutt.
Malus domestica (Borkh.) Borkh.
Malva verticillata L.
Marrubium peregrinum L.
Matricaria chamomilla L.
Matricaria discoidea DC.
Melilotus dentatus (Waldst. & Kit.) Desf.
Mentha x piperita L.
Mentha x smithiana R.A. Graham
Mespilus germanica L.
Mirabilis jalapa L.
Morus alba L.
Morus nigra L.
Najas graminea Delile
Narcissus jonquilla L.
Narcissus medioluteus Mill.
Narcissus pseudonarcissus L.
Nectaroscilla hyacinthoides (L.) Parl.
Nicandra physalodes (L.) Gaertn.
Oenothera adriatica Soldano
Oenothera chicaginensis Renner ex R.E. Cleland & Blakeslee
Oenothera depressa Green
Oenothera fallacoides Soldano & Rostanski
Oenothera glazioviana Micheli
Oenothera oakesiana (A. Gray) Robbins ex S. Watson & J.M. Coult.
Oenothera roxyfraseri R.R. Gates
Oenothera suaveolens Desf. ex Pers.
Opuntia ficus-indica (L.) Mill.
Opuntia humifusa (Raf.) Raf.
Opuntia stricta (Haworth) Haworth
Opuntia tuna (L.) Mill.

- Origanum majorana* L.
Oryza sativa L.
Oxalis articulata Savigny
Oxalis debilis Kunth
Oxalis purpurata Jacq.
Oxalis stricta L.
Panicum capillare L.
Panicum dichotomiflorum Michx.
Panicum miliaceum L.
Papaver somniferum L.
Parthenocissus quinquefolia (L.) Planch.
Parthenocissus tricuspidata (Siebold & Zucc.) Planch.
Paspalum distichum L.
Passiflora coerulea L.
Paulownia tomentosa (Thunb.) Steud.
Pennisetum villosum R. Br.
Perilla frutescens (L.) Britton
Persicaria nepalensis (Meisn.) H. Gross
Persicaria orientalis (L.) Spach
Phacelia tanacetifolia Benth.
Phedimus spurius (M.Bieb.) 't Hart in 't Hart & Eggli
Philadelphus coronarius L.
Phyllostachys bambusoides Siebold & Zucc.
Phyllostachys edulis (Carrière) Houz.
Phyllostachys nigra (Lodd.) Munro
Physalis pubescens L.
Phytolacca americana L.
Pinus strobus L.
Pisum sativum L. subsp. *biflorum* (Raf.) Soldano
Pisum sativum L. subsp. *sativum*
Pittosporum tobira (Thunb.) W.T. Aiton
Platanus hispanica Mill. ex Münchh.
Potentilla indica (Jacks.) Th. Wolf
Potentilla norvegica L.
Prunus cerasifera Ehrh.
Prunus cerasus L.
Prunus domestica L. subsp. *domestica*
Prunus domestica L. subsp. *insititia* (L.) Bonnier & Layens
Prunus dulcis (Mill.) D.A. Webb
Prunus laurocerasus L.
Pseudohysimachion maritimum (L.) Á. & D. Löve
Pteris multifida Poir.
Pteris vittata L.
Pyrus communis L.
Quercus rubra L.
Raphanus sativus L.
Rapistrum perenne (L.) All.
Reseda odorata L.
Retama monosperma (L.) Boiss.
Rheum palmatum L.
Rhus coriaria L.
Rhus typhina L.
Ribes aureum Pursh
Robinia pseudacacia L.
Rorippa austriaca (Crantz) Besser
Rosa multiflora Thunb.
Rotala filiformis (Bellardi) Hiern
Rudbeckia hirta L.
Rudbeckia laciniata L.
Rumex cristatus DC. subsp. *kernerii* (Borbás) Akeroyd & D.A. Webb
Rumex longifolius DC.
Sagittaria latifolia Willd.
Salix babylonica L.
Salix dasyclados Wimm.
Salix eriocephala Michx.
Satureja hortensis L.
Secale cereale L.
Sedum sarmentosum Bunge
Senecio inaequidens DC.
Setaria italica (L.) P. Beauv.
Setaria parviflora (Poir.) Kerguélen
Sicyos angulatus L.
Siegesbeckia orientalis L.
Silene flavescent Waldst. & Kit. subsp. *flavescent*
Silphium perfoliatum L.
Sinapis alba L. subsp. *alba*
Sisymbrium altissimum L.
Sisymbrium loeselii L.
Sisymbrium orientale L. subsp. *orientale*
Sisyrinchium angustifolium Mill.
Solidago canadensis L.
Solidago gigantea Aiton s.l.
Sorbaria sorbifolia (L.) A. Braun
Sorghum bicolor (L.) Moench
Sorghum halepense (L.) Pers.
Spartina x townsendii Groves & J.Groves
Spinacia oleracea L.
Spiraea japonica L.
Sporobolus indicus (L.) R. Br.
Sporobolus neglectus Nash
Sporobolus vaginiflorus (Torr.) Wood
Symphoricarpos albus (L.) S.F. Blake
Symphyotrichum lanceolatum (L.) G.L.Nesom
Symphyotrichum lateriflorum (L.) Á.Löve & D.Löve
Symphyotrichum novae-angliae (L.) G.L.Nesom
Symphyotrichum novi-belgii (L.) G.L.Nesom
Symphyotrichum salignum (Willd.) G.L.Nesom
Symphyotrichum squamatum (Spreng.) G.L.Nesom
Symphytum asperum Lepech.
Tanacetum balsamita L.
Tanacetum parthenium (L.) Sch. Bip.
Taxus baccata L.
Telekia speciosa (Schreb.) Baumg.
Tradescantia virginiana L.
Trifolium incarnatum L. subsp. *incarnatum*
Trigonella caerulea (L.) Ser.
Trigonella foenum-graecum L.
Triticum aestivum L.
Tulipa praecox Ten.
Ulmus laevis Pall.
Verbascum virgatum Stokes
Veronica filiformis Sm.
Veronica peregrina L. subsp. *peregrina*
Vicia ervilia (L.) Willd.
Vicia sativa L. subsp. *sativa*
Vitis labrusca L.
Vitis vinifera L. subsp. *sylvestris* (C.C. Gmel.) Hegi
Vitis vinifera L. subsp. *vinifera*
Wolffia arrhiza (L.) Horkel ex Wimm.
Xanthium orientale L. subsp. *italicum* (Moretti) Greuter
Xanthium orientale L. subsp. *orientale*
Xanthium spinosum L.

REFERENCES

REFERENCES

- ABBATE G., ALESSANDRINI A., CONTI F., LA POSTA A., RONCHIERI I., TARTAGLINI N. & BLASI C., 2001. *La Banca dati della Flora vascolare italiana*. Inform. Bot. Ital., 33(2): 417-420.
- ALESSANDRINI A. & BRANCHETTI G., 1997. *Flora Reggiana*. Provincia di Reggio Emilia. Regione Emilia-Romagna. Cierre ed. Verona.
- ANZALONE B., 1996. *Prodromo della flora Romana (elenco preliminare delle piante vascolari spontanee del Lazio) (Aggiornamento). Parte 1. Pteridophyta, Gymnospermae, Angiospermae Dicotyledones*. Ann. Bot. (Roma), 52, Suppl. 11 (1994): 1-81.
- ANZALONE B., 1998. *Prodromo della flora Romana (elenco preliminare delle piante vascolari spontanee del Lazio) (Aggiornamento). Parte 2. Angiospermae Monocotyledones*. Ann. Bot. (Roma), 54(2) (1996) 7-47.
- ARGENTI C. & LASEN C., 2004. *Lista rossa della flora vascolare della Provincia di Belluno*. ARPAV, Regione Veneto. Belluno.
- BERTOLONI, 1833-1854. *Flora italica, sistens plantas in Italia et in insulis circumstantibus sponte nascentes*. Masi. Bologna.
- BOVIO M., MAFFEI S., PELLISSIER S. & POGGIO L., 2000. *La Banca Dati Floristica della Valle d'Aosta*. Rev. Valdôtaine Hist. Nat., 54: 11-36.
- BRUMMITT R.K. & POWELL C.E., 1982. *Authors of Plant names*. Royal Botan. Gardens, Kew.
- CASTROVIEJO S., AEDO C., BENEDÍ C., LAÍN Z M., MUÑOZ GARMENDIA F., NIETO FELINER G., & PAIVA J. (eds.), 1997. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. VIII. Real Jardín Botánico, CSIC. Madrid.
- CASTROVIEJO S., AEDO C., CIRUJANO S., LAÍN Z M., MONTSERRAT P., MORALES R., MUÑOZ GARMENDIA F., NAVARRO C., PAIVA J. & SORIANO C. (eds.), 1993. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. III. Real Jardín Botánico, CSIC. Madrid.
- CASTROVIEJO S., AEDO C., GÓMEZ CAMPO C., LAÍN Z M., MONTSERRAT P., MORALES R., MUÑOZ GARMENDIA F., NIETO FELINER G., RICO E., TALAVERA S. & VILLAR L. (eds.), 1993. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. IV. Real Jardín Botánico, CSIC. Madrid.
- CASTROVIEJO S., AEDO C., LAÍN Z M., MORALES R., MUÑOZ GARMENDIA F., NIETO FELINER G., & PAIVA J. (eds.), 1997. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. V. Real Jardín Botánico, CSIC. Madrid.
- CASTROVIEJO S., LAÍN Z M., LÓPEZ GONZÁLEZ G., MONTSERRAT P., MUÑOZ GARMENDIA F., PAIVA J. & VILLAR L. (eds.), 1986. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. I. Real Jardín Botánico, CSIC. Madrid.
- CASTROVIEJO S., LAÍN Z M., LÓPEZ GONZÁLEZ G., MONTSERRAT P., MUÑOZ GARMENDIA F., PAIVA J. & VILLAR L. (eds.), 1990. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. II. Real Jardín Botánico, CSIC. Madrid.
- CONTI F., 1998. *An annotated checklist of the flora of the Abruzzo*. Boccone, 10: 1-94.
- CONTI F., MANZI A. & PEDROTTI F., 1992. *Libro Rosso delle piante d'Italia*. W.W.F. Roma.
- CONTI F., MANZI A. & PEDROTTI F., 1997. *Liste Rosse Regionali delle piante d'Italia*. W.W.F., S.B.I. Camerino.
- FIORI A. & PAOLETTI G., 1896-1909. *Flora Analitica d'Italia*. Padova.
- FIORI A., 1923-1929. *Nuova Flora Analitica d'Italia*. Firenze.
- GREUTER W., BURDET H. M. & LONG G., 1984, 1986, 1989. *Med.-Checklist 1, 3, 4*. Genève.
- GRÜNANGER P., 2001. *Orchidaceae d'Italia*. Quad. Bot. Ambientale Appl., 11(2000): 3-80.
- IUCN, 2001. *IUCN Red List Categories and Criteria: Version 3.1*. Prepared by the IUCN Species Survival Commission. IUCN, Gland, Switzerland and Cambridge, U.K. ii + 30 pp.
- JALAS J. & SUOMINEN J. (eds.), 1972, 1973, 1976, 1979, 1980, 1983, 1986, 1989, 1991, 1994. *Atlas Florae Europaeae. Distribution of Vascular Plants in Europe*. Vols. 1-10. The Committee for Mapping the Flora of Europe & Societas Biologica Fennica Vanamo, Helsinki.
- JALAS J., SUOMINEN J. & LAMPINEN R. (eds.), 1996. *Atlas Florae Europaeae. Distribution of Vascular Plants in Europe*. Vol. 11. The Committee for Mapping the Flora of Europe & Societas Biologica Fennica Vanamo, Helsinki.
- JALAS J., SUOMINEN J., LAMPINEN R. & KURTTO A. (eds.), 1999. *Atlas Florae Europaeae. Distribution of Vascular Plants in Europe*. Vol. 12. The Committee for Mapping the Flora of Europe & Societas Biologica Fennica Vanamo, Helsinki.
- KURTTO A., LAMPINEN R. & JUNIKKA L. (eds.), 2004. *Atlas Florae Europaeae. Distribution of Vascular Plants in Europe*. Rosaceae (Spiraea to Fragaria, excl. Rubus). Vol. 13. The Committee for Mapping the Flora of Europe & Societas Biologica Fennica Vanamo, Helsinki.

- LUCCHESI F., 1995. *Elenco preliminare della Flora spontanea del Molise*. Ann. Bot. (Roma), Studi sul territorio, 53, suppl. 12: 1-386.
- LUCCHESI F., 1996. *Correzioni ed aggiunte alla flora del Molise*. Ann. Bot. (Roma), 54: 291-294.
- MARCHETTI D., 2004 (2003). *Le pteridofite d'Italia*. Ann. Mus. civ. Rovereto, 19: 71-231.
- MUÑOZ GARMENDIA F. & NAVARRO C. (eds.), 1998. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. VI. Real Jardín Botánico, CSIC. Madrid.
- NIETO FELINER G., JURY S.L. & HERRERO A. (eds.), 2003. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. X. Real Jardín Botánico, CSIC. Madrid.
- PAIVA J., SALES F., HEDGE I.C., AEDO C., ALDASORO J.J., CASTROVIEJO S., HERRERO A. & VELAYOS M. (eds.), 2001. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. XIV. Real Jardín Botánico, CSIC. Madrid.
- PARLATORE F., 1848-1896. *Flora italiana, ossia descrizione delle piante che crescono spontanee o vegetano come tali in Italia e nelle isole ad essa aggiacenti, disposte secondo il metodo naturale*. Le Monnier. Firenze.
- PIGNATTI S., 1982. *Flora d'Italia* - 3 Voll. Edagricole. Bologna.
- POLDINI L., 1991. *Atlante corologico delle piante vascolari nel Friuli-Venezia Giulia. Inventario floristico regionale*. Arti grafiche friulane. Udine.
- POLDINI L., ORIOLO G. & VIDALI M., 2001. *Vascular flora of Friuli-Venezia Giulia. An annotated catalogue and synonymic index*. Studia Geobotanica, 21: 3-227.
- ROSSI W., 2002. *Orchidee d'Italia*. Quad. Cons. Natura, 15, Min. Ambiente, Ist. Naz. Fauna Selvatica.
- STRID A. & TAN K. (eds.), 1997. *Flora Hellenica*. Vol. 1. Koeltz Scientific Books.
- STRID A. & TAN K. (eds.), 2002. *Flora Hellenica*. Vol. 2. A.R.G. Gantner Verlag.
- TALAVERA S., AEDO C., CASTROVIEJO S., HERRERO H., ROMERO ZARCO C., SALGUEIRO F.J. & VELAYOS M. (eds.), 2000. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. VII(2). Real Jardín Botánico, CSIC. Madrid.
- TALAVERA S., AEDO C., CASTROVIEJO S., ROMERO ZARCO C., SÁEZ L., SALGUEIRO F.J. & VELAYOS M. (eds.), 1999. *Flora Iberica: plantas vasculares de la Península Ibérica e Islas Baleares*. Vol. VII(1). Real Jardín Botánico, CSIC. Madrid.
- TUTIN T.G., BURGESS N.A., CHATER A.O., EDMONDSON J.R., HEYWOOD V.H., MOORE D.M., VALENTINE D.H., WALTERS S.M. & WEBB D.A. (eds.), 1993. *Flora Europaea*. Vol. 1. 2nd ed. Cambridge University Press.
- TUTIN T.G., HEYWOOD V.H., BURGESS N.A., MOORE D.M., VALENTINE D.H., WALTERS S.M. & WEBB D.A. (eds.), 1964-1980. *Flora Europaea*. Voll. 1-5. Cambridge University Press.
- VV. AA., 1978-2004. *Segnalazioni Floristiche Italiane: 1-1150*. Inform. Bot. Ital, 10(2)-36(1).
- WISSKIRCHEN R. & HAEUPLER H., 1998. *Standardliste der Farn- und Blütenpflanzen Deutschlands*. E. Ulmer. Verlag.
- ZANGHERI P., 1976. *Flora italica*. 2 Voll. CEDAM. Padova.

APPENDICES

1 – Index of names

In order to easily find the up-to-date names and data, here are listed basionyms, no longer valid names and complete names as they occur in: PIGNATTI, 1982; GREUTER *et al.*, 1984, 1986, 1989; TUTIN *et al.*, 1968-1980, 1993. As for the names extracted from these works, we report only the specific and infraspecific combinations that are different from those occurring in the checklist (that is, when two complete names apply to the same entity but differ from each other only in the author(s), they are not reported).

<i>Abutilon avicennae</i> Gaertn.	→ <i>Abutilon theophrasti</i> Medik.
<i>Acacia cyanophylla</i> Lindley	→ <i>Acacia saligna</i> (Labill.) H.L. Wendl.
<i>Acacia karoo</i> Hayne	→ <i>Acacia karroo</i> Hayne
<i>Acacia melanoxylon</i> R. Br. in Aiton	→ <i>Acacia melanoxylon</i> R. Br.
<i>Acacia retinodes</i> Schlecht.	→ <i>Acacia retinoides</i> Schltdl.
<i>Acer campestre</i> L. subsp. <i>marsicum</i> (Guss.) Hayek	→ <i>Acer campestre</i> L.
<i>Acer lobelii</i> Ten.	→ <i>Acer cappadocicum</i> Gled. subsp. <i>lobelii</i> (Ten.) Murray
<i>Acer marsicum</i> Guss.	→ <i>Acer campestre</i> L.
<i>Acer neapolitanum</i> Ten.	→ <i>Acer opalus</i> Mill. subsp. <i>obtusatum</i> (Waldst. & Kit. ex Willd.) Gams
<i>Acer obtusatum</i> W. et K.	→ <i>Acer opalus</i> Mill. subsp. <i>obtusatum</i> (Waldst. & Kit. ex Willd.) Gams
<i>Acer obtusatum</i> Waldst. & Kit. subsp. <i>neapolitanum</i> (Ten.) Pax	→ <i>Acer opalus</i> Mill. subsp. <i>obtusatum</i> (Waldst. & Kit. ex Willd.) Gams
<i>Aceras anthropophorum</i> (L.) R. Br.	→ <i>Orchis anthropophora</i> (L.) All.
<i>Achillea clavennae</i> L.	→ <i>Achillea clavennae</i> L.
<i>Achillea erba-rotta</i> All. subsp. <i>moschata</i> (Wulfen) I.B.K. Richardson	→ <i>Achillea moschata</i> Wulfen subsp. <i>moschata</i>
<i>Achillea erba-rotta</i> All. subsp. <i>rupestris</i> (Porta) I.B.K. Richardson	→ <i>Achillea rupestris</i> Huter, Porta & Rigo s.l.
<i>Achillea lucana</i> Pign.	→ <i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>calcarea</i> (Huter, Porta & Rigo) Greuter
<i>Achillea moschata</i> Wulfen subsp. <i>calcarea</i> (Huter, Porta & Rigo) F. Conti comb. nova	→ <i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>calcarea</i> (Huter, Porta & Rigo) Greuter
<i>Achillea mucronulata</i> Bertol.	→ <i>Achillea barrelieri</i> Ten. subsp. <i>mucronulata</i> (Bertol.) Heimerl
<i>Achillea neilreichii</i> A. Kern.	→ <i>Achillea nobilis</i> L. subsp. <i>neilreichii</i> (A. Kern.) Velen.
<i>Achillea oxyloba</i> (DC.) Sch.-Bip.	→ <i>Achillea barrelieri</i> Ten. subsp. <i>oxyloba</i> (DC.) F. Conti & Soldano
<i>Achillea oxyloba</i> (DC.) Sch. Bip. subsp. <i>barrelieri</i> (Ten.) F. Conti	→ <i>Achillea barrelieri</i> Ten. subsp. <i>barrelieri</i>
<i>Achillea oxyloba</i> (DC.) Schultz Bip. subsp. <i>mucronulata</i> (Bertol.) I. Richardson	→ <i>Achillea barrelieri</i> Ten. subsp. <i>mucronulata</i> (Bertol.) Heimerl
<i>Achillea roseo-alba</i> Ehrend.	→ <i>Achillea roseoalba</i> Ehrend.
<i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>lucana</i> (Pignatti) Greuter	→ <i>Achillea rupestris</i> Huter, Porta & Rigo subsp. <i>calcarea</i> (Huter, Porta & Rigo) Greuter
<i>Achillea sudetica</i> Opiz	→ <i>Achillea millefolium</i> L. subsp. <i>sudetica</i> (Opiz) Weiss
<i>Achyranthes aspera</i> L. var. <i>sicula</i> L.	→ <i>Achyranthes sicula</i> (L.) All.
<i>Acinos granatensis</i> (Boiss. & Reut.) Pereda	→ <i>Acinos alpinus</i> (L.) Moench subsp. <i>meridionalis</i> (Nyman) P.W. Ball
<i>Acinos granatensis</i> (Boiss. & Reuter) Pereda subsp. <i>aetnensis</i> (Strobl) Pignatti	→ <i>Acinos alpinus</i> (L.) Moench subsp. <i>meridionalis</i> (Nyman) P.W. Ball
<i>Acinos graveolens</i> (M. Bieb.) Link	→ <i>Acinos rotundifolius</i> Pers.
<i>Aconitum cammarum</i> Jacq. subsp. <i>paniculatum</i> Arcang.	→ <i>Aconitum degeni</i> Gayer subsp. <i>paniculatum</i> (Arcang.) Mucher
<i>Aconitum lamareckii</i> Rchb.	→ incl. <i>Aconitum lycoctonum</i> L. emend. Koelle
<i>Aconitum latemarense</i> Degen & Gayer	→ <i>Aconitum tauricum</i> Wulfen
<i>Aconitum lycoctonum</i> L. emend. Koelle subsp. <i>lycoctonum</i>	→ incl. <i>Aconitum lycoctonum</i> L. emend. Koelle
<i>Aconitum lycoctonum</i> L. emend. Koelle subsp. <i>neapolitanum</i> (Ten.) Nyman	→ incl. <i>Aconitum lycoctonum</i> L. emend. Koelle
<i>Aconitum lycoctonum</i> L. emend. Koelle subsp. <i>vulparia</i> (Rchb. ex Spreng.) Nyman	→ incl. <i>Aconitum lycoctonum</i> L. emend. Koelle
<i>Aconitum napellus</i> L. subsp. <i>lusitanicum</i> Rouy	→ incl. <i>Aconitum napellus</i> L. emend. Skalický
<i>Aconitum napellus</i> L. subsp. <i>neomontanum</i> (Wulfen) Gayer in Hegi sensu Pignatti Fl. d'It.	→ <i>Aconitum napellus</i> L. emend. Skalický
<i>Aconitum napellus</i> L. subsp. <i>tauricum</i> (Wulfen) Gayer in Hegi	→ <i>Aconitum tauricum</i> Wulfen
<i>Aconitum napellus</i> L. subsp. <i>vulgare</i> Rouy & Fouc.	→ incl. <i>Aconitum napellus</i> L. emend. Skalický
<i>Aconitum nasutum</i> Rchb.	→ <i>Aconitum variegatum</i> L. subsp. <i>nasutum</i> (Fisch ex Rchb.) Götz
<i>Aconitum neapolitanum</i> Ten.	→ <i>Aconitum lycoctonum</i> L. emend. Koelle
<i>Aconitum paniculatum</i> Lam. subsp. <i>nasutum</i> (Fischer) Gotz	→ <i>Aconitum variegatum</i> L. subsp. <i>nasutum</i> (Fisch ex Rchb.) Götz
<i>Aconitum valesiacum</i> Gayer	→ <i>Aconitum degeni</i> Gayer subsp. <i>valesiacum</i> (Gayer) Mucher
<i>Aconitum variegatum</i> L. subsp. <i>paniculatum</i> (Arcang.) Negodi	→ <i>Aconitum degeni</i> Gayer subsp. <i>paniculatum</i> (Arcang.) Mucher
<i>Aconitum variegatum</i> L. subsp. <i>valesiacum</i> (Gayer) Greuter & Burdet	→ <i>Aconitum degeni</i> Gayer subsp. <i>valesiacum</i> (Gayer) Mucher
<i>Acrostichum alpinum</i> Bolton	→ <i>Woodsia alpina</i> (Bolton) Gray
<i>Acrostichum ilvense</i> L.	→ <i>Woodsia ilvensis</i> (L.) R. Br.
<i>Acrostichum septentrionale</i> L.	→ <i>Asplenium septentrionale</i> (L.) Hoffm. subsp. <i>septentrionale</i>
<i>Acrosticum marantae</i> L.	→ <i>Notholaena marantae</i> (L.) Desv. subsp. <i>marantae</i>
<i>Acrosticum velleum</i> Aiton	→ <i>Cosentinia vellea</i> (Aiton) Tod. subsp. <i>vellea</i>
<i>Adenocarpus complicatus</i> (L.) Gay subsp. <i>commutatus</i> (Guss.) Coutinho	→ <i>Adenocarpus commutatus</i> Guss.
<i>Adenophora lilifolia</i> (L.) Ledeb. ex A. DC.	→ <i>Adenophora liliifolia</i> (L.) A. DC.
<i>Adenostyles albida</i> Cass.	→ <i>Adenostyles alliariae</i> (Gouan) A. Kern. s.l.

<i>Adenostyles alliariae</i> (Gouan) A. Kerner subsp. <i>hybrida</i> (DC.) Tutin	→ <i>Adenostyles alliariae</i> (Gouan) A. Kern. subsp. <i>macrocephala</i> (Huter, Porta & Rigo) Wagenitz & I. Müll.
<i>Adenostyles alpina</i> (L.) Bluff & Fingerh.	→ <i>Adenostyles glabra</i> (Mill.) DC. s.l.
<i>Adenostyles alpina</i> (L.) Bluff & Fingerh. subsp. <i>alpina</i>	→ <i>Adenostyles glabra</i> (Mill.) DC. subsp. <i>glabra</i>
<i>Adenostyles alpina</i> (L.) Bluff & Fingerh. subsp. <i>australis</i> (Ten.) Greuter	→ incl. <i>Adenostyles glabra</i> (Mill.) DC. subsp. <i>glabra</i>
<i>Adenostyles australis</i> (Ten.) Nyman	→ incl. <i>Adenostyles glabra</i> (Mill.) DC. subsp. <i>glabra</i>
<i>Adenostyles candidissima</i> Cass.	→ <i>Adenostyles leucophylla</i> (Willd.) Rchb.
<i>Adenostyles hybrida</i> DC.	→ <i>Adenostyles alliariae</i> (Gouan) A. Kern. subsp. <i>macrocephala</i> (Huter, Porta & Rigo) Wagenitz & I. Müll.
<i>Adenostyles orientalis</i> Boiss.	→ <i>Adenostyles alliariae</i> (Gouan) A. Kern. subsp. <i>macrocephala</i> (Huter, Porta & Rigo) Wagenitz & I. Müll.
<i>Adenostyles tomentosa</i> Schinz & Thell.	→ <i>Adenostyles leucophylla</i> (Willd.) Rchb.
<i>Adonis aestivalis</i> L. subsp. <i>provincialis</i> (DC.) Steinberg	→ <i>Adonis aestivalis</i> L. subsp. <i>squarrosa</i> (Steven) Nyman
<i>Adonis annua</i> L. subsp. <i>castellana</i> (Pau) C.H. Steinb.	→ incl. <i>Adonis annua</i> L.
<i>Adonis annua</i> L. subsp. <i>cupaniana</i> (Guss.) C.H. Steinb.	→ incl. <i>Adonis annua</i> L.
<i>Adonis castellana</i> Pau	→ incl. <i>Adonis annua</i> L.
<i>Adonis cupaniana</i> Guss.	→ incl. <i>Adonis annua</i> L.
<i>Adonis squarrosa</i> Steven	→ <i>Adonis aestivalis</i> L. subsp. <i>squarrosa</i> (Steven) Nyman
<i>Adventina ciliata</i> Raf.	→ <i>Galinsoga ciliata</i> (Raf.) S.F. Blake
<i>Aegilops biuncialis</i> Vis.	→ <i>Triticum biunciale</i> (Vis.) K. Richter
<i>Aegilops caudata</i> L.	→ <i>Triticum caudatum</i> (L.) Raspail
<i>Aegilops cylindrica</i> Host	→ <i>Triticum cylindricum</i> (Host) Cesati, Passerini & Gibelli
<i>Aegilops fragilis</i> Parl.	→ <i>Triticum ventricosum</i> (Tausch) Cesati, Passerini & Gibelli
<i>Aegilops geniculata</i> Roth	→ <i>Triticum ovatum</i> (L.) Raspail
<i>Aegilops geniculata</i> Roth subsp. <i>biuncialis</i> (Vis.) Asch. et Gr.	→ <i>Triticum biunciale</i> (Vis.) K. Richter
<i>Aegilops incurva</i> L.	→ <i>Parapholis incurva</i> (L.) C.E. Hubb.
<i>Aegilops neglecta</i> Req.	→ <i>Triticum neglectum</i> (Req. ex Bertol.) Greuter
<i>Aegilops peregrina</i> (Hack.) Maire & Weiller	→ <i>Triticum peregrinum</i> Hack.
<i>Aegilops speltoides</i> Tausch	→ <i>Triticum speltoides</i> (Tausch) Gren. ex K. Richter
<i>Aegilops triuncialis</i> L.	→ <i>Triticum triunciale</i> (L.) Raspail
<i>Aegilops uniaristata</i> Vis.	→ <i>Triticum uniaristatum</i> (Vis.) K. Richter
<i>Aegilops ventricosa</i> Tausch	→ <i>Triticum ventricosum</i> (Tausch) Cesati, Passerini & Gibelli
<i>Aeluropus litoralis</i> (Gouan) Parl.	→ <i>Aeluropus litoralis</i> (Gouan) Parl.
<i>Aeluropus repens</i> (Desf.) Parl.	→ <i>Aeluropus lagopoides</i> (L.) Trin.
<i>Aethionema saxatile</i> (L.) R. Br. var. <i>ovalifolium</i> DC.	→ <i>Aethionema saxatile</i> (L.) R. Br. subsp. <i>ovalifolium</i> (DC.) Nyman
<i>Aethusa cynapioides</i> M. Bieb.	→ <i>Aethusa cynapium</i> L. subsp. <i>elata</i> (Friedl. ex Fisch.) Schübl. & G. Martens
<i>Aethusa cynapium</i> L. subsp. <i>agrestis</i> (Wallr.) Dostál	→ <i>Aethusa cynapium</i> L. subsp. <i>cynapium</i>
<i>Aethusa cynapium</i> L. subsp. <i>cynapioides</i> (Bieb.) Nyman	→ <i>Aethusa cynapium</i> L. subsp. <i>elata</i> (Friedl. ex Fisch.) Schübl. & G. Martens
<i>Agropyron barbulatum</i> Schur	→ <i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>barbulatus</i> (Schur) Á. Löve
<i>Agropyron caldesii</i> Goiran	→ <i>Elymus repens</i> (L.) Gould. subsp. <i>repens</i>
<i>Agropyron caninum</i> (L.) Beauv.	→ <i>Elymus caninus</i> (L.) L. s.l.
<i>Agropyron cristatum</i> (L.) Gaertner subsp. <i>pectinatum</i> (Bieb.) Tzvelev	→ <i>Agropyron pectiniforme</i> Roem. & Schult.
<i>Agropyron hispidum</i> Opiz	→ <i>Elymus hispidus</i> (Opiz) Melderis s.l.
<i>Agropyron intermedium</i> (Host) Beauv.	→ <i>Elymus hispidus</i> (Opiz) Melderis s.l.
<i>Agropyron junceum</i> (L.) Beauv. subsp. <i>mediterraneum</i> Simonet & Guinocet sensu Pignatti	→ <i>Elymus farctus</i> (Viv.) Runemark ex Melderis subsp. <i>farctus</i>
<i>Agropyron panormitanum</i> Parl.	→ <i>Elymus panormitanus</i> (Parl.) Tzvelev
<i>Agropyron pectinatum</i> (Bieb.) Beauv.	→ <i>Agropyron pectiniforme</i> Roem. & Schult.
<i>Agropyron pungens</i> (Pers.) R. et S.	→ <i>Elymus athericus</i> (Link) Kerguelen
<i>Agropyron savignonii</i> De Not.	→ <i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>barbulatus</i> (Schur) Á. Löve
<i>Agropyron trichophorum</i> (Link) Richt.	→ <i>Elymus hispidus</i> (Opiz) Melderis s.l.
<i>Agropyron villosum</i> (L.) Link	→ <i>Dasyphyrum villosum</i> (L.) P. Candargy, non Borbás
<i>Agrostemma coelirosa</i> L.	→ <i>Silene coelirosa</i> (L.) Godr.
<i>Agrostemma coronaria</i> L.	→ <i>Silene coronaria</i> (L.) Clairv.
<i>Agrostemma flos-jovis</i> L.	→ <i>Silene flos-jovis</i> (L.) Greuter & Burdet
<i>Agrostemma laetum</i> Aiton	→ <i>Silene laeta</i> (Aiton) Godr.
<i>Agrostis agrostiflora</i> (G. Beck) Rauschert	→ <i>Agrostis schraderiana</i> Bech.
<i>Agrostis arundinacea</i> L.	→ <i>Calamagrostis arundinacea</i> (L.) Roth
<i>Agrostis bromoides</i> L.	→ <i>Achnatherum bromoides</i> (L.) P. Beauv.
<i>Agrostis calamagrostis</i> L.	→ <i>Achnatherum calamagrostis</i> (L.) P. Beauv.
<i>Agrostis frondosa</i> Poir.	→ <i>Muhlenbergia frondosa</i> (Poir.) Fernald
<i>Agrostis interrupta</i> L.	→ <i>Apera interrupta</i> (L.) P. Beauv.
<i>Agrostis matrella</i> L.	→ <i>Zoysia matrella</i> (L.) Merr.
<i>Agrostis miliaceum</i> L.	→ <i>Piptatherum miliaceum</i> (L.) Coss. s.l.

<i>Agrostis minima</i> L.	→ <i>Mibora minima</i> (L.) Desv.
<i>Agrostis nitens</i> Guss.	→ <i>Triplachne nitens</i> (Guss.) Link
<i>Agrostis paradoxa</i> L.	→ <i>Piptatherum paradoxum</i> (L.) P. Beauv.
<i>Agrostis salmantica</i> (Lag.) Kunth	→ <i>Agrostis pourretii</i> Willd.
<i>Agrostis schraderana</i> Becherer	→ <i>Agrostis schraderiana</i> Bech.
<i>Agrostis spica-venti</i> L.	→ <i>Apera spica-venti</i> (L.) P. Beauv.
<i>Agrostis tenuis</i> Sibth.	→ <i>Agrostis capillaris</i> L.
<i>Agrostis ventricosa</i> Gouan	→ <i>Gastridium ventricosum</i> (Gouan) Schinz & Thell.
<i>Agrostis villosa</i> Chaix	→ <i>Calamagrostis villosa</i> (Chaix) J.F. Gmel.
<i>Agrostis viridis</i> Gouan	→ <i>Polypogon viridis</i> (Gouan) Breistr.
<i>Ailanthus glandulosa</i> Desf.	→ <i>Ailanthus altissima</i> (Mill.) Swingle
<i>Aira aquatica</i> L.	→ <i>Catabrosa aquatica</i> (L.) P. Beauv.
<i>Aira articulata</i> Desf.	→ <i>Corynephorus articulatus</i> (Desf.) P. Beauv.
<i>Aira caerulea</i> L.	→ <i>Molinia caerulea</i> (L.) Moench subsp. <i>caerulea</i>
<i>Aira canescens</i> L.	→ <i>Corynephorus canescens</i> (L.) P. Beauv.
<i>Aira cespitosa</i> L.	→ <i>Deschampsia cespitosa</i> (L.) P. Beauv. s.l.
<i>Aira elegans</i> Willd.	→ <i>Aira elegantissima</i> Schur
<i>Aira media</i> Gouan	→ <i>Deschampsia media</i> (Gouan) Roem. & Schult.
<i>Aira minuta</i> L.	→ <i>Molineriella minuta</i> (L.) Rouy
<i>Aira spicata</i> L.	→ <i>Trisetaria spicata</i> (L.) Paunero subsp. <i>ovatipaniculata</i> (Hultén ex Jonsell) Banfi & Soldano
<i>Aira tenorei</i> Guss.	→ <i>Aira tenorii</i> Guss.
<i>Ajuga chia</i> Schreb.	→ <i>Ajuga chamaepitys</i> (L.) Schreb. subsp. <i>chia</i> (Schreb.) Arcang.
<i>Ajuga pseudoiva</i> DC.	→ <i>Ajuga iva</i> (L.) Schreb. subsp. <i>pseudoiva</i> (DC.) Briq.
<i>Ajuga tenorii</i> Presl	→ <i>Ajuga tenorei</i> C. Presl
<i>Alchemilla acutiloba</i> Opiz	→ <i>Alchemilla vulgaris</i> L. em. S.E. Fröhner
<i>Alchemilla debilicaulis</i> Buser	→ incl. <i>Alchemilla alpina</i> L.
<i>Alchemilla filicaulis</i> Buser subsp. <i>vestita</i> (Buser) M.E. Bradshaw	→ incl. <i>Alchemilla filicaulis</i> Buser
<i>Alchemilla gracilis</i> auct.	→ <i>Alchemilla micans</i> Buser
<i>Alchemilla illyrica</i> Rothm.	→ incl. <i>Alchemilla colorata</i> Buser
<i>Alchemilla minutiflora</i> Aznav.	→ <i>Aphanes minutiflora</i> (Azn.) Holub
<i>Alchemilla plicatula</i> Gand. sensu Rothm.	→ <i>Alchemilla alpigena</i> Buser ex Hegi
<i>Alchemilla venulosa</i> Buser	→ <i>Alchemilla venosula</i> Buser
<i>Alectorolophus mediterraneus</i> Sterneck	→ <i>Rhinanthus pumilus</i> (Sterneck) Pau
<i>Alectorolophus pumilus</i> Sterneck	→ <i>Rhinanthus pumilus</i> (Sterneck) Pau
<i>Alisma natans</i> L.	→ <i>Luronium natans</i> (L.) Raf.
<i>Alisma parnassifolium</i> L.	→ <i>Caldesia parnassifolia</i> (Bassi ex L.) Parl.
<i>Alisma ranunculoides</i> L.	→ <i>Baldellia ranunculoides</i> (L.) Parl.
<i>Allium cirrhosum</i> Vandelli	→ <i>Allium carinatum</i> L. subsp. <i>pulchellum</i> Bonnier & Layens
<i>Allium coppoleri</i> Tineo	→ <i>Allium pallens</i> L.
<i>Allium fuscum</i> Waldst. & Kit.	→ <i>Allium paniculatum</i> L. subsp. <i>paniculatum</i>
<i>Allium guttatum</i> Steven subsp. <i>sardoum</i> (Moris) Stearn	→ <i>Allium sardoum</i> Moris
<i>Allium lineare</i> L.	→ <i>Allium strictum</i> Schrad.
<i>Allium pallens</i> L. subsp. <i>siciliense</i> Stearn	→ <i>Allium lehmannii</i> Lojac.
<i>Allium pallens</i> L. subsp. <i>tenuiflorum</i> (Ten.) Stearn	→ <i>Allium tenuiflorum</i> Ten.
<i>Allium paniculatum</i> L. subsp. <i>fuscum</i> (Waldst. & Kit.) Arcang.	→ <i>Allium paniculatum</i> L. subsp. <i>paniculatum</i>
<i>Allium schoenoprasum</i> L. subsp. <i>alpinum</i> (DC.) Celak.	→ <i>Allium schoenoprasum</i> L.
<i>Allium schoenoprasum</i> L. subsp. <i>sibiricum</i> (L.) K. Richt.	→ <i>Allium schoenoprasum</i> L.
<i>Allium scorodoprasum</i> L. subsp. <i>rotundum</i> (L.) Stearn	→ <i>Allium rotundum</i> L.
<i>Allium senescens</i> L. subsp. <i>montanum</i> (Fries) Holub	→ <i>Allium lusitanicum</i> Lam.
<i>Allium siculum</i> Ucria	→ <i>Nectaroscordum siculum</i> (Ucria) Lindley
<i>Allium sphaerocephalon</i> L. subsp. <i>arvense</i> (Guss.) Arcangeli	→ <i>Allium arvense</i> Guss.
<i>Allium waldsteinii</i> G. Don	→ <i>Allium rotundum</i> L.
<i>Alnus alnobetula</i> (Ehrh.) K. Koch	→ <i>Alnus viridis</i> (Chaix) DC. subsp. <i>viridis</i>
<i>Alnus brembana</i> Rota	→ <i>Alnus viridis</i> (Chaix) DC. subsp. <i>viridis</i>
<i>Alnus minor</i> (Latourr.) Chiov.	→ <i>Alnus viridis</i> (Chaix) DC. subsp. <i>viridis</i>
<i>Alnus viridis</i> (Chaix) DC.	→ <i>Alnus viridis</i> (Chaix) DC. subsp. <i>viridis</i>
<i>Alopecurus gerardi</i> Vill.	→ <i>Alopecurus alpinus</i> Vill.
<i>Alopecurus gerardii</i> Vill.	→ <i>Alopecurus alpinus</i> Vill.
<i>Alopecurus monspeliensis</i> L.	→ <i>Polypogon monspeliensis</i> (L.) Desf.
<i>Alopecurus utriculatus</i> (L.) Pers.	→ <i>Alopecurus rendlei</i> Eig
<i>Alsine aretioides</i> (Sommerauer) Mert. & W.D.J.Koch var. <i>rionii</i> Hoppe	→ <i>Minuartia cherlerioides</i> (Hoppe) Bech. subsp. <i>rionii</i> (Gremli) Friedrich
<i>Alsine attica</i> Boiss. & Spruner	→ <i>Minuartia verna</i> (L.) Hiern subsp. <i>attica</i> (Boiss. & Spruner) Graebn.
<i>Alsine biflora</i> L.	→ <i>Minuartia biflora</i> (L.) Schinz & Thell.
<i>Alsine bocconeii</i> Scheele	→ <i>Spergularia bocconeii</i> (Scheele) Graebn.

<i>Alsine clementei</i> Huter	→ <i>Minuartia rupestris</i> (Scop.) Schinz & Thell. subsp. <i>clementei</i> (Huter) Greuter & Burdet
<i>Alsine cupaniana</i> Jord.	→ <i>Stellaria cupaniana</i> (Jord. & Fourr.) Bég.
<i>Alsine media</i> L.	→ <i>Stellaria media</i> (L.) Vill. s.l.
<i>Alsine pallida</i> Dumort.	→ <i>Stellaria pallida</i> (Dumort.) Crép.
<i>Alsine segetalis</i> L.	→ <i>Spergularia segetalis</i> (L.) G. Don
<i>Alsine verna</i> L. var. <i>collina</i> Neilr.	→ <i>Minuartia verna</i> (L.) Hiern subsp. <i>collina</i> (Neilr.) Domin
<i>Alsine viscosa</i> Schreb.	→ <i>Minuartia viscosa</i> (Schreb.) Schinz & Thell.
<i>Althaea pallida</i> Willd.	→ <i>Alcea biennis</i> Winterl subsp. <i>biennis</i>
<i>Althaea rosea</i> (L.) Cav.	→ <i>Alcea rosea</i> L.
<i>Althaea setosa</i> Boiss.	→ <i>Alcea setosa</i> (Boiss.) Alef.
<i>Althaea taurinensis</i> DC.	→ <i>Althaea officinalis</i> L.
<i>Althenia filiformis</i> Petit subsp. <i>barrandonii</i> (Duval-Jouve) Asch. & Graebn.	→ incl. <i>Althenia filiformis</i> Petit subsp. <i>filiformis</i>
<i>Alyssoides sinuata</i> (L.) Medicus	→ <i>Aurinina sinuata</i> (L.) Griseb.
<i>Alyssoides utriculata</i> (L.) Moench subsp. <i>graeca</i> (Boiss.) Jáv.	→ <i>Alyssoides utriculata</i> (L.) Medik.
<i>Alyssum clypeatum</i> L.	→ <i>Fibigia clypeata</i> (L.) Medik.
<i>Alyssum deltoideum</i> L.	→ <i>Aubrieta deltoidea</i> (L.) DC.
<i>Alyssum incanum</i> L.	→ <i>Berteroa incana</i> (L.) DC.
<i>Alyssum leucadeum</i> Guss.	→ <i>Aurinina leucadea</i> (Guss.) Koch
<i>Alyssum minus</i> (L.) Rothm.	→ <i>Alyssum campestre</i> (L.) L. s.l.
<i>Alyssum minus</i> (L.) Rothm. subsp. <i>minus</i>	→ <i>Alyssum campestre</i> (L.) L. subsp. <i>campestre</i>
<i>Alyssum minus</i> (L.) Rothm. subsp. <i>strigosum</i> (Banks & Solander) Stoj. in Jordanov	→ <i>Alyssum campestre</i> (L.) L. subsp. <i>strigosum</i> (Banks & Sol.) Jalas
<i>Alyssum mutabile</i> Vent.	→ <i>Berteroa mutabilis</i> (Vent.) DC.
<i>Alyssum obliquum</i> Sm.	→ <i>Berteroa obliqua</i> (Sm.) DC. subsp. <i>obliqua</i>
<i>Alyssum orientale</i> Ard. var. <i>megalocarpum</i> Hausskn.	→ <i>Aurinina saxatilis</i> (L.) Desv. subsp. <i>megalocarpa</i> (Hausskn.) T.R. Dudley
<i>Alyssum petraeum</i> Ard.	→ <i>Aurinina petraea</i> (Ard.) Schur
<i>Alyssum repens</i> Baumg.	→ <i>Alyssum montanum</i> L. subsp. <i>repens</i> (Baumg.) Schmahl.
<i>Alyssum rupestre</i> Ten.	→ <i>Ptilotrichum rupestre</i> (Ten.) Boiss. subsp. <i>rupestre</i>
<i>Alyssum saxatile</i> L.	→ <i>Aurinina saxatilis</i> (L.) Desv. subsp. <i>megalocarpa</i> (Hausskn.) T.R. Dudley
<i>Alyssum simplex</i> Rudolphi	→ <i>Alyssum campestre</i> (L.) L. s.l.
<i>Alyssum sinuatum</i> L.	→ <i>Aurinina sinuata</i> (L.) Griseb.
<i>Alyssum strigosum</i> Banks et Solander	→ <i>Alyssum campestre</i> (L.) L. subsp. <i>strigosum</i> (Banks & Sol.) Jalas
<i>Alyssum utriculatum</i> L.	→ <i>Alyssoides utriculata</i> (L.) Medik.
<i>Amaranthus angustifolius</i> Lam.	→ incl. <i>Amaranthus graecizans</i> L.
<i>Amaranthus chlorostachys</i> Willd.	→ <i>Amaranthus cruentus</i> L.
<i>Amaranthus delilei</i> Loret	→ incl. <i>Amaranthus retroflexus</i> L.
<i>Amaranthus gangeticus</i> L.	→ incl. <i>Amaranthus tricolor</i> L.
<i>Amaranthus graecizans</i> L. subsp. <i>sylvestris</i> (Vill.) Brenan	→ incl. <i>Amaranthus graecizans</i> L.
<i>Amaranthus mangostanus</i> L.	→ incl. <i>Amaranthus tricolor</i> L.
<i>Amaranthus paniculatus</i> L.	→ <i>Amaranthus cruentus</i> L.
<i>Amaranthus strictus</i> Ten.	→ <i>Amaranthus retroflexus</i> L.
<i>Amaranthus sylvestris</i> Vill.	→ incl. <i>Amaranthus graecizans</i> L.
<i>Amaranthus tricolor</i> L. subsp. <i>mangostanus</i> (L.) Aellen	→ incl. <i>Amaranthus tricolor</i> L.
<i>Amaranthus tristis</i> L.	→ incl. <i>Amaranthus tricolor</i> L.
<i>Amaryllis lutea</i> L.	→ <i>Sternbergia lutea</i> (L.) Ker Gawl. ex Spreng.
<i>Ambrosinia bassii</i> L.	→ <i>Ambrosina bassii</i> L.
<i>Amelanchier canadensis</i> (L.) Medicus	→ <i>Amelanchier lamarckii</i> F.G. Schroed.
<i>Ammania auriculata</i> Willd.	→ <i>Ammannia auriculata</i> Willd.
<i>Ammania coccinea</i> Rothb.	→ <i>Ammannia coccinea</i> Rottb.
<i>Ammania verticillata</i> (Ard.) Lam.	→ <i>Ammannia verticillata</i> (Ard.) Lam.
<i>Ammannia densiflora</i> Roem. & Schult.	→ <i>Rotala densiflora</i> (Roem. & Schult.) Koehne
<i>Ammannia ramosior</i> L.	→ <i>Rotala ramosior</i> (L.) Koehne
<i>Ammoides verticillata</i> (Duby) Briq.	→ <i>Ammoides pusilla</i> (Brot.) Breistr.
<i>Ammophila arenaria</i> (L.) Link subsp. <i>arundinacea</i> H.Lindb.	→ <i>Ammophila arenaria</i> (L.) Link subsp. <i>australis</i> (Mabille) Lainz
<i>Ammophila littoralis</i> (Beauv.) Rothm.	→ <i>Ammophila arenaria</i> (L.) Link subsp. <i>australis</i> (Mabille) Lainz
<i>Ampelodesmos mauritanica</i> (Poir.) T. Durand & Schinz	→ <i>Ampelodesmos mauritanicus</i> (Poir.) T. Durand & Schinz
<i>Ampelodesmos tenax</i> (Vahl) Link	→ <i>Ampelodesmos mauritanicus</i> (Poir.) T. Durand & Schinz
<i>Anacyclus tomentosus</i> (All.) DC.	→ <i>Anacyclus clavatus</i> (Desf.) Pers.
<i>Anagallis latifolia</i> L.	→ <i>Anagallis arvensis</i> L. subsp. <i>latifolia</i> (L.) Arcang.
<i>Anagallis linifolia</i> L.	→ <i>Anagallis monelli</i> L. subsp. <i>linifolia</i> (L.) Maire
<i>Anagallis parviflora</i> Hoffmgg. et Link	→ <i>Anagallis arvensis</i> L. subsp. <i>parviflora</i> (Hoffmanns. & Link) Arcang.
<i>Anastatica syriaca</i> L.	→ <i>Euclidium syriacum</i> (L.) R. Br.
<i>Anchusa aggregata</i> Lehm.	→ <i>Hormuzakia aggregata</i> (Lehm.) Gusul.

<i>Anchusa arvensis</i> (L.) Bieb.	→ <i>Lycopsis arvensis</i> L.
<i>Anchusa cretica</i> Miller	→ <i>Anchusella cretica</i> (Mill.) Bigazzi, E. Nardi & Selvi
<i>Anchusa hybrida</i> Ten.	→ <i>Anchusa undulata</i> L. subsp. <i>hybrida</i> (Ten.) Bég.
<i>Anchusa italica</i> Retz.	→ <i>Anchusa azurea</i> Mill.
<i>Anchusa litorea</i> Moris	→ <i>Anchusa littorea</i> Moris
<i>Anchusa maritima</i> Vals.	→ <i>Anchusa crispa</i> Viv. subsp. <i>maritima</i> (Vals.) Selvi & Bigazzi
<i>Anchusa undulata</i> L. subsp. <i>capellii</i> (Moris) Valsecchi	→ <i>Anchusa capellii</i> Moris
<i>Andropogon contortus</i> L.	→ <i>Heteropogon contortus</i> (L.) P. Beauv.
<i>Andropogon distachyus</i> L.	→ <i>Andropogon distachyos</i> L.
<i>Andropogon gryllus</i> L.	→ <i>Chrysopogon gryllus</i> (L.) Trin.
<i>Andropogon hirtus</i> L.	→ <i>Hyparrhenia hirta</i> (L.) Stapf subsp. <i>hirta</i>
<i>Andropogon insculptus</i> A. Rich.	→ <i>Bothriochloa insculpta</i> (Hochst.) A. Camus
<i>Andropogon ischaemum</i> L.	→ <i>Bothriochloa ischaemum</i> (L.) Keng
<i>Andropogon panormitanum</i> Parl.	→ <i>Bothriochloa insculpta</i> (Hochst.) A. Camus
<i>Andropogon sinaicus</i> Del.	→ <i>Hyparrhenia sinaica</i> (Delile) Llaurodó ex G. López
<i>Androsace brigantia</i> Jord. & Fourr.	→ <i>Androsace adfinis</i> Biroli subsp. <i>brigantia</i> (Jord. & Fourr.) Kress
<i>Androsace multiflora</i> (Vand.) Moretti	→ <i>Androsace vandellii</i> (Turra) Chiov.
<i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>canescens</i> O. Schwarz	→ incl. <i>Androsace vitaliana</i> (L.) Lapeyr. s.l.
<i>Androsace xylostefolium</i> Spach	→ <i>Hypericum xylostefolium</i> (Spach) N. Robson
<i>Andryala rothia</i> Pers. subsp. <i>cosyrensis</i> (Guss.) Maire	→ <i>Andryala dentata</i> Sm.
<i>Andryala rothia</i> Pers. subsp. <i>dentata</i> (S. et S.) Pign.	→ <i>Andryala dentata</i> Sm.
<i>Andryala tenuifolia</i> DC.	→ incl. <i>Andryala integrifolia</i> L.
<i>Anemone alpina</i> L.	→ <i>Pulsatilla alpina</i> (L.) Delarbre s.l.
<i>Anemone apiifolia</i> Scop.	→ <i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>apiifolia</i> (Scop.) Nyman
<i>Anemone halleri</i> All.	→ <i>Pulsatilla halleri</i> (All.) Willd. subsp. <i>halleri</i>
<i>Anemone montana</i> Hoppe	→ <i>Pulsatilla montana</i> (Hoppe) Rchb. subsp. <i>montana</i>
<i>Anemone vernalis</i> L.	→ <i>Pulsatilla vernalis</i> (L.) Mill.
<i>Angelica montana</i> Brot.	→ <i>Angelica sylvestris</i> L. subsp. <i>montana</i> (Brot.) Arcang.
<i>Angelica verticillaris</i> L.	→ <i>Peucedanum verticillare</i> (L.) Mert. & W.D.J. Koch
<i>Anisum vulgare</i> Gaertn.	→ <i>Pimpinella anisum</i> L.
<i>Antennaria carpatica</i> (Wahlenb.) Bluff & Fingerh.	→ <i>Antennaria carpathica</i> (Wahlenb.) Bluff & Fingerh.
<i>Anthemis altissima</i> L.	→ <i>Cota altissima</i> (L.) J. Gay
<i>Anthemis arvensis</i> L. subsp. <i>acrochordona</i> Briq. & Cavill.	→ incl. <i>Anthemis arvensis</i> L. subsp. <i>incrassata</i> (Loisel.) Nyman
<i>Anthemis asperula</i> Bertol.	→ <i>Anthemis abrotanifolia</i> (Willd.) Guss.
<i>Anthemis austriaca</i> Jacq.	→ <i>Cota austriaca</i> (Jacq.) Sch. Bip.
<i>Anthemis calabrica</i> (Arcang.) Brullo, Scelsi & Spamp.	→ <i>Anthemis cretica</i> L. subsp. <i>calabrica</i> (Arcang.) R. Fern.
<i>Anthemis carpatica</i> Willd. subsp. <i>petraea</i> (Ten.) R. Fern.	→ <i>Anthemis cretica</i> L. subsp. <i>petraea</i> (Ten.) Oberprieler & Greuter
<i>Anthemis clavata</i> Guss.	→ <i>Anthemis arvensis</i> L. subsp. <i>incrassata</i> (Loisel.) Nyman
<i>Anthemis clavata</i> Desf.	→ <i>Anacyclus clavatus</i> (Desf.) Pers.
<i>Anthemis cretica</i> L. var. <i>columnae</i> Ten.	→ <i>Anthemis cretica</i> L. subsp. <i>columnae</i> (Ten.) Franzén
<i>Anthemis fuscata</i> Brot.	→ <i>Chamaemelum fuscatum</i> (Brot.) Vasc.
<i>Anthemis gemmelarii</i> Tineo	→ <i>Anthemis arvensis</i> L. subsp. <i>incrassata</i> (Loisel.) Nyman
<i>Anthemis incrassata</i> Loisel.	→ <i>Anthemis arvensis</i> L. subsp. <i>incrassata</i> (Loisel.) Nyman
<i>Anthemis intermedia</i> Guss.	→ <i>Anthemis secundiramea</i> Biv. subsp. <i>intermedia</i> (Guss.) R. Fern.
<i>Anthemis micheliana</i> Guss.	→ <i>Anthemis cretica</i> L. subsp. <i>alpina</i> (L.) R. Fern.
<i>Anthemis mixta</i> L.	→ <i>Cladanthus mixtus</i> (L.) Chevall.
<i>Anthemis montana</i> L.	→ <i>Anthemis cretica</i> L. s.l.
<i>Anthemis montana</i> L. subsp. <i>alpina</i> (L.) Pign.	→ <i>Anthemis cretica</i> L. subsp. <i>alpina</i> (L.) R. Fern.
<i>Anthemis montana</i> L. subsp. <i>calabrica</i> Arcang.	→ <i>Anthemis cretica</i> L. subsp. <i>calabrica</i> (Arcang.) R. Fern.
<i>Anthemis montana</i> L. subsp. <i>petraea</i> (Ten.) Briq. et Cavill.	→ <i>Anthemis cretica</i> L. subsp. <i>petraea</i> (Ten.) Oberprieler & Greuter
<i>Anthemis montana</i> L. subsp. <i>saxatilis</i> (DC.) Rouy	→ <i>Anthemis cretica</i> L. subsp. <i>saxatilis</i> (DC.) R. Fern.
<i>Anthemis nobilis</i> L.	→ <i>Chamaemelum nobile</i> (L.) All.
<i>Anthemis petraea</i> Ten.	→ <i>Anthemis cretica</i> L. subsp. <i>petraea</i> (Ten.) Oberprieler & Greuter
<i>Anthemis praecox</i> Link	→ <i>Chamaemelum fuscatum</i> (Brot.) Vasc.
<i>Anthemis pulvinata</i> Brullo, Scelsi & Spamp.	→ <i>Anthemis cretica</i> L. subsp. <i>calabrica</i> (Arcang.) R. Fern.
<i>Anthemis saxatilis</i> DC.	→ <i>Anthemis cretica</i> L. subsp. <i>saxatilis</i> (DC.) R. Fern.
<i>Anthemis secundiramea</i> Biv. subsp. <i>urvilleana</i> (DC.) R. Fern.	→ <i>Anthemis urvilleana</i> (DC.) Sommier & Caruana
<i>Anthemis segetalis</i> Ten.	→ <i>Cota segetalis</i> (Ten.) Holub
<i>Anthemis sphacelata</i> C. Presl	→ <i>Anthemis arvensis</i> L. subsp. <i>sphacelata</i> (C. Presl) R. Fern.
<i>Anthemis tinctoria</i> L.	→ <i>Cota tinctoria</i> (L.) J. Gay s.l.
<i>Anthemis tinctoria</i> L. subsp. <i>australis</i> R. Fern.	→ <i>Cota tinctoria</i> (L.) J. Gay subsp. <i>australis</i> (R. Fern.) Oberprieler & Greuter
<i>Anthemis tinctoria</i> L. subsp. <i>tinctoria</i>	→ <i>Cota tinctoria</i> (L.) J. Gay subsp. <i>tinctoria</i>
<i>Anthemis triumfetti</i> All.	→ <i>Cota triumfetti</i> (L.) J. Gay
<i>Anthericum calyculatum</i> L.	→ <i>Tofieldia calyculata</i> (L.) Wahlenb.
<i>Anthericum fugax</i> Moris	→ <i>Urginea fugax</i> (Moris) Steinh.
<i>Anthericum liliastrum</i> L.	→ <i>Paradisea liliastrum</i> (L.) Bertol.
<i>Anthericum mattiazzi</i> Vandelli	→ <i>Simethis mattiazzi</i> (Vandelli) Saccardo

<i>Anthericum planifolium</i> L.	→ <i>Simethis mattiazzi</i> (Vandelli) Saccardo
<i>Anthericum serotinum</i> L.	→ <i>Lloydia serotina</i> (L.) Rchb.
<i>Anthericum trinervium</i> Viv.	→ <i>Gagea trinervia</i> (Viv.) Greuter
<i>Anthoxanthum alpinum</i> Love et Love	→ <i>Anthoxanthum odoratum</i> L. subsp. <i>nipponicum</i> (Honda) Tzvelev
<i>Anthriscus sativa</i> (Lam.) Besser	→ <i>Anthriscus cerefolium</i> (L.) Hoffm.
<i>Anthriscus sicula</i> (Guss.) DC.	→ <i>Anthriscus nemorosa</i> (M. Bieb.) Spreng.
<i>Anthyllis carpathica</i> Pant.	→ <i>Anthyllis vulneraria</i> L. subsp. <i>carpathica</i> (Pant.) Nyman
<i>Anthyllis forondae</i> Sennen	→ <i>Anthyllis vulneraria</i> L. subsp. <i>forondae</i> (Sennen) Cullen
<i>Anthyllis gerardi</i> L.	→ <i>Dorycnopsis gerardii</i> (L.) Boiss.
<i>Anthyllis jacquinii</i> A. Kern.	→ <i>Anthyllis montana</i> L. subsp. <i>jacquinii</i> (A. Kern.) Hayek
<i>Anthyllis maura</i> Beck	→ <i>Anthyllis vulneraria</i> L. subsp. <i>maura</i> (Beck) Maire
<i>Anthyllis montana</i> L. var. <i>atropurpurea</i> Vuk.	→ <i>Anthyllis montana</i> L. subsp. <i>atropurpurea</i> (Vuk.) Pignatti
<i>Anthyllis tetraphylla</i> L.	→ <i>Tripodion tetraphyllum</i> (L.) Fourr.
<i>Anthyllis valesiaca</i> Beck	→ <i>Anthyllis vulneraria</i> L. subsp. <i>valesiaca</i> (Beck) Guyot
<i>Anthyllis vulneraria</i> L. subsp. <i>baldensis</i> (Kerner) Becker	→ <i>Anthyllis vulneraria</i> L. subsp. <i>alpestris</i> (Kit. ex Schult.) Asch. & Graebn.
<i>Anthyllis vulneraria</i> L. subsp. <i>carpathica</i> (Pant.) Nyman	→ <i>Anthyllis vulneraria</i> L. subsp. <i>carpathica</i> (Pant.) Nyman
<i>Anthyllis vulneraria</i> L. var. <i>polyphylla</i> DC.	→ <i>Anthyllis vulneraria</i> L. subsp. <i>polyphylla</i> (DC.) Nyman
<i>Anthyllis vulneraria</i> L. subsp. <i>praepropora</i> (Kerner) Bornm.	→ <i>Anthyllis vulneraria</i> L. subsp. <i>rubriflora</i> (DC.) Arcang.
<i>Anthyllis vulneraria</i> L. var. <i>pulchella</i> Vis.	→ <i>Anthyllis vulneraria</i> L. subsp. <i>pulchella</i> (Vis.) Bornm.
<i>Anthyllis vulneraria</i> L. var. <i>rubriflora</i> DC.	→ <i>Anthyllis vulneraria</i> L. subsp. <i>rubriflora</i> (DC.) Arcang.
<i>Anthyllis vulnerarioides</i> All.	→ <i>Anthyllis vulneraria</i> L. subsp. <i>vulnerarioides</i> (All.) Arcang.
<i>Anthyllis weldeniana</i> Rchb.	→ <i>Anthyllis vulneraria</i> L. subsp. <i>weldeniana</i> (Rchb.) Cullen
<i>Antinoria agrostidea</i> (DC.) Parl.	→ <i>Antinoria insularis</i> Parl.
<i>Antirrhinum aequitribolobum</i> Viv.	→ <i>Cymbalaria aequitriboloba</i> (Viv.) A. Chev. subsp. <i>aequitriboloba</i>
<i>Antirrhinum alpinum</i> L.	→ <i>Linaria alpina</i> (L.) Mill.
<i>Antirrhinum angustissimum</i> Loisel.	→ <i>Linaria angustissima</i> (Loisel.) Borbás
<i>Antirrhinum arvense</i> L.	→ <i>Linaria arvensis</i> (L.) Desf.
<i>Antirrhinum bellidifolium</i> L.	→ <i>Anarrhinum bellidifolium</i> (L.) Desf.
<i>Antirrhinum chalepense</i> L.	→ <i>Linaria chalepensis</i> (L.) Mill.
<i>Antirrhinum cirrhosum</i> L.	→ <i>Kickxia cirrhosa</i> (L.) Fritsch
<i>Antirrhinum dalmaticum</i> L.	→ <i>Linaria dalmatica</i> (L.) Mill.
<i>Antirrhinum elatine</i> L.	→ <i>Kickxia elatine</i> (L.) Dumort. s.l.
<i>Antirrhinum flavum</i> Poir.	→ <i>Linaria flava</i> (Poir.) Desf. subsp. <i>sardoa</i> (Sommier) A. Terracc.
<i>Antirrhinum genistifolium</i> L.	→ <i>Linaria genistifolia</i> (L.) Mill.
<i>Antirrhinum graecum</i> Bory & Chaub.	→ <i>Kickxia commutata</i> (Bernh. ex Rchb.) Fritsch subsp. <i>graeca</i> (Bory & Chaub.) R. Fern.
<i>Antirrhinum micranthum</i> Cav.	→ <i>Linaria micrantha</i> (Cav.) Hoffmanns. & Link
<i>Antirrhinum minus</i> L.	→ <i>Chaenorhinum minus</i> (L.) Lange s.l.
<i>Antirrhinum organifolium</i> L.	→ <i>Chaenorhinum organifolium</i> (L.) Kostel. subsp. <i>organifolium</i>
<i>Antirrhinum orontium</i> (L.) Rafin.	→ <i>Misopates orontium</i> (L.) Raf. subsp. <i>orontium</i>
<i>Antirrhinum pelisserianum</i> L.	→ <i>Linaria pelisseriana</i> (L.) Mill.
<i>Antirrhinum reflexum</i> L.	→ <i>Linaria reflexa</i> (L.) Desf. s.l.
<i>Antirrhinum repens</i> L.	→ <i>Linaria repens</i> (L.) Mill.
<i>Antirrhinum simplex</i> Willd.	→ <i>Linaria simplex</i> (Willd.) DC.
<i>Antirrhinum spurium</i> L.	→ <i>Kickxia spuria</i> (L.) Dumort. s.l.
<i>Antirrhinum supinum</i> L.	→ <i>Linaria supina</i> (L.) Chaz. subsp. <i>supina</i>
<i>Antirrhinum tortuosum</i> Bosc ex Lam.	→ <i>Antirrhinum majus</i> L. subsp. <i>tortuosum</i> (Bosc. ex Lam.) Rouy
<i>Antirrhinum triphyllum</i> L.	→ <i>Linaria triphylla</i> (L.) Mill.
<i>Apargia cichoracea</i> Ten.	→ <i>Leontodon cichoraceus</i> (Ten.) Sanguin.
<i>Apargia sicula</i> Guss.	→ <i>Leontodon siculus</i> (Guss.) Nyman
<i>Aphanes bonifaciensis</i> (Buser) Holub	→ <i>Aphanes minutiflora</i> (Azn.) Holub
<i>Aphanes microcarpa</i> (Boiss. & Reut.) Rothm.	→ <i>Aphanes inexpectata</i> Lippert
<i>Apium crispum</i> Mill.	→ <i>Petroselinum crispum</i> (Mill.) Fuss
<i>Apium tenuifolium</i> (Moench) Thell.	→ <i>Apium leptophyllum</i> (Pers.) F. Muell.
<i>Aquilegia bernardii</i> G. et G.	→ <i>Aquilegia nugorensis</i> Arrigoni & E. Nardi
<i>Aquilegia dumeticola</i> Jord.	→ <i>Aquilegia vulgaris</i> auct. Fl. Ital.
<i>Aquilegia einseleana</i> F. W. Schultz	→ <i>Aquilegia brauneana</i> (Hoppe) Jáv.
<i>Aquilegia ottonis</i> auct.	→ <i>Aquilegia magellensis</i> F. Conti & Soldano
<i>Aquilegia viscosa</i> Gouan	→ <i>Aquilegia vulgaris</i> auct. Fl. Ital.
<i>Arabis brassica</i> (Leers) Rauschert	→ <i>Arabis pauciflora</i> (Grimm) Garcke
<i>Arabis caucasica</i> Willd.	→ <i>Arabis alpina</i> L. subsp. <i>caucasica</i> (Willd.) Briq.
<i>Arabis halleri</i> L.	→ <i>Arabidopsis halleri</i> (L.) O'Kane & Al-Shehbaz s.l.
<i>Arabis muralis</i> Bertol.	→ <i>Arabis collina</i> Ten. s.l.
<i>Arabis ovirensis</i> Wulfen in Jacq.	→ <i>Arabidopsis halleri</i> (L.) O'Kane & Al-Shehbaz subsp. <i>ovirensis</i> (Wulfen) O'Kane & Al-Shehbaz
<i>Arabis pedemontana</i> Boiss.	→ <i>Arabidopsis pedemontana</i> (Boiss.) O'Kane & Al-Shehbaz
<i>Arabis petiolata</i> M. Bieb.	→ <i>Alliaria petiolata</i> (M. Bieb.) Cavara & Grande

<i>Arabis pinnatifida</i> Lam.	→ <i>Murbeckiella pinnatifida</i> (Lam.) Rothm.
<i>Arabis pseudoturritis</i> Boiss. & Heldr.	→ <i>Arabis glabra</i> (L.) Bernh.
<i>Arabis pumila</i> Jacq.	→ <i>Arabis bellidifolia</i> Crantz s.l.
<i>Arabis pumila</i> Jacq. subsp. <i>pumila</i>	→ <i>Arabis bellidifolia</i> Crantz subsp. <i>bellidifolia</i>
<i>Arabis pumila</i> Jacq. subsp. <i>stellulata</i> (Bertol.) Nyman	→ <i>Arabis bellidifolia</i> Crantz subsp. <i>stellulata</i> (Bertol.) Greuter & Burdet
<i>Arabis recta</i> Vill.	→ <i>Arabis auriculata</i> Lam.
<i>Arabis rosea</i> DC.	→ <i>Arabis collina</i> Ten. subsp. <i>rosea</i> (DC.) Minuto
<i>Arabis serpyllifolia</i> Vill. subsp. <i>nivalis</i> (Guss.) B.M.G. Jones	→ <i>Arabis surculosa</i> N. Terracc.
<i>Arabis stellulata</i> Bertol.	→ <i>Arabis bellidifolia</i> Crantz subsp. <i>stellulata</i> (Bertol.) Greuter & Burdet
<i>Arabis subcoriacea</i> Gren.	→ <i>Arabis soyeri</i> Reut. & A. Huet subsp. <i>subcoriacea</i> (Gren.) Breistr.
<i>Arabis tenella</i> Guss. & Ten.	→ incl. <i>Arabis collina</i> Ten. s.l.
<i>Arabis thaliana</i> L.	→ <i>Arabidopsis thaliana</i> (L.) Heynh.
<i>Arabis vochinensis</i> Sprengel	→ <i>Arabis arabiformis</i> (Hohenwart) Soldano
<i>Arachnites lutea</i> Tod.	→ <i>Ophrys lutea</i> Cav.
<i>Arachnites lutea</i> Tod. var. <i>minor</i> Tod.	→ incl. <i>Ophrys lutea</i> Cav.
<i>Arachnites tenthredinifera</i> (Willd.) Tod.	→ <i>Ophrys tenthredinifera</i> Willd.
<i>Arachnospermum canum</i> (C.A. Mey.) Domin	→ <i>Scorzonera jacquiniana</i> (W.D.J. Koch) Boiss.
<i>Arachnospermum laciniatum</i> (L.) F.W. Schmidt	→ <i>Scorzonera laciniata</i> L. s.l.
<i>Arbutus alpina</i> L.	→ <i>Arctostaphylos alpinus</i> (L.) Spreng.
<i>Arbutus uva-ursi</i> L.	→ <i>Arctostaphylos uva-ursi</i> (L.) Spreng.
<i>Arctium carduelis</i> L.	→ <i>Carduus carduelis</i> (L.) Gren.
<i>Arctium minus</i> (Hill) Bernh. subsp. <i>pubens</i> (Bab.) Arens	→ <i>Arctium minus</i> (Hill) Bernh.
<i>Arctium personata</i> L.	→ <i>Carduus personata</i> (L.) Jacq. s.l.
<i>Arenaria austriaca</i> Jacq.	→ <i>Minuartia austriaca</i> (Jacq.) Hayek
<i>Arenaria bavarica</i> L.	→ <i>Moehringia bavarica</i> (L.) Gren. s.l.
<i>Arenaria capillacea</i> All.	→ <i>Minuartia capillacea</i> (All.) Graebn.
<i>Arenaria ciliata</i> L. subsp. <i>moehringioides</i>	→ <i>Arenaria ciliata</i> L. subsp. <i>multicaulis</i> (L.) Arcang.
<i>Arenaria clandestina</i> Port.	→ <i>Minuartia graminifolia</i> (Ard.) Jáv. subsp. <i>clandestina</i> (Port.) Mattf.
<i>Arenaria condensata</i> C. Presl	→ <i>Minuartia recurva</i> (All.) Schinz & Thell. subsp. <i>condensata</i> (C. Presl) Greuter & Burdet
<i>Arenaria diandra</i> Guss.	→ <i>Spergularia diandra</i> (Guss.) Boiss.
<i>Arenaria geniculata</i> Poir.	→ <i>Rhodalsine geniculata</i> (Poir.) F.N. Williams
<i>Arenaria glomerata</i> M. Bieb.	→ <i>Minuartia glomerata</i> (M. Bieb.) Degen subsp. <i>trichocalycina</i> (Ten. & Guss.) F. Conti
<i>Arenaria graminifolia</i> Ard.	→ <i>Minuartia graminifolia</i> (Ard.) Jáv. s.l.
<i>Arenaria hybrida</i> Vill.	→ <i>Minuartia hybrida</i> (Vill.) Shischk. subsp. <i>hybrida</i>
<i>Arenaria laricifolia</i> L.	→ <i>Minuartia laricifolia</i> (L.) Schinz & Thell. s.l.
<i>Arenaria macrorrhiza</i> Loisel.	→ <i>Spergularia macrorrhiza</i> (Loisel.) Heynh.
<i>Arenaria mediterranea</i> Link	→ <i>Minuartia mediterranea</i> (Link) K. Malý
<i>Arenaria moehringioides</i> Murr.	→ <i>Arenaria ciliata</i> L. subsp. <i>multicaulis</i> (L.) Arcang.
<i>Arenaria multicaulis</i> L.	→ <i>Arenaria ciliata</i> L. subsp. <i>multicaulis</i> (L.) Arcang.
<i>Arenaria mutabilis</i> Lapeyr.	→ <i>Minuartia rostrata</i> (Pers.) Rchb.
<i>Arenaria recurva</i> All.	→ <i>Minuartia recurva</i> (All.) Schinz & Thell. s.l.
<i>Arenaria rubra</i> L.	→ <i>Spergularia rubra</i> (L.) J. & C. Presl
<i>Arenaria serpyllifolia</i> L. var. <i>leptoclados</i> Rchb.	→ <i>Arenaria leptoclados</i> (Rchb.) Guss.
<i>Arenaria serpyllifolia</i> L. subsp. <i>leptoclados</i> (Reichenb.) Nyman	→ <i>Arenaria leptoclados</i> (Rchb.) Guss.
<i>Arenaria serpyllifolia</i> L. subsp. <i>marschlinsii</i> (Koch) Nyman	→ <i>Arenaria marschlinsii</i> W.D.J. Koch
<i>Arenaria trinervia</i> L.	→ <i>Moehringia trinervia</i> (L.) Clairv.
<i>Arenaria verna</i> L.	→ <i>Minuartia verna</i> (L.) Hiern s.l.
<i>Arenaria verna</i> L. var. <i>grandiflora</i> C. Presl	→ <i>Minuartia verna</i> (L.) Hiern subsp. <i>kabylica</i> (Pomel) Maire & Weiller
<i>Arenaria villarii</i> Balb.	→ <i>Minuartia villarii</i> (Balb.) Wilczek & Chenevard
<i>Aretia alpina</i> L.	→ <i>Androsace alpina</i> (L.) Lam.
<i>Aretia brevis</i> Hegetschw.	→ <i>Androsace brevis</i> (Hegetschw.) Ces.
<i>Aretia vandellii</i> Turra	→ <i>Androsace vandellii</i> (Turra) Chiov.
<i>Argentina anserina</i> (L.) Rydb.	→ <i>Potentilla anserina</i> L. subsp. <i>anserina</i>
<i>Aristella bromoides</i> (L.) Bertol.	→ <i>Achnatherum bromoides</i> (L.) P. Beauv.
<i>Aristida coerulescens</i> Desf.	→ <i>Aristida adscensionis</i> L. subsp. <i>coerulescens</i> (Desf.) Auquier & J. Duvign.
<i>Aristolochia insularis</i> Nardi & Arrigoni	→ <i>Aristolochia rotunda</i> L. subsp. <i>insularis</i> E. Nardi & Arrigoni
<i>Aristolochia longa</i> L.	→ <i>Aristolochia lutea</i> Desf.
<i>Armeria canescens</i> (Host) Boiss. subsp. <i>gracilis</i> (Ten.) Bianchini	→ incl. <i>Armeria nebrodensis</i> (Guss.) Boiss.
<i>Armeria canescens</i> (Host) Boiss. subsp. <i>nebrodensis</i> (Guss.) P. Silva	→ <i>Armeria nebrodensis</i> (Guss.) Boiss.
<i>Armeria fasciculata</i> (Vent.) Willd.	→ <i>Armeria pungens</i> (Link) Hoffmanns. & Link
<i>Armeria purpurea</i> Koch	→ <i>Armeria helodes</i> Martini & Poldini

<i>Arnica clusii</i> All.	→ <i>Doronicum clusii</i> (All.) Tausch
<i>Arnica glacialis</i> Wulfen	→ <i>Doronicum glaciale</i> (Wulfen) Nyman
<i>Arrhenatherum bulbosum</i> (Willd.) C.Presl	→ <i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. & C. Presl subsp. <i>bulbosum</i> (Willd.) Schübl. & G. Martens
<i>Arrhenatherum elatius</i> (L.) Presl subsp. <i>erianthum</i> (Boiss. et Reut.) Trabut	→ <i>Arrhenatherum album</i> (Vahl) Clayton
<i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. & C. Presl subsp. <i>nodosum</i> (Parl.) Arcang.	→ <i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. & C. Presl subsp. <i>bulbosum</i> (Willd.) Schübl. & G. Martens
<i>Arrhenatherum elatius</i> (L.) Beauv. subsp. <i>sardoum</i> (Em. Schmid) Gamisans	→ <i>Arrhenatherum murcicum</i> Sennen
<i>Arrhenatherum erianthum</i> Boiss. & Reut.	→ <i>Arrhenatherum album</i> (Vahl) Clayton
<i>Arrostia dichotoma</i> Raf.	→ <i>Gypsophila arrostii</i> Guss. subsp. <i>arrostii</i>
<i>Artemisia alba</i> Turra subsp. <i>lobelii</i> (All.) Gams	→ incl. <i>Artemisia alba</i> Turra
<i>Artemisia borealis</i> Pall.	→ <i>Artemisia campestris</i> L. subsp. <i>borealis</i> (Pall.) H.M. Hall & Clem.
<i>Artemisia caerulescens</i> L. subsp. <i>gallica</i> (Willd.) K.M. Perss.	→ <i>Artemisia gallica</i> Willd. s.l.
<i>Artemisia caerulescens</i> L.	→ <i>Artemisia caerulescens</i> L. s.l.
<i>Artemisia cretacea</i> (Fiori) Pign.	→ <i>Artemisia caerulescens</i> L. subsp. <i>cretacea</i> (Fiori) Brilli-Catt. & Gubellini
<i>Artemisia densiflora</i> Viv.	→ <i>Artemisia gallica</i> Willd. subsp. <i>densiflora</i> (Viv.) Gamisans
<i>Artemisia eriantha</i> Ten.	→ <i>Artemisia umbelliformis</i> Lam. subsp. <i>eriantha</i> (Ten.) Vallès-Xirau & Brañas
<i>Artemisia genipi</i> Weber subsp. <i>foliosa</i> Giacom. et Pignatti	→ <i>Artemisia genipi</i> Weber
<i>Artemisia glutinosa</i> Besser	→ <i>Artemisia campestris</i> L. subsp. <i>glutinosa</i> (J. Gay ex Besser) Batt.
<i>Artemisia matricarioides</i> Less.	→ <i>Matricaria discoidea</i> DC.
<i>Artemisia pedemontana</i> Balbis	→ <i>Artemisia lanata</i> Willd.
<i>Artemisia petrosa</i> (Baumg.) Jan	→ <i>Artemisia umbelliformis</i> Lam. subsp. <i>eriantha</i> (Ten.) Vallès-Xirau & Brañas
<i>Artemisia variabilis</i> Ten.	→ <i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter
<i>Artemisia verlotorum</i> Lamotte	→ <i>Artemisia verlotiorum</i> Lamotte
<i>Arthrocnemum glaucum</i> (Delile) Ung.-Sternb.	→ <i>Arthrocnemum macrostachyum</i> (Moric.) Moris
<i>Arthrocnemum perenne</i> (Miller) Moss	→ <i>Sarcocornia perennis</i> (Mill.) A.J. Scott
<i>Arum lucanum</i> Cavara et Grande	→ <i>Arum cylindraceum</i> Gasp.
<i>Arum muscivorum</i> L. f.	→ <i>Helicodiceros muscivorus</i> (L. f.) Engl.
<i>Arum orientale</i> Bieb. subsp. <i>lucanum</i> (Cavara & Grande) Prime	→ <i>Arum cylindraceum</i> Gasp.
<i>Arum proboscideum</i> L.	→ <i>Arisarum proboscideum</i> (L.) Savi
<i>Arum tenuifolium</i> L.	→ <i>Biarum tenuifolium</i> (L.) Schott s.l.
<i>Arundo arenaria</i> L.	→ <i>Ammophila arenaria</i> (L.) Link subsp. <i>australis</i> (Mabille) Láinz
<i>Arundo australis</i> Cav.	→ <i>Phragmites australis</i> (Cav.) Trin. ex Steud. s.l.
<i>Arundo canescens</i> Weber	→ <i>Calamagrostis canescens</i> (Weber) Roth
<i>Arundo epigejos</i> L.	→ <i>Calamagrostis epigejos</i> (L.) Roth
<i>Arundo mauritanica</i> Poir.	→ <i>Ampelodesmos mauritanicus</i> (Poir.) T. Durand & Schinz
<i>Arundo phragmites</i> L.	→ <i>Phragmites australis</i> (Cav.) Trin. ex Steud. s.l.
<i>Arundo pliniana</i> Turra	→ <i>Arundo plinii</i> Turra
<i>Arundo pseudophragmites</i> Haller f.	→ <i>Calamagrostis pseudophragmites</i> (Haller f.) Koeler
<i>Arundo selloana</i> Schult.	→ <i>Cortaderia selloana</i> (Schult.) Asch. & Graebn.
<i>Arundo varia</i> Schrad.	→ <i>Calamagrostis varia</i> (Schrad.) Host
<i>Asarum europaeum</i> L. var. <i>caucasicum</i> Duchartre	→ <i>Asarum europaeum</i> L.
<i>Asarum europaeum</i> L. subsp. <i>caucasicum</i> (Duch.) Soó	→ <i>Asarum europaeum</i> L.
<i>Asarum europaeum</i> L. subsp. <i>europaeum</i>	→ <i>Asarum europaeum</i> L.
<i>Asarum europaeum</i> L. subsp. <i>italicum</i> Kukkonen & Uotila	→ <i>Asarum europaeum</i> L.
<i>Asarum hypocistis</i> L.	→ <i>Cytinus hypocistis</i> (L.) L.
<i>Asclepias fruticosa</i> L.	→ <i>Asclepias fruticosus</i> L.
<i>Asparagus aetnensis</i> Tornab.	→ incl. <i>Asparagus acutifolius</i> L.
<i>Asparagus asparagoides</i> (L.) Druce	→ <i>Elide asparagoides</i> (L.) Kerguélen
<i>Asparagus horridus</i> L. f.	→ <i>Asparagus stipularis</i> Forssk.
<i>Asparagus medeoloides</i> (L. f.) Thunb.	→ <i>Elide asparagoides</i> (L.) Kerguélen
<i>Asperula aristata</i> L. fil. subsp. <i>scabra</i> (Presl) Nym.	→ <i>Asperula aristata</i> L. f. subsp. <i>longiflora</i> (Waldst. & Kit.) Hayek
<i>Asperula gussonei</i> Boiss.	→ <i>Asperula gussonii</i> Boiss.
<i>Asphodelus aestivus</i> auct.	→ <i>Asphodelus ramosus</i> L. subsp. <i>ramosus</i>
<i>Asphodelus albus</i> auct. Fl. Ital. non Mill.	→ <i>Asphodelus macrocarpus</i> Parl. subsp. <i>macrocarpus</i>
<i>Asphodelus cerasifer</i> Gay	→ <i>Asphodelus cerasiferus</i> J. Gay
<i>Asphodelus liburnicus</i> Scop.	→ <i>Asphodeline liburnica</i> (Scop.) Rchb.
<i>Asphodelus luteus</i> L.	→ <i>Asphodeline lutea</i> (L.) Rchb.
<i>Aspidium braunii</i> Spenn.	→ <i>Polystichum braunii</i> (Spenn.) Fée
<i>Aspidium viridulum</i> Desv.	→ <i>Cystopteris diaphana</i> (Bory) Blasdell
<i>Asplenium billotii</i> F. W. Schultz	→ <i>Asplenium obovatum</i> Viv. subsp. <i>lanceolatum</i> (Fiori) P. Silva
<i>Asplenium ceterach</i> L.	→ <i>Ceterach officinarum</i> Willd. s.l.

<i>Asplenium ceterach</i> L. subsp. <i>bivalens</i> (D.E. Meyer) Greuter & Burdet	→ <i>Ceterach officinarum</i> Willd. subsp. <i>bivalens</i> D.E. Mey.
<i>Asplenium ceterach</i> L. subsp. <i>ceterach</i>	→ <i>Ceterach officinarum</i> Willd. subsp. <i>officinarum</i>
<i>Asplenium eberlei</i> D.E. Mey.	→ incl. <i>Asplenium ruta-muraria</i> L. subsp. <i>dolomiticum</i> Lovis & Reichst.
<i>Asplenium foresiense</i> Le Grand	→ <i>Asplenium foreziense</i> Legrand ex Magnier
<i>Asplenium hemionitis</i> L.	→ <i>Phyllitis sagittata</i> (DC.) Guinea & Heywood
<i>Asplenium sagittatum</i> (DC.) Bange	→ <i>Phyllitis sagittata</i> (DC.) Guinea & Heywood
<i>Asplenium trichomanes-ramosum</i> L.	→ <i>Asplenium viride</i> Huds.
<i>Aster annuus</i> L.	→ <i>Erigeron annuus</i> (L.) Desf.
<i>Aster bellidiastrum</i> (L.) Scop.	→ <i>Bellidiastrum michelii</i> Cass.
<i>Aster chinensis</i> L.	→ <i>Callistephus sinensis</i> (L.) Nees
<i>Aster conyzae</i> Griess.	→ <i>Inula conyzae</i> (Griess.) Meikle
<i>Aster ericoides</i> L.	→ <i>Symphyotrichum ericoides</i> (L.) G.L. Nesom
<i>Aster laevigatus</i> Lam.	→ <i>Symphyotrichum novi-belgii</i> (L.) G.L. Nesom
<i>Aster lanceolatus</i> Willd.	→ <i>Symphyotrichum lanceolatum</i> (Willd.) G.L. Nesom
<i>Aster novae-angliae</i> L.	→ <i>Symphyotrichum novae-angliae</i> (L.) G.L. Nesom
<i>Aster novi-belgii</i> L.	→ <i>Symphyotrichum novi-belgii</i> (L.) G.L. Nesom
<i>Aster novi-belgii</i> L. subsp. <i>laevigatus</i> (Lam.) Thell.	→ <i>Symphyotrichum novi-belgii</i> (L.) G.L. Nesom
<i>Aster salignus</i> Willd.	→ <i>Symphyotrichum salignum</i> (Willd.) G.L. Nesom
<i>Aster savii</i> Arcang.	→ <i>Galatella linosyris</i> (L.) Rchb.f. subsp. <i>linosyris</i>
<i>Aster sorrentinii</i> (Tod.) Lojac.	→ <i>Galatella sorrentinoi</i> Tod.
<i>Aster squamatus</i> (Spreng.) Hieron.	→ <i>Symphyotrichum squamatum</i> (Spreng.) G.L. Nesom
<i>Aster tripolium</i> L.	→ <i>Tripolium pannonicum</i> (Jacq.) Dobrocz. s.l.
<i>Aster tripolium</i> L. subsp. <i>pannonicus</i>	→ <i>Tripolium pannonicum</i> (Jacq.) Dobrocz. subsp. <i>pannonicum</i>
<i>Aster tripolium</i> L. subsp. <i>tripolium</i>	→ <i>Tripolium pannonicum</i> (Jacq.) Dobrocz. subsp. <i>tripolium</i> (L.) Greuter
<i>Aster vimineus</i> Lam.	→ <i>Symphyotrichum lateriflorum</i> (L.) Á.Löve & D.Löve
<i>Aster x-salignus</i> Willd.	→ <i>Symphyotrichum salignum</i> (Willd.) G.L. Nesom
<i>Asteriscus spinosus</i> (L.) Sch. Bip.	→ <i>Pallenis spinosa</i> (L.) Cass. subsp. <i>spinosa</i>
<i>Astracantha nebrodensis</i> (Guss.) Greuter	→ <i>Astragalus nebrodensis</i> (Guss.) Strobil
<i>Astracantha sicula</i> (Raf.) Greuter	→ <i>Astragalus siculus</i> Biv.
<i>Astracantha thracica</i> (Griseb.) Podl. subsp. <i>calabrica</i> (Fischer) Greuter	→ <i>Astragalus parnassi</i> Boiss. subsp. <i>calabricus</i> (Fisch.) S. Zarre-Mobarakeh
<i>Astracantha thracica</i> (Griseb.) Podlech subsp. <i>calabrica</i> (Fisch.) Greuter	→ <i>Astragalus parnassi</i> Boiss. subsp. <i>calabricus</i> (Fisch.) S. Zarre-Mobarakeh
<i>Astragalus australis</i> (L.) Lam. subsp. <i>gerardii</i> (Vill.) P. Fourn.	→ <i>Astragalus australis</i> (L.) Lam.
<i>Astragalus campestris</i> L.	→ <i>Oxytropis campestris</i> (L.) DC.
<i>Astragalus carniolicus</i> A. Kern.	→ <i>Astragalus vesicarius</i> L. subsp. <i>carniolicus</i> (A. Kern.) Chater
<i>Astragalus centralpinus</i> Br.-Bl.	→ <i>Astragalus alopecurus</i> Pall.
<i>Astragalus fetidus</i> Vill.	→ <i>Oxytropis fetida</i> (Vill.) DC.
<i>Astragalus genargenteus</i> Moris	→ <i>Astragalus sirinicus</i> Ten. subsp. <i>genargenteus</i> (Moris) Arcang.
<i>Astragalus gremlii</i> Burnat	→ <i>Astragalus hypoglottis</i> L. subsp. <i>gremlii</i> (Burnat) Greuter & Burdet
<i>Astragalus hedyсарoides</i> L.	→ <i>Hedysarum hedyсарoides</i> (L.) Schinz & Thell. s.l.
<i>Astragalus huetii</i> Bunge	→ <i>Astragalus caprinus</i> L. subsp. <i>huetii</i> (Bunge) Podlech
<i>Astragalus illyricus</i> Bernh.	→ <i>Astragalus monspessulanus</i> L. subsp. <i>wulfenii</i> (W.D.J. Koch) Arcang.
<i>Astragalus massiliensis</i> Lam.	→ <i>Astragalus tragacantha</i> L.
<i>Astragalus monspessulanus</i> L. subsp. <i>illyricus</i> (Bernh.) Chater	→ <i>Astragalus monspessulanus</i> L. subsp. <i>wulfenii</i> (W.D.J. Koch) Arcang.
<i>Astragalus parnassi</i> Boiss. subsp. <i>calabrus</i> (Fiori) Chater	→ <i>Astragalus parnassi</i> Boiss. subsp. <i>calabricus</i> (Fisch.) S. Zarre-Mobarakeh
<i>Astragalus pastellianus</i> Pollini	→ <i>Astragalus vesicarius</i> L. subsp. <i>pastellianus</i> (Pollini) Arcang.
<i>Astragalus pilosus</i> L.	→ <i>Oxytropis pilosa</i> (L.) DC. s.l.
<i>Astragalus purpureus</i> Lam.	→ <i>Astragalus hypoglottis</i> L. s.l.
<i>Astragalus purpureus</i> Lam. subsp. <i>gremlii</i> Asch. et Gr.	→ <i>Astragalus hypoglottis</i> L. subsp. <i>gremlii</i> (Burnat) Greuter & Burdet
<i>Astragalus purpureus</i> Lam. subsp. <i>purpureus</i>	→ <i>Astragalus hypoglottis</i> L. subsp. <i>hypoglottis</i>
<i>Astragalus sempervirens</i> Lam. subsp. <i>alpinus</i> Pignatti	→ incl. <i>Astragalus sempervirens</i> Lam.
<i>Astragalus sempervirens</i> Lam. subsp. <i>gussonei</i> Pignatti	→ incl. <i>Astragalus sempervirens</i> Lam.
<i>Astragalus sempervirens</i> Lam. subsp. <i>sempervirens</i>	→ incl. <i>Astragalus sempervirens</i> Lam.
<i>Astragalus siculus</i> Raf. var. <i>nebrodensis</i> Guss.	→ <i>Astragalus nebrodensis</i> (Guss.) Strobil
<i>Astragalus warionis</i> Gand.	→ <i>Astragalus peregrinus</i> Vahl subsp. <i>warionis</i> (Gand.) Maire
<i>Astragalus wulfenii</i> W.D.J. Koch	→ <i>Astragalus monspessulanus</i> L. subsp. <i>wulfenii</i> (W.D.J. Koch) Arcang.
<i>Astrantia epipactis</i> Scop.	→ <i>Hacquetia epipactis</i> (Scop.) DC.
<i>Astrantia major</i> L. subsp. <i>carinthiaca</i> Arcang.	→ <i>Astrantia major</i> L. subsp. <i>involutrata</i> (W.D.J. Koch) Ces.
<i>Astrantia tenorei</i> Mariotti	→ <i>Astrantia pauciflora</i> Bertol. subsp. <i>tenorei</i> (Mariotti) Bechi & Garbari

<i>Astrocarya purpurascens</i> (L.) Dumort.	→ <i>Sesamoides purpurascens</i> (L.) G. López
<i>Astrocarya sesamoides</i> (L.) DC.	→ <i>Sesamoides interrupta</i> (Boreau) G. López
<i>Athamanta libanotis</i> L.	→ <i>Seseli libanotis</i> (L.) W.D.J. Koch subsp. <i>libanotis</i>
<i>Athamanta multiflora</i> Sibth. & Sm.	→ <i>Carum multiflorum</i> (Sibth. & Sm.) Boiss. subsp. <i>multiflorum</i>
<i>Athamanta oreoselinum</i> L.	→ <i>Peucedanum oreoselinum</i> (L.) Moench
<i>Athamanta cortiana</i> Ferrarini	→ <i>Athamanta cortiana</i> Ferrarini
<i>Athamanta cretensis</i> L.	→ <i>Athamanta cretensis</i> L.
<i>Athamanta sicula</i> L.	→ <i>Athamanta sicula</i> L.
<i>Athyrium filix-foemina</i> (L.) Roth	→ <i>Athyrium filix-femina</i> (L.) Roth
<i>Atragene alpina</i> L.	→ <i>Clematis alpina</i> (L.) Mill.
<i>Atriplex acuminata</i> Waldst. & Kit.	→ <i>Atriplex sagittata</i> Borkh.
<i>Atriplex angustifolia</i> Sm.	→ incl. <i>Atriplex patula</i> L.
<i>Atriplex heterosperma</i> Bunge	→ <i>Atriplex micrantha</i> Ledeb.
<i>Atriplex latifolia</i> Wahlenb.	→ <i>Atriplex prostrata</i> Boucher ex DC.
<i>Atriplex nitens</i> Schkuhr	→ <i>Atriplex sagittata</i> Borkh.
<i>Atriplex prostrata</i> Boucher ex DC. subsp. <i>latifolia</i> (Wahlenb.) Rauschert	→ <i>Atriplex prostrata</i> Boucher ex DC.
<i>Atriplex prostrata</i> Boucher ex DC. subsp. <i>triangularis</i> (Willd.) Rauschert	→ <i>Atriplex prostrata</i> Boucher ex DC.
<i>Atriplex triangularis</i> Willd.	→ <i>Atriplex prostrata</i> Boucher ex DC.
<i>Atropa belladonna</i> L.	→ <i>Atropa bella-donna</i> L.
<i>Atropis borneri</i> (Bab.) K. Richt.	→ <i>Puccinellia fasciculata</i> (Torr.) E.P. Bicknell
<i>Aubrieta italica</i> Boiss.	→ <i>Aubrieta columnae</i> Guss. subsp. <i>italica</i> (Boiss.) Mattf.
<i>Avellinia michelii</i> (Savi) Parl.	→ <i>Trisetaria michelii</i> (Savi) D. Heller
<i>Avena alba</i> Vahl	→ <i>Arrhenatherum album</i> (Vahl) Clayton
<i>Avena alpestris</i> Host	→ <i>Trisetaria alpestris</i> (Host) Baumg.
<i>Avena argentea</i> Willd.	→ <i>Trisetaria argentea</i> (Vill.) Banfi & Soldano
<i>Avena australis</i> Parl.	→ <i>Avenula cincinnata</i> (Ten.) Holub
<i>Avena barbata</i> Pott ex Link subsp. <i>atherantha</i> (C. Presl) Rocha Afonso	→ <i>Avena sterilis</i> L. subsp. <i>atherantha</i> (C. Presl) H. Scholz
<i>Avena bromoides</i> Gouan	→ <i>Avenula bromoides</i> (Gouan) H. Scholz
<i>Avena bulbosa</i> Willd.	→ <i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. & C. Presl subsp. <i>bulbosum</i> (Willd.) Schübl. & G. Martens
<i>Avena byzantina</i> Koch	→ <i>Avena byzantina</i> Koch
<i>Avena calycina</i> Vill.	→ <i>Danthonia alpina</i> Vest
<i>Avena convoluta</i> C. Presl	→ <i>Helictotrichon convolutum</i> (C. Presl) Henrard
<i>Avena distichophylla</i> Vill.	→ <i>Trisetaria distichophylla</i> (Vill.) Paunero s.l.
<i>Avena dubia</i> Leers	→ <i>Ventenata dubia</i> (Leers) Coss.
<i>Avena elatior</i> L.	→ <i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. & C. Presl s.l.
<i>Avena fragilis</i> L.	→ <i>Gaudinia fragilis</i> (L.) P. Beauv.
<i>Avena gracilis</i> Moris	→ <i>Trisetaria gracilis</i> (Moris) Banfi & Arrigoni
<i>Avena loeflingiana</i> L.	→ <i>Trisetaria loeflingiana</i> (L.) Paunero
<i>Avena montana</i> Vill.	→ <i>Helictotrichon sedenense</i> (Clarion) Holub subsp. <i>sedenense</i>
<i>Avena myriantha</i> Bertol.	→ <i>Trisetaria myriantha</i> (Bertol.) D. Heller
<i>Avena panicea</i> Lam.	→ <i>Trisetaria panicea</i> (Lam.) Maire
<i>Avena parlatorei</i> Woods	→ <i>Helictotrichon parlatorei</i> (Woods) Pilg.
<i>Avena parviflora</i> Desf.	→ <i>Trisetaria segetum</i> (Savi) Soldano
<i>Avena praetutiana</i> Parl.	→ <i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti
<i>Avena pratensis</i> L.	→ <i>Avenula pratensis</i> (L.) Dumort.
<i>Avena pubescens</i> Huds.	→ <i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi s.l.
<i>Avena saxatilis</i> (Lojac.) Rocha Afonso	→ <i>Avena matritensis</i> Baum
<i>Avena scheuchzeri</i> All.	→ <i>Avenula versicolor</i> (Vill.) Lainz
<i>Avena sedenensis</i> DC.	→ <i>Helictotrichon sedenense</i> (Clarion) Holub subsp. <i>sedenense</i>
<i>Avena sempervirens</i> Vill.	→ <i>Helictotrichon sempervirens</i> (Vill.) Pilg.
<i>Avena setacea</i> Vill.	→ <i>Helictotrichon setaceum</i> (Vill.) Henrard
<i>Avena versicolor</i> Vill.	→ <i>Avenula versicolor</i> (Vill.) Lainz
<i>Avena villosa</i> Bertol.	→ <i>Trisetaria villosa</i> (Bertol.) Banfi & Soldano
<i>Avena wiestii</i> sensu Pignatti	→ <i>Avena lusitanica</i> (Tab.Morais) Baum
<i>Avenastrum australe</i> Halácsy	→ <i>Avenula cincinnata</i> (Ten.) Holub
<i>Avenastrum bromoides</i> Cif. et Giac.	→ <i>Avenula bromoides</i> (Gouan) H. Scholz
<i>Avenastrum convolutum</i> (C.Presl) Halácsy	→ <i>Helictotrichon convolutum</i> (C. Presl) Henrard
<i>Avenastrum parlatorei</i> (Woods) Beck	→ <i>Helictotrichon parlatorei</i> (Woods) Pilg.
<i>Avenastrum pratense</i> Jessen	→ <i>Avenula pratensis</i> (L.) Dumort.
<i>Avenastrum pubescens</i> Jessen	→ <i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi s.l.
<i>Avenastrum sempervirens</i> Cif. et Giac.	→ <i>Helictotrichon sempervirens</i> (Vill.) Pilg.
<i>Avenastrum versicolor</i> Fritsch	→ <i>Avenula versicolor</i> (Vill.) Lainz
<i>Avenella flexuosa</i> (L.) Parl.	→ <i>Deschampsia flexuosa</i> (L.) Trin. s.l.

<i>Avenula adsurgens</i> (Schur ex Simonkai) Sauer & Chmelitschek subsp. <i>aussendorferi</i> (Ascherson & Graebn.) Sauer & Chmelitschek	→ incl. <i>Avenula praeusta</i> (Rchb.) Holub
<i>Avenula laevigata</i> Schur	→ <i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi subsp. <i>laevigatum</i> (Schur) Banfi, Galasso & Bracchi
<i>Avenula praeusta</i> Rchb.	→ <i>Avenula praeusta</i> (Rchb.) Holub
<i>Avenula praeusta</i> (H.G.L. Reichenbach) Holub subsp. <i>pseudoviolacea</i> (A. Kern.) Hegi	→ incl. <i>Avenula praeusta</i> (Rchb.) Holub
<i>Avenula pubescens</i> (Hudson) Dumort.	→ <i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi s.l.
<i>Avenula pubescens</i> (Hudson) Dumort. subsp. <i>laevigata</i> (Schur) J. Holub	→ <i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi subsp. <i>laevigatum</i> (Schur) Banfi, Galasso & Bracchi
<i>Avenula pubescens</i> (Hudson) Dumort. subsp. <i>pubescens</i>	→ <i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi subsp. <i>pubescens</i>
<i>Azalea procumbens</i> L.	→ <i>Kalmia procumbens</i> (L.) Gift, Kron & Stevens ex Galasso, Banfi & F. Conti
<i>Azolla caroliniana</i> Willd.	→ incl. <i>Azolla filiculoides</i> Lam.
<i>Azolla mexicana</i> C. Presl	→ incl. <i>Azolla filiculoides</i> Lam.
<i>Ballota nigra</i> L. var. <i>foetida</i> Vis.	→ <i>Ballota nigra</i> L. subsp. <i>meridionalis</i> (Bég.) Bég.
<i>Ballota nigra</i> L. f. <i>uncinata</i> Fiori & Béguinot	→ <i>Ballota nigra</i> L. subsp. <i>uncinata</i> (Fiori & Bég.) Patzak
<i>Ballota rupestris</i> (Biv.) Vis.	→ <i>Ballota hispanica</i> (L.) Benth.
<i>Ballota velutina</i> Posp.	→ <i>Ballota nigra</i> L. subsp. <i>velutina</i> (Posp.) Patzak
<i>Balsamita audibertii</i> Req.	→ <i>Tanacetum audibertii</i> (Req.) DC.
<i>Balsamita major</i> Desf.	→ <i>Tanacetum balsamita</i> L.
<i>Barbarea dentata</i> (L.) Paol.	→ <i>Sisymbrella dentata</i> (L.) O.E. Schulz
<i>Barlia longibracteata</i> (Biv.) Parl.	→ <i>Barlia robertiana</i> (Loisel.) Greuter
<i>Bartsia latifolia</i> (L.) Sibth. & Sm.	→ <i>Parentucellia latifolia</i> (L.) Caruel
<i>Bartsia viscosa</i> L.	→ <i>Parentucellia viscosa</i> (L.) Caruel
<i>Batrachium penicillatum</i> Dumort.	→ <i>Ranunculus penicillatus</i> (Dumort.) Bab. s.l.
<i>Beauverdia uniflora</i> (Lindl.) Herter	→ <i>Ipheion uniflorum</i> (Graham) Raf.
<i>Behen vulgaris</i> L.	→ <i>Silene vulgaris</i> (Moench) Garcke s.l.
<i>Bellardia trixago</i> (L.) All.	→ <i>Bartsia trixago</i> L.
<i>Bellardiochloa violacea</i> (Bellardi) Chiov.	→ <i>Bellardiochloa variegata</i> (Lam.) Kerguélen s.l.
<i>Bellevia boissieri</i> Freyn	→ <i>Bellevia dubia</i> (Guss.) Kunth subsp. <i>boissieri</i> (Freyn) Feinbr.
<i>Bellis hybrida</i> Ten.	→ incl. <i>Bellis perennis</i> L.
<i>Bellis margaritae</i> Huter, P. et R.	→ <i>Bellis margaritifolia</i> Huter
<i>Berberis aetnensis</i> C. Presl	→ <i>Berberis vulgaris</i> L. subsp. <i>aetnensis</i> (C. Presl) Rouy & Foucaud
<i>Beta maritima</i> L.	→ <i>Beta vulgaris</i> L. subsp. <i>maritima</i> (L.) Arcang.
<i>Betonica divulsa</i> Ten.	→ <i>Stachys alopecuroides</i> (L.) Benth. s.l.
<i>Betonica monieri</i> Gouan	→ <i>Stachys pradica</i> (Zanted.) Greuter & Pignatti
<i>Betonica officinalis</i> L.	→ <i>Stachys officinalis</i> (L.) Trevis.
<i>Betonica pradica</i> Zanted.	→ <i>Stachys pradica</i> (Zanted.) Greuter & Pignatti
<i>Betonica serotina</i> Host.	→ <i>Stachys officinalis</i> (L.) Trevis.
<i>Betula aetnensis</i> Raf.	→ <i>Betula etnensis</i> Raf.
<i>Betula alnus</i> L. var. <i>glutinosa</i> L.	→ <i>Alnus glutinosa</i> (L.) Gaertn.
<i>Betula alnus</i> L. var. <i>incana</i> L.	→ <i>Alnus incana</i> (L.) Moench
<i>Betula cordata</i> Loisel.	→ <i>Alnus cordata</i> (Loisel.) Loisel.
<i>Betula pendula</i> Roth subsp. <i>etnensis</i> (Raf.) Zangh.	→ <i>Betula etnensis</i> Raf.
<i>Betula viridis</i> Chaix	→ <i>Alnus viridis</i> (Chaix) DC. subsp. <i>viridis</i>
<i>Biarum bovei</i> Blume subsp. <i>dispar</i> (Schott) Engler	→ <i>Biarum dispar</i> (Schott) Talavera
<i>Biasoletia tuberosa</i> W.D.J.Koch	→ <i>Huetia cynapioides</i> (Guss.) P.W. Ball subsp. <i>cynapioides</i>
<i>Bicchia albida</i> Parl.	→ <i>Pseudorchis albida</i> (L.) A. & D. Love
<i>Bidens bullata</i> L.	→ <i>Bidens tripartita</i> L. subsp. <i>bullata</i> (L.) Rouy
<i>Biscutella didyma</i> L. subsp. <i>columnae</i> (Ten.) Nyman	→ <i>Biscutella morisiana</i> Raffaelli
<i>Biscutella didyma</i> L. subsp. <i>lyrata</i> (L.) Nyman	→ <i>Biscutella maritima</i> Ten.
<i>Biscutella laevigata</i> L. subsp. <i>angustifolia</i> (Mach.-Laur.) Heywood	→ <i>Biscutella laevigata</i> L. subsp. <i>laevigata</i>
<i>Biscutella laevigata</i> L. subsp. <i>tirolensis</i> (Mach.-Laur.) Heywood	→ <i>Biscutella laevigata</i> L. subsp. <i>laevigata</i>
<i>Biscutella lyrata</i> L.	→ <i>Biscutella maritima</i> Ten.
<i>Biscutella nicaeensis</i> Jordan	→ <i>Biscutella ambigua</i> DC.
<i>Bivonaea saviana</i> Caruel	→ <i>Jonopsidium savianum</i> (Caruel) Arcang.
<i>Blackstonia imperfoliata</i> (L. f.) Samp.	→ <i>Blackstonia perfoliata</i> (L.) Huds. subsp. <i>imperfoliata</i> (L.f.) Franco & Rocha Afonso
<i>Blackstonia perfoliata</i> (L.) Hudson subsp. <i>grandiflora</i> (Viv.) Maire	→ <i>Blackstonia grandiflora</i> (Viv.) Pau
<i>Blackstonia perfoliata</i> (L.) Hudson subsp. <i>serotina</i> (Koch) Vollmann	→ <i>Blackstonia perfoliata</i> (L.) Huds. subsp. <i>intermedia</i> (Ten.) Zeltner
<i>Blechnum radicans</i> L.	→ <i>Woodwardia radicans</i> (L.) Sm.
<i>Blitum capitatum</i> L.	→ <i>Chenopodium capitatum</i> (L.) Asch.
<i>Blitum virgatum</i> L.	→ <i>Chenopodium foliosum</i> Asch.
<i>Boerhaavia repens</i> L.	→ <i>Boerhavia repens</i> L. s.l.

<i>Bothriochloa ischaemon</i> (L.) Keng	→ <i>Bothriochloa ischaemum</i> (L.) Keng
<i>Bothriochloa panormitana</i> (Parl.) Brullo	→ <i>Bothriochloa insculpta</i> (Hochst.) A. Camus
<i>Bothriochloa pertusa</i> auct., non (L.) A. Camus	→ <i>Bothriochloa insculpta</i> (Hochst.) A. Camus
<i>Botrychium matricariaefolium</i> A. Braun	→ <i>Botrychium matricariifolium</i> (A. Braun ex Döll) W.D.J. Koch
<i>Botrypus virginianus</i> (L.) Michx.	→ <i>Botrychium virginianum</i> (L.) Sw.
<i>Brachiaria erucaiformis</i> (S. et S.) Griseb.	→ <i>Brachiaria eruciformis</i> (Sm.) Griseb.
<i>Brachypodium distachyon</i> (L.) Beauv.	→ <i>Trachynia distachya</i> (L.) Link
<i>Brachypodium distachyum</i> (L.) Beauv.	→ <i>Trachynia distachya</i> (L.) Link
<i>Brachypodium glaucovirens</i> (Murb.) Fritsch	→ <i>Brachypodium sylvaticum</i> (Huds.) P. Beauv. subsp. <i>glaucovirens</i> Murb.
<i>Brachypodium pheonicoides</i> (L.) R. et S.	→ <i>Brachypodium phoenicoides</i> (L.) Roem. & Schult.
<i>Brachypodium pinnatum</i> (L.) Beauv. subsp. <i>rupestre</i> (Host) Schuebler & Martens	→ <i>Brachypodium rupestre</i> (Host) Roem. & Schult.
<i>Brachypodium ramosum</i> Roem. & Schult.	→ <i>Brachypodium retusum</i> (Pers.) P. Beauv.
<i>Brachypodium rupestre</i> (Host) R. et S. subsp. <i>caespitosum</i> (Host) Scholz	→ <i>Brachypodium caespitosum</i> (Host) Roem. & Schult.
<i>Brassica alpina</i> L.	→ <i>Arabis pauciflora</i> (Grimm) Garcke
<i>Brassica amplexicaulis</i> (Desf.) Pomel	→ <i>Brassica souliei</i> (Batt.) Batt. subsp. <i>amplexicaulis</i> (Desf.) Greuter & Burdet
<i>Brassica arvensis</i> L.	→ <i>Moricandia arvensis</i> (L.) DC.
<i>Brassica austriaca</i> Jacq.	→ <i>Conringia austriaca</i> (Jacq.) Sweet
<i>Brassica campestris</i> L.	→ <i>Brassica rapa</i> L. subsp. <i>campestris</i> (L.) Clapham
<i>Brassica cheiranthos</i> Vill.	→ <i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>cheiranthos</i> (Franco) Aedo, Leadlay & Muñoz Garm.
<i>Brassica drepanensis</i> (Caruel) Ponzio	→ <i>Brassica villosa</i> Biv. subsp. <i>drepanensis</i> (Caruel) Raimondo & Mazzola
<i>Brassica elongata</i> Ehrh. var. <i>integrifolia</i> Boiss.	→ <i>Brassica elongata</i> Ehrh. subsp. <i>integrifolia</i> (Boiss.) Breistr.
<i>Brassica longirostris</i> Uechtr.	→ <i>Eruca vesicaria</i> (L.) Cav.
<i>Brassica oleracea</i> L. subsp. <i>robertiana</i> (Gay) Rouy et Fouc.	→ <i>Brassica montana</i> Pourr.
<i>Brassica orientalis</i> L.	→ <i>Conringia orientalis</i> (L.) Andr. ex DC.
<i>Brassica rapa</i> L. subsp. <i>sylvestris</i> (L.) Janchen	→ <i>Brassica rapa</i> L. subsp. <i>campestris</i> (L.) Clapham
<i>Brignolia pastinacifolia</i> Bertol.	→ <i>Kundmannia sicula</i> (L.) DC.
<i>Brodiaea uniflora</i> (Lindl.) Engl.	→ <i>Ipheion uniflorum</i> (Graham) Raf.
<i>Bromus alopecuroides</i> Poir.	→ <i>Bromus alopecuros</i> Poir.
<i>Bromus ambigens</i> Jord.	→ <i>Bromus diandrus</i> Roth subsp. <i>diandrus</i>
<i>Bromus caprinus</i> A. Kern.	→ incl. <i>Bromus erectus</i> Huds. subsp. <i>erectus</i>
<i>Bromus carinatus</i> Hooker & Arnott	→ <i>Ceratochloa carinata</i> (Hook. & Arn.) Tutin
<i>Bromus catharticus</i> Vahl	→ <i>Ceratochloa cathartica</i> (Vahl) Herter
<i>Bromus cincinnatus</i> Ten.	→ <i>Avenula cincinnata</i> (Ten.) Holub
<i>Bromus commutatus</i> Schrader subsp. <i>neglectus</i> (Parl.) P.M. Sm.	→ <i>Bromus neglectus</i> (Parl.) Nyman
<i>Bromus dertonensis</i> All.	→ <i>Vulpia bromoides</i> (L.) Gray
<i>Bromus distachyos</i> L.	→ <i>Trachynia distachya</i> (L.) Link
<i>Bromus geniculatus</i> L.	→ <i>Vulpia geniculata</i> (L.) Link
<i>Bromus gussonei</i> Parl.	→ <i>Bromus diandrus</i> Roth s.l.
<i>Bromus hordeaceus</i> L. subsp. <i>divaricatus</i> (Bonnier & Layens) Kerguelen	→ <i>Bromus hordeaceus</i> L. subsp. <i>molliformis</i> (Lloyd ex Godr.) Maire & Weiller
<i>Bromus hordeaceus</i> L. subsp. <i>thominei</i> (Hardouin) Maire & Weiller	→ <i>Bromus hordeaceus</i> L. subsp. <i>thominei</i> (Hardouin) Braun-Blanq.
<i>Bromus lepidus</i> Holmberg	→ <i>Bromus hordeaceus</i> L. subsp. <i>lepidus</i> (Holmb.) Pedersen
<i>Bromus ligusticus</i> All.	→ <i>Vulpia ligustica</i> (All.) Link
<i>Bromus longiflorus</i> Willd. ex Spreng.	→ <i>Bromus erectus</i> Huds. subsp. <i>longiflorus</i> (Willd. ex Spreng.) Arcang.
<i>Bromus michelii</i> Savi	→ <i>Trisetaria michelii</i> (Savi) D. Heller
<i>Bromus molliformis</i> sensu Pignatti	→ <i>Bromus hordeaceus</i> L. subsp. <i>thominei</i> (Hardouin) Braun-Blanq.
<i>Bromus pinnatus</i> L.	→ <i>Brachypodium pinnatum</i> (L.) P. Beauv.
<i>Bromus retusus</i> Pers.	→ <i>Brachypodium retusum</i> (Pers.) P. Beauv.
<i>Bromus rigidus</i> Roth	→ <i>Bromus diandrus</i> Roth subsp. <i>maximus</i> (Desf.) Soó
<i>Bromus rigidus</i> Roth subsp. <i>ambigens</i> (Jord.) Pignatti	→ <i>Bromus diandrus</i> Roth subsp. <i>diandrus</i>
<i>Bromus rupestris</i> Host	→ <i>Brachypodium rupestre</i> (Host) Roem. & Schult.
<i>Bromus stenophyllus</i> Link	→ incl. <i>Bromus erectus</i> Huds. subsp. <i>erectus</i>
<i>Bromus transsylvanicus</i> Hack.	→ incl. <i>Bromus erectus</i> Huds. subsp. <i>erectus</i>
<i>Bromus unioloides</i> (Willd.) Raspail	→ <i>Ceratochloa cathartica</i> (Vahl) Herter
<i>Bromus willdenowii</i> Kunth	→ <i>Ceratochloa cathartica</i> (Vahl) Herter
<i>Bryonia cretica</i> L. subsp. <i>acuta</i> (Desf.) Tutin	→ <i>Bryonia acuta</i> Desf.
<i>Bryonia cretica</i> L. subsp. <i>dioica</i> (Jacq.) Tutin	→ <i>Bryonia dioica</i> Jacq.
<i>Bubon macedonicum</i> L.	→ <i>Athamanta macedonica</i> (L.) Spreng. subsp. <i>macedonica</i>
<i>Bubonium aquaticum</i> (L.) Hill	→ <i>Asteriscus aquaticus</i> (L.) Less. subsp. <i>aquaticus</i>
<i>Bubonium maritimum</i> (L.) Hill	→ <i>Asteriscus maritimus</i> (L.) Less.
<i>Bubonium spinosum</i> (L.) Samp.	→ <i>Pallenis spinosa</i> (L.) Cass. subsp. <i>spinosa</i>

<i>Buccaferrea cirrhosa</i> Petagna	→ <i>Ruppia cirrhosa</i> (Petagna) Grande
<i>Buffonia paniculata</i> Dubois	→ <i>Bufonia paniculata</i> Dubois ex Delarbre
<i>Buffonia tenuifolia</i> L.	→ <i>Bufonia tenuifolia</i> L.
<i>Buglossoides arvensis</i> (L.) I.M. Johnston subsp. <i>gasparrinii</i> (Heldr. ex Guss.) R. Fernandes	→ <i>Buglossoides incrassata</i> (Guss.) I.M. Johnst. s.l.
<i>Buglossoides gasparrinii</i> (Heldr.) Pign.	→ <i>Buglossoides incrassata</i> (Guss.) I.M. Johnst. s.l.
<i>Bulbocodium vernum</i> L. subsp. <i>versicolor</i> (Ker-Gawl.) Richter	→ <i>Bulbocodium versicolor</i> (Ker Gawl.) Spreng.
<i>Bulbostylis cioniana</i> (Savi) Lye	→ <i>Fimbristylis cioniana</i> Savi
<i>Bulliarda vaillantii</i> (Willd.) DC.	→ <i>Tillaea vaillantii</i> Willd.
<i>Bunias balearica</i> L.	→ <i>Succowia balearica</i> (L.) Medik.
<i>Bunium alpinum</i> Waldst. & Kit. subsp. <i>corydalinum</i> (DC.) Nyman	→ <i>Bunium corydalinum</i> DC.
<i>Bunium alpinum</i> Waldst. & Kit. subsp. <i>petraeum</i> (Ten.) Rouy & Camus	→ <i>Bunium petraeum</i> Ten.
<i>Bunium capillifolium</i> (Guss.) Bertol.	→ <i>Conopodium capillifolium</i> (Guss.) Boiss.
<i>Bunium majus</i> Gouan	→ <i>Conopodium majus</i> (Gouan) Loret subsp. <i>majus</i>
<i>Bunium peucedanoides</i> M. Bieb	→ <i>Seseli peucedanoides</i> (M. Bieb.) Koso-Pol.
<i>Bupthalmum aquaticum</i> L.	→ <i>Asteriscus aquaticus</i> (L.) Less. subsp. <i>aquaticus</i>
<i>Bupthalmum flexile</i> Bertol.	→ <i>Bupthalmum salicifolium</i> L. subsp. <i>flexile</i> (Bertol.) Garbari
<i>Bupthalmum grandiflorum</i> L.	→ <i>Bupthalmum salicifolium</i> L. subsp. <i>grandiflorum</i> (L.) Ces.
<i>Bupthalmum maritimum</i> L.	→ <i>Asteriscus maritimus</i> (L.) Less.
<i>Bupthalmum speciosissimum</i> L.	→ <i>Xerolekia speciosissima</i> (L.) Anderb.
<i>Bupthalmum speciosum</i> Schreb.	→ <i>Telekia speciosa</i> (Schreb.) Baumg.
<i>Bupthalmum spinosum</i> L.	→ <i>Pallenis spinosa</i> (L.) Cass. subsp. <i>spinosa</i>
<i>Bupleurum baldense</i> Turra subsp. <i>gussonei</i> (Arcang.) Tutin	→ <i>Bupleurum gussonei</i> (Arcang.) S. & B. Snogerup
<i>Bupleurum fontanesii</i> Guss.	→ <i>Bupleurum odontites</i> L.
<i>Bupleurum gramineum</i> Vill.	→ <i>Bupleurum ranunculoides</i> L.
<i>Bupleurum ranunculoides</i> L. subsp. <i>caricinum</i> (DC.) Arcang.	→ <i>Bupleurum ranunculoides</i> L.
<i>Bupleurum vapincense</i> Vill.	→ <i>Bupleurum longifolium</i> L. subsp. <i>vapincense</i> (Vill.) Todor
<i>Cacalia alliariae</i> Gouan	→ <i>Adenostyles alliariae</i> (Gouan) A. Kern. s.l.
<i>Cactus monacanthos</i> Willd.	→ <i>Opuntia monacantha</i> (Willd.) Haw.
<i>Cactus tuna</i> L.	→ <i>Opuntia tuna</i> (L.) Mill.
<i>Cakile maritima</i> Scop. subsp. <i>aegyptiaca</i> (Willd.) Nyman	→ <i>Cakile maritima</i> Scop. subsp. <i>maritima</i>
<i>Calamagrostis argentea</i> DC.	→ <i>Achnatherum calamagrostis</i> (L.) P. Beauv.
<i>Calamagrostis varia</i> (Schrader) Host subsp. <i>corsica</i> (Hackel) Rouy	→ <i>Calamagrostis corsica</i> (Hack.) D.Prain
<i>Calamintha acinos</i> (L.) Clairv.	→ <i>Acinos arvensis</i> (Lam.) Dandy s.l.
<i>Calamintha alpina</i> (L.) Lam.	→ <i>Acinos alpinus</i> (L.) Moench s.l.
<i>Calamintha alpina</i> (L.) Lam. subsp. <i>aetnensis</i> (Strobl) Rech.	→ <i>Acinos alpinus</i> (L.) Moench subsp. <i>meridionalis</i> (Nyman) P.W. Ball
<i>Calamintha alpina</i> (L.) Lam. subsp. <i>meridionalis</i> Nyman	→ <i>Acinos alpinus</i> (L.) Moench subsp. <i>meridionalis</i> (Nyman) P.W. Ball
<i>Calamintha glandulosa</i> (Req.) Benth.	→ <i>Calamintha nepeta</i> (L.) Savi s.l.
<i>Calamintha granatensis</i> Boiss. & Reuter	→ <i>Acinos alpinus</i> (L.) Moench subsp. <i>meridionalis</i> (Nyman) P.W. Ball
<i>Calamintha menthifolia</i> Host	→ <i>Calamintha nepeta</i> (L.) Savi subsp. <i>sylvatica</i> (Bromf.) R. Morales
<i>Calamintha nepeta</i> (L.) Savi subsp. <i>glandulosa</i> (Req.) P.W. Ball	→ <i>Calamintha nepeta</i> (L.) Savi s.l.
<i>Calamintha sylvatica</i> Bromf.	→ <i>Calamintha nepeta</i> (L.) Savi subsp. <i>sylvatica</i> (Bromf.) R. Morales
<i>Calamintha sylvatica</i> Bromf. subsp. <i>ascendens</i> (Jordan) P. W. Ball	→ <i>Calamintha ascendens</i> Jord.
<i>Calamintha sylvatica</i> Bromf. subsp. <i>sylvatica</i>	→ <i>Calamintha nepeta</i> (L.) Savi subsp. <i>sylvatica</i> (Bromf.) R. Morales
<i>Calendula fulgida</i> Raf.	→ <i>Calendula suffruticosa</i> Vahl subsp. <i>fulgida</i> (Raf.) Guadagno
<i>Calendula maritima</i> Guss.	→ <i>Calendula suffruticosa</i> Vahl subsp. <i>maritima</i> (Guss.) Meikle
<i>Calla aethiopica</i> L.	→ <i>Zantedeschia aethiopica</i> (L.) Spreng.
<i>Callianthemum kernerianum</i> Freyn	→ <i>Callianthemum kernerianum</i> A. Kern.
<i>Caltha cornuta</i> Schott & al.	→ <i>Caltha palustris</i> L.
<i>Caltha laeta</i> Schott & al.	→ incl. <i>Caltha palustris</i> L.
<i>Caltha palustris</i> L. subsp. <i>cornuta</i> (Schott & al.) Hegi	→ <i>Caltha palustris</i> L.
<i>Caltha palustris</i> L. subsp. <i>laeta</i> (Schott & al.) Hegi	→ incl. <i>Caltha palustris</i> L.
<i>Calystegia sylvatica</i> (Kit.) Griseb.	→ <i>Calystegia silvatica</i> (Kit.) Griseb.
<i>Camelina foetida</i> (Schkuhr) Fries subsp. <i>integerrima</i> Celak.	→ <i>Camelina alyssum</i> (Mill.) Thell. subsp. <i>integerrima</i> (Celak.) Smejkal
<i>Camelina microcarpa</i> Andr. ex DC. subsp. <i>sylvestris</i> (Wallr.) Hiitonen	→ <i>Camelina microcarpa</i> Andr. ex DC.
<i>Camelina sativa</i> (L.) Crantz var. <i>pilosa</i> DC.	→ <i>Camelina sativa</i> (L.) Crantz subsp. <i>pilosa</i> (DC.) N.W. Zinger
<i>Camelina souliei</i> Batt.	→ <i>Brassica souliei</i> (Batt.) Batt. subsp. <i>amplexicaulis</i> (Desf.) Greuter & Burdet
<i>Campanula apennina</i> Podlech	→ <i>Campanula micrantha</i> Bertol.
<i>Campanula caespitosa</i> Scop.	→ <i>Campanula caespitosa</i> Scop.
<i>Campanula cochlearifolia</i> Lam.	→ <i>Campanula cochlearifolia</i> Lam.
<i>Campanula fragilis</i> Cyr. subsp. <i>cavolini</i> (Ten.) Damboldt	→ <i>Campanula fragilis</i> Cirillo subsp. <i>cavolinii</i> (Ten.) Damboldt
<i>Campanula glomerata</i> L. subsp. <i>cervicarioides</i> (Schult.) Arcang.	→ incl. <i>Campanula glomerata</i> L.
<i>Campanula glomerata</i> L. subsp. <i>elliptica</i> (Kit. ex Schult.) Jan	→ incl. <i>Campanula glomerata</i> L.
<i>Campanula glomerata</i> L. subsp. <i>farinosa</i> (Andrz.) Kirschl.	→ incl. <i>Campanula glomerata</i> L.

<i>Campanula glomerata</i> L. subsp. <i>serotina</i> (Wettst.) O. Schwartz	→ incl. <i>Campanula glomerata</i> L.
<i>Campanula macrorrhiza</i> Gay ex DC.	→ <i>Campanula macrorrhiza</i> A. DC.
<i>Campanula marcenoi</i> Brullo	→ <i>Campanula scheuchzeri</i> Vill. subsp. <i>pollinensis</i> (Podlech) Bernardo, Gargano & Peruzzi
<i>Campanula patula</i> L. subsp. <i>costae</i> (Willk.) Fed.	→ <i>Campanula patula</i> L. subsp. <i>patula</i>
<i>Campanula pollinensis</i> Podlech	→ <i>Campanula scheuchzeri</i> Vill. subsp. <i>pollinensis</i> (Podlech) Bernardo, Gargano & Peruzzi
<i>Campanula pseudostenocodon</i> Lacaita	→ <i>Campanula scheuchzeri</i> Vill. subsp. <i>pseudostenocodon</i> (Lacaita) Bernardo, Gargano & Peruzzi
<i>Campanula pygmaea</i> DC.	→ <i>Borago pygmaea</i> (DC.) Chater & Greuter
<i>Campanula trichocalycina</i> Ten.	→ <i>Asyneuma trichocalycinum</i> (Ten.) K. Malý
<i>Capnophyllum peregrinum</i> (L.) Lange	→ <i>Kruberia peregrina</i> (L.) Hoffm.
<i>Capparis orientalis</i> Veill.	→ <i>Capparis spinosa</i> L. subsp. <i>rupestris</i> (Sm.) Nyman
<i>Capparis ovata</i> Desf.	→ <i>Capparis spinosa</i> L. s.l.
<i>Capparis rupestris</i> Sm.	→ <i>Capparis spinosa</i> L. subsp. <i>rupestris</i> (Sm.) Nyman
<i>Capparis sicula</i> Veill.	→ <i>Capparis spinosa</i> L. subsp. <i>spinosa</i>
<i>Capsella pauciflora</i> Koch	→ <i>Hornungia pauciflora</i> (W.D.J. Koch) Banfi, Galasso, Soldano & F. Conti
<i>Cardamine alpina</i> Willd.	→ <i>Cardamine bellidifolia</i> L. subsp. <i>alpina</i> (Willd.) B.M.G. Jones
<i>Cardamine amara</i> L. subsp. <i>grandifolia</i> Arcang.	→ <i>Cardamine amporitana</i> Sennen & Pau
<i>Cardamine hayneana</i> Welw.	→ <i>Cardamine matthioli</i> Moretti
<i>Cardamine pratensis</i> L. subsp. <i>granulosa</i> (All.) Arcangeli	→ <i>Cardamine granulosa</i> All.
<i>Cardamine pratensis</i> L. subsp. <i>matthioli</i> (Moretti) Nyman	→ <i>Cardamine matthioli</i> Moretti
<i>Cardamine pratensis</i> L. subsp. <i>matthioli</i> (Moretti) Nyman	→ <i>Cardamine matthioli</i> Moretti
<i>Cardamine raphanifolia</i> p.p.	→ <i>Cardamine amporitana</i> Sennen & Pau
<i>Cardamine raphanifolia</i> p.p.	→ <i>Cardamine silana</i> Marhold & Perný
<i>Cardaminopsis arenosa</i> (L.) Hayek	→ <i>Arabidopsis arenosa</i> (L.) Lawalrée
<i>Cardaminopsis halleri</i> (L.) Hayek	→ <i>Arabidopsis halleri</i> (L.) O'Kane & Al-Shehbaz s.l.
<i>Cardaminopsis halleri</i> (L.) Hayek subsp. <i>ovirensis</i> (Wulfen) Hegi & Em. Schmid	→ incl. <i>Arabidopsis halleri</i> (L.) O'Kane & Al-Shehbaz s.l.
<i>Cardaminopsis ovirensis</i> (Wulfen) O. Schwarz	→ <i>Arabidopsis halleri</i> (L.) O'Kane & Al-Shehbaz subsp. <i>ovirensis</i> (Wulfen) O'Kane & Al-Shehbaz
<i>Carduncellus caeruleus</i> (L.) C. Presl	→ <i>Carthamus caeruleus</i> L.
<i>Carduncellus caeruleus</i> (L.) DC.	→ <i>Carthamus caeruleus</i> L.
<i>Carduncellus monspeliensium</i> All.	→ <i>Carthamus carduncellus</i> L.
<i>Carduus alpestris</i> Willd.	→ <i>Carduus carduelis</i> (L.) Gren.
<i>Carduus arctioides</i> (Scop.) Willd.	→ <i>Carduus carduelis</i> (L.) Gren.
<i>Carduus brutius</i> Porta	→ <i>Carduus affinis</i> Guss. subsp. <i>brutius</i> (Porta) Kazmi
<i>Carduus crassifolius</i> Willd.	→ <i>Carduus defloratus</i> L. subsp. <i>crassifolius</i> (Willd.) Hayek
<i>Carduus crassifolius</i> Willd. subsp. <i>crassifolius</i>	→ <i>Carduus defloratus</i> L. subsp. <i>crassifolius</i> (Willd.) Hayek
<i>Carduus defloratus</i> L. subsp. <i>carlinifolius</i> (Lam.) Ces.	→ <i>Carduus carlinifolius</i> Lam. subsp. <i>carlinifolius</i>
<i>Carduus leucographus</i> L.	→ <i>Tyrimnus leucographus</i> (L.) Cass.
<i>Carduus macrocephalus</i> Desf. subsp. <i>inconstrictus</i> (O. Schwarz) Kazmi	→ <i>Carduus nutans</i> L. subsp. <i>inconstrictus</i> O. Schwarz
<i>Carduus macrocephalus</i> Desf. subsp. <i>macrocephalus</i>	→ <i>Carduus nutans</i> L. subsp. <i>macrocephalus</i> (Desf.) Nyman
<i>Carduus macrocephalus</i> Desf. subsp. <i>siculus</i> Franco	→ <i>Carduus nutans</i> L. subsp. <i>siculus</i> (Franco) Greuter
<i>Carduus macrolepis</i> Peterm.	→ <i>Carduus nutans</i> L. subsp. <i>macrolepis</i> (Rchb. & Saut.) Nyman
<i>Carduus platylepis</i> Rchb. & Saut.	→ <i>Carduus nutans</i> L. subsp. <i>platylepis</i> (Rchb. & Saut.) Gugler
<i>Carduus rhaeticus</i> (DC.) A. Kern.	→ <i>Carduus defloratus</i> L. subsp. <i>tridentinus</i> (Evers) Ladurner
<i>Carex aterrima</i> Hoppe	→ <i>Carex atrata</i> L. subsp. <i>aterrima</i> (Hoppe) Hartm.
<i>Carex austroalpina</i> Bech.	→ <i>Carex ferruginea</i> Scop. subsp. <i>austroalpina</i> (Bech.) W. Dietr.
<i>Carex bellardii</i> All.	→ <i>Kobresia myosuroides</i> (Vill.) Fiori
<i>Carex caespitosa</i> L.	→ <i>Carex caespitosa</i> L.
<i>Carex caryophyllea</i> Latourr. subsp. <i>insularis</i> (Christ ex Barbey) Arrigoni	→ incl. <i>Carex caryophyllea</i> Latourr.
<i>Carex contigua</i> Hoppe	→ <i>Carex spicata</i> Huds.
<i>Carex curta</i> Good.	→ <i>Carex canescens</i> L.
<i>Carex divisa</i> Huds. subsp. <i>chaetophylla</i> (Steud.) Nyman	→ <i>Carex divisa</i> Huds.
<i>Carex divulsa</i> Stokes subsp. <i>leersii</i> (Kneucker) Walo Koch	→ <i>Carex guestphalica</i> (Boenn. ex Rchb.) Boenn. ex O. Lang
<i>Carex extensa</i> Gooden. subsp. <i>viestina</i> Fen.	→ incl. <i>Carex extensa</i> Gooden.
<i>Carex ferruginea</i> Scop. subsp. <i>tenax</i> (H. Christ) K. Richt.	→ <i>Carex ferruginea</i> Scop. subsp. <i>australpina</i> (Bech.) W. Dietr.
<i>Carex flacca</i> Schreb. subsp. <i>claviformis</i> (Hoppe) Schinz & Thell.	→ <i>Carex flacca</i> Schreb. subsp. <i>flacca</i>
<i>Carex flacca</i> Schreb. subsp. <i>erythrostachys</i> (Hoppe) Holub	→ <i>Carex flacca</i> Schreb. subsp. <i>serrulata</i> (Biv.) Greuter
<i>Carex fusca</i> All.	→ <i>Carex nigra</i> (L.) Reichard s.l.
<i>Carex gracilis</i> Curtis	→ <i>Carex acuta</i> L.
<i>Carex hallerana</i> Asso	→ <i>Carex halleriana</i> Asso
<i>Carex intricata</i> Tineo	→ <i>Carex nigra</i> (L.) Reichard subsp. <i>intricata</i> (Tineo) Rivas Mart.
<i>Carex irrigua</i> (Wahlenb.) Sm.	→ <i>Carex paupercula</i> Michx.

<i>Carex juncifolia</i> All.	→ <i>Carex maritima</i> Gunnerus
<i>Carex leporina</i> L.	→ <i>Carex ovalis</i> Gooden.
<i>Carex macrostachys</i> Bertol.	→ <i>Carex ferruginea</i> Scop. subsp. <i>macrostachys</i> (Bertol.) Arcang.
<i>Carex magellanica</i> Lam. subsp. <i>irrigua</i> (Wahlenb.) Hiitonen	→ <i>Carex paupercula</i> Michx.
<i>Carex mairaei</i> Cosson et Germ.	→ <i>Carex mairii</i> Coss. & Germ.
<i>Carex muricata</i> L. subsp. <i>lamprocarpa</i> Celak.	→ <i>Carex pairae</i> F.W. Schultz
<i>Carex myosuroides</i> Vill.	→ <i>Kobresia myosuroides</i> (Vill.) Fiori
<i>Carex norvegica</i> Retz. subsp. <i>pusteriana</i> (Kalela) Chater	→ <i>Carex norvegica</i> Retz.
<i>Carex oederi</i> Retz.	→ <i>Carex viridula</i> Michx.
<i>Carex ornithopoda</i> Willd. subsp. <i>ornithopodioides</i> (Hausm.) Nyman	→ <i>Carex ornithopodioides</i> Hausm.
<i>Carex pairaei</i> F. Schultz	→ <i>Carex pairae</i> F.W. Schultz
<i>Carex pediformis</i> C.A. Mey. subsp. <i>rhizodes</i> auct.	→ <i>Carex pediformis</i> C.A. Mey. subsp. <i>pediformis</i>
<i>Carex polyphylla</i> Kar. et Kir.	→ <i>Carex guesphalica</i> (Boenn. ex Rchb.) Boenn. ex O. Lang
<i>Carex pubescens</i> Poir.	→ <i>Fuirena pubescens</i> (Poir.) Kunth
<i>Carex rosae</i> (Gilomen) Hess et Landolt	→ <i>Carex curvula</i> All. subsp. <i>rosae</i> Gilomen
<i>Carex serotina</i> Merat subsp. <i>serotina</i>	→ <i>Carex viridula</i> Michx.
<i>Carex simpliciuscula</i> Wahlenb.	→ <i>Kobresia simpliciuscula</i> (Wahlenb.) Mack.
<i>Carex stellulata</i> Good.	→ <i>Carex echinata</i> Murray
<i>Carex tendae</i> (W. Dietr.) Pawl.	→ <i>Carex ferruginea</i> Scop. subsp. <i>tendae</i> W. Dietr.
<i>Carex tumidicarpa</i> Anderss.	→ <i>Carex demissa</i> Hornem.
<i>Carlina acaulis</i> L. subsp. <i>simplex</i> (Waldst. & Kit.) Nyman	→ <i>Carlina acaulis</i> L. subsp. <i>caulescens</i> (Lam.) Schübl. & G. Martens
<i>Carlina corymbosa</i> L. subsp. <i>graeca</i> (Boiss.) Nyman	→ <i>Carlina involucrata</i> Poir.
<i>Carlina macrocephala</i> Moris subsp. <i>nebrodensis</i> (Guss. ex DC.) D.A. Webb	→ <i>Carlina nebrodensis</i> Guss. ex DC.
<i>Carlina stricta</i> (Rouy) Fritsch	→ <i>Carlina biebersteinii</i> Bernh. ex Hornem. s.l.
<i>Carlina vulgaris</i> L. subsp. <i>intermedia</i> (Schur) Hayek	→ <i>Carlina biebersteinii</i> Bernh. ex Hornem. s.l.
<i>Carum ammoides</i> (L.) Ball	→ <i>Ammoides pusilla</i> (Brot.) Breistr.
<i>Carum bunias</i> L.	→ <i>Ptychotis saxifraga</i> (L.) Loret & Barrandon
<i>Carum heldreichii</i> Boiss.	→ <i>Carum flexuosum</i> (Ten.) Nyman
<i>Carum petroselinum</i> (L.) Benth.	→ <i>Petroselinum crispum</i> (Mill.) Fuss
<i>Castellia tuberculata</i> Tineo	→ <i>Castellia tuberculosa</i> (Moris) Bor
<i>Catananche coerulea</i> L.	→ <i>Catananche caerulea</i> L.
<i>Catapodium halleri</i> (Viv.) Rchb.	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Catapodium loliaceum</i> (Huds.) Link	→ <i>Catapodium balearicum</i> (Willk.) H. Scholz
<i>Catapodium marinum</i> (L.) Hubbard	→ <i>Catapodium balearicum</i> (Willk.) H. Scholz
<i>Catapodium siculum</i> (Jacq.) Link	→ <i>Desmazeria sicula</i> (Jacq.) Dumort.
<i>Catapodium tenellum</i> (L.) Trab.	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Catapodium tuberculatum</i> Moris	→ <i>Castellia tuberculosa</i> (Moris) Bor
<i>Caucalis aequicolorum</i> All.	→ <i>Anthriscus caucalis</i> M. Bieb.
<i>Caucalis arvensis</i> Huds.	→ <i>Torilis arvensis</i> (Huds.) Link s.l.
<i>Caucalis daucoides</i> L.	→ <i>Orlaya daucoides</i> (L.) Greuter
<i>Caucalis elongata</i> Hoffmanns. & Link	→ <i>Torilis elongata</i> (Hoffmanns. & Link) Samp.
<i>Caucalis grandiflora</i> L.	→ <i>Orlaya grandiflora</i> (L.) Hoffm.
<i>Caucalis japonica</i> Houtt.	→ <i>Torilis japonica</i> (Houtt.) DC.
<i>Caucalis latifolia</i> L.	→ <i>Turgenia latifolia</i> (L.) Hoffm.
<i>Caucalis leptophylla</i> L.	→ <i>Torilis leptophylla</i> (L.) Rchb. f.
<i>Caucalis platycarpus</i> auct.	→ <i>Orlaya daucoides</i> (L.) Greuter
<i>Caucalis platycarpus</i> L. var. <i>muricata</i> (Bisch. ex Celak.) V.N. Tikhom.	→ <i>Caucalis platycarpus</i> L.
<i>Caucalis purpurea</i> Ten.	→ <i>Torilis arvensis</i> (Huds.) Link subsp. <i>purpurea</i> (Ten.) Hayek
<i>Celosia cristata</i> L.	→ <i>Celosia argentea</i> L.
<i>Celtis tournefortii</i> Lam.	→ <i>Celtis aetnensis</i> Strobl
<i>Cenchrus capitatus</i> L.	→ <i>Echinaria capitata</i> (L.) Desf.
<i>Cenchrus parviflorus</i> Poir.	→ <i>Setaria parviflora</i> (Poir.) Kerguelen
<i>Cenchrus racemosus</i> L.	→ <i>Tragus racemosus</i> (L.) All.
<i>Centaurea africana</i> Lam.	→ <i>Rhaponticoides africana</i> (Lam.) M.V. Agab. & Greuter
<i>Centaurea alba</i> L.	→ <i>Centaurea deusta</i> Ten. s.l.
<i>Centaurea alba</i> L. subsp. <i>alba</i>	→ <i>Centaurea deusta</i> Ten. subsp. <i>deusta</i>
<i>Centaurea alba</i> L. subsp. <i>diomedeae</i> (Gasparr.) Dostal	→ <i>Centaurea diomedeae</i> Gasp.
<i>Centaurea alba</i> L. subsp. <i>splendens</i> (L.) Arcangeli	→ <i>Centaurea deusta</i> Ten. subsp. <i>splendens</i> (Arcang.) Matthäs & Pignatti
<i>Centaurea alba</i> L. subsp. <i>tenoreana</i> (Willk.) Dostal	→ <i>Centaurea tenoreana</i> Willk.
<i>Centaurea alpestris</i> Hegetschw.	→ <i>Centaurea scabiosa</i> L. subsp. <i>alpestris</i> (Hegetschw.) Nyman
<i>Centaurea alpina</i> L.	→ <i>Rhaponticoides alpina</i> (L.) M.V. Agab. & Greuter
<i>Centaurea aplolepa</i> Moretti subsp. <i>carueliana</i> (Micheletti) Dostal	→ <i>Centaurea paniculata</i> L. subsp. <i>carueliana</i> (Micheletti) Arrigoni
<i>Centaurea aplolepa</i> Moretti subsp. <i>cosana</i> (Fiori) Dostal	→ <i>Centaurea paniculata</i> L. subsp. <i>cosana</i> (Fiori) Arrigoni
<i>Centaurea aplolepa</i> Moretti subsp. <i>ligustica</i> (Gremli) Dostal	→ <i>Centaurea paniculata</i> L. subsp. <i>ligustica</i> (Gremli ex Briq.) Arrigoni

<i>Centaurea aplolepa</i> Moretti subsp. <i>subciliata</i> (DC.) Arcang.	→ <i>Centaurea paniculata</i> L. subsp. <i>subciliata</i> (DC.) Arrigoni
<i>Centaurea apula</i> Bianco & Brullo	→ <i>Centaurea brulla</i> Greuter
<i>Centaurea bracteata</i> Scop.	→ <i>Centaurea jacea</i> L. subsp. <i>gaudini</i> (Boiss. & Reut.) Gremli
<i>Centaurea carniolica</i> Host	→ <i>Centaurea nigrescens</i> Willd. subsp. <i>nigrescens</i>
<i>Centaurea centaurium</i> L.	→ <i>Rhaponticoides centaurium</i> (L.) M.V. Agab. & Greuter
<i>Centaurea cineraria</i> L. subsp. <i>busambarensis</i> (Guss.) Dostal	→ <i>Centaurea busambarensis</i> Guss.
<i>Centaurea cineraria</i> L. subsp. <i>umbrosa</i> (Lacaita) Pign.	→ <i>Centaurea ucraiae</i> Lacaita subsp. <i>umbrosa</i> (Lacaita) Cela-Renzoni & Viegi
<i>Centaurea conifera</i> L.	→ <i>Rhaponticum coniferum</i> (L.) Greuter
<i>Centaurea cyanus</i> L.	→ <i>Cyanus segetum</i> Hill
<i>Centaurea debeauxii</i> Gren. & Godron subsp. <i>thuillieri</i> Dostal	→ <i>Centaurea debeauxii</i> Gren. & Godr. subsp. <i>thuillieri</i> Dostál
<i>Centaurea depressa</i> Bieb.	→ <i>Cyanus depressus</i> (Marsch.-Bieb.) Soják
<i>Centaurea deusta</i> Ten. subsp. <i>concolor</i> (DC.) Hayek	→ incl. <i>Centaurea deusta</i> Ten. s.l.
<i>Centaurea dissecta</i> Ten.	→ <i>Centaurea ambigua</i> Guss. s.l.
<i>Centaurea dissecta</i> Ten. var. <i>intermedia</i> Fiori	→ incl. <i>Centaurea ambigua</i> Guss. s.l.
<i>Centaurea forojulensis</i> (Poldini) Poldini	→ <i>Centaurea jacea</i> L. subsp. <i>forojulensis</i> (Poldini) Greuter
<i>Centaurea grinensis</i> Reuter subsp. <i>fritschii</i> (Hayek) Dostal	→ <i>Centaurea scabiosa</i> L. subsp. <i>fritschii</i> (Hayek) Hayek
<i>Centaurea grinensis</i> Reuter subsp. <i>grinensis</i>	→ <i>Centaurea scabiosa</i> L. subsp. <i>grinensis</i> (Reut.) Hayek
<i>Centaurea haynaldii</i> Borbás	→ <i>Centaurea jacea</i> L. subsp. <i>haynaldii</i> (Borbás ex Hayek) Hayek
<i>Centaurea haynaldii</i> Borbás ex Vuk. subsp. <i>haynaldii</i>	→ <i>Centaurea jacea</i> L. subsp. <i>haynaldii</i> (Borbás ex Hayek) Hayek
<i>Centaurea intermedia</i> (Micheletti) Arrigoni	→ <i>Centaurea arrigonii</i> Greuter
<i>Centaurea leucophaea</i> Jordan	→ <i>Centaurea paniculata</i> L. subsp. <i>leucophaea</i> (Jord.) Rouy
<i>Centaurea leucophaea</i> Jordan subsp. <i>brunnescens</i> (Briq.) Dostal	→ <i>Centaurea paniculata</i> L. subsp. <i>brunnescens</i> (Briq.) Arrigoni
<i>Centaurea leucophaea</i> Jordan subsp. <i>leucophaea</i>	→ <i>Centaurea paniculata</i> L. subsp. <i>leucophaea</i> (Jord.) Rouy
<i>Centaurea leucophaea</i> Jord. subsp. <i>reuteri</i> (Rchb. f.) Dostál	→ <i>Centaurea paniculata</i> L. subsp. <i>paniculata</i>
<i>Centaurea montana</i> L.	→ <i>Cyanus montanus</i> (L.) Hill
<i>Centaurea muretii</i> Jord.	→ <i>Centaurea stoebe</i> L. subsp. <i>stoebe</i>
<i>Centaurea nemoralis</i> Jordan	→ <i>Centaurea nigra</i> L. subsp. <i>nemoralis</i> (Jord.) Gremli
<i>Centaurea nervosa</i> Willd.	→ <i>Centaurea uniflora</i> Turra subsp. <i>nervosa</i> (Willd.) Bonnier & Layens
<i>Centaurea nervosa</i> Willd. subsp. <i>ferdinandi</i> (Gren.) Pign.	→ <i>Centaurea uniflora</i> Turra subsp. <i>ferdinandi</i> (Gren.) Bonnier
<i>Centaurea nigrescens</i> Willd. subsp. <i>ramosa</i> Gugler	→ <i>Centaurea nigrescens</i> Willd. subsp. <i>nigrescens</i>
<i>Centaurea paniculata</i> L. subsp. <i>aplolepa</i> (Moretti) Briq. & Cavill.	→ <i>Centaurea aplolepa</i> Moretti subsp. <i>aplolepa</i>
<i>Centaurea pannonica</i> (Heuff.) Simonk.	→ incl. <i>Centaurea jacea</i> L. subsp. <i>angustifolia</i> Gremli
<i>Centaurea phrygia</i> L. subsp. <i>pseudophrygia</i> (C. A. Meyer) Gugler	→ <i>Centaurea pseudophrygia</i> C.A. Mey.
<i>Centaurea pratensis</i> Thuill.	→ <i>Centaurea jacea</i> L. s.l.
<i>Centaurea pumilio</i> L.	→ <i>Aegialophila pumilio</i> (L.) Boiss.
<i>Centaurea salmantica</i> L.	→ <i>Mantisalca salmantica</i> (L.) Briq. & Cavill.
<i>Centaurea solstitialis</i> L. subsp. <i>damii</i> (Willd.) Nyman	→ <i>Centaurea solstitialis</i> L. subsp. <i>adamii</i> (Willd.) Nyman
<i>Centaurea sonchifolia</i> L.	→ <i>Centaurea seridis</i> L. subsp. <i>sonchifolia</i> (L.) Greuter
<i>Centaurea spinosociliata</i> Seenus subsp. <i>tommasinii</i> (A. Kerner) Dostal	→ <i>Centaurea tommasinii</i> A. Kern.
<i>Centaurea subjacea</i> (G. Beck) Hayek	→ <i>Centaurea jacea</i> L. subsp. <i>subjacea</i> (Beck) Hyl.
<i>Centaurea thuillieri</i> J. Duvern. & Lambinon	→ <i>Centaurea debeauxii</i> Gren. & Godr. subsp. <i>thuillieri</i> Dostál
<i>Centaurea transalpina</i> Schleicher	→ <i>Centaurea nigrescens</i> Willd. subsp. <i>transalpina</i> (Schleich. ex DC.) Nyman
<i>Centaurea triumfetti</i> All.	→ <i>Cyanus triumfetti</i> (All.) Dostál ex Á. & D. Löve
<i>Centaurea triumfetti</i> All. subsp. <i>variegata</i> (Lam.) Dostal	→ incl. <i>Cyanus triumfetti</i> (All.) Dostál ex Á. & D. Löve
<i>Centaurea uniflora</i> Turra subsp. <i>thomasiana</i> (Gremli) Vacc.	→ p.p. <i>Centaurea uniflora</i> Turra subsp. <i>uniflora</i>
<i>Centaurea weldeniana</i> Rchb.	→ incl. <i>Centaurea jacea</i> L. subsp. <i>angustifolia</i> Gremli
<i>Centaurea maculosa</i> Lam.	→ <i>Centaurea stoebe</i> L. subsp. <i>stoebe</i>
<i>Centaurea muretii</i> Jord.	→ <i>Centaurea stoebe</i> L. subsp. <i>stoebe</i>
<i>Centranthus nervosus</i> Moris	→ <i>Centranthus trinervis</i> (Viv.) Bég.
<i>Centunculus minimus</i> L.	→ <i>Anagallis minima</i> (L.) E.H.L. Krause
<i>Cephalanthera alba</i> (Crantz) Simonk.	→ <i>Cephalanthera damasonium</i> (Mill.) Druce
<i>Cephalanthera ensifolia</i> Rich.	→ <i>Cephalanthera longifolia</i> (L.) Fritsch
<i>Cephalanthera maravignae</i> Tineo	→ <i>Cephalanthera rubra</i> (L.) Rich.
<i>Cephalanthera pallens</i> Rich.	→ <i>Cephalanthera damasonium</i> (Mill.) Druce
<i>Cephalaria allionii</i> Strobl	→ <i>Cephalaria transsylvanica</i> (L.) Roem. & Schult.
<i>Cephalaria joppica</i> (Sprengel) Bég.	→ <i>Cephalaria joppensis</i> (Rchb.) Coult.
<i>Cephalaria mediterranea</i> (Viv.) Szabó	→ <i>Cephalaria squamiflora</i> (Sieber) Greuter subsp. <i>mediterranea</i> (Viv.) Pignatti
<i>Cephalaria transylvanica</i> (L.) Roemer & Schultes	→ <i>Cephalaria transsylvanica</i> (L.) Roem. & Schult.
<i>Cerastium apuanum</i> Parl.	→ <i>Cerastium scaranii</i> Ten.
<i>Cerastium aquaticum</i> L.	→ <i>Stellaria aquatica</i> (L.) Scop.
<i>Cerastium arvense</i> L. var. <i>strictum</i> Koch	→ <i>Cerastium arvense</i> L. subsp. <i>strictum</i> (W.D.J. Koch) Schinz & R. Keller
<i>Cerastium arvense</i> L. var. <i>viscatum</i> Montel.	→ <i>Cerastium thomasii</i> Ten.

<i>Cerastium austroalpinum</i> Kunz	→ <i>Cerastium carinthiacum</i> Vest subsp. <i>austroalpinum</i> (Kunz) Janch.
<i>Cerastium busambarensis</i> Lojac.	→ incl. <i>Cerastium tomentosum</i> L.
<i>Cerastium campanulatum</i> Viv. var. <i>granulatum</i> Huter & al.	→ <i>Cerastium granulatum</i> (Huter, Porta & Rigo) Chiov.
<i>Cerastium cerastioides</i> (L.) Britton	→ <i>Cerastium cerastioides</i> (L.) Britton
<i>Cerastium etruscum</i> Lacaita	→ <i>Cerastium scaranii</i> Ten.
<i>Cerastium fontanum</i> Baumg. subsp. <i>lucorum</i> (Schur) Soó	→ <i>Cerastium lucorum</i> (Schur) Möschl
<i>Cerastium fontanum</i> Baumg. subsp. <i>macrocarpum</i> (A. Kotula) J alas	→ <i>Cerastium lucorum</i> (Schur) Möschl
<i>Cerastium fontanum</i> Baumg. subsp. <i>vulgare</i> (Hartman) Greuter & Burdet	→ <i>Cerastium holosteoides</i> Fr.
<i>Cerastium gibraltaricum</i> Boiss.	→ <i>Cerastium boissierianum</i> Greuter & Burdet
<i>Cerastium graefferi</i> Guss.	→ incl. <i>Cerastium tomentosum</i> L.
<i>Cerastium gussonei</i> Tod. et Lojac.	→ <i>Cerastium diffusum</i> Pers. subsp. <i>gussonei</i> (Lojac.) P.D. Sell & Whitehead
<i>Cerastium hirsutum</i> Ten.	→ <i>Cerastium scaranii</i> Ten.
<i>Cerastium holosteoides</i> Fries ampl. Hylander subsp. <i>triviale</i> (Link) Moschl	→ <i>Cerastium holosteoides</i> Fr.
<i>Cerastium lanatum</i> Lam.	→ <i>Cerastium alpinum</i> L. subsp. <i>lanatum</i> (Lam.) Ces.
<i>Cerastium lanuginosum</i> Willd. ex Rchb. var. <i>subtriflorum</i> Rchb.	→ <i>Cerastium subtriflorum</i> (Rchb.) Pacher
<i>Cerastium ligusticum</i> Viv. subsp. <i>granulatum</i> (Huter, Porta & Rigo ex Möschl) P.D. Sell & Whitehead	→ <i>Cerastium granulatum</i> (Huter, Porta & Rigo) Chiov.
<i>Cerastium ligusticum</i> Viv. subsp. <i>palustre</i> (Moris) P.D. Sell & Whitehead	→ <i>Cerastium palustre</i> Moris
<i>Cerastium luridum</i> Guss.	→ <i>Cerastium brachypetalum</i> Desp. ex Pers. subsp. <i>roeseri</i> (Boiss. & Heldr.) Nyman
<i>Cerastium manticum</i> L.	→ <i>Moenchia mantica</i> (L.) Bartl. subsp. <i>mantica</i>
<i>Cerastium molle</i> Vill.	→ <i>Cerastium arvense</i> L. subsp. <i>molle</i> (Vill.) Arcang.
<i>Cerastium pumilum</i> Curtis subsp. <i>glutinosum</i> (Fries) J alas	→ <i>Cerastium glutinosum</i> Fr.
<i>Cerastium roeseri</i> Boiss. & Heldr.	→ <i>Cerastium brachypetalum</i> Desp. ex Pers. subsp. <i>roeseri</i> (Boiss. & Heldr.) Nyman
<i>Cerastium scarani</i> Ten.	→ <i>Cerastium scaranii</i> Ten.
<i>Cerastium spurium</i> Posp.	→ <i>Cerastium pospichalii</i> Soldano & F. Conti
<i>Cerastium suffruticosum</i> L.	→ <i>Cerastium arvense</i> L. subsp. <i>suffruticosum</i> (L.) Ces.
<i>Cerastium tauricum</i> Spreng.	→ <i>Cerastium brachypetalum</i> Desp. ex Pers. subsp. <i>tauricum</i> (Spreng.) Murb.
<i>Cerastium tenoreanum</i> Seringe	→ <i>Cerastium brachypetalum</i> Desp. ex Pers. subsp. <i>tenoreanum</i> (Ser.) Soó & Jáv.
<i>Cerastium triviale</i> Link	→ <i>Cerastium holosteoides</i> Fr.
<i>Cerastium viscatum</i> (Montel.) J alas	→ incl. <i>Cerastium thomasi</i> Ten.
<i>Cerastium vulgare</i> Hartm.	→ <i>Cerastium holosteoides</i> Fr.
<i>Ceratocephala falcata</i> (L.) Pers. subsp. <i>incurva</i> (Steven) Chrték & Chrtková	→ incl. <i>Ceratocephala falcata</i> (L.) Pers.
<i>Ceratocephala incurva</i> Steven	→ incl. <i>Ceratocephala falcata</i> (L.) Pers.
<i>Ceratocephalus falcatus</i> (L.) Pers.	→ <i>Ceratocephala falcata</i> (L.) Pers.
<i>Ceratochloa haenkeana</i> C. Presl	→ <i>Ceratochloa cathartica</i> (Vahl) Herter
<i>Ceratochloa willdenowii</i> (Kunth) W.A. Weber	→ <i>Ceratochloa cathartica</i> (Vahl) Herter
<i>Cerefolium anthriscus</i> (L.) Beck	→ <i>Anthriscus caucalis</i> M. Bieb.
<i>Cerefolium cerefolium</i> (L.) Britton	→ <i>Anthriscus cerefolium</i> (L.) Hoffm.
<i>Cerefolium sativum</i> (Lam.) Besser	→ <i>Anthriscus cerefolium</i> (L.) Hoffm.
<i>Cerefolium sylvestre</i> (L.) Besser	→ <i>Anthriscus sylvestris</i> (L.) Hoffm. subsp. <i>sylvestris</i>
<i>Cerinthe auriculata</i> Ten.	→ <i>Cerinthe minor</i> L. subsp. <i>auriculata</i> (Ten.) Domac
<i>Cerinthe gymnandra</i> Gasparr.	→ <i>Cerinthe major</i> L. subsp. <i>gymnandra</i> (Gasp.) Rouy
<i>Ceterach javorkeanum</i> Vida	→ <i>Ceterach officinarum</i> Willd. subsp. <i>bivalens</i> D.E. Mey.
<i>Chaenorhinum litorale</i> (Willd.) Fritsch	→ <i>Chaenorhinum minus</i> (L.) Lange subsp. <i>litorale</i> (Willd.) Hayek
<i>Chaerophyllum anthriscus</i> (L.) Crantz	→ <i>Anthriscus caucalis</i> M. Bieb.
<i>Chaerophyllum cerefolium</i> (L.) Crantz	→ <i>Anthriscus cerefolium</i> (L.) Hoffm.
<i>Chaerophyllum elegans</i> Gaudin	→ <i>Chaerophyllum hirsutum</i> L. subsp. <i>elegans</i> (Gaudin) Ces.
<i>Chaerophyllum magellense</i> Ten.	→ <i>Chaerophyllum hirsutum</i> L. subsp. <i>magellense</i> (Ten.) Pignatti
<i>Chaerophyllum nemorosum</i> M. Bieb.	→ <i>Anthriscus nemorosa</i> (M. Bieb.) Spreng.
<i>Chaerophyllum nodosum</i> (L.) Crantz	→ <i>Myrrhoides nodosa</i> (L.) Cannon
<i>Chaerophyllum sativum</i> Lam.	→ <i>Anthriscus cerefolium</i> (L.) Hoffm.
<i>Chaerophyllum sylvestre</i> L.	→ <i>Anthriscus sylvestris</i> (L.) Hoffm. subsp. <i>sylvestris</i>
<i>Chaerophyllum temulentum</i> L.	→ <i>Chaerophyllum temulum</i> L.
<i>Chaerophyllum villarsii</i> Koch	→ <i>Chaerophyllum hirsutum</i> L. subsp. <i>villarsii</i> (W.D.J. Koch) Arcang.
<i>Chaeturus fasciculatus</i> Link	→ <i>Chaetopogon fasciculatus</i> (Link) Hayek
<i>Chamaecytisus hirsutus</i> (L.) Link	→ <i>Cytisus hirsutus</i> L. s.l.
<i>Chamaecytisus hirsutus</i> (L.) Link subsp. <i>pumilus</i> (De Notaris) Briquet	→ <i>Cytisus hirsutus</i> L. subsp. <i>pumilus</i> (De Not.) Briq.
<i>Chamaecytisus polytrichus</i> (Bieb.) Rothm.	→ <i>Cytisus hirsutus</i> L. subsp. <i>polytrichus</i> (M. Bieb.) Hayek

<i>Chamaecytisus purpureus</i> (Scop.) Link	→ <i>Cytisus purpureus</i> Scop.
<i>Chamaecytisus spinescens</i> (Presl) Rothm.	→ <i>Cytisus spinescens</i> C. Presl
<i>Chamaecytisus supinus</i> (L.) Link	→ <i>Cytisus supinus</i> L.
<i>Chamaecytisus triflorus</i> (Lam.) Skalická	→ <i>Cytisus hirsutus</i> L. s.l.
<i>Chamaecytisus triflorus</i> (Lam.) Skalická subsp. <i>pumilus</i> (De Not.) Greuter & Burdet	→ <i>Cytisus hirsutus</i> L. subsp. <i>pumilus</i> (De Not.) Briq.
<i>Chamaedrys glauca</i> Jord. & Fourr.	→ <i>Teucrium flavum</i> L. subsp. <i>glaucum</i> (Jord. & Fourr.) Ronniger
<i>Chamaemelum mixtum</i> (L.) All.	→ <i>Cladanthus mixtus</i> (L.) Chevall.
<i>Chamaenerion angustifolium</i> (L.) Scop.	→ <i>Epilobium angustifolium</i> L.
<i>Chamaenerion dodonaei</i> (Vill.) Schur	→ <i>Epilobium dodonaei</i> Vill.
<i>Chamaenerion rosmarinifolium</i> (Haenke) Moench	→ <i>Epilobium dodonaei</i> Vill.
<i>Chamaeorchis alpina</i> L. C. Rich.	→ <i>Chamorchis alpina</i> (L.) Rich.
<i>Chamaepeuce casabonae</i> (L.) DC.	→ <i>Ptilostemon casabonae</i> (L.) Greuter
<i>Chamaepeuce nivea</i> (C. Presl) DC.	→ <i>Ptilostemon niveus</i> (C. Presl) Greuter
<i>Chamaepeuce stellata</i> (L.) DC.	→ <i>Ptilostemon stellatus</i> (L.) Greuter
<i>Chamaepeuce stricta</i> (Ten.) DC.	→ <i>Ptilostemon strictus</i> (Ten.) Greuter
<i>Chamaepitys trifida</i> Dumort.	→ <i>Ajuga chamaepitys</i> (L.) Schreb. s.l.
<i>Chamaerion angustifolium</i> (L.) Holub	→ <i>Epilobium angustifolium</i> L.
<i>Chamaerion dodonaei</i> (Vill.) Holub	→ <i>Epilobium dodonaei</i> Vill.
<i>Chamaerops fortunei</i> Hook.	→ <i>Trachycarpus fortunei</i> (Hook.) H. Wendl.
<i>Chamaespartium sagittale</i> (L.) Gibbs	→ <i>Genista sagittalis</i> L.
<i>Chamerion fleischeri</i> (Hochst.) Holub	→ <i>Epilobium fleischeri</i> Hochst.
<i>Chamomilla aurea</i> (Loefl.) Gay ex Cosson & Kralik	→ <i>Matricaria aurea</i> (Loefl.) Sch. Bip.
<i>Chamomilla recutita</i> (L.) Rauschert	→ <i>Matricaria chamomilla</i> L.
<i>Chamomilla suaveolens</i> (Pursh) Rybd.	→ <i>Matricaria discoidea</i> DC.
<i>Cheilanthes corsica</i> Reichst. et Vida	→ <i>Cheilanthes tinaei</i> Tod.
<i>Cheilanthes pteridioides</i> (Reichard) C. Chr.	→ <i>Cheilanthes acrostica</i> (Balb.) Tod.
<i>Cheiranthus cheiri</i> L.	→ <i>Erysimum cheiri</i> (L.) Crantz
<i>Cheiranthus flexuosus</i> Sm.	→ <i>Malcolmia flexuosa</i> (Sm.) Sm.
<i>Cheiranthus fruticosus</i> L.	→ <i>Matthiola fruticulosa</i> (L.) Maire s.l.
<i>Cheiranthus incanus</i> L.	→ <i>Matthiola incana</i> (L.) R. Br. s.l.
<i>Cheiranthus littoreus</i> L.	→ <i>Malcolmia littorea</i> (L.) R. Br.
<i>Cheiranthus maritimus</i> L.	→ <i>Malcolmia maritima</i> (L.) R. Br.
<i>Cheiranthus rhaeticus</i> Hornem.	→ <i>Erysimum rhaeticum</i> (Hornem.) DC.
<i>Cheiranthus sinuatus</i> L.	→ <i>Matthiola sinuata</i> (L.) R. Br.
<i>Cheiranthus sylvestris</i> Crantz	→ <i>Erysimum sylvestre</i> (Crantz) Scop. s.l.
<i>Cheiranthus tricuspidatus</i> L.	→ <i>Matthiola tricuspidata</i> (L.) R. Br.
<i>Chelidonium corniculatum</i> L.	→ <i>Glaucium corniculatum</i> (L.) Rudolph subsp. <i>corniculatum</i>
<i>Chelidonium hybridum</i> L.	→ <i>Roemeria hybrida</i> (L.) DC. subsp. <i>hybrida</i>
<i>Chenopodium album</i> L. subsp. <i>striatum</i> (Krasan) Murr	→ <i>Chenopodium strictum</i> Roth s.l.
<i>Chenopodium album</i> L. subsp. <i>viride</i> (L.)	→ <i>Chenopodium suecicum</i> Murr
<i>Chenopodium botryodes</i> Sm.	→ <i>Chenopodium botryoides</i> Sm.
<i>Chenopodium chenopodioides</i> (L.) Aellen	→ <i>Chenopodium botryoides</i> Sm.
<i>Chenopodium giganteum</i> D. Don	→ incl. <i>Chenopodium album</i> L. s.l.
<i>Chenopodium hirsutum</i> L.	→ <i>Bassia hirsuta</i> (L.) Asch.
<i>Chenopodium integrifolium</i> Vorosch.	→ <i>Chenopodium ambrosioides</i> L.
<i>Chenopodium maritimum</i> L.	→ <i>Suaeda maritima</i> (L.) Dumort.
<i>Chenopodium scoparia</i> L.	→ <i>Bassia scoparia</i> (L.) A.J. Scott subsp. <i>scoparia</i>
<i>Chenopodium suffruticosum</i> Willd.	→ <i>Chenopodium ambrosioides</i> L.
<i>Cherleria sedoides</i> L.	→ <i>Minuartia sedoides</i> (L.) Hiern
<i>Chondrilla nudicaulis</i> L.	→ <i>Launaea nudicaulis</i> (L.) Hook. f.
<i>Chondrilla prenanthoides</i> (Scop.) Vill.	→ <i>Chondrilla chondrilloides</i> (Ard.) H. Karst.
<i>Chrozophora obliqua</i> (Vahl) Spreng.	→ <i>Chrozophora tinctoria</i> (L.) Raf.
<i>Chrysanthemum achilleae</i> L.	→ <i>Tanacetum corymbosum</i> (L.) Sch. Bip. subsp. <i>achilleae</i> (L.) Greuter
<i>Chrysanthemum adustum</i> W.D.J. Koch	→ <i>Leucanthemum adustum</i> (W.D.J. Koch) Gremli
<i>Chrysanthemum alpinum</i> L.	→ <i>Leucanthemopsis alpina</i> (L.) Heywood
<i>Chrysanthemum audibertii</i> (DC.) P.Fourn.	→ <i>Tanacetum audibertii</i> (Req.) DC.
<i>Chrysanthemum balsamita</i> (L.) Baill.	→ <i>Tanacetum balsamita</i> L.
<i>Chrysanthemum ceratophylloides</i> All.	→ <i>Leucanthemum coronopifolium</i> Vill. subsp. <i>ceratophylloides</i> (All.) Vogt & Greuter
<i>Chrysanthemum cinerariifolium</i> (Trevir.) Vis.	→ <i>Tanacetum cinerariifolium</i> (Trevir.) Sch. Bip.
<i>Chrysanthemum coronarium</i> L.	→ <i>Glebionis coronaria</i> (L.) Spach
<i>Chrysanthemum coronopifolium</i> (Vill.) Vill.	→ <i>Leucanthemum coronopifolium</i> Vill. s.l.
<i>Chrysanthemum corymbosum</i> L.	→ <i>Tanacetum corymbosum</i> (L.) Sch. Bip. s.l.
<i>Chrysanthemum discoideum</i> sensu All.	→ <i>Leucanthemum virgatum</i> (Desr.) Clos
<i>Chrysanthemum flosculosum</i> L.	→ <i>Plagius flosculosus</i> (L.) Alavi & Heywood
<i>Chrysanthemum frutescens</i> L.	→ <i>Argyranthemum frutescens</i> (L.) Sch. Bip. subsp. <i>frutescens</i>
<i>Chrysanthemum heterophyllum</i> Willd.	→ <i>Leucanthemum heterophyllum</i> (Willd.) DC.

<i>Chrysanthemum minimum</i> Vill.	→ <i>Leucanthemopsis alpina</i> (L.) Heywood
<i>Chrysanthemum myconis</i> L.	→ <i>Coleostephus myconis</i> (L.) Cass. ex Rchb. f.
<i>Chrysanthemum pallens</i> Perreym.	→ <i>Leucanthemum pallens</i> (Perreym.) DC.
<i>Chrysanthemum parthenium</i> (L.) Bernh.	→ <i>Tanacetum parthenium</i> (L.) Sch. Bip.
<i>Chrysanthemum perpusillum</i> Loisel.	→ <i>Nananthea perpusilla</i> (Loisel.) DC.
<i>Chrysanthemum segetum</i> L.	→ <i>Glebionis segetum</i> (L.) Fourr.
<i>Chrysocoma graminifolia</i> L.	→ <i>Euthamia graminifolia</i> (L.) Nutt.
<i>Chrysocoma linosyris</i> L.	→ <i>Galatella linosyris</i> (L.) Rchb.f. subsp. <i>linosyris</i>
<i>Cicer ervoides</i> Brign.	→ <i>Lens ervoides</i> (Brign.) Grande
<i>Cicerbita alpina</i> (L.) Wallr.	→ <i>Lactuca alpina</i> (L.) A. Gray
<i>Cicerbita muralis</i> (L.) Wallr.	→ <i>Lactuca muralis</i> (L.) Gaertn.
<i>Cichorium endivia</i> L. subsp. <i>divaricatum</i> (Schousboe) P.D. Sell	→ <i>Cichorium endivia</i> L. subsp. <i>pumilum</i> (Jacq.) Cout.
<i>Cichorium pumilum</i> Jacq.	→ <i>Cichorium endivia</i> L. subsp. <i>pumilum</i> (Jacq.) Cout.
<i>Cineraria ambigua</i> Biv.	→ <i>Senecio ambiguus</i> (Biv.) DC. s.l.
<i>Cineraria bicolor</i> Willd.	→ <i>Senecio gibbosus</i> (Guss.) DC. subsp. <i>bicolor</i> (Willd.) Peruzzi, N.G. Passal. & Soldano
<i>Cineraria nebrodensis</i> Guss.	→ <i>Senecio ambiguus</i> (Biv.) DC. subsp. <i>nebrodensis</i> (Guss.) Peruzzi & N.G. Passal.
<i>Cirsium acarna</i> (L.) Moench	→ <i>Picnomon acarna</i> (L.) Cass.
<i>Cirsium casabonae</i> (L.) DC.	→ <i>Ptilostemon casabonae</i> (L.) Greuter
<i>Cirsium helenioides</i> (L.) Hill	→ <i>Cirsium heterophyllum</i> (L.) Hill
<i>Cirsium microcephalum</i> Moris	→ <i>Lamyropsis microcephala</i> (Moris) Dittrich & Greuter
<i>Cirsium montanum</i> (W. et K.) Sprengel	→ <i>Cirsium alsophilum</i> (Pollini) Soldano
<i>Cirsium niveum</i> (C. Presl) Spreng.	→ <i>Ptilostemon niveus</i> (C. Presl) Greuter
<i>Cirsium rivulare</i> Marches., non Link	→ <i>Cirsium alsophilum</i> (Pollini) Soldano
<i>Cirsium siculum</i> DC.	→ <i>Cirsium creticum</i> (Lam.) d'Urv. subsp. <i>triumfetti</i> (Lacaita) Werner
<i>Cirsium spathulatum</i> (Moretti) Gaudin	→ <i>Cirsium eriophorum</i> (L.) Scop. subsp. <i>spathulatum</i> (Moretti) Ces.
<i>Cirsium spinosissimum</i> (L.) Scop. subsp. <i>bertolonii</i> (Sprengel) Werner	→ <i>Cirsium bertolonii</i> Spreng.
<i>Cirsium stellatum</i> (L.) All.	→ <i>Ptilostemon stellatus</i> (L.) Greuter
<i>Cirsium strictum</i> (Ten.) Link	→ <i>Ptilostemon strictus</i> (Ten.) Greuter
<i>Cirsium syriacum</i> (L.) Gaertn.	→ <i>Notobasis syriaca</i> (L.) Cass.
<i>Cirsium vallis-demonii</i> Lojac.	→ <i>Cirsium vallis-demonis</i> Lojac.
<i>Cirsium vulgare</i> (Savi) Ten. subsp. <i>sylvaticum</i> (Tausch) Dostal	→ <i>Cirsium vulgare</i> (Savi) Ten.
<i>Cirsium willkommianum</i> Porta & Rigo ex Willk.	→ <i>Cirsium echinatum</i> (Desf.) DC.
<i>Cistus acuminatus</i> Viv.	→ <i>Tuberaria acuminata</i> (Viv.) Grosser
<i>Cistus aegyptiacus</i> L.	→ <i>Helianthemum aegyptiacum</i> (L.) Mill.
<i>Cistus alpestris</i> Jacq.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>alpestre</i> (Jacq.) Ces.
<i>Cistus apenninus</i> L.	→ <i>Helianthemum apenninum</i> (L.) Mill. subsp. <i>apenninum</i>
<i>Cistus arabicus</i> L.	→ <i>Fumana arabica</i> (L.) Spach
<i>Cistus corsicus</i> Loisel.	→ <i>Cistus creticus</i> L. subsp. <i>corsicus</i> (Loisel.) Greuter & Burdet
<i>Cistus croceus</i> Desf.	→ <i>Helianthemum croceum</i> (Desf.) Pers.
<i>Cistus ericoides</i> Cav.	→ <i>Fumana ericoides</i> (Cav.) Gand.
<i>Cistus eriocephalus</i> Viv.	→ <i>Cistus creticus</i> L. subsp. <i>eriocephalus</i> (Viv.) Greuter & Burdet
<i>Cistus fumana</i> L.	→ <i>Fumana procumbens</i> (Dunal) Gren. & Godr.
<i>Cistus grandiflorus</i> Scop.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>grandiflorum</i> (Scop.) Schinz & Thell.
<i>Cistus guttatus</i> L.	→ <i>Tuberaria guttata</i> (L.) Fourr.
<i>Cistus halimifolius</i> L.	→ <i>Halimium halimifolium</i> (L.) Willk. subsp. <i>halimifolium</i>
<i>Cistus incanus</i> L.	→ <i>Cistus creticus</i> L. subsp. <i>eriocephalus</i> (Viv.) Greuter & Burdet
<i>Cistus incanus</i> L. subsp. <i>corsicus</i>	→ <i>Cistus creticus</i> L. subsp. <i>corsicus</i> (Loisel.) Greuter & Burdet
<i>Cistus incanus</i> L. subsp. <i>creticus</i>	→ <i>Cistus creticus</i> L. s.l.
<i>Cistus incanus</i> L. subsp. <i>incanus</i>	→ <i>Cistus creticus</i> L. subsp. <i>eriocephalus</i> (Viv.) Greuter & Burdet
<i>Cistus italicus</i> L.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>italicum</i> (L.) Ces.
<i>Cistus laevis</i> Cav.	→ <i>Fumana laevis</i> (Cav.) Pau
<i>Cistus ledifolius</i> L.	→ <i>Helianthemum ledifolium</i> (L.) Mill.
<i>Cistus lunulatus</i> All.	→ <i>Helianthemum lunulatum</i> (All.) DC.
<i>Cistus nummularius</i> L.	→ <i>Helianthemum nummularium</i> (L.) Mill. s.l.
<i>Cistus oelandicus</i> L.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. s.l.
<i>Cistus pilosus</i> L.	→ <i>Helianthemum pilosum</i> (L.) Pers.
<i>Cistus salicifolius</i> L.	→ <i>Helianthemum salicifolium</i> (L.) Mill.
<i>Cistus salviifolius</i> L.	→ <i>Cistus salviifolius</i> L.
<i>Cistus sanguineus</i> Lag.	→ <i>Helianthemum sanguineum</i> (Lag.) Lag. ex Dunal
<i>Cistus sessiliflorus</i> Desf.	→ <i>Helianthemum sessiliflorum</i> (Desf.) Pers.
<i>Cistus thymifolius</i> L.	→ <i>Fumana thymifolia</i> (L.) Spach ex Webb

<i>Cistus tomentosus</i> Scop.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>tomentosum</i> (Scop.) Schinz & Thell.
<i>Cleistogenes serotina</i> (L.) Keng	→ <i>Kengia serotina</i> (L.) Packer
<i>Clinopodium vulgare</i> L. subsp. <i>arundanum</i> auct. Fl. Ital.	→ <i>Clinopodium vulgare</i> L. subsp. <i>arundanum</i> (Boiss.) Nyman
<i>Clinopodium vulgare</i> L. subsp. <i>orientale</i> Bothmer	→ <i>Clinopodium vulgare</i> L. subsp. <i>arundanum</i> (Boiss.) Nyman
<i>Clypeola alyssoides</i> L.	→ <i>Alyssum alyssoides</i> (L.) L.
<i>Clypeola maritima</i> L.	→ <i>Lobularia maritima</i> (L.) Desv. subsp. <i>maritima</i>
<i>Clypeola microcarpa</i> Moris	→ <i>Clypeola jonthlaspi</i> L. subsp. <i>microcarpa</i> (Moris) Arcang.
<i>Cnicus acarna</i> (L.) L.	→ <i>Picnemon acarna</i> (L.) Cass.
<i>Cnicus canus</i> (L.) Roth	→ <i>Cirsium canum</i> (L.) All.
<i>Cnicus casabonae</i> (L.) Roth	→ <i>Ptilostemon casabonae</i> (L.) Greuter
<i>Cnicus echinatus</i> (Desf.) Willd.	→ <i>Cirsium echinatum</i> (Desf.) DC.
<i>Cnicus eriophorus</i> (L.) Roth	→ <i>Cirsium eriophorum</i> (L.) Scop. s.l.
<i>Cnicus erisithales</i> Jacq.	→ <i>Cirsium erisithales</i> (Jacq.) Scop.
<i>Cnicus heterophyllus</i> (L.) Retz.	→ <i>Cirsium heterophyllum</i> (L.) Hill
<i>Cnicus microcephalus</i> (Moris) Bertol.	→ <i>Lamyropsis microcephala</i> (Moris) Dittrich & Greuter
<i>Cnicus niveus</i> C. Presl	→ <i>Ptilostemon niveus</i> (C. Presl) Greuter
<i>Cnicus oleraceus</i> L.	→ <i>Cirsium oleraceum</i> (L.) Scop.
<i>Cnicus rivularis</i> (Jacq.) Willd.	→ <i>Cirsium rivulare</i> (Jacq.) All.
<i>Cnicus sculus</i> (DC.) Guss.	→ <i>Cirsium creticum</i> (Lam.) d'Urv. subsp. <i>triumfetti</i> (Lacaita) Werner
<i>Cnicus stellatus</i> (L.) Roth	→ <i>Ptilostemon stellatus</i> (L.) Greuter
<i>Cnicus strictus</i> Ten.	→ <i>Ptilostemon strictus</i> (Ten.) Greuter
<i>Cnicus syriacus</i> (L.) Roth	→ <i>Notobasis syriaca</i> (L.) Cass.
<i>Cnidium apioides</i> (Lam.) Spreng.	→ <i>Cnidium silaifolium</i> (Jacq.) Simonk. subsp. <i>silaifolium</i>
<i>Cobresia bipartita</i> (All.) Dalla Torre	→ <i>Kobresia simpliciuscula</i> (Wahlenb.) Mack.
<i>Cochlearia acaulis</i> Desf.	→ <i>Jonopsidium acaule</i> (Desf.) Rchb.
<i>Cochlearia armoracia</i> L.	→ <i>Armoracia rusticana</i> P. Gaertn., B. Mey. & Scherb.
<i>Cochlearia saxatilis</i> L.	→ <i>Kernera saxatilis</i> (L.) Sweet subsp. <i>saxatilis</i>
<i>Coeloglossum diphyllum</i> (Link) Fiori & Paol.	→ <i>Gennaria diphylla</i> (Link) Parl.
<i>Coincya cheiranthos</i> (Vill.) Greuter & Burdet	→ <i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>cheiranthos</i> (Franco) Aedo, Leadlay & Muñoz Garm.
<i>Coincya cheiranthos</i> Greuter & Burdet subsp. <i>montana</i> (DC.) Greuter & Burdet	→ <i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>cheiranthos</i> (Franco) Aedo, Leadlay & Muñoz Garm.
<i>Coincya cheiranthos</i> Greuter & Burdet subsp. <i>rectangularis</i> (Viv.) Greuter & Burdet	→ <i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>cheiranthos</i> (Franco) Aedo, Leadlay & Muñoz Garm.
<i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>recurvata</i> (All.) Leadlay	→ <i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>cheiranthos</i> (Franco) Aedo, Leadlay & Muñoz Garm.
<i>Colchicum parvulum</i> Ten.	→ <i>Colchicum alpinum</i> Lam. & DC. subsp. <i>parvulum</i> (Ten.) Arcang.
<i>Colladonia angustifolia</i> Bertol.	→ <i>Heptaptera angustifolia</i> (Bertol.) Tutin
<i>Colocasia antiquorum</i> Schott	→ <i>Colocasia esculenta</i> (L.) Schott
<i>Colocynthis vulgaris</i> Schrad.	→ <i>Citrullus colocynthis</i> (L.) Schrad.
<i>Colutea arborescens</i> L. subsp. <i>gallica</i> Browicz	→ <i>Colutea brevialata</i> Lange
<i>Comarum palustre</i> L.	→ <i>Potentilla palustris</i> (L.) Scop.
<i>Consolida orientalis</i> (Gay) Schrodinger	→ <i>Consolida hispanica</i> (Costa) Greuter & Burdet
<i>Convallaria bifolia</i> L.	→ <i>Maianthemum bifolium</i> (L.) Schmidt
<i>Convallaria hirta</i> Poir.	→ <i>Polygonatum latifolium</i> (Jacq.) Desf.
<i>Convallaria multiflora</i> L.	→ <i>Polygonatum multiflorum</i> (L.) All.
<i>Convallaria odorata</i> Mill.	→ <i>Polygonatum odoratum</i> (Mill.) Druce
<i>Convallaria verticillata</i> L.	→ <i>Polygonatum verticillatum</i> (L.) All.
<i>Convolvulus althaeoides</i> L. subsp. <i>tenuissimus</i> (Sibth. & Sm.) Stace	→ <i>Convolvulus elegantissimus</i> Mill.
<i>Convolvulus betonicifolium</i> Miller	→ <i>Convolvulus betonicifolius</i> Mill.
<i>Convolvulus elegantissimus</i> Miller	→ <i>Convolvulus elegantissimus</i> Mill.
<i>Convolvulus meonanthus</i> Hoffmanns. & Link	→ <i>Convolvulus tricolor</i> L. subsp. <i>meonanthus</i> (Hoffmanns. & Link) Arcang.
<i>Convolvulus nil</i> L.	→ <i>Ipomoea nil</i> (L.) Roth
<i>Convolvulus sculus</i> L. subsp. <i>agrestis</i> (Schweinf.) Verdcourt	→ <i>Convolvulus sculus</i> L. subsp. <i>elongatus</i> Batt.
<i>Conyza albida</i> Willd.	→ <i>Erigeron sumatrensis</i> Retz.
<i>Conyza bonariensis</i> (L.) Cronq.	→ <i>Erigeron bonariensis</i> L.
<i>Conyza canadensis</i> (L.) Cronq.	→ <i>Erigeron canadensis</i> L.
<i>Conyza squamata</i> Spreng.	→ <i>Symphotrichum squamatum</i> (Spreng.) G.L.Nesom
<i>Conyza sumatrensis</i> (Retz.) E. Walker	→ <i>Erigeron sumatrensis</i> Retz.
<i>Corallorhiza innata</i> R. Br.	→ <i>Corallorhiza trifida</i> Châtel.
<i>Coreopsis aurea</i> Aiton	→ <i>Bidens aurea</i> (Aiton) Sherff
<i>Coriandrum testiculatum</i> L.	→ <i>Bifora testiculata</i> (L.) Spreng.
<i>Coridothymus capitatus</i> (L.) Reichenb. fil.	→ <i>Thymus capitatus</i> (L.) Hoffmanns. & Link
<i>Corispermum intermedium</i> Schweigger	→ <i>Corispermum leptopterum</i> (Asch.) Iljin
<i>Corispermum lucidum</i> (Mill.) Reduron & al.	→ <i>Ligusticum lucidum</i> Mill. s.l.

<i>Coritospermum lucidum</i> (Mill.) Reduron & al. subsp. <i>seguieri</i> (Jacq.) Leute	→ <i>Ligusticum lucidum</i> Mill. s.l.
<i>Cornelia verticillata</i> Ard.	→ <i>Ammannia verticillata</i> (Ard.) Lam.
<i>Coronilla cretica</i> L.	→ <i>Securigera cretica</i> (L.) Lassen
<i>Coronilla emeroides</i> Boiss. & Spruner	→ <i>Emerus majus</i> Mill. subsp. <i>emeroides</i> (Boiss. & Spruner) Soldano & F. Conti
<i>Coronilla emerus</i> L. subsp. <i>emeroides</i> (Boiss. et Spruner) Hayek	→ <i>Emerus majus</i> Mill. subsp. <i>emeroides</i> (Boiss. & Spruner) Soldano & F. Conti
<i>Coronilla emerus</i> L. subsp. <i>emerus</i>	→ <i>Emerus majus</i> Mill. s.l.
<i>Coronilla glauca</i> L.	→ incl. <i>Coronilla valentina</i> L.
<i>Coronilla lotoides</i> Koch	→ <i>Coronilla minima</i> L. subsp. <i>lotoides</i> (W.D.J. Koch) Nyman
<i>Coronilla pentaphylla</i> Desf.	→ incl. <i>Coronilla valentina</i> L.
<i>Coronilla securidaca</i> L.	→ <i>Securigera securidaca</i> (L.) Degen & Dörfel.
<i>Coronilla valentina</i> L. subsp. <i>glauca</i> (L.) Batt.	→ incl. <i>Coronilla valentina</i> L.
<i>Coronilla valentina</i> L. subsp. <i>pentaphylla</i> (Desf.) Batt.	→ incl. <i>Coronilla valentina</i> L.
<i>Coronilla valentina</i> L. subsp. <i>valentina</i>	→ incl. <i>Coronilla valentina</i> L.
<i>Coronilla varia</i> L.	→ <i>Securigera varia</i> (L.) Lassen
<i>Corrigiola litoralis</i> L. subsp. <i>telephiifolia</i> Pourret	→ <i>Corrigiola telephiifolia</i> Pourr.
<i>Cortaderia argentea</i> (Nees) Stapf	→ <i>Cortaderia selloana</i> (Schult.) Asch. & Graebn.
<i>Corthusa matthioli</i> L.	→ <i>Cortusa matthioli</i> L.
<i>Corydalis densiflora</i> C. Presl	→ <i>Corydalis solida</i> (L.) Clairv. subsp. <i>densiflora</i> (J. & C. Presl) Arcang.
<i>Corydalis lutea</i> (L.) DC.	→ <i>Pseudofumaria lutea</i> (L.) Borkh.
<i>Corynephorus divaricatus</i> sensu Pignatti	→ <i>Corynephorus articulatus</i> (Desf.) P. Beauv.
<i>Corynephorus fasciculatus</i> Boiss. & Reut., nom. sup.	→ <i>Corynephorus divaricatus</i> (Pourr.) Breistr.
<i>Cotoneaster nebrodensis</i> auct., non (Guss.) K. Koch	→ <i>Cotoneaster tomentosus</i> (Aiton) Lindl.
<i>Cotula abrotanifolia</i> Willd.	→ <i>Anthemis abrotanifolia</i> (Willd.) Guss.
<i>Cotula aurea</i> Loeffl.	→ <i>Matricaria aurea</i> (Loeffl.) Sch. Bip.
<i>Cotyledon chlorantha</i> (Heldr. & Sart. ex Boiss.) Halácsy	→ <i>Umbilicus chloranthus</i> Heldr. & Sart. ex Boiss.
<i>Cotyledon horizontalis</i> Guss.	→ <i>Umbilicus horizontalis</i> (Guss.) DC.
<i>Cotyledon rupestris</i> Salisb.	→ <i>Umbilicus rupestris</i> (Salisb.) Dandy
<i>Crassula basaltica</i> Brullo & Siracusa	→ <i>Tillaea basaltica</i> (Brullo & Siracusa) Brullo, Giusso & Siracusa
<i>Crassula portulacae</i> Lam.	→ <i>Crassula ovata</i> (Mill.) Druce
<i>Crassula tillaea</i> Lester-G.	→ <i>Tillaea muscosa</i> L.
<i>Crassula vaillantii</i> (Willd.) Roth	→ <i>Tillaea vaillantii</i> Willd.
<i>Crataegus aria</i> L.	→ <i>Sorbus aria</i> (L.) Crantz s.l.
<i>Crataegus azarella</i> (Griseb.) Franco	→ <i>Crataegus monogyna</i> Jacq.
<i>Crataegus florentina</i> Zuccagni	→ <i>Malus florentina</i> (Zuccagni) C.K. Schneid.
<i>Crataegus laciniata</i> Ucria	→ <i>Crataegus rhipidophylla</i> Gand.
<i>Crataegus noelensis</i> Sargent	→ <i>Crataegus mollis</i> Scheele
<i>Crataegus oxyacantha</i> L.	→ <i>Crataegus laevigata</i> (Poir.) DC.
<i>Crataegus torminalis</i> L.	→ <i>Sorbus torminalis</i> (L.) Crantz
<i>Crepis apula</i> (Fiori) Bab.	→ <i>Crepis brulla</i> Greuter
<i>Crepis bifida</i> Koch	→ incl. <i>Crepis sancta</i> (L.) Bab. subsp. <i>sancta</i>
<i>Crepis bocconi</i> P.D. Sell	→ <i>Crepis pontana</i> (L.) Dalla Torre
<i>Crepis caespitosa</i> Gren. et Godr.	→ <i>Crepis bellidifolia</i> Loisel.
<i>Crepis columnae</i> (Ten.) Froel.	→ <i>Crepis aurea</i> (L.) Cass. subsp. <i>glabrescens</i> (Caruel) Arcang.
<i>Crepis foetida</i> L. subsp. <i>rhoadifolia</i> (Bieb.) Celak.	→ <i>Crepis rhoadifolia</i> M. Bieb.
<i>Crepis froelichiana</i> DC. subsp. <i>dinarica</i> (Beck) Guterm.	→ <i>Crepis slovenica</i> Holub
<i>Crepis gussonei</i> Greuter	→ <i>Crepis sprengeli</i> Nicotra
<i>Crepis kernerii</i> Rech. fil.	→ <i>Crepis jacquinii</i> Tausch subsp. <i>kernerii</i> (Rech. f.) Merxm.
<i>Crepis neglecta</i> L. subsp. <i>corymbosa</i> (Ten.) Nyman	→ <i>Crepis corymbosa</i> Ten.
<i>Crepis praemorsa</i> (L.) Tausch subsp. <i>corymbosa</i> (Gaudin) P.D. Sell	→ <i>Crepis froelichiana</i> DC.
<i>Crepis praemorsa</i> (L.) Tausch subsp. <i>dinarica</i> (G. Beck) P.D. Sell	→ <i>Crepis slovenica</i> Holub
<i>Crepis sancta</i> (L.) Bab. subsp. <i>nemausensis</i> (Gouan) Bab.	→ <i>Crepis sancta</i> (L.) Bab. subsp. <i>sancta</i>
<i>Crepis spatulata</i> Guss.	→ <i>Crepis sprengeli</i> Nicotra
<i>Crepis succisiifolia</i> All.	→ <i>Crepis mollis</i> (Jacq.) Asch. subsp. <i>succisiifolia</i> (All.) Jáv.
<i>Crepis suffreniana</i> (DC.) Lloyd subsp. <i>apula</i> (Fiori) P.D. Sell	→ <i>Crepis brulla</i> Greuter
<i>Crepis taraxacifolia</i> Thuill.	→ <i>Crepis vesicaria</i> L. subsp. <i>taraxacifolia</i> (Thuill.) Thell.
<i>Crepis vesicaria</i> L. subsp. <i>haenseleri</i> (Boiss. ex DC.) P.D. Sell	→ <i>Crepis vesicaria</i> L. subsp. <i>taraxacifolia</i> (Thuill.) Thell.
<i>Crocus albiflorus</i> Kit.	→ <i>Crocus vernus</i> (L.) Hill subsp. <i>albiflorus</i> (Kit.) Ces.
<i>Crocus bulbocodium</i> L.	→ <i>Romulea bulbocodium</i> (L.) Sebast. & Mauri
<i>Crocus imperati</i> Ten. subsp. <i>suaveolens</i> (Bertol.) Mathew	→ <i>Crocus suaveolens</i> Bertol.
<i>Crocus medius</i> auct.	→ <i>Crocus ligusticus</i> Mariotti
<i>Crocus napolitanus</i> Mord. & Loisel.	→ <i>Crocus vernus</i> (L.) Hill s.l.
<i>Crocus odoratus</i> Vis.	→ <i>Crocus thomasii</i> Ten.
<i>Crocus thomasianus</i> Herb.	→ <i>Crocus thomasii</i> Ten.
<i>Crocus visianicus</i> Herb.	→ <i>Crocus thomasii</i> Ten.

<i>Croton obliquus</i> Vahl	→ <i>Chrozophora tinctoria</i> (L.) Raf.
<i>Crypsis nigricans</i> Guss.	→ <i>Crypsis alopecuroides</i> (Piller & Mitterp.) Schrad.
<i>Cryptotaenia thomasi</i> (Ten.) DC.	→ <i>Lereschia thomasi</i> (Ten.) Boiss.
<i>Cucubalus acaulis</i> L.	→ <i>Silene acaulis</i> (L.) Jacq. s.l.
<i>Cucubalus catholicum</i> L.	→ <i>Silene catholica</i> (L.) W.T. Aiton
<i>Cucubalus italicus</i> L.	→ <i>Silene italica</i> (L.) Pers. s.l.
<i>Cucubalus otites</i> L.	→ <i>Silene otites</i> (L.) Wibel s.l.
<i>Cucubalus quadrifidus</i> L.	→ incl. <i>Silene pusilla</i> Waldst. & Kit. subsp. <i>pusilla</i>
<i>Cucumis colocynthis</i> L.	→ <i>Citrullus colocynthis</i> (L.) Schrad.
<i>Cucurbita siceraria</i> Molina	→ <i>Lagenaria siceraria</i> (Molina) Standl.
<i>Cupressus sempervirens</i> L.	→ <i>Cupressus sempervirens</i> L.
<i>Cupularia graveolens</i> (L.) Gren. & Godr.	→ <i>Dittrichia graveolens</i> (L.) Greuter
<i>Cupularia viscosa</i> (L.) Gren. & Godr.	→ <i>Dittrichia viscosa</i> (L.) Greuter s.l.
<i>Cuscuta australis</i> R. Br.	→ <i>Cuscuta scandens</i> Brot. s.l.
<i>Cuscuta australis</i> R. Br. subsp. <i>cesattiana</i> (Bertol.) Feinbrun	→ <i>Cuscuta scandens</i> Brot. subsp. <i>cesattiana</i> (Bertol.) Greuter & Burdet
<i>Cuscuta australis</i> R. Br. subsp. <i>tinei</i> (Insenga) Feinbrun	→ <i>Cuscuta scandens</i> Brot. subsp. <i>scandens</i>
<i>Cuscuta cesatiana</i> Bertol.	→ <i>Cuscuta scandens</i> Brot. subsp. <i>cesattiana</i> (Bertol.) Greuter & Burdet
<i>Cuscuta kotschy</i> Desmoulins	→ <i>Cuscuta epithymum</i> (L.) L. subsp. <i>kotschy</i> (Des Moul.) Arcang.
<i>Cuscuta scandens</i> Brot. subsp. <i>cesatiana</i> (Bertol.) Greuter & Burdet	→ <i>Cuscuta scandens</i> Brot. subsp. <i>cesattiana</i> (Bertol.) Greuter & Burdet
<i>Cuscuta tinei</i> Inzenga	→ <i>Cuscuta scandens</i> Brot. subsp. <i>scandens</i>
<i>Cyanus adscendens</i> (Bartl.) Sojak	→ incl. <i>Cyanus triumfetti</i> (All.) Dostál ex Á. & D. Löve
<i>Cyanus axillaris</i> J. & C. Presl	→ incl. <i>Cyanus triumfetti</i> (All.) Dostál ex Á. & D. Löve
<i>Cyanus canus</i> (Sibth. & Sm.) Holub	→ incl. <i>Cyanus triumfetti</i> (All.) Dostál ex Á. & D. Löve
<i>Cycloloma atriplicifolia</i> (Sprengel) Coulter	→ <i>Cycloloma atriplicifolium</i> (Spreng.) J.M. Coult.
<i>Cymbalaria muralis</i> P. Gaertner, B. Meyer & Scherb. subsp. <i>pubescens</i> (C. Presl) D.A. Webb	→ <i>Cymbalaria pubescens</i> (J. Presl) Cufod.
<i>Cymbalaria pilosa</i> (Jacq.) Bailey	→ <i>Cymbalaria glutinosa</i> Bigazzi & Raffaelli s.l.
<i>Cymbopogon hirtus</i> (L.) Janchen subsp. <i>villosus</i> (Pign.) Pign.	→ <i>Hyparrhenia sinaica</i> (Delile) Llauradó ex G. López
<i>Cynara scolymus</i> L.	→ <i>Cynara cardunculus</i> L. subsp. <i>scolymus</i> (L.) Hayek
<i>Cynoglossum apenninum</i> L.	→ <i>Solenanthus apenninus</i> (L.) Fisch. & C.A. Mey.
<i>Cynosurus aegyptius</i> L.	→ <i>Dactyloctenium aegyptium</i> (L.) Richt.
<i>Cynosurus aureus</i> L.	→ <i>Lamarckia aurea</i> (L.) Moench
<i>Cynosurus durus</i> L.	→ <i>Sclerochloa dura</i> (L.) P. Beauv.
<i>Cynosurus elegans</i> auct., non Desf.	→ <i>Cynosurus effusus</i> Link
<i>Cynosurus elegans</i> auct., non Desf. subsp. <i>obliquatus</i> (Link) Battand. & Trabut	→ <i>Cynosurus effusus</i> Link
<i>Cynosurus indicus</i> L.	→ <i>Eleusine indica</i> (L.) Gaertn. s.l.
<i>Cynosurus ovatus</i> Hoppe	→ <i>Psilathera ovata</i> (Hoppe) Deyl
<i>Cynosurus polybracteatus</i> Poir.	→ <i>Cynosurus cristatus</i> L.
<i>Cynosurus siculus</i> Jacq.	→ <i>Desmazeria sicula</i> (Jacq.) Dumort.
<i>Cyperus aristatus</i> Rottb.	→ <i>Cyperus squarrosus</i> L.
<i>Cyperus distachyos</i> All.	→ <i>Cyperus laevigatus</i> L. subsp. <i>distachyos</i> (All.) Ball
<i>Cyperus globosus</i> All.	→ <i>Cyperus flavidus</i> Retz.
<i>Cyperus kalli</i> (Forsskål) Murb.	→ <i>Cyperus capitatus</i> Vand.
<i>Cyperus longus</i> L. subsp. <i>badius</i> (Desf.) Murb.	→ <i>Cyperus badius</i> Desf.
<i>Cyperus polystachyos</i> Rottb.	→ <i>Cyperus polystachyus</i> Rottb.
<i>Cystopteris fragilis</i> (L.) Bernh. subsp. <i>alpina</i> (Wulfen) Hartman	→ <i>Cystopteris alpina</i> (Lam.) Desv.
<i>Cystopteris fragilis</i> (L.) Bernh. subsp. <i>diaphana</i> Litard.	→ <i>Cystopteris diaphana</i> (Bory) Blasdell
<i>Cystopteris viridula</i> (Desv.) Desv.	→ <i>Cystopteris diaphana</i> (Bory) Blasdell
<i>Cytinus clusii</i> (Nyman) Gand.	→ <i>Cytinus ruber</i> Fourr. ex Fritsch
<i>Cytinus hypocistis</i> (L.) L. subsp. <i>clusii</i> Nyman	→ <i>Cytinus ruber</i> Fourr. ex Fritsch
<i>Cytinus hypocistis</i> (L.) L. subsp. <i>kermesinus</i> (Guss.) Arcangeli	→ <i>Cytinus ruber</i> Fourr. ex Fritsch
<i>Cytinus hypocistis</i> (L.) L. subsp. <i>ochraceus</i> (Guss.) Wettst.	→ <i>Cytinus hypocistis</i> (L.) L.
<i>Cytinus kermesinus</i> (Guss.) Bouchard	→ <i>Cytinus ruber</i> Fourr. ex Fritsch
<i>Cytisus alpinus</i> Mill.	→ <i>Laburnum alpinum</i> (Mill.) Bercht. & J. Presl
<i>Cytisus alschingeri</i> Vis.	→ <i>Laburnum anagyroides</i> Medik. subsp. <i>alschingeri</i> (Vis.) Hayek
<i>Cytisus atratus</i> Schur	→ <i>Cytisus nigricans</i> L. subsp. <i>atratus</i> (Schur) Nyman
<i>Cytisus holopetalus</i> Koch	→ <i>Genista holopetala</i> (Koch) Bald.
<i>Cytisus laburnum</i> L.	→ <i>Laburnum anagyroides</i> Medik. s.l.
<i>Cytisus monspessulana</i> L.	→ <i>Teline monspessulana</i> (L.) K. Koch
<i>Cytisus polytrichus</i> M. Bieb.	→ <i>Cytisus hirsutus</i> L. subsp. <i>polytrichus</i> (M. Bieb.) Hayek
<i>Cytisus pumilus</i> De Not.	→ <i>Cytisus hirsutus</i> L. subsp. <i>pumilus</i> (De Not.) Briq.
<i>Cytisus sessilifolius</i> L.	→ <i>Cytisophyllum sessilifolium</i> (L.) O. Lang
<i>Cytisus zanonii</i> Turra	→ <i>Argyrolobium zanonii</i> (Turra) P.W. Ball subsp. <i>zanonii</i>
<i>Dactylis aschersoniana</i> Graebn.	→ <i>Dactylis glomerata</i> L. subsp. <i>lobata</i> (Drejer) Lindb. f.

<i>Dactylis glomerata</i> L. subsp. <i>aschersoniana</i> (Graebner) Thell.	→ <i>Dactylis glomerata</i> L. subsp. <i>lobata</i> (Drejer) Lindb. f.
<i>Dactylis hispanica</i> Roth	→ <i>Dactylis glomerata</i> L. subsp. <i>hispanica</i> (Roth) Nyman
<i>Dactylis lagopoides</i> L.	→ <i>Aeluropus lagopoides</i> (L.) Trin.
<i>Dactylis lobata</i> M. Bieb.	→ <i>Koeleria lobata</i> (M. Bieb.) Roem. & Schult.
<i>Dactylis maritima</i> Curtis	→ <i>Spartina maritima</i> (Curtis) Fernald
<i>Dactylis polygama</i> Horvatovsky	→ <i>Dactylis glomerata</i> L. subsp. <i>lobata</i> (Drejer) Lindb. f.
<i>Dactyloctenium aegyptium</i> (L.) Richter	→ <i>Dactyloctenium aegyptium</i> (L.) Richt.
<i>Dactyloctenium aegyptiacum</i> Willd.	→ <i>Dactyloctenium aegyptium</i> (L.) Richt.
<i>Dactylorhiza alpestris</i> (Pugsley) Aver.	→ <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Dactylorhiza fasciculata</i> (Tineo) Aver.	→ <i>Dactylorhiza insularis</i> (Sommier) Landwehr
<i>Dactylorhiza fistulosa</i> (Moench) H. Baumann & Künkele	→ <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Dactylorhiza fuchsii</i> (Druce) Soó	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>fuchsii</i> (Druce) Hyl.
<i>Dactylorhiza fuchsii</i> (Druce) Soó subsp. <i>fuchsii</i>	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>fuchsii</i> (Druce) Hyl.
<i>Dactylorhiza gervasiana</i> (Tod.) H. Baumann & Künkele	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>saccifera</i> (Brongn.) Diklic
<i>Dactylorhiza latifolia</i> (L.) H. Baumann & Künkele	→ <i>Dactylorhiza sambucina</i> (L.) Soó
<i>Dactylorhiza latifolia</i> (L.) Soó	→ <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh. subsp. <i>alpestris</i> (Pugsley) Senghas	→ incl. <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Dactylorhiza praetermissa</i> (Druce) Soó	→ incl. <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Dactylorhiza pseudocordigera</i> (Neumann) Soó	→ <i>Dactylorhiza traunsteineri</i> (Sauter ex Rchb.) Soó subsp. <i>lapponica</i> (Laest. ex Rchb. f.) Soó
<i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>bartonii</i> Huxley & P.F. Hunt	→ <i>Dactylorhiza insularis</i> (Sommier) Landwehr
<i>Dactylorhiza saccifera</i> (Brongn.) Soó	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>saccifera</i> (Brongn.) Diklic
<i>Dactylorhiza sambucina</i> (L.) Soó subsp. <i>insularis</i> (Sommier) Soó	→ <i>Dactylorhiza insularis</i> (Sommier) Landwehr
<i>Dactylorhiza sambucina</i> (L.) Soó subsp. <i>pseudosambucina</i> (Ten.) Franco	→ <i>Dactylorhiza romana</i> (Sebast.) Soó s.l.
<i>Dactylorhiza sicula</i> (Tineo) Aver.	→ <i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>markusii</i> (Tineo) Holub
<i>Dactylorhiza strictifolia</i> (Opiz) Rauschert	→ <i>Dactylorhiza incarnata</i> (L.) Soó s.l.
<i>Dactylorhiza sulphurea</i> Franco	→ <i>Dactylorhiza romana</i> (Sebast.) Soó s.l.
<i>Dactylorhiza sulphurea</i> Franco subsp. <i>siciliensis</i> (Klinge) Franco	→ <i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>markusii</i> (Tineo) Holub
<i>Damasonium bourgaei</i> Coss.	→ <i>Damasonium alisma</i> Mill. subsp. <i>bourgaei</i> (Coss.) Maire
<i>Danaa cornubiensis</i> (L.) Burnat	→ <i>Physospermum cornubiense</i> (L.) DC.
<i>Danaa verticillata</i> (Waldst. & Kit.) Janch.	→ <i>Physospermum verticillatum</i> (Waldst. & Kit.) Vis.
<i>Danthonia calycina</i> (Lam.) Rchb.	→ <i>Danthonia alpina</i> Vest
<i>Danthonia provincialis</i> DC.	→ <i>Danthonia alpina</i> Vest
<i>Daphne dioica</i> Gouan	→ <i>Thymelaea dioica</i> (Gouan) All.
<i>Daphne hirsuta</i> (L.) Samp.	→ <i>Thymelaea hirsuta</i> (L.) Endl.
<i>Daphne passerina</i> (L.) Samp.	→ <i>Thymelaea passerina</i> (L.) Coss. & Germ.
<i>Daphne tartonraira</i> L.	→ <i>Thymelaea tartonraira</i> (L.) All. subsp. <i>tartonraira</i>
<i>Daucus bocconei</i> Guss.	→ <i>Daucus carota</i> L. subsp. <i>drepanensis</i> (Arcang.) Heywood
<i>Daucus carota</i> L. subsp. <i>hispidus</i> (Arcang.) Heywood	→ <i>Daucus carota</i> L. subsp. <i>hispanicus</i> (Gouan) Thell.
<i>Daucus gingidium</i> L.	→ <i>Daucus carota</i> L. s.l.
<i>Daucus gingidium</i> L. subsp. <i>fontanesii</i> (Thell.) Onno	→ <i>Daucus carota</i> L. subsp. <i>hispanicus</i> (Gouan) Thell.
<i>Daucus gingidium</i> L. subsp. <i>mauritanicus</i> (L.) Onno	→ <i>Daucus carota</i> L. subsp. <i>commutatus</i> (Paol.) Thell.
<i>Daucus gingidium</i> L. subsp. <i>polygamus</i> (Gouan) Onno	→ <i>Daucus carota</i> L. subsp. <i>drepanensis</i> (Arcang.) Heywood
<i>Daucus gingidium</i> L. subsp. <i>rupestris</i> (Guss.) Onno	→ <i>Daucus carota</i> L. subsp. <i>rupestris</i> (Guss.) Heywood
<i>Daucus grandiflora</i> (L.) Scop.	→ <i>Orlaya grandiflora</i> (L.) Hoffm.
<i>Daucus gummifer</i> auct.	→ <i>Daucus carota</i> L. subsp. <i>hispanicus</i> (Gouan) Thell.
<i>Daucus hispanicus</i> Gouan	→ <i>Daucus carota</i> L. subsp. <i>hispanicus</i> (Gouan) Thell.
<i>Daucus maritimus</i> Lam.	→ <i>Daucus carota</i> L. subsp. <i>maritimus</i> (Lam.) Batt.
<i>Daucus mauritanicus</i> L.	→ <i>Daucus carota</i> L. subsp. <i>commutatus</i> (Paol.) Thell.
<i>Daucus maximus</i> Desf.	→ <i>Daucus carota</i> L. subsp. <i>maximus</i> (Desf.) Ball
<i>Daucus minusculus</i> Pau	→ <i>Pseudorlaya minuscula</i> (Pau) M. Láz
<i>Daucus platycarpus</i> auct.	→ <i>Orlaya daucoides</i> (L.) Greuter
<i>Daucus polygamus</i> Gouan	→ <i>Daucus carota</i> L. subsp. <i>drepanensis</i> (Arcang.) Heywood
<i>Daucus rupestris</i> Guss.	→ <i>Daucus carota</i> L. subsp. <i>rupestris</i> (Guss.) Heywood
<i>Daucus visnaga</i> L.	→ <i>Ammi visnaga</i> (L.) Lam.
<i>Delphinium ajacis</i> L.	→ <i>Consolida ajacis</i> (L.) Schur
<i>Delphinium elatum</i> L. var. <i>dubium</i> Rouy & Fouc.	→ <i>Delphinium dubium</i> (Rouy & Foucaud) Pawl.
<i>Delphinium hispanicum</i> Costa	→ <i>Consolida hispanica</i> (Costa) Greuter & Burdet
<i>Delphinium paniculatum</i> Host	→ <i>Consolida regalis</i> Gray subsp. <i>paniculata</i> (Host) Soó
<i>Delphinium pubescens</i> DC.	→ <i>Consolida pubescens</i> (DC.) Soó
<i>Delphinium requienii</i> DC.	→ <i>Delphinium pictum</i> Willd. subsp. <i>requienii</i> (DC.) Arcang.
<i>Delphinium staphisagria</i> L.	→ <i>Delphinium staphysagria</i> L.
<i>Dentaria bulbifera</i> L.	→ <i>Cardamine bulbifera</i> (L.) Crantz
<i>Dentaria enneaphyllos</i> L.	→ <i>Cardamine enneaphyllos</i> (L.) Crantz
<i>Dentaria heptaphylla</i> Vill.	→ <i>Cardamine heptaphylla</i> (Vill.) O.E. Schulz

<i>Dentaria pentaphyllos</i> L.	→ <i>Cardamine pentaphyllos</i> (L.) Crantz
<i>Deschampsia caespitosa</i> (L.) Beauv.	→ <i>Deschampsia caespitosa</i> (L.) P. Beauv. s.l.
<i>Deschampsia litoralis</i> (Gaudin) Reuter	→ <i>Deschampsia litoralis</i> (Gaudin) Reut.
<i>Deschampsia parviflora</i> (Thuill.) P.Beauv.	→ <i>Deschampsia caespitosa</i> (L.) P. Beauv. subsp. <i>parviflora</i> (Thuill.) Dumort.
<i>Desmazeria loliacea</i> (Huds.) Nyman	→ <i>Catapodium balearicum</i> (Willk.) H. Scholz
<i>Desmazeria marina</i> L.	→ <i>Catapodium balearicum</i> (Willk.) H. Scholz
<i>Desmazeria rigida</i> (L.) Tutin	→ <i>Catapodium rigidum</i> (L.) C.E. Hubb. ex Dony s.l.
<i>Desmazeria rigida</i> (L.) Tutin subsp. <i>hemipoa</i> (Delile ex Sprengel) Stace	→ <i>Catapodium hemipoa</i> (Delile ex Spreng.) Lainz
<i>Desmazeria rigida</i> (L.) Tutin subsp. <i>rigida</i>	→ <i>Catapodium rigidum</i> (L.) C.E. Hubb. ex Dony subsp. <i>rigidum</i>
<i>Dianthus aelolicus</i> Lojac.	→ <i>Dianthus rupicola</i> Biv. subsp. <i>aelolicus</i> (Lojac.) Brullo & Minissale
<i>Dianthus atrorubens</i> All.	→ <i>Dianthus carthusianorum</i> L. subsp. <i>atrorubens</i> (All.) Hegi
<i>Dianthus carthusianorum</i> L. subsp. <i>sanguineus</i> (Vis.) Williams	→ <i>Dianthus sanguineus</i> Vis.
<i>Dianthus carthusianorum</i> L. var. <i>tenorei</i> Lacaita	→ <i>Dianthus carthusianorum</i> L. subsp. <i>tenorei</i> (Lacaita) Pignatti
<i>Dianthus compactus</i> Kit.	→ <i>Dianthus barbatus</i> L. subsp. <i>compactus</i> (Kit.) Heuff.
<i>Dianthus ferrugineus</i> Miller subsp. <i>liburnicus</i> (Bartl.) Tutin	→ <i>Dianthus balbisii</i> Ser. subsp. <i>liburnicus</i> (Bartl.) Pignatti
<i>Dianthus ferrugineus</i> Miller subsp. <i>vulturius</i> (Guss. & Ten.) Tutin	→ <i>Dianthus vulturius</i> Guss. & Ten. s.l.
<i>Dianthus furcatus</i> Balb. var. <i>dissimilis</i> Burnat	→ <i>Dianthus furcatus</i> Balb. subsp. <i>dissimilis</i> (Burnat) Pignatti
<i>Dianthus furcatus</i> Balb. var. <i>lereschii</i> Burnat	→ <i>Dianthus furcatus</i> Balb. subsp. <i>lereschii</i> (Burnat) Pignatti
<i>Dianthus gasparrinii</i> Guss.	→ <i>Dianthus sylvestris</i> Wulfen subsp. <i>siculus</i> (C. Presl) Tutin
<i>Dianthus liburnicus</i> Bartl.	→ <i>Dianthus balbisii</i> Ser. subsp. <i>liburnicus</i> (Bartl.) Pignatti
<i>Dianthus longicaulis</i> Ten.	→ <i>Dianthus sylvestris</i> Wulfen subsp. <i>longicaulis</i> (Ten.) Greuter & Burdet
<i>Dianthus marsicus</i> Ten.	→ incl. <i>Dianthus monspessulanus</i> L.
<i>Dianthus nanteuillii</i> Burnat	→ <i>Petrorhagia nanteuillii</i> (Burnat) P.W. Ball & Heywood
<i>Dianthus neglectus</i> Loisel.	→ <i>Dianthus pavonius</i> Tausch
<i>Dianthus paniculatus</i> Lojac.	→ <i>Dianthus busambrae</i> Soldano & F. Conti
<i>Dianthus prolifer</i> L.	→ <i>Petrorhagia prolifera</i> (L.) P.W. Ball & Heywood
<i>Dianthus saxifragus</i> L.	→ <i>Petrorhagia saxifraga</i> (L.) Link s.l.
<i>Dianthus seguieri</i> Vill.	→ <i>Dianthus seguieri</i> Vill. subsp. <i>seguieri</i>
<i>Dianthus seguieri</i> Vill. subsp. <i>italicus</i> Tutin	→ <i>Dianthus seguieri</i> Vill. subsp. <i>seguieri</i>
<i>Dianthus siculus</i> C. Presl	→ <i>Dianthus sylvestris</i> Wulfen subsp. <i>siculus</i> (C. Presl) Tutin
<i>Dianthus sternbergii</i> Capelli subsp. <i>marsicus</i> (Ten.) Pign.	→ incl. <i>Dianthus monspessulanus</i> L.
<i>Dianthus sylvestris</i> Wulfen subsp. <i>garganicus</i> (Grande) Pign.	→ <i>Dianthus sylvestris</i> Wulfen subsp. <i>longicaulis</i> (Ten.) Greuter & Burdet
<i>Dianthus vaginatus</i> Chaix	→ <i>Dianthus carthusianorum</i> L. subsp. <i>vaginatus</i> (Chaix) Hegi
<i>Dianthus virgineus</i> Gren. & Godr. var. <i>tergestina</i> Rchb.	→ <i>Dianthus sylvestris</i> Wulfen subsp. <i>tergestinus</i> (Rchb.) Hayek
<i>Dichanthium insculptum</i> (A. Rich.) Clayton	→ <i>Bothriochloa insculpta</i> (Hochst.) A.Camus
<i>Dichanthium ischaemum</i> (L.) Roberty	→ <i>Bothriochloa ischaemum</i> (L.) Keng
<i>Digitalis australis</i> Ten.	→ <i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.
<i>Digitalis micrantha</i> Roth	→ <i>Digitalis lutea</i> L. subsp. <i>australis</i> (Ten.) Arcang.
<i>Digitaria paspalodes</i> Michx.	→ <i>Paspalum distichum</i> L.
<i>Digitaria vaginata</i> (Swartz) Philippe	→ <i>Paspalum vaginatum</i> Sw.
<i>Diopogon allionii</i> Jord. & Fourr	→ <i>Jovibarba allionii</i> (Jord. & Fourr.) D.A. Webb
<i>Diphasiastrum complanatum</i> (Rouy) J. Holub subsp. <i>issleri</i> (Rouy) J. Holub	→ <i>Diphasiastrum issleri</i> (Rouy) Holub
<i>Diphasium alpinum</i> (L.) Rothm.	→ <i>Diphasiastrum alpinum</i> (L.) Holub
<i>Diphasium complanatum</i> (L.) Rothm.	→ <i>Diphasiastrum complanatum</i> (L.) Holub
<i>Diphasium issleri</i> (Rouy) Holub	→ <i>Diphasiastrum issleri</i> (Rouy) Holub
<i>Diphasium tristachyum</i> (Pursh) Rothm.	→ <i>Diphasiastrum tristachyum</i> (Pursh) Holub
<i>Diplachne serotina</i> (L.) Link	→ <i>Kengia serotina</i> (L.) Packer
<i>Diplotaxis crassifolia</i> (Rafin.) DC.	→ <i>Diplotaxis harra</i> (Forssk.) Boiss. subsp. <i>crassifolia</i> (Raf.) Maire
<i>Dittrichia orientalis</i> Brullo & De Marco	→ <i>Dittrichia viscosa</i> (L.) Greuter subsp. <i>angustifolia</i> (Bég.) Greuter
<i>Dolichos lobatus</i> Willd.	→ <i>Pueraria lobata</i> (Willd.) Ohwi
<i>Doronicum bellidiastrum</i> L.	→ <i>Bellidiastrum michelii</i> Cass.
<i>Doronicum cordatum</i> auct.	→ <i>Doronicum columnae</i> Ten.
<i>Doronicum hungaricum</i> auct.	→ <i>Doronicum plantagineum</i> L.
<i>Dorycnium pentaphyllum</i> Scop. subsp. <i>germanicum</i> (Gremli) Gams	→ <i>Dorycnium germanicum</i> (Gremli) Rikli
<i>Dorycnium pentaphyllum</i> Scop. subsp. <i>herbaceum</i> (Vill.) Rouy	→ <i>Dorycnium herbaceum</i> Vill.
<i>Dorycnium pentaphyllum</i> Scop. subsp. <i>suffruticosum</i> (Vill.) Rouy	→ <i>Dorycnium pentaphyllum</i> Scop.
<i>Draba praecox</i> Steven	→ <i>Erophila verna</i> (L.) DC. subsp. <i>praecox</i> (Steven) Walp.
<i>Draba pyrenaica</i> L.	→ <i>Petrocallis pyrenaica</i> (L.) R. Br.
<i>Draba spathulata</i> Lang	→ <i>Erophila verna</i> (L.) DC. subsp. <i>spathulata</i> (Lang) Vollm.
<i>Draba verna</i> L.	→ <i>Erophila verna</i> (L.) DC. s.l.
<i>Dracunculus muscivorus</i> (L. fil.) Parl.	→ <i>Helicodiceros muscivorus</i> (L. f.) Engl.
<i>Drimia fugax</i> (Moris) Stearn	→ <i>Urginea fugax</i> (Moris) Steinh.
<i>Drimia maritima</i> (L.) Stearn	→ <i>Charybdis maritima</i> (L.) Speta

<i>Drimia undulata</i> Stearn	→ <i>Charybdis undulata</i> (Desf.) Speta
<i>Drosanthemum hispidum</i> (L.) Schwantes	→ <i>Mesembryanthemum hispidum</i> L.
<i>Drosera longifolia</i> L.	→ <i>Drosera anglica</i> Huds.
<i>Drymocallis rupestris</i> (L.) Soják	→ <i>Potentilla rupestris</i> L. s.l.
<i>Drymocallis rupestris</i> (L.) Soják subsp. <i>corsica</i> (Soleirol ex Lehm.) Soják	→ <i>Potentilla rupestris</i> L. subsp. <i>corsica</i> (Soleirol ex Lehm.) Rouy & E.G. Camus
<i>Drymocallis rupestris</i> (L.) Soják subsp. <i>rupestris</i>	→ <i>Potentilla rupestris</i> L. subsp. <i>rupestris</i>
<i>Dryopteris affinis</i> (Lowe) Fraser-Jenkins subsp. <i>stilluppensis</i> (Sabr.) Fraser-Jenkins	→ <i>Dryopteris affinis</i> (Lowe) Fraser-Jenk. subsp. <i>cambrensis</i> Fraser-Jenk.
<i>Dryopteris villarii</i> (Bellardi) Woytnar subsp. <i>pallida</i> (Bory) Heywood	→ <i>Dryopteris pallida</i> (Bory) Maire & Petitm. subsp. <i>pallida</i>
<i>Dryopteris villarii</i> Bellardi subsp. <i>submontana</i> Fraser-Jenk. et Jermy	→ <i>Dryopteris submontana</i> (Fraser-Jenk. & Jermy) Fraser-Jenk.
<i>Drypis jacquiniana</i> Murb. et Wettst.	→ <i>Drypis spinosa</i> L. subsp. <i>jacquiniana</i> Wettst. & Murb.
<i>Duchesnea indica</i> (Jacks.) Th. Wolf	→ <i>Potentilla indica</i> (Jacks.) Th. Wolf
<i>Echinochloa colonum</i> (L.) Link	→ <i>Echinochloa colona</i> (L.) Link
<i>Echinochloa erecta</i> (Pollacci) Pign.	→ <i>Echinochloa hispidula</i> (Retz.) Nees ex Royle
<i>Echinochloa hostii</i> (Bieb.) Boros	→ <i>Echinochloa oryzoides</i> (Ard.) Fritsch
<i>Echinochloa phyllopogon</i> auct. non (Stapf) Stapf ex Koss.	→ <i>Echinochloa oryzicola</i> (Vasing.) Vasing.
<i>Echinochloa phyllopogon</i> (Stapf) Vasc.	→ <i>Echinochloa oryzicola</i> (Vasing.) Vasing.
<i>Echinops sicutus</i> Strobl	→ <i>Echinops ritro</i> L. subsp. <i>sicutus</i> (Strobl) Greuter
<i>Echinops spinosus</i> L.	→ <i>Echinops spinosissimus</i> Turra subsp. <i>spinosus</i> Greuter
<i>Echium coyncianum</i> Lacaita	→ <i>Echium creticum</i> L. subsp. <i>coyncianum</i> (Lacaita) R. Fern.
<i>Echium creticum</i> L. subsp. <i>coyncianum</i> (Lacaita) R. Fernandes	→ <i>Echium creticum</i> L. subsp. <i>coyncianum</i> (Lacaita) R. Fern.
<i>Echium fastuosum</i> Dryand. ex Aiton	→ <i>Echium candicans</i> L. fil.
<i>Echium italicum</i> L. var. <i>biebersteinii</i> Lacaita	→ <i>Echium italicum</i> L. subsp. <i>biebersteinii</i> (Lacaita) Greuter & Burdet
<i>Echium italicum</i> L. var. <i>siculum</i> Lacaita	→ <i>Echium italicum</i> L. subsp. <i>siculum</i> (Lacaita) Greuter & Burdet
<i>Echium pustulatum</i> Sm.	→ <i>Echium vulgare</i> L. subsp. <i>pustulatum</i> (Sm.) Em. Schmid & Gams
<i>Edraianthus graminifolius</i> (L.) DC. subsp. <i>apenninus</i> Lakusic	→ <i>Edraianthus graminifolius</i> (L.) A. DC. subsp. <i>graminifolius</i>
<i>Ehrharta delicatula</i> Stapf	→ <i>Ehrharta erecta</i> Lam.
<i>Eichhornia crassipes</i> (Mart.) Solms	→ <i>Eichhornia crassipes</i> (Mart.) Solms
<i>Elaeoselinum meoides</i> (Desf.) W.D.J. Koch ex DC.	→ <i>Elaeoselinum asclepium</i> (L.) Bertol. subsp. <i>meoides</i> (Desf.) Maire
<i>Elatinoides cirrhosa</i> (L.) Wettst.	→ <i>Kickxia cirrhosa</i> (L.) Fritsch
<i>Elatinoides commutata</i> (Bernh. ex Rchb.) Wettst.	→ <i>Kickxia commutata</i> (Bernh. ex Rchb.) Fritsch s.l.
<i>Elatinoides elatine</i> (L.) Wettst.	→ <i>Kickxia elatine</i> (L.) Dumort. s.l.
<i>Elatinoides lanigera</i> (Desf.) Cout.	→ <i>Kickxia lanigera</i> (Desf.) Hand.-Mazz.
<i>Eleocharis austriaca</i> Hayek	→ <i>Eleocharis mamillata</i> H. Lindb. subsp. <i>austriaca</i> (Hayek) Strandh.
<i>Eleocharis caduca</i> Schult.	→ <i>Eleocharis geniculata</i> (L.) Roem. & Schult.
<i>Eleocharis nebrodensis</i> Parl.	→ <i>Eleocharis palustris</i> (L.) Roem. & Schult. subsp. <i>palustris</i>
<i>Eleocharis pauciflora</i> (Lightf.) Link	→ <i>Eleocharis quinqueflora</i> (Hartmann) O. Schwarz
<i>Elephas columnae</i> Guss.	→ <i>Rhynchocorys elephas</i> (L.) Griseb.
<i>Elodea densa</i> (Planchon) Caspary	→ <i>Egeria densa</i> Planch.
<i>Elymus asper</i> (Simonk.) Hand.-Mazz.	→ <i>Taeniatherum asperum</i> (Simonk.) Nevski
<i>Elymus caninus</i> (L.) L. var. <i>biflorus</i> (Brign.) Asch. & Graebn.	→ <i>Elymus caninus</i> (L.) L. subsp. <i>biflorus</i> (Brignoli) Á.Löve
<i>Elymus caninus</i> (L.) L. var. <i>caninus</i>	→ <i>Elymus caninus</i> (L.) L. subsp. <i>caninus</i>
<i>Elymus caput-medusae</i> L.	→ <i>Taeniatherum caput-medusae</i> (L.) Nevski
<i>Elymus europaeus</i> L.	→ <i>Hordelymus europaeus</i> (L.) Harz
<i>Elymus junceus</i> Fisch.	→ <i>Psathyrostachys juncea</i> (Fisch.) Nevski
<i>Elymus pungens</i> (Pers.) Melderis	→ <i>Elymus athericus</i> (Link) Kerguélen
<i>Elymus pycnanthus</i> (Godron) Meldris	→ <i>Elymus athericus</i> (Link) Kerguélen
<i>Elyna bellardii</i> (All.) K. Koch	→ <i>Kobresia myosuroides</i> (Vill.) Fiori
<i>Elyna myosuroides</i> (Vill.) Fritsch	→ <i>Kobresia myosuroides</i> (Vill.) Fiori
<i>Elyna scirpina</i> (Willd.) Pax	→ <i>Kobresia myosuroides</i> (Vill.) Fiori
<i>Elytrigia atherica</i> (Link) Kerguélen	→ <i>Elymus athericus</i> (Link) Kerguélen
<i>Elytrigia elongata</i> (Host) Nevski	→ <i>Elymus elongatus</i> (Host) Runemark subsp. <i>elongatus</i>
<i>Elytrigia intermedia</i> (Host) Nevski	→ <i>Elymus hispidus</i> (Opiz) Melderis s.l.
<i>Elytrigia intermedia</i> (Host) Nevski subsp. <i>barbulata</i> (Schur) Á.Löve	→ <i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>barbulatus</i> (Schur) Á. Löve
<i>Elytrigia juncea</i> (L.) Nevski	→ <i>Elymus farctus</i> (Viv.) Runemark ex Melderis subsp. <i>farctus</i>
<i>Elytrigia mediterranea</i> (Simonet) Prokudin	→ <i>Elymus farctus</i> (Viv.) Runemark ex Melderis subsp. <i>farctus</i>
<i>Elytrigia obtusiflora</i> (DC.) Tzvelev	→ <i>Elymus obtusiflorus</i> (DC.) Conert
<i>Emerus emeroides</i> (Boiss. & Spruner) Soldano & F. Conti, comb. nova	→ <i>Emerus majus</i> Mill. subsp. <i>emeroides</i> (Boiss. & Spruner) Soldano & F. Conti
<i>Empetrum nigrum</i> L. subsp. <i>hermaphroditum</i> (Hagerup) Boecher	→ <i>Empetrum hermaphroditum</i> Hagerup
<i>Endymion hispanicum</i> (Miller) P. Fourn.	→ <i>Hyacinthoides hispanica</i> (Mill.) Rothm.
<i>Endymion italicus</i> (L.) Chouard	→ <i>Hyacinthoides italica</i> (L.) Rothm.
<i>Endymion non-scriptum</i> (L.) Garcke	→ <i>Hyacinthoides non-scripta</i> (L.) Chouard ex Rothm.
<i>Ephedra campylopoda</i> C. A. Meyer	→ <i>Ephedra foeminea</i> Forssk.

<i>Ephedra distachya</i> L. subsp. <i>helvetica</i> (C.A. Meyer) Ascherson & Graebner	→ <i>Ephedra helvetica</i> C.A. Mey.
<i>Ephedra major</i> Host	→ <i>Ephedra nebrodensis</i> Guss. subsp. <i>nebrodensis</i>
<i>Epilobium lamyi</i> F.W. Schulz	→ <i>Epilobium tetragonum</i> L. subsp. <i>lamyi</i> (F.W. Schulz) Nyman
<i>Epilobium rosmarinifolium</i> Haenke	→ <i>Epilobium dodonaei</i> Vill.
<i>Epilobium spicatum</i> Lam.	→ <i>Epilobium angustifolium</i> L.
<i>Epilobium tournefortii</i> Michalet	→ <i>Epilobium tetragonum</i> L. subsp. <i>tournefortii</i> (Michalet) H. Lév.
<i>Epipactis atropurpurea</i> Raf.	→ <i>Epipactis atropurpurea</i> (Hoffm. ex Bernh.) Besser
<i>Epipactis distans</i> Arv.-Touv.	→ <i>Epipactis helleborine</i> (L.) Crantz subsp. <i>orbicularis</i> (K. Richt.) E. Klein
<i>Epipactis gracilis</i> auct.	→ <i>Epipactis meridionalis</i> H. Baumann & R. Lorenz
<i>Epipactis latifolia</i> (L.) All.	→ <i>Epipactis helleborine</i> (L.) Crantz s.l.
<i>Epipactis leptochila</i> (Godfery) Godfery subsp. <i>neglecta</i> Kumpel	→ incl. <i>Epipactis leptochila</i> (Godfery) Godfery
<i>Epipactis longifolia</i> All.	→ <i>Epipactis palustris</i> (L.) Crantz
<i>Epipactis muelleri</i> Godfery subsp. <i>cerritae</i> Grasso	→ incl. <i>Epipactis muelleri</i> Godfery
<i>Epipactis purpurata</i> Sm.	→ <i>Epipactis viridiflora</i> Hoffm. ex Krock.
<i>Epipactis rubiginosa</i> (Crantz) W.D.J. Koch	→ <i>Epipactis atropurpurea</i> (Hoffm. ex Bernh.) Besser
<i>Epipactis schubertiorum</i> Bartolo, Pulvirenti & Robatsch	→ incl. <i>Epipactis helleborine</i> (L.) Crantz s.l.
<i>Epipactis violacea</i> (Dur.-Duq.) Boreau	→ <i>Epipactis viridiflora</i> Hoffm. ex Krock.
<i>Epipactis gracilis</i> B. & H. Baumann	→ <i>Epipactis baumanniorum</i> Soldano & F. Conti
<i>Epipactis persica</i> auct.	→ <i>Epipactis baumanniorum</i> Soldano & F. Conti
<i>Equisetum telmateja</i> Ehrh.	→ <i>Equisetum telmateja</i> Ehrh.
<i>Eragrostis megastachya</i> (Koeler) Link	→ <i>Eragrostis cilianensis</i> (All.) Vignolo Lutati ex Janch.
<i>Eragrostis multicaulis</i> Steud.	→ incl. <i>Eragrostis pilosa</i> (L.) P. Beauv.
<i>Eragrostis virescens</i> J. Presl	→ <i>Eragrostis mexicana</i> (Hornem.) Link subsp. <i>virescens</i> (J. Presl) S.D. Koch & Sánchez Vega
<i>Erica herbacea</i> L.	→ <i>Erica carnea</i> L. subsp. <i>carnea</i>
<i>Erica manipuliflora</i> Salisb.	→ <i>Erica forskalii</i> Vitm.
<i>Erigeron acer</i> L.	→ <i>Erigeron acris</i> L. s.l.
<i>Erigeron acer</i> L. subsp. <i>acer</i>	→ <i>Erigeron acris</i> L. subsp. <i>acris</i>
<i>Erigeron acer</i> L. subsp. <i>angulosus</i> (Gaudin) Vaccari	→ <i>Erigeron acris</i> L. subsp. <i>angulosus</i> (Gaudin) Vacc.
<i>Erigeron acris</i> L. subsp. <i>droebachensis</i> (O.F. Müll.) Arcang.	→ incl. <i>Erigeron acris</i> L. subsp. <i>angulosus</i> (Gaudin) Vacc.
<i>Erigeron angulosus</i> Gaudin	→ <i>Erigeron acris</i> L. subsp. <i>angulosus</i> (Gaudin) Vacc.
<i>Erigeron annuus</i> (L.) Desf. subsp. <i>annuus</i>	→ incl. <i>Erigeron annuus</i> (L.) Desf.
<i>Erigeron annuus</i> (L.) Desf. subsp. <i>septrionalis</i> (Fernald & Wiegand) Wagenitz	→ incl. <i>Erigeron annuus</i> (L.) Desf.
<i>Erigeron annuus</i> (L.) Desf. subsp. <i>strigosus</i> (Willd.) Wagenitz	→ incl. <i>Erigeron annuus</i> (L.) Desf.
<i>Erigeron annuus</i> (L.) Desf. subsp. <i>strigosus</i> auct.	→ <i>Erigeron annuus</i> (L.) Desf.
<i>Erigeron graveolens</i> L.	→ <i>Dittrichia graveolens</i> (L.) Greuter
<i>Erigeron polymorphus</i> Scop.	→ <i>Erigeron glabratus</i> Bluff & Fingerh.
<i>Erigeron septentrionalis</i> (Fernald & Wiegand) Holub	→ <i>Erigeron annuus</i> (L.) Desf.
<i>Erigeron siculus</i> L.	→ <i>Pulicaria sicula</i> (L.) Moris
<i>Erigeron strigosus</i> Willd.	→ <i>Erigeron annuus</i> (L.) Desf.
<i>Erigeron strigosus</i> auct.	→ <i>Erigeron annuus</i> (L.) Desf.
<i>Erigeron viscosum</i> L.	→ <i>Dittrichia viscosa</i> (L.) Greuter s.l.
<i>Eriophorum alpinum</i> L.	→ <i>Trichophorum alpinum</i> (L.) Pers.
<i>Erodium gussonei</i> Ten.	→ <i>Erodium nervulosum</i> L'Hér.
<i>Erophila praecox</i> (Steven) DC.	→ <i>Erophila verna</i> (L.) DC. subsp. <i>praecox</i> (Steven) Walp.
<i>Erophila spathulata</i> A. F. Láng	→ <i>Erophila verna</i> (L.) DC. subsp. <i>spathulata</i> (Lang) Vollm.
<i>Erophila verna</i> (L.) DC. subsp. <i>obconica</i> (Rosen) Vollm.	→ <i>Erophila verna</i> (L.) DC. subsp. <i>verna</i>
<i>Eruca drepanensis</i> Caruel	→ <i>Brassica villosa</i> Biv. subsp. <i>drepanensis</i> (Caruel) Raimondo & Mazzola
<i>Eruca vesicaria</i> (L.) Cav. subsp. <i>longirostris</i> (Uechtr.) Rouy	→ <i>Eruca vesicaria</i> (L.) Cav.
<i>Eruca vesicaria</i> (L.) Cav. subsp. <i>sativa</i> (Mill.) Thell.	→ <i>Eruca vesicaria</i> (L.) Cav.
<i>Erucastrum zanonii</i> Ball	→ <i>Murbeckiella zanonii</i> (Ball) Rothm.
<i>Ervum ervilia</i> L.	→ <i>Vicia ervilia</i> (L.) Willd.
<i>Ervum hirsutum</i> L.	→ <i>Vicia hirsuta</i> (L.) Gray
<i>Ervum loiseleurii</i> M. Bieb.	→ <i>Vicia loiseleurii</i> (M. Bieb.) Litv.
<i>Ervum nigricans</i> M. Bieb.	→ <i>Lens nigricans</i> (M. Bieb.) Godr.
<i>Ervum pubescens</i> DC.	→ <i>Vicia pubescens</i> (DC.) Link
<i>Ervum terronei</i> Ten.	→ <i>Vicia loiseleurii</i> (M. Bieb.) Litv.
<i>Ervum tetrasperma</i> L.	→ <i>Vicia tetrasperma</i> (L.) Schreb.
<i>Eriobotrya japonica</i> (Thunb.) Lindley	→ <i>Eriobotrya japonica</i> (Thunb.) Lindl.
<i>Erysimum arcuatum</i> Opiz	→ <i>Barbarea vulgaris</i> R. Br. subsp. <i>arcuata</i> (Opiz) Hayek
<i>Erysimum aurantiacum</i> (Leyb.) Leyb. non Maxim.	→ <i>Erysimum sylvestre</i> (Crantz) Scop. subsp. <i>aurantiacum</i> (Leyb.) P.W. Ball
<i>Erysimum cheiranthus</i> Pers. var. <i>aurantiacum</i> Leyb.	→ <i>Erysimum sylvestre</i> (Crantz) Scop. subsp. <i>aurantiacum</i> (Leyb.) P.W. Ball

<i>Erysimum collisparsum</i> Jord.	→ <i>Erysimum nevadense</i> Reut. subsp. <i>collisparsum</i> (Jord.) P.W. Ball
<i>Erysimum officinale</i> L.	→ <i>Sisymbrium officinale</i> (L.) Scop.
<i>Erysimum vernum</i> Mill.	→ <i>Barbarea verna</i> (Mill.) Asch.
<i>Euonymus americana</i> L. var. <i>angustifolia</i> (Pursh) Voss in Vilm.	→ incl. <i>Euonymus americanus</i> L.
<i>Euphorbia androsaemifolia</i> Willd.	→ <i>Euphorbia esula</i> L. s.l.
<i>Euphorbia baselicis</i> Ten. subsp. <i>thessala</i> Formánek	→ <i>Euphorbia barrelieri</i> Savi subsp. <i>thessala</i> (Formánek) Bornm.
<i>Euphorbia biumbellata</i> Poir.	→ <i>Euphorbia pithyusa</i> L. subsp. <i>cupanii</i> (Guss. ex Bertol.) Radcl.-Sm.
<i>Euphorbia calabrica</i> Huter	→ incl. <i>Euphorbia peplus</i> L.
<i>Euphorbia canuti</i> Parl.	→ <i>Euphorbia hyberna</i> L. subsp. <i>canuti</i> (Parl.) Tutin
<i>Euphorbia cernua</i> Boiss.	→ <i>Euphorbia phymatosperma</i> Boiss. subsp. <i>cernua</i> (Coss. & Durieu ex Boiss.) Vindt
<i>Euphorbia chamaesyce</i> L.	→ <i>Chamaesyce canescens</i> (L.) Prokh. s.l.
<i>Euphorbia chamaesyce</i> L. subsp. <i>chamaesyce</i>	→ <i>Chamaesyce canescens</i> (L.) Prokh. subsp. <i>canescens</i>
<i>Euphorbia chamaesyce</i> L. subsp. <i>massiliensis</i> (DC.) Thell.	→ <i>Chamaesyce canescens</i> (L.) Prokh. subsp. <i>massiliensis</i> (DC.) Soják
<i>Euphorbia characias</i> L. subsp. <i>wulfenii</i> (Hoppe ex Koch) A.R. Sm.	→ <i>Euphorbia characias</i> L.
<i>Euphorbia cupanii</i> Bertol.	→ <i>Euphorbia pithyusa</i> L. subsp. <i>cupanii</i> (Guss. ex Bertol.) Radcl.-Sm.
<i>Euphorbia dulcis</i> L. subsp. <i>incompta</i> (Ces.) Nyman	→ incl. <i>Euphorbia dulcis</i> L.
<i>Euphorbia dulcis</i> L. subsp. <i>purpurata</i> (Thuill.) Rothm.	→ incl. <i>Euphorbia dulcis</i> L.
<i>Euphorbia eriocarpa</i> Bertol.	→ <i>Euphorbia characias</i> L.
<i>Euphorbia esula</i> L. subsp. <i>saratoi</i> (Ardoino) P. Fourn.	→ <i>Euphorbia esula</i> L. subsp. <i>tommasiniana</i> (Bertol.) Kuzmanov
<i>Euphorbia flavicoma</i> DC. subsp. <i>verrucosa</i> (Fiori) Pign.	→ <i>Euphorbia brittlei</i> Opiz ex Samp.
<i>Euphorbia gasparrinii</i> Boiss. var. <i>samnitica</i> Fiori	→ <i>Euphorbia gasparrinii</i> Boiss. subsp. <i>samnitica</i> (Fiori) Pignatti
<i>Euphorbia gibelliana</i> Peola	→ <i>Euphorbia hyberna</i> L. subsp. <i>gibelliana</i> (Peola) Raffaelli
<i>Euphorbia humifusa</i> Willd.	→ <i>Chamaesyce humifusa</i> (Willd. ex Schltr.) Prokh.
<i>Euphorbia hypericifolia</i> L.	→ <i>Chamaesyce hypericifolia</i> (L.) Millsp.
<i>Euphorbia insularis</i> Boiss.	→ <i>Euphorbia hyberna</i> L. subsp. <i>insularis</i> (Boiss.) Briq.
<i>Euphorbia japygica</i> Ten.	→ <i>Euphorbia nicaeensis</i> All. subsp. <i>japygica</i> (Ten.) Arcang.
<i>Euphorbia kernerii</i> Huter	→ <i>Euphorbia triflora</i> Schott, Nyman & Kotschy subsp. <i>kernerii</i> (Huter ex A. Kern.) Poldini
<i>Euphorbia literata</i> Jacq.	→ <i>Euphorbia platyphyllos</i> L. subsp. <i>literata</i> (Jacq.) Holub
<i>Euphorbia maculata</i> L.	→ <i>Chamaesyce maculata</i> (L.) Small
<i>Euphorbia massiliensis</i> DC.	→ <i>Chamaesyce canescens</i> (L.) Prokh. subsp. <i>massiliensis</i> (DC.) Soják
<i>Euphorbia melapetala</i> Guss.	→ <i>Euphorbia characias</i> L.
<i>Euphorbia nicaeensis</i> All. var. <i>prostrata</i> Fiori	→ <i>Euphorbia nicaeensis</i> All. subsp. <i>prostrata</i> (Fiori) Arrigoni
<i>Euphorbia nutans</i> Lag.	→ <i>Chamaesyce nutans</i> (Lag.) Small
<i>Euphorbia peplis</i> L.	→ <i>Chamaesyce peplis</i> (L.) Prokh.
<i>Euphorbia peploides</i> Gouan	→ incl. <i>Euphorbia peplus</i> L.
<i>Euphorbia peplus</i> L. var. <i>peploides</i> (Gouan) Vis.	→ incl. <i>Euphorbia peplus</i> L.
<i>Euphorbia pinea</i> L.	→ incl. <i>Euphorbia segetalis</i> L.
<i>Euphorbia prostrata</i> Aiton	→ <i>Chamaesyce prostrata</i> (Aiton) Small
<i>Euphorbia pubescens</i> Vahl	→ <i>Euphorbia hirsuta</i> L.
<i>Euphorbia purpurata</i> Thuill.	→ incl. <i>Euphorbia dulcis</i> L.
<i>Euphorbia saratoi</i> Ardoino	→ <i>Euphorbia esula</i> L. subsp. <i>tommasiniana</i> (Bertol.) Kuzmanov
<i>Euphorbia segetalis</i> L. subsp. <i>pinea</i> (L.) Hayek	→ incl. <i>Euphorbia segetalis</i> L.
<i>Euphorbia segetalis</i> L. var. <i>pinea</i> (L.) Lanke	→ incl. <i>Euphorbia segetalis</i> L.
<i>Euphorbia semiperfoliata</i> Viv.	→ <i>Euphorbia amygdaloides</i> L. subsp. <i>semiperfoliata</i> (Viv.) Radcl.-Sm.
<i>Euphorbia serpens</i> Kunth	→ <i>Chamaesyce serpens</i> (Kunth) Small
<i>Euphorbia serrulata</i> Thuill.	→ <i>Euphorbia stricta</i> L.
<i>Euphorbia spinosa</i> L. f. <i>ligustica</i> Fiori	→ <i>Euphorbia spinosa</i> L. subsp. <i>ligustica</i> (Fiori) Pignatti
<i>Euphorbia thessala</i> (Formánek) Halácsy	→ <i>Euphorbia barrelieri</i> Savi subsp. <i>thessala</i> (Formánek) Bornm.
<i>Euphorbia tommasiniana</i> Bertol.	→ <i>Euphorbia esula</i> L. subsp. <i>tommasiniana</i> (Bertol.) Kuzmanov
<i>Euphorbia veneta</i> Willd.	→ <i>Euphorbia characias</i> L.
<i>Euphorbia verrucosa</i> L.	→ <i>Euphorbia brittlei</i> Opiz ex Samp.
<i>Euphorbia virgata</i> Waldst. & Kit.	→ <i>Euphorbia esula</i> L. subsp. <i>tommasiniana</i> (Bertol.) Kuzmanov
<i>Euphorbia wulfenii</i> Hoppe	→ <i>Euphorbia characias</i> L.
<i>Euphorbia glyptosperma</i> Engelm.	→ <i>Chamaesyce glyptosperma</i> (Engelm.) Small
<i>Euphrasia latifolia</i> (L.) Griseb.	→ <i>Parentucellia latifolia</i> (L.) Caruel
<i>Euphrasia viscosa</i> (L.) Benth.	→ <i>Parentucellia viscosa</i> (L.) Caruel
<i>Euphrasia corsica</i> Loisel.	→ <i>Odontites corsicus</i> (Loisel.) G. Don
<i>Euphrasia cuspidata</i> Host	→ <i>Euphrasia tricuspidata</i> L. subsp. <i>cuspidata</i> (Host) Hartl
<i>Euphrasia kernerii</i> Wettst.	→ <i>Euphrasia officinalis</i> L. subsp. <i>kernerii</i> (Wettst.) Eb. Fisch.
<i>Euphrasia lanceolata</i> Gaudin	→ <i>Odontites lanceolatus</i> (Gaudin) Rchb.
<i>Euphrasia lutea</i> L.	→ <i>Odontites luteus</i> (L.) Clairv.
<i>Euphrasia marchesetti</i> Wettst.	→ <i>Euphrasia marchesettii</i> Wettst.
<i>Euphrasia pectinata</i> Ten.	→ <i>Euphrasia stricta</i> D. Wolff ex J.F. Lehm.
<i>Euphrasia picta</i> Wimm.	→ <i>Euphrasia officinalis</i> L. subsp. <i>picta</i> (Wimm.) Oborny
<i>Euphrasia picta</i> Wimmer subsp. <i>kernerii</i> (Wettst.) Yeo	→ <i>Euphrasia officinalis</i> L. subsp. <i>kernerii</i> (Wettst.) Eb. Fisch.

<i>Euphrasia picta</i> Wimm. subsp. <i>versicolor</i> (A. Kern.) Wettst.	→ <i>Euphrasia officinalis</i> L. subsp. <i>kernerii</i> (Wettst.) Eb. Fisch.
<i>Euphrasia pulchella</i> A. Kern.	→ <i>Euphrasia minima</i> Jacq. ex DC.
<i>Euphrasia rigidifolia</i> Spreng.	→ <i>Odontites rigidifolius</i> (Biv.) Benth.
<i>Euphrasia rostkoviana</i> Hayne	→ <i>Euphrasia officinalis</i> L. subsp. <i>rostkoviana</i> (Hayne) Towns.
<i>Euphrasia rostkoviana</i> Hyne subsp. <i>montana</i> (Jordan) Wettst.	→ <i>Euphrasia officinalis</i> L. subsp. <i>rostkoviana</i> (Hayne) Towns.
<i>Euphrasia verna</i> Bellardi	→ <i>Odontites vernus</i> (Bellardi) Dumort.
<i>Euphrasia versicolor</i> A. Kern.	→ <i>Euphrasia officinalis</i> L. subsp. <i>kernerii</i> (Wettst.) Eb. Fisch.
<i>Euphrasia viscosa</i> L.	→ <i>Odontites viscosus</i> (L.) Clairv. subsp. <i>viscosus</i>
<i>Euxolus crispus</i> Lesp. & Thév.	→ <i>Amaranthus crispus</i> (Lesp. & Thévenau) N. Terracc.
<i>Evax asterisciflora</i> (Lam.) Pers.	→ <i>Filago asterisciflora</i> (Lam.) Chrték & Holub
<i>Evax discolor</i> (Guss.) DC.	→ <i>Evacidium discolor</i> (DC.) Maire
<i>Evax heldreichii</i> Parl.	→ <i>Evacidium discolor</i> (DC.) Maire
<i>Evax pygmaea</i> (L.) Brot.	→ <i>Filago pygmaea</i> L.
<i>Evax rotundata</i> Moris	→ <i>Filago tyrrhenica</i> Chrték & Holub ex Soldano & F. Conti
<i>Evonymus europaeus</i> L.	→ <i>Euonymus europaeus</i> L.
<i>Evonymus japonicus</i> L. fil.	→ <i>Euonymus japonicus</i> L. f.
<i>Evonymus latifolius</i> Miller	→ <i>Euonymus latifolius</i> (L.) Mill.
<i>Evonymus verrucosus</i> Scop.	→ <i>Euonymus verrucosus</i> Scop.
<i>Falcaria saxifraga</i> (L.) Rchb. f.	→ <i>Ptychotis saxifraga</i> (L.) Loret & Barrandon
<i>Fallopia aubertii</i> (L. Henry) Holub	→ <i>Fallopia baldschuanica</i> (Regel) Holub
<i>Fedia cornucopiae</i> (L.) Gaertner	→ <i>Fedia graciliflora</i> Fisch. & C.A. Mey.
<i>Ferula campestris</i> Besser	→ <i>Ferulago campestris</i> (Besser) Grecescu
<i>Ferula communis</i> L. subsp. <i>glauca</i> (L.) Rouy et Camus	→ <i>Ferula glauca</i> L.
<i>Ferula ferulago</i> L.	→ <i>Ferulago campestris</i> (Besser) Grecescu
<i>Ferula hispida</i> Friv.	→ <i>Opopanax hispidus</i> (Friv.) Griseb.
<i>Ferula nodosa</i> L.	→ <i>Ferulago nodosa</i> (L.) Boiss.
<i>Ferula sylvatica</i> Besser	→ <i>Ferulago sylvatica</i> (Besser) Rchb.
<i>Ferulago barrelieri</i> Ten.	→ <i>Ferulago sylvatica</i> (Besser) Rchb.
<i>Ferulago galbanifera</i> W.D.J. Koch	→ <i>Ferulago campestris</i> (Besser) Grecescu
<i>Ferulago geniculata</i> Guss.	→ <i>Opopanax chironium</i> (L.) W.D.J. Koch
<i>Festuca airoides</i> Lam.	→ <i>Festuca ovina</i> L. subsp. <i>supina</i> (Shur) Oborny
<i>Festuca alopecurus</i> Schousb.	→ <i>Vulpia alopecuros</i> (Schousb.) Dumort.
<i>Festuca alpina</i> Suter subsp. <i>briquetii</i> (St.-Yves ex Litard.) Markgr.-Dann.	→ <i>Festuca alfrediana</i> Foggi & Signorini
<i>Festuca apennina</i> De Not.	→ <i>Festuca pratensis</i> Huds. subsp. <i>apennina</i> (De Not.) Hegi
<i>Festuca barbata</i> Gaudin	→ <i>Vulpia ciliata</i> Dumort.
<i>Festuca brevipila</i> R. Tracey	→ <i>Festuca stricta</i> Host subsp. <i>trachyphylla</i> (Hack.) Patzke ex Pils
<i>Festuca bromoides</i> L.	→ <i>Vulpia bromoides</i> (L.) Gray
<i>Festuca caeruleascens</i> Desf.	→ <i>Festuca coerulescens</i> Desf.
<i>Festuca centro-apenninica</i> (Mgf.-Dbg.) Mgf.-Dbg.	→ <i>Festuca centro-apenninica</i> (Markgr.-Dann.) Foggi, F. Conti & Pignatti
<i>Festuca ciliata</i> DC.	→ <i>Vulpia ciliata</i> Dumort.
<i>Festuca costei</i> (St.-Yves) Mgf.-Dbg.	→ <i>Festuca arvernensis</i> Auquier subsp. <i>costei</i> (St.-Yves) Auquier & Kerguélen
<i>Festuca cristata</i> L.	→ <i>Rostraria cristata</i> (L.) Tzvelev s.l.
<i>Festuca curvula</i> Gaudin	→ <i>Festuca laevigata</i> Gaudin s.l.
<i>Festuca decumbens</i> L.	→ <i>Danthonia decumbens</i> (L.) DC. subsp. <i>decumbens</i>
<i>Festuca dertonensis</i> (All.) Asch. & Graebn.	→ <i>Vulpia bromoides</i> (L.) Gray
<i>Festuca diffusa</i> Dumort.	→ <i>Festuca heteromalla</i> Pourr.
<i>Festuca divaricata</i> Desf.	→ <i>Cutandia divaricata</i> (Desf.) Benth.
<i>Festuca drymeia</i> auct. Fl. Ital.	→ <i>Festuca exaltata</i> C. Presl
<i>Festuca drymeja</i> Mert. & Koch	→ <i>Festuca exaltata</i> C. Presl
<i>Festuca fasciculata</i> Forssk.	→ <i>Vulpia fasciculata</i> (Forssk.) Fritsch
<i>Festuca fenas</i> Lag.	→ <i>Festuca arundinacea</i> Schreb. subsp. <i>fenas</i> (Lag.) Arcang.
<i>Festuca festuoides</i> (Bertol.) Bech.	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Festuca geniculata</i> (L.) Willd.	→ <i>Vulpia geniculata</i> (L.) Link
<i>Festuca guestfalica</i> Boenn.	→ <i>Festuca ovina</i> L. subsp. <i>guestfalica</i> (Rchb.) K. Richt.
<i>Festuca hemipoa</i> Delile ex Sprengel	→ <i>Catapodium hemipoa</i> (Delile ex Spreng.) Lainz
<i>Festuca hervieri</i> Patzke	→ <i>Festuca marginata</i> (Hack.) Richt. subsp. <i>gallica</i> (Hack. ex Charrel) Breistr.
<i>Festuca hispida</i> Savi	→ <i>Rostraria hispida</i> (Savi) Dogan
<i>Festuca lachenalii</i> (C.C. Gmel.) Spenn.	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Festuca ligustica</i> (All.) Bertol.	→ <i>Vulpia ligustica</i> (All.) Link
<i>Festuca litardierei</i> (St.-Yves) Soldano	→ <i>Festuca gamisansii</i> Kerguélen subsp. <i>aethaliae</i> Signorini & Foggi
<i>Festuca litardierei</i> (St.-Yves) Soldano subsp. <i>aethaliae</i> (Signorini & Foggi) Soldano	→ <i>Festuca gamisansii</i> Kerguélen subsp. <i>aethaliae</i> Signorini & Foggi
<i>Festuca macrathera</i> (Hackel) Mgf.-Dbg.	→ <i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>italica</i> Foggi, Graz. Rossi & Signorini

<i>Festuca maritima</i> L.	→ <i>Vulpia unilateralis</i> (L.) Stace
<i>Festuca muralis</i> Kunth	→ <i>Vulpia muralis</i> (Kunth) Nees
<i>Festuca myuros</i> L.	→ <i>Vulpia myuros</i> (L.) C.C. Gmel.
<i>Festuca nigrescens</i> Lam. subsp. <i>microphylla</i> (St.-Yves in Coste) Markgr.-Dann.	→ <i>Festuca microphylla</i> (St.-Yves ex Coste) Patzke
<i>Festuca nigrescens</i> Lam. subsp. <i>microphylla</i> Foggi & Graz. Rossi	→ <i>Festuca microphylla</i> (St.-Yves ex Coste) Patzke
<i>Festuca nigrescens</i> Lam. subsp. <i>nigrescens</i>	→ <i>Festuca rubra</i> L. subsp. <i>commutata</i> (Gaudin) Markgr.-Dann.
<i>Festuca phoenicoides</i> L.	→ <i>Brachypodium phoenicoides</i> (L.) Roem. & Schult.
<i>Festuca phleoides</i> Vill.	→ <i>Rostraria cristata</i> (L.) Tzvelev s.l.
<i>Festuca puccinellii</i> Parl.	→ <i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>puccinellii</i> (Parl.) Foggi, Graz. Rossi & Signorini
<i>Festuca rubra</i> L. subsp. <i>asperifolia</i> (St.-Yves) Mgf.-Dbg.	→ <i>Festuca trichophylla</i> (Ducros ex Gaudin) K. Richt. subsp. <i>asperifolia</i> (St.-Yves) Al-Bermani
<i>Festuca rubra</i> L. subsp. <i>microphylla</i> St.-Yves in Coste	→ <i>Festuca microphylla</i> (St.-Yves ex Coste) Patzke
<i>Festuca rupicola</i> Heuffel	→ <i>Festuca stricta</i> Host subsp. <i>sulcata</i> (Hack.) Patzke
<i>Festuca serotina</i> L.	→ <i>Kengia serotina</i> (L.) Packer
<i>Festuca sicula</i> C. Presl	→ <i>Vulpia sicula</i> (C. Presl) Link
<i>Festuca supina</i> Lam.	→ <i>Festuca ovina</i> L. subsp. <i>supina</i> (Shur) Oborny
<i>Festuca sylvatica</i> Huds.	→ <i>Brachypodium sylvaticum</i> (Huds.) P. Beauv. s.l.
<i>Festuca tenuifolia</i> Sibth.	→ <i>Festuca filiformis</i> Pourr.
<i>Festuca trachyphylla</i> (Hackel) Krajina	→ <i>Festuca stricta</i> Host subsp. <i>trachyphylla</i> (Hack.) Patzke ex Pils
<i>Festuca uechtritiziana</i> Wiesb.	→ <i>Festuca arundinacea</i> Schreb. subsp. <i>uechtritiziana</i> (Wiesb.) Hegi
<i>Festuca uniglumis</i> Aiton	→ <i>Vulpia fasciculata</i> (Forssk.) Fritsch
<i>Festuca violacea</i> Schleicher ex Gaudin subsp. <i>macrathera</i> (Hackel ex G. Beck) Markgr.-Dannenb	→ <i>Festuca violacea</i> Schleich. ex Gaudin subsp. <i>italica</i> Foggi, Graz. Rossi & Signorini
<i>Festuca vizzavonae</i> auct. Fl. Ital. non Ronniger	→ <i>Festuca alfrediana</i> Foggi & Signorini
<i>Festuca vizzavonae</i> Ronn.	→ nomina rejecenda <i>Festuca cyrnea</i> (Litard. & St.-Yves) Signorini, Foggi & Nardi
<i>Ficaria calthifolia</i> Rchb.	→ <i>Ranunculus ficaria</i> L. subsp. <i>calthifolius</i> (Rchb.) Arcang.
<i>Filago canescens</i> Jord.	→ <i>Filago vulgaris</i> Lam.
<i>Filago cossyrensis</i> Lojac.	→ <i>Filago lojaconoi</i> (Brullo) Greuter
<i>Filago cupaniana</i> Parl.	→ <i>Filago heterantha</i> Raf.
<i>Filago germanica</i> (L.) Hudson	→ <i>Filago vulgaris</i> Lam.
<i>Filago maritima</i> L.	→ <i>Otanthus maritimus</i> (L.) Hoffmanns. & Link subsp. <i>maritimus</i>
<i>Filipendula denudata</i> (J. & C. Presl) Fritsch	→ <i>Filipendula ulmaria</i> (L.) Maxim.
<i>Filipendula ulmaria</i> (L.) Maxim. subsp. <i>denudata</i> (J. & C. Presl) Hayek	→ incl. <i>Filipendula ulmaria</i> (L.) Maxim.
<i>Fimbristylis dichotoma</i> (L.) Vahl	→ <i>Fimbristylis annua</i> (All.) Roem. & Schult.
<i>Foeniculum vulgare</i> Mill. subsp. <i>piperitum</i> (Ucria) Bég.	→ incl. <i>Foeniculum vulgare</i> Mill.
<i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i>	→ incl. <i>Foeniculum vulgare</i> Mill.
<i>Fontanesia phylliraeoides</i> Labill.	→ <i>Fontanesia phylliraeoides</i> Labill.
<i>Fourraea alpina</i> (L.) Greuter & Burdet	→ <i>Arabis pauciflora</i> (Grimm) Garcke
<i>Frangula dodonei</i> Ard.	→ <i>Frangula alnus</i> Mill. subsp. <i>alnus</i>
<i>Fraxinus oxycarpa</i> Bieb.	→ <i>Fraxinus angustifolia</i> Vahl subsp. <i>oxycarpa</i> (Willd.) Franco & Rocha Afonso
<i>Fritillaria orientalis</i> auct. Fl. Ital.	→ <i>Fritillaria montana</i> Hoppe ex Koch
<i>Fritillaria tenella</i> auct. Fl. Ital.	→ <i>Fritillaria montana</i> Hoppe ex Koch
<i>Fritillaria tenella</i> auct. Fl. Ital. subsp. <i>orsiniana</i> (Parl.) Arcang.	→ <i>Fritillaria montana</i> Hoppe ex Koch
<i>Fritillaria tubaeformis</i> G. et G.	→ <i>Fritillaria tubiformis</i> Gren. & Godr. s.l.
<i>Fumana spachii</i> Gren. & Godr.	→ <i>Fumana ericoides</i> (Cav.) Gand.
<i>Fumana vulgaris</i> Spach	→ <i>Fumana procumbens</i> (Dunal) Gren. & Godr.
<i>Fumaria alba</i> Mill.	→ <i>Pseudofumaria alba</i> (Mill.) Lidén subsp. <i>alba</i>
<i>Fumaria bulbosa</i> L. var. <i>cava</i> L.	→ <i>Corydalis cava</i> (L.) Schweigg. & Körte subsp. <i>cava</i>
<i>Fumaria bulbosa</i> L. var. <i>intermedia</i> L.	→ <i>Corydalis intermedia</i> (L.) Mérat
<i>Fumaria bulbosa</i> L. var. <i>solida</i> L.	→ <i>Corydalis solida</i> (L.) Clairv. s.l.
<i>Fumaria lutea</i> L.	→ <i>Pseudofumaria lutea</i> (L.) Borkh.
<i>Fumaria pumila</i> Host	→ <i>Corydalis pumila</i> (Host) Rchb.
<i>Fumaria spicata</i> L.	→ <i>Platycapnos spicatus</i> (L.) Bernh.
<i>Fumaria wirtgenii</i> Koch	→ <i>Fumaria officinalis</i> L. subsp. <i>wirtgenii</i> (W.D.J. Koch) Arcang.
<i>Gagea amblyopetala</i> Boiss. & Heldr.	→ <i>Gagea chrysanthia</i> Schult. & Schult. f.
<i>Gagea arvensis</i> (Pers.) Dumort.	→ <i>Gagea villosa</i> (M. Bieb.) Sweet
<i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f. subsp. <i>corsica</i> (Jord. & Fourr.) Gamisans	→ <i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f.
<i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f. subsp. <i>nebrodensis</i> (Tod. ex Guss.) I. Richardson	→ <i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f.
<i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f. subsp. <i>saxatilis</i> (Mert. & W.D.J. Koch) Asch. & Graebn.	→ <i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f.
<i>Gagea busambarensis</i> (Tineo) Parl.	→ incl. <i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f.

<i>Gagea fistulosa</i> (Ramond ex DC.) Ker. Gawl.	→ <i>Gagea fragifera</i> (Vill.) Ehr. Bayer & G. López
<i>Gagea lutea</i> (L.) Ker Gawl. var. <i>maxima</i> Schur	→ incl. <i>Gagea lutea</i> (L.) Ker Gawl.
<i>Gagea pomeranica</i> Ruthe	→ <i>Gagea pratensis</i> (Pers.) Dumort.
<i>Galactites pumila</i> Porta	→ <i>Galactites elegans</i> (All.) Soldano
<i>Galactites tomentosa</i> Moench	→ <i>Galactites elegans</i> (All.) Soldano
<i>Galanthus imperati</i> Bertol.	→ <i>Galanthus nivalis</i> L.
<i>Galanthus nivalis</i> L. subsp. <i>reginae-olgae</i> (Orph.) Gottl.-Tann.	→ <i>Galanthus reginae-olgae</i> Orph. s.l.
<i>Galeopsis galeobdolon</i> L.	→ <i>Lamium galeobdolon</i> L. s.l.
<i>Galeopsis hirsuta</i> L.	→ <i>Stachys ocymastrum</i> (L.) Briq.
<i>Galium album</i> Mill.	→ <i>Galium mollugo</i> L. subsp. <i>erectum</i> Syme
<i>Galium album</i> Miller subsp. <i>pycnotrichum</i> (H. Braun) Krendl	→ <i>Galium mollugo</i> L. subsp. <i>pycnotrichum</i> (Heinr. Braun) O. Schwarz
<i>Galium anisophyllum</i> Vill.	→ <i>Galium anisophyllum</i> Vill.
<i>Galium bernardii</i> G. et G.	→ <i>Galium lucidum</i> All. subsp. <i>venustum</i> (Jord.) Arcang.
<i>Galium elongatum</i> Presl	→ <i>Galium palustre</i> L. subsp. <i>elongatum</i> (C. Presl) Lange
<i>Galium lucidum</i> All. subsp. <i>bernardii</i> (Gren.) Natali	→ <i>Galium lucidum</i> All. subsp. <i>venustum</i> (Jord.) Arcang.
<i>Galium rotundifolium</i> L. subsp. <i>hirsutum</i> Brullo & al. nom. illeg., non <i>G. rotundifolium hirsutum</i> (Nees) Arcang.	→ incl. <i>Galium rotundifolium</i> L. subsp. <i>rotundifolium</i>
<i>Galium verum</i> L. subsp. <i>wirtgenii</i> (F.W. Schultz) Oborny	→ <i>Galium verum</i> L. subsp. <i>wirtgenii</i> (F.W. Schultz) Oborny
<i>Galium x carmineum</i> Beauv.	→ <i>Galium carmineum</i> P. Beauv.
<i>Galium x centroniae</i> Cariot	→ <i>Galium centroniae</i> Cariot
<i>Galium x-carmineum</i> Beauverd	→ <i>Galium carmineum</i> P. Beauv.
<i>Galium x-centroniae</i> Cariot	→ <i>Galium centroniae</i> Cariot
<i>Gamochaeta americana</i> (Mill.) Wedd	→ <i>Gnaphalium americanum</i> Mill.
<i>Gamochaeta pensylvanica</i> (Willd.) Cabrera	→ <i>Gnaphalium pensylvanicum</i> Willd.
<i>Gamochaeta purpurea</i> (L.) Cabrera	→ <i>Gnaphalium purpureum</i> L.
<i>Gasparrinia peucedanoides</i> (M.Bieb.) Bertol.	→ <i>Seseli peucedanoides</i> (M. Bieb.) Koso-Pol.
<i>Gastridium lendigerum</i> (L.) Desv.	→ <i>Gastridium ventricosum</i> (Gouan) Schinz & Thell.
<i>Gastridium nitens</i> (Guss.) Coss. & Durieu	→ <i>Triplachne nitens</i> (Guss.) Link
<i>Genista acanthoclada</i> DC. subsp. <i>sardoa</i> (Landi) Valsecchi	→ <i>Genista sardoa</i> Vals.
<i>Genista brutia</i> Brullo, Scelsi & Spamp.	→ incl. <i>Genista anglica</i> L.
<i>Genista dalmatica</i> Bartl.	→ <i>Genista michelii</i> Spach
<i>Genista insubrica</i> Brügger	→ incl. <i>Genista tinctoria</i> L.
<i>Genista monspessulana</i> (L.) L. Johnson	→ <i>Teline monspessulana</i> (L.) K. Koch
<i>Genista ovata</i> Waldst. & Kit.	→ incl. <i>Genista tinctoria</i> L.
<i>Genista raetam</i> Forssk.	→ <i>Retama raetam</i> (Forssk.) Webb & Berthel. subsp. <i>gussonei</i> (Webb) Greuter
<i>Genista silana</i> Brullo, Gangale & Spamp.	→ incl. <i>Genista anglica</i> L.
<i>Genista sylvestris</i> Scop. subsp. <i>dalmatica</i> (Bartl.) Lindb.	→ <i>Genista michelii</i> Spach
<i>Genista tenuifolia</i> Loisel.	→ <i>Genista tinctoria</i> L.
<i>Genista thyrrhena</i> Valsecchi	→ <i>Genista tyrrhena</i> Vals.
<i>Genista tinctoria</i> L. subsp. <i>ovata</i> (Waldst. & Kit.) Arcang.	→ incl. <i>Genista tinctoria</i> L.
<i>Genista tinctoria</i> L. subsp. <i>scariosa</i> sensu Pignatti	→ <i>Genista tinctoria</i> L.
<i>Genista tinctoria</i> L. subsp. <i>tenuifolia</i> (Loisel.) Pign.	→ <i>Genista tinctoria</i> L.
<i>Gentiana amarella</i> L.	→ <i>Gentianella amarella</i> (L.) Börner
<i>Gentiana anisodonta</i> Borbás	→ <i>Gentianella anisodonta</i> (Borbás) A. & D. Löve
<i>Gentiana aspera</i> Hegetschw.	→ <i>Gentianella aspera</i> (Hegetschw.) Skalicky, Chrtěk & Gill
<i>Gentiana austriaca</i> A. Kerner & J. Kerner	→ <i>Gentianella austriaca</i> (A. & J. Kern.) Holub
<i>Gentiana clusii</i> Perr. & Songeon subsp. <i>undulatifolia</i> Sünd.	→ <i>Gentiana clusii</i> Perr. & Songeon
<i>Gentiana columnae</i> Ten.	→ <i>Gentianella columnae</i> (Ten.) Holub
<i>Gentiana crispata</i> Vis.	→ <i>Gentianella crispata</i> (Vis.) Holub
<i>Gentiana engadinensis</i> (Wettst.) Br.-Bl. & Sam.	→ <i>Gentianella engadinensis</i> (Wettst.) Holub
<i>Gentiana germanica</i> Willd.	→ <i>Gentianella germanica</i> (Willd.) E.F. Warb.
<i>Gentiana kochiana</i> Perr. et Song.	→ <i>Gentiana acaulis</i> L.
<i>Gentiana lutescens</i> Velen.	→ <i>Gentianella lutescens</i> (Velen.) Holub
<i>Gentiana magellensis</i> (Vaccari ex Ronniger) Tammaro	→ <i>Gentiana brachyphylla</i> Vill. subsp. <i>favratii</i> (Rittener) Tutin
<i>Gentiana nana</i> Wulfen	→ <i>Comastoma nanum</i> (Wulfen) Toyokuni
<i>Gentiana orbicularis</i> Schur	→ <i>Gentiana brachyphylla</i> Vill. subsp. <i>favratii</i> (Rittener) Tutin
<i>Gentiana pilosa</i> Wettst.	→ <i>Gentianella pilosa</i> (Wettst.) Holub
<i>Gentiana ramosa</i> Hegetschw.	→ <i>Gentianella ramosa</i> (Hegetschw.) Holub
<i>Gentiana schleicheri</i> (Vaccari) Kunz	→ <i>Gentiana terglouensis</i> Hacq. subsp. <i>schleicheri</i> (Vacc.) Tutin
<i>Gentiana symphyandra</i> Murb.	→ <i>Gentiana lutea</i> L. subsp. <i>symphyandra</i> (Murb.) Hayek
<i>Gentiana tenella</i> Rottb.	→ <i>Comastoma tenellum</i> (Rottb.) Toyokuni
<i>Gentiana tergestina</i> Beck	→ <i>Gentiana verna</i> L. subsp. <i>tergestina</i> (Beck) Hayek
<i>Gentiana verna</i> L. subsp. <i>brachyphylla</i> (Vill.) P. Fourn.	→ <i>Gentiana brachyphylla</i> Vill. subsp. <i>favratii</i> (Rittener) Tutin
<i>Gentiana verna</i> L. subsp. <i>delphinensis</i> (Beauverd) H. Kunz	→ <i>Gentiana pumila</i> Jacq. subsp. <i>delphinensis</i> (Beauverd) P. Fourn.
<i>Gentiana villarsii</i> (Griseb.) Ronniger	→ <i>Gentiana burseri</i> Lapeyr. subsp. <i>villarsii</i> (Griseb.) Rouy
<i>Gentianella nana</i> (Wulfen) Pritchard	→ <i>Comastoma nanum</i> (Wulfen) Toyokuni
<i>Gentianella tenella</i> (Rottb.) Börner	→ <i>Comastoma tenellum</i> (Rottb.) Toyokuni

<i>Geranium cinereum</i> Cav.	→ <i>Geranium austroapenninum</i> Aedo
<i>Geranium cinereum</i> Cav. subsp. <i>subcaulescens</i> (L'her. ex DC.) Hayek	→ <i>Geranium austroapenninum</i> Aedo
<i>Geranium molle</i> L. subsp. <i>brutium</i> (Gasp.) Graebn.	→ <i>Geranium molle</i> L.
<i>Geranium phaeum</i> L. subsp. <i>lividum</i> (L'Hér.) Hayek	→ incl. <i>Geranium phaeum</i> L.
<i>Geranium robertianum</i> L. subsp. <i>purpureum</i> (Vill.) Nyman	→ <i>Geranium purpureum</i> Vill.
<i>Geranium subcaulescens</i> DC.	→ <i>Geranium austroapenninum</i> Aedo
<i>Geranium sylvaticum</i> L. subsp. <i>rivulare</i> (Vill.) Rouy	→ <i>Geranium rivulare</i> Vill.
<i>Geum micropetalum</i> Gasp.	→ incl. <i>Geum heterocarpum</i> Boiss.
<i>Gladiolus byzantinus</i> Miller	→ <i>Gladiolus communis</i> L. subsp. <i>byzantinus</i> (Mill.) A.P. Ham.
<i>Gladiolus segetum</i> Ker Gawl.	→ <i>Gladiolus italicus</i> Mill.
<i>Gladiolus spathaceus</i> Parl.	→ <i>Gladiolus italicus</i> Mill.
<i>Glechoma hederacea</i> L. var. <i>sardoa</i> Bég.	→ <i>Glechoma sardoa</i> (Bég.) Bég.
<i>Globularia alypium</i> L.	→ <i>Globularia alypium</i> L.
<i>Globularia punctata</i> Lapeyr.	→ <i>Globularia bisnagarica</i> L.
<i>Glyceria altissima</i> (Moench) Schloss. & Vuk.	→ <i>Glyceria maxima</i> (Hartm.) Holmb.
<i>Glyceria aquatica</i> (L.) Wahlenb.	→ <i>Glyceria maxima</i> (Hartm.) Holmb.
<i>Glyceria borrieri</i> Bab.	→ <i>Puccinellia fasciculata</i> (Torr.) E.P. Bicknell
<i>Glyceria convoluta</i> (Hornem.) Fr.	→ <i>Puccinellia convoluta</i> (Hornem.) Hayek
<i>Glyceria distans</i> (L.) Wahlenb.	→ <i>Puccinellia distans</i> (Jacq.) Parl.
<i>Glyceria festuciformis</i> (Host) Heynh.	→ <i>Puccinellia festuciformis</i> (Host) Parl.
<i>Glyceria plicata</i> Fries	→ <i>Glyceria notata</i> Chevall.
<i>Glyceria spectabilis</i> Mert. & W.D.J. Koch	→ <i>Glyceria maxima</i> (Hartm.) Holmb.
<i>Glycine sinensis</i> Sims	→ <i>Wisteria sinensis</i> (Sims) Sweet
<i>Gnaphalium arvense</i> L.	→ <i>Filago arvensis</i> L.
<i>Gnaphalium barrelieri</i> Ten.	→ <i>Helichrysum barrelieri</i> (Ten.) Greuter
<i>Gnaphalium carpathicum</i> Wahlenb.	→ <i>Antennaria carpathica</i> (Wahlenb.) Bluff & Fingerh.
<i>Gnaphalium diminutum</i> Br.-Bl.	→ <i>Gnaphalium hoppeanum</i> W.D.J. Koch subsp. <i>magellense</i> (Fiori) Strid
<i>Gnaphalium dioicum</i> L.	→ <i>Antennaria dioica</i> (L.) Gaertn.
<i>Gnaphalium heteranthum</i> Raf.	→ <i>Filago heterantha</i> Raf.
<i>Gnaphalium italicum</i> Roth	→ <i>Helichrysum italicum</i> (Roth) G. Don s.l.
<i>Gnaphalium luteo-album</i> L.	→ <i>Laphangium luteoalbum</i> (L.) Tzvelev
<i>Gnaphalium microphyllum</i> Willd.	→ <i>Helichrysum italicum</i> (Roth) G. Don subsp. <i>microphyllum</i> (Willd.) Nyman
<i>Gnaphalium neglectum</i> Soy.-Will.	→ <i>Filago neglecta</i> (Soy.-Will.) DC.
<i>Gnaphalium saxatile</i> L.	→ <i>Phagnalon saxatile</i> (L.) Cass.
<i>Gnaphalium sordidum</i> L.	→ <i>Phagnalon sordidum</i> (L.) Rchb.
<i>Gnaphalium stoechas</i> L.	→ <i>Helichrysum stoechas</i> (L.) Moench
<i>Gnaphalium undulatum</i> L.	→ <i>Pseudognaphalium undulatum</i> (L.) Hilliard & B.L. Burt
<i>Gomphocarpus fruticosus</i> (L.) Aiton fil.	→ <i>Asclepias fruticosus</i> L.
<i>Gymnadenia albida</i> (L.) Rich.	→ <i>Pseudorchis albida</i> (L.) A. & D. Love
<i>Gymnadenia conopsea</i> (G. Foelsche & Gerbaud) G. Foelsche & Gerbaud	→ <i>Nigritella conopsea</i> G. Foelsche & Gerbaud
<i>Gymnadenia conopsea</i> (L.) R. Br. subsp. <i>densiflora</i> (Wahlenb.) K. Richt.	→ incl. <i>Gymnadenia conopsea</i> (L.) R. Br.
<i>Gymnadenia corneliana</i> (Beauverd) Teppner & E. Klein	→ <i>Nigritella corneliana</i> (Beauverd) Gözl & H.R. Reinhard
<i>Gymnadenia nigra</i> (L.) Rchb. subsp. <i>austriaca</i> (Teppner & E. Klein) Teppner & E. Klein	→ <i>Nigritella austriaca</i> (Teppner & E. Klein) P. Delforge
<i>Gymnadenia rubra</i> Wettst.	→ <i>Nigritella rubra</i> (Wettst.) K. Richt.
<i>Gypsophila aggregata</i> L.	→ <i>Arenaria aggregata</i> (L.) Loisel. subsp. <i>aggregata</i>
<i>Gypsophila gasparrinii</i> Guss.	→ <i>Petrorhagia saxifraga</i> (L.) Link subsp. <i>gasparrinii</i> (Guss.) Greuter & Burdet
<i>Gypsophila haynaldiana</i> Janka	→ <i>Petrorhagia illyrica</i> (Ard.) P.W. Ball & Heywood subsp. <i>haynaldiana</i> (F.N. Williams) P.W. Ball & Heywood
<i>Habenaria gymnasium</i> Druce	→ <i>Gymnadenia conopsea</i> (L.) R. Br.
<i>Habenaria viridis</i> R. Br.	→ <i>Coeloglossum viride</i> (L.) Hartm.
<i>Hagaea alsinifolia</i> Biv.	→ <i>Polycarpon tetraphyllum</i> (L.) L. subsp. <i>alsinifolium</i> (Biv.) Ball
<i>Hagaea polycarpoides</i> Biv.	→ <i>Polycarpon polycarpoides</i> (Biv.) Zodda subsp. <i>polycarpoides</i>
<i>Halimione portulacoides</i> (L.) Aellen	→ <i>Atriplex portulacoides</i> L.
<i>Haynaldia villosa</i> (L.) Schur	→ <i>Dasyphyrum villosum</i> (L.) P. Candargy, non Borbás
<i>Hedera helix</i> L. subsp. <i>poetarum</i> Nyman	→ <i>Hedera helix</i> L. subsp. <i>poetarum</i> (Bertol.) Nyman
<i>Hedera poetarum</i> Weston	→ <i>Hedera helix</i> L. subsp. <i>poetarum</i> (Bertol.) Nyman
<i>Hedera quinquefolia</i> L.	→ <i>Parthenocissus quinquefolia</i> (L.) Planch.
<i>Hedysarum aequidentatum</i> Sm.	→ <i>Onobrychis aequidentata</i> (Sm.) d'Urv.
<i>Hedysarum album</i> Waldst. & Kit.	→ <i>Onobrychis alba</i> (Waldst. & Kit.) Desv. s.l.
<i>Hedysarum arenarium</i> Kit.	→ <i>Onobrychis arenaria</i> (Kit.) DC. s.l.
<i>Hedysarum coronarium</i> L.	→ <i>Sulla coronaria</i> (L.) Medik.

<i>Hedysarum exaltatum</i> A. Kern.	→ <i>Hedysarum hedysaroides</i> (L.) Schinz & Thell. subsp. <i>exaltatum</i> (A. Kern.) Zertová
<i>Hedysarum glomeratum</i> Dietrich	→ <i>Sulla capitata</i> (Desf.) B.H. Choi & H. Ohashi
<i>Hedysarum humile</i> L.	→ <i>Hedysarum confertum</i> Desf.
<i>Hedysarum saxatile</i> L.	→ <i>Onobrychis saxatilis</i> (L.) Lam.
<i>Hedysarum spinosissimum</i> L.	→ <i>Sulla spinosissima</i> (L.) B.H. Choi & H. Ohashi
<i>Hedysarum spinosissimum</i> L. var. <i>capitatum</i> Rouy	→ <i>Sulla capitata</i> (Desf.) B.H. Choi & H. Ohashi
<i>Hedysarum supinum</i> Vill.	→ <i>Onobrychis supina</i> (Vill.) DC.
<i>Heleochloa alopecuroides</i> (Piller & Mitterp.) Host ex Roem.	→ <i>Crypsis alopecuroides</i> (Piller & Mitterp.) Schrad.
<i>Heleochloa schoenoides</i> (L.) Host	→ <i>Crypsis schoenoides</i> (L.) Lam.
<i>Helianthemum allionii</i> Tineo	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>allionii</i> (Tineo) Greuter & Burdet
<i>Helianthemum alpestre</i> (Jacq.) DC.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>alpestre</i> (Jacq.) Ces.
<i>Helianthemum arabicum</i> (L.) Pers.	→ <i>Fumana arabica</i> (L.) Spach
<i>Helianthemum berterioanum</i> Bertol.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>berterioanum</i> (Bertol.) Breistr.
<i>Helianthemum bicolor</i> C.Presl	→ <i>Helianthemum croceum</i> (Desf.) Pers.
<i>Helianthemum canum</i> (L.) Baumg.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>incanum</i> (Willk.) G. López
<i>Helianthemum canum</i> (L.) Baumg. subsp. <i>canum</i>	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>incanum</i> (Willk.) G. López
<i>Helianthemum canum</i> (L.) Baumg. subsp. <i>nebrodense</i> (Heldr.) Arcang.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>nebrodense</i> (Guss.) Greuter & Burdet
<i>Helianthemum canum</i> (L.) Baumg. subsp. <i>pourretii</i> (Timb.-L.) Proctor	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>pourretii</i> (Timb.-Lagr.) Greuter & Burdet
<i>Helianthemum chamaecistus</i> Mill.	→ <i>Helianthemum nummularium</i> (L.) Mill. s.l.
<i>Helianthemum chamaecistus</i> Mill. subsp. <i>obscurum</i> Celak.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>obscurum</i> (Celak.) Holub
<i>Helianthemum fumana</i> (L.) Mill.	→ <i>Fumana procumbens</i> (Dunal) Gren. & Godr.
<i>Helianthemum grandiflorum</i> (Scop.) DC.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>grandiflorum</i> (Scop.) Schinz & Thell.
<i>Helianthemum grandiflorum</i> (Scop.) Lam.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>grandiflorum</i> (Scop.) Schinz & Thell.
<i>Helianthemum grandiflorum</i> (Scop.) Lam.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>grandiflorum</i> (Scop.) Schinz & Thell.
<i>Helianthemum grandiflorum</i> (Scop.) DC.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>grandiflorum</i> (Scop.) Schinz & Thell.
<i>Helianthemum hyssopifolium</i> Ten.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>obscurum</i> (Celak.) Holub
<i>Helianthemum inconspicuum</i> Pers.	→ <i>Tuberaria inconspicua</i> (Pers.) Willk.
<i>Helianthemum intermedium</i> Pers.	→ incl. <i>Helianthemum salicifolium</i> (L.) Mill.
<i>Helianthemum italicum</i> (L.) Pers.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>italicum</i> (L.) Ces.
<i>Helianthemum lavandulaefolium</i> Miller	→ <i>Helianthemum syriacum</i> (Jacq.) Dum. Cours. subsp. <i>thibaudii</i> (Pers.) Meikle
<i>Helianthemum lavandulifolium</i> Miller	→ <i>Helianthemum syriacum</i> (Jacq.) Dum. Cours. subsp. <i>thibaudii</i> (Pers.) Meikle
<i>Helianthemum lignosum</i> Sweet	→ <i>Tuberaria lignosa</i> (Sweet) Samp.
<i>Helianthemum nebrodense</i> Guss.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>nebrodense</i> (Guss.) Greuter & Burdet
<i>Helianthemum nitidum</i> Clementi	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>glabrum</i> (W.D.J. Koch) Wilczek
<i>Helianthemum nummularium</i> (L.) Miller subsp. <i>berterianum</i> (Bertol.) Breistr.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>berterioanum</i> (Bertol.) Breistr.
<i>Helianthemum nummularium</i> (L.) Mill. var. <i>glabrum</i> W.D.J. Koch	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>glabrum</i> (W.D.J. Koch) Wilczek
<i>Helianthemum obscurum</i> Pers.	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>obscurum</i> (Celak.) Holub
<i>Helianthemum oelandicum</i> (L.) DC. in Lam. & DC. subsp. <i>canum</i> (L.) Bonnier	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>incanum</i> (Willk.) G. López
<i>Helianthemum ovatum</i> (Viv.) Dunal	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>obscurum</i> (Celak.) Holub
<i>Helianthemum pourretii</i> Timb.-Lagr.	→ <i>Helianthemum oelandicum</i> (L.) Dum. Cours. subsp. <i>pourretii</i> (Timb.-Lagr.) Greuter & Burdet
<i>Helianthemum procumbens</i> Dunal	→ <i>Fumana procumbens</i> (Dunal) Gren. & Godr.
<i>Helianthemum rotundifolium</i> Dunal	→ <i>Helianthemum cinereum</i> (Cav.) Pers. subsp. <i>rotundifolium</i> (Dunal) Greuter & Burdet

<i>Helianthemum semiglabrum</i> Badarò	→ <i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>semiglabrum</i> (Badarò) M. Proctor
<i>Helianthemum thibaudii</i> Pers.	→ <i>Helianthemum syriacum</i> (Jacq.) Dum. Cours. subsp. <i>thibaudii</i> (Pers.) Meikle
<i>Helianthemum thymifolium</i> (L.) Pers.	→ <i>Fumana thymifolia</i> (L.) Spach ex Webb
<i>Helianthemum tuberaria</i> (L.) Mill.	→ <i>Tuberaria lignosa</i> (Sweet) Samp.
<i>Helianthemum villosissimum</i> Pomel	→ <i>Tuberaria villosissima</i> (Pomel) Grosser
<i>Helianthemum vivianii</i> Pollini	→ <i>Tuberaria acuminata</i> (Viv.) Grosser
<i>Helianthemum vulgare</i> Gaertn.	→ <i>Helianthemum nummularium</i> (L.) Mill. s.l.
<i>Helichrysum angustifolium</i> (Lam.) DC.	→ <i>Helichrysum italicum</i> (Roth) G. Don s.l.
<i>Helichrysum italicum</i> (Roth) G. Don subsp. <i>pseudolitoreum</i> (Fiori) Bacchetta, Brullo & Mossa	→ incl. <i>Helichrysum litoreum</i> Guss.
<i>Helichrysum microphyllum</i> (Willd.) Cambess.	→ <i>Helichrysum italicum</i> (Roth) G. Don subsp. <i>microphyllum</i> (Willd.) Nyman
<i>Helichrysum pseudolitoreum</i> (Fiori) Brullo	→ incl. <i>Helichrysum litoreum</i> Guss.
<i>Helichrysum scandens</i> Guss.	→ <i>Helichrysum barrelieri</i> (Ten.) Greuter
<i>Helichrysum siculum</i> (Sprengel) Boiss.	→ <i>Helichrysum barrelieri</i> (Ten.) Greuter
<i>Helichrysum stoechas</i> (L.) Moench subsp. <i>barrelieri</i> (Ten.) Nyman	→ <i>Helichrysum barrelieri</i> (Ten.) Greuter
<i>Helictotrichon pratense</i> Pilg.	→ <i>Avenula pratensis</i> (L.) Dumort.
<i>Helictotrichon montanum</i> (Vill.) Pilg.	→ <i>Helictotrichon sedenense</i> (Clarion) Holub subsp. <i>sedenense</i>
<i>Helictotrichon praetutianum</i> (Parl. ex Arcang.) Röser	→ <i>Avenula praetutiana</i> (Parl. ex Arcang.) Pignatti
<i>Helictotrichon pubescens</i> (Huds.) Pilg.	→ <i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi s.l.
<i>Helictotrichon pubescens</i> (Huds.) Pilg. subsp. <i>laevigatum</i> (Schur) Soó	→ <i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi subsp. <i>laevigatum</i> (Schur) Banfi, Galasso & Bracchi
<i>Heliosperma monachorum</i> Vis. & Pancic	→ incl. <i>Silene pusilla</i> Waldst. & Kit. subsp. <i>pusilla</i>
<i>Heliosperma veselskyi</i> Janka	→ <i>Silene veselskyi</i> (Janka) H. Neumayer
<i>Heliotropium bocconeii</i> Guss.	→ <i>Heliotropium suaveolens</i> M. Bieb. subsp. <i>bocconeii</i> (Guss.) Brummitt
<i>Helleborine atropurpurea</i> (Raf.) Schinz & Thell.	→ <i>Epipactis atrorubens</i> (Hoffm. ex Bernh.) Besser
<i>Helleborine latifolia</i> (L.) Moench	→ <i>Epipactis helleborine</i> (L.) Crantz s.l.
<i>Helleborine microphylla</i> (Ehrh.) Schinz & Thell.	→ <i>Epipactis microphylla</i> (Ehrh.) Sw.
<i>Helleborine palustris</i> (L.) Schrank	→ <i>Epipactis palustris</i> (L.) Crantz
<i>Helleborine sessilifolia</i> Peterm.	→ <i>Epipactis viridiflora</i> Hoffm. ex Krock.
<i>Helleborine varians</i> Soó	→ <i>Epipactis viridiflora</i> Hoffm. ex Krock.
<i>Helleborus bocconeii</i> Ten. subsp. <i>intermedius</i> (Guss.) Greuter & Burdet	→ <i>Helleborus bocconeii</i> Ten. subsp. <i>bocconeii</i>
<i>Helleborus hyemalis</i> L.	→ <i>Eranthis hyemalis</i> (L.) Salisb.
<i>Helleborus laxus</i> Host	→ <i>Helleborus viridis</i> L. subsp. <i>viridis</i>
<i>Helleborus multifidus</i> Vis.	→ <i>Helleborus bocconeii</i> Ten. subsp. <i>multifidus</i> (Vis.) Soldano & F. Conti
<i>Helleborus multifidus</i> W. et K. subsp. <i>istriacus</i> (Schiffner) Merxm. et Podl.	→ <i>Helleborus bocconeii</i> Ten. subsp. <i>istriacus</i> (Schiffn.) Soldano & F. Conti
<i>Helleborus multifidus</i> Vis. subsp. <i>laxus</i> (Host) Martinis in Trinajstić	→ <i>Helleborus viridis</i> L. subsp. <i>viridis</i>
<i>Helleborus niger</i> L. var. <i>macranthus</i> Freyn	→ <i>Helleborus niger</i> L. subsp. <i>macranthus</i> (Freyn) Schiffn.
<i>Helleborus odoratus</i> Waldst. & Kit.	→ incl. <i>Helleborus viridis</i> L. subsp. <i>viridis</i>
<i>Helleborus odoratus</i> Willd. var. <i>istriacus</i> Schiffn.	→ <i>Helleborus bocconeii</i> Ten. subsp. <i>istriacus</i> (Schiffn.) Soldano & F. Conti
<i>Helleborus trifolius</i> Mill. subsp. <i>corsicus</i> Briq.	→ <i>Helleborus lividus</i> Aiton subsp. <i>corsicus</i> (Briq.) P. Fourn.
<i>Helleborus viridis</i> L. subsp. <i>occidentalis</i> (Reut.) Schiffn.	→ <i>Helleborus viridis</i> L. subsp. <i>viridis</i>
<i>Helosciadium crassipes</i> W.D.J. Koch ex Rchb.	→ <i>Apium crassipes</i> (W.D.J. Koch ex Rchb.) Rchb. f.
<i>Helosciadium inundatum</i> (L.) W.D.J. Koch	→ <i>Apium inundatum</i> (L.) Rchb. f.
<i>Helosciadium nodiflorum</i> (L.) W.D.J. Koch	→ <i>Apium nodiflorum</i> (L.) Lag. subsp. <i>nodiflorum</i>
<i>Helosciadium repens</i> (Jacq.) W.D.J. Koch	→ <i>Apium repens</i> (Jacq.) Lag.
<i>Hemerocallis flava</i> L.	→ <i>Hemerocallis lilio-asphodelus</i> L.
<i>Hemerocallis lilioasphodelus</i> L.	→ <i>Hemerocallis lilio-asphodelus</i> L.
<i>Heracleum cordatum</i> C. Presl	→ <i>Heracleum sphondylium</i> L. subsp. <i>elegans</i> (Crantz) Schübl. & G. Martens
<i>Heracleum montanum</i> Schleich. ex Gaudin	→ <i>Heracleum sphondylium</i> L. subsp. <i>elegans</i> (Crantz) Schübl. & G. Martens
<i>Heracleum orsinii</i> Guss.	→ <i>Heracleum sphondylium</i> L. subsp. <i>orsinii</i> (Guss.) H. Neumayer
<i>Heracleum pyrenaicum</i> Lam.	→ <i>Heracleum sphondylium</i> L. subsp. <i>pyrenaicum</i> (Lam.) Bonnier & Layens
<i>Heracleum pyrenaicum</i> Lam. subsp. <i>cordatum</i> (Presl) Pedrotti et Pign.	→ <i>Heracleum sphondylium</i> L. subsp. <i>elegans</i> (Crantz) Schübl. & G. Martens
<i>Heracleum pyrenaicum</i> Lam. subsp. <i>orsinii</i> (Guss.) Pedrotti et Pign.	→ <i>Heracleum sphondylium</i> L. subsp. <i>orsinii</i> (Guss.) H. Neumayer
<i>Heracleum pyrenaicum</i> Lam. subsp. <i>pollinianum</i> (Bertol.) Pedrotti & Pignatti	→ <i>Heracleum sphondylium</i> L. subsp. <i>pyrenaicum</i> (Lam.) Bonnier & Layens

<i>Heracleum pyrenaicum</i> Lam. subsp. <i>pyrenaicum</i>	→ <i>Heracleum sphondylium</i> L. subsp. <i>pyrenaicum</i> (Lam.) Bonnier & Layens
<i>Heracleum sibiricum</i> L.	→ <i>Heracleum sphondylium</i> L. subsp. <i>sibiricum</i> (L.) Simonk.
<i>Heracleum ternatum</i> Velen.	→ <i>Heracleum sphondylium</i> L. subsp. <i>ternatum</i> (Velen.) Brummitt
<i>Herminium alpinum</i> Lindl.	→ <i>Chamorchis alpina</i> (L.) Rich.
<i>Herminium clandestinum</i> Gren. & Godr.	→ <i>Herminium monorchis</i> (L.) R. Br.
<i>Herniaria hirsuta</i> L. subsp. <i>cinerea</i> (DC.) Coutinho	→ <i>Herniaria cinerea</i> DC.
<i>Herniaria latifolia</i> Lapeyr. subsp. <i>litardierei</i> Gamisans	→ <i>Herniaria litardierei</i> (Gamisans) Greuter & Burdet
<i>Herniaria latifolia</i> Lapeyr. subsp. <i>litardieri</i> Gamisans	→ <i>Herniaria litardierei</i> (Gamisans) Greuter & Burdet
<i>Herniaria microcarpa</i> C. Presl in J. Presl & C. Presl	→ <i>Herniaria glabra</i> L. subsp. <i>nebrodensis</i> Jan ex Nyman
<i>Hesperis africana</i> L.	→ <i>Malcolmia africana</i> (L.) R. Br.
<i>Hesperis candida</i> Kit.	→ <i>Hesperis matronalis</i> L. subsp. <i>candida</i> (Kit.) Hegi & Em. Schmid
<i>Hesperis dentata</i> L.	→ <i>Sisymbrella dentata</i> (L.) O.E. Schulz
<i>Hesperis orsiniana</i> Ten.	→ <i>Malcolmia orsiniana</i> (Ten.) Ten. subsp. <i>orsiniana</i>
<i>Hesperis ramosissima</i> Desf.	→ <i>Malcolmia ramosissima</i> (Desf.) Gennari
<i>Hesperis rupestris</i> Raf.	→ <i>Matthiola incana</i> (L.) R. Br. subsp. <i>rupestris</i> (Raf.) Nyman
<i>Hesperis verna</i> L.	→ <i>Arabis verna</i> (L.) R. Br.
<i>Heteropogon allionii</i> (DC.) Roem. & Schult.	→ <i>Heteropogon contortus</i> (L.) P. Beauv.
<i>Heteropogon glaber</i> Pers.	→ <i>Heteropogon contortus</i> (L.) P. Beauv.
<i>Hibiscus pentacarpos</i> L.	→ <i>Kosteletzkya pentacarpos</i> (L.) Ledeb.
<i>Hieracium adenoclinum</i> Arv.-Touv.	→ incl. <i>Hieracium ramosissimum</i> Schleich. ex Hegetschw.
<i>Hieracium adriaticum</i> Nägeli ex Freyn	→ <i>Hieracium visianii</i> (F.W. Schultz & Sch. Bip.) Schinz & Thell.
<i>Hieracium adusticeps</i> Zahn	→ <i>Hieracium melanops</i> Arv.-Touv.
<i>Hieracium aesticum</i> Fr., nom. illeg., non Bunge ex Ledeb.	→ <i>Hieracium conicum</i> Arv.-Touv.
<i>Hieracium alpestre</i> Jacq.	→ <i>Crepis alpestris</i> (Jacq.) Tausch
<i>Hieracium alpinum</i> L. subsp. <i>alpinum</i>	→ <i>Hieracium alpinum</i> L.
<i>Hieracium ammobium</i> P.D. Sell & C. West	→ incl. <i>Hieracium bifidum</i> Kit. ex Hornem.
<i>Hieracium amphigenum</i> Arv.-Touv. & Briq.	→ incl. <i>Hieracium piliferum</i> Hoppe
<i>Hieracium amphitrichum</i> Arv.-Touv. & Belli	→ <i>Hieracium fastuosum</i> Zahn
<i>Hieracium anadenum</i> (Burnat & Gremli) Arv.-Touv.	→ incl. <i>Hieracium armerioides</i> Arv.-Touv.
<i>Hieracium andryaloides</i> Vill.	→ incl. <i>Hieracium tomentosum</i> (L.) L.
<i>Hieracium arrectum</i> Gren. ex Zahn	→ <i>Hieracium neyraeanum</i> Arv.-Touv.
<i>Hieracium asperum</i> Arv.-Touv. & Belli, nom. illeg., non Fr.	→ incl. <i>Hieracium taurinense</i> Jord.
<i>Hieracium aspromontanum</i> Brullo, Scelsi & Spampinato	→ incl. <i>Hieracium schmidtii</i> Tausch
<i>Hieracium aurantiacoides</i> Arv.-Touv.	→ p.p. <i>Hieracium guthnickianum</i> Hegetschw.
<i>Hieracium auricula</i> auct.	→ <i>Hieracium lactucella</i> Wallr.
<i>Hieracium auricula</i> L. subsp. <i>magnauricula</i> (Nägeli & Peter) P.D.Sell	→ incl. <i>Hieracium lactucella</i> Wallr.
<i>Hieracium auriculiforme</i> auct. non Fr.	→ <i>Hieracium schultesii</i> F.W. Schultz
<i>Hieracium austriacum</i> Brittinger	→ <i>Hieracium apricorum</i> Wiesb.
<i>Hieracium barbatum</i> Tausch	→ incl. <i>Hieracium racemosum</i> Waldst. & Kit. ex Willd.
<i>Hieracium basterianum</i> Zahn	→ <i>Hieracium basterianum</i> Zahn
<i>Hieracium berardianum</i> Arv.-Touv.	→ incl. <i>Hieracium amplexicaule</i> L.
<i>Hieracium bifidellum</i> (Zahn) P.D. Sell & C. West	→ incl. <i>Hieracium rohacsense</i> Kit.
<i>Hieracium bifrons</i> Arv.-Touv.	→ incl. <i>Hieracium lycophilium</i> Froel.
<i>Hieracium boreale</i> Fr.	→ incl. <i>Hieracium sabaudum</i> L.
<i>Hieracium brunelliforme</i> Arv.-Touv.	→ incl. <i>Hieracium schmidtii</i> Tausch
<i>Hieracium caesiiflorum</i> Alm. ex Norrl.	→ incl. <i>Hieracium bifidum</i> Kit. ex Hornem.
<i>Hieracium callianthum</i> Arv.-Touv. p.p.	→ incl. <i>Hieracium scorzonifolium</i> Vill.
<i>Hieracium canalense</i> Pacher	→ incl. <i>Hieracium pilosum</i> Schleich. ex Froel.
<i>Hieracium canitiosum</i> Dahlst.	→ incl. <i>Hieracium bifidum</i> Kit. ex Hornem.
<i>Hieracium cardiobasis</i> (Zahn) Juxip	→ incl. <i>Hieracium bifidum</i> Kit. ex Hornem.
<i>Hieracium cenisium</i> Arv.-Touv.	→ incl. <i>Hieracium dentatum</i> Hoppe
<i>Hieracium cephalotes</i> Arv.-Touv. sensu Zahn p.p.	→ <i>Hieracium profetanum</i> Belli
<i>Hieracium ceratodon</i> Arv.-Touv.	→ incl. <i>Hieracium schmidtii</i> Tausch
<i>Hieracium chaetocasioides</i> Zahn, nom. inval.	→ incl. <i>Hieracium pseudoprasinops</i> Zahn
<i>Hieracium chaunanthos</i> (Nägeli & Peter) Zahn	→ <i>Hieracium rubrum</i> Peter
<i>Hieracium chlorocephalum</i> sensu Fiori 1928 non Wimmer	→ incl. <i>Hieracium gombense</i> Lagrer ex Christener
<i>Hieracium chondrilloides</i> Vill., nom. illeg., non L.	→ <i>Hieracium chondrillifolium</i> Fr.
<i>Hieracium cinerascens</i> Jord.	→ incl. <i>Hieracium glaucinum</i> Jord.
<i>Hieracium cochleare</i> Huter	→ incl. <i>Hieracium nigrescens</i> Willd.
<i>Hieracium cochlearifolium</i> Zahn, nom. illeg., non Brenner	→ <i>Hieracium cochlearioides</i> Zahn
<i>Hieracium comelensis</i> Zenari	→ incl. <i>Hieracium cochlearioides</i> Zahn
<i>Hieracium conringioides</i> Arv.-Touv.	→ incl. <i>Hieracium ramosissimum</i> Schleich. ex Hegetschw.
<i>Hieracium conryngiifolium</i> Arv.-Touv.	→ incl. <i>Hieracium ramosissimum</i> Schleich. ex Hegetschw.
<i>Hieracium conyzaceum</i> Arv.-Touv.	→ incl. <i>Hieracium ramosissimum</i> Schleich. ex Hegetschw.
<i>Hieracium conyzaeifolium</i> Gouan	→ <i>Crepis conyzifolia</i> (Gouan) A. Kern.
<i>Hieracium coronariifolium</i> Arvet-Touvet	→ <i>Hieracium coronariifolium</i> Arv.-Touv.

<i>Hieracium corruscans</i> auct. non Fr.	→ <i>Hieracium praestans</i> Arv.-Touv. & Gaut.
<i>Hieracium corymbosum</i> Fr.	→ incl. <i>Hieracium inuloides</i> Tausch
<i>Hieracium corymbuliferum</i> Arv.-Touv.	→ p.p. <i>Hieracium laggeri</i> (Sch.-Bip. ex Rchb. f.) Fr.
<i>Hieracium cottianum</i> Arv.-Touv.	→ incl. <i>Hieracium cydonifolium</i> Vill.
<i>Hieracium crepidifolium</i> Arv.-Touv.	→ incl. <i>Hieracium umbrosum</i> Jord.
<i>Hieracium crinitum</i> Sm.	→ incl. <i>Hieracium racemosum</i> Waldst. & Kit. ex Willd.
<i>Hieracium crucimontis</i> (Zahn) Zahn	→ <i>Hieracium apricorum</i> Wiesb.
<i>Hieracium cyaneum</i> Arv.-Touv.	→ incl. <i>Hieracium schmidtii</i> Tausch
<i>Hieracium digeneum</i> Burnat & Gremli	→ <i>Hieracium digenum</i> Burn. & Gremli
<i>Hieracium elongatum</i> Willd. ex Froel., nom. illeg., non Lapeyr.	→ incl. <i>Hieracium valdepiosum</i> Vill.
<i>Hieracium epimedium</i> Fr.	→ incl. <i>Hieracium macilentum</i> Fr.
<i>Hieracium eurylepium</i> Nägeli & Peter	→ <i>Hieracium pachypilon</i> Peter
<i>Hieracium exotericum</i> Jord. ex Boreau	→ incl. <i>Hieracium murorum</i> L.
<i>Hieracium farinulentiforme</i> Zahn	→ incl. <i>Hieracium mattirolanum</i> Arv.-Touv. & Belli
<i>Hieracium farinulentum</i> Jord.	→ incl. <i>Hieracium pictum</i> Pers.
<i>Hieracium ferrarianum</i> Belli	→ incl. <i>Hieracium pulchellum</i> Gren. ex Griseb.
<i>Hieracium festinum</i> Jord. ex Boreau	→ incl. <i>Hieracium lachenalii</i> C.C. Gmel.
<i>Hieracium flexuosum</i> Waldst. & Kit. ex Willd.	→ incl. <i>Hieracium scorzonifolium</i> Vill.
<i>Hieracium florentinum</i> All.	→ <i>Hieracium piloselloides</i> Vill.
<i>Hieracium florentoides</i> Arv.-Touv.	→ p.p. <i>Hieracium aridum</i> Freyn
<i>Hieracium fulgens</i> Nägeli & Peter	→ <i>Hieracium nothum</i> Huter
<i>Hieracium furcatum</i> Hoppe	→ incl. <i>Hieracium sphaerocephalum</i> Froel.
<i>Hieracium gallurens</i> Arrigoni	→ incl. <i>Hieracium bernardii</i> Rouy
<i>Hieracium ganderi</i> Hausm. ex Oborny	→ incl. <i>Hieracium oxyodon</i> Fr.
<i>Hieracium gaudini</i> (Christener) Nägeli & Peter	→ incl. <i>Hieracium dentatum</i> Hoppe
<i>Hieracium gentile</i> Jord. ex Boreau	→ incl. <i>Hieracium murorum</i> L.
<i>Hieracium gibellianum</i> Arv.-Touv. & Belli	→ incl. <i>Hieracium monregalense</i> Burnat & Gremli
<i>Hieracium glaciale</i> Reyn. ex Lachen., nom. inval.	→ <i>Hieracium angustifolium</i> Hoppe
<i>Hieracium glaciellum</i> Nägeli & Peter grex <i>hypoleucum</i> (Arv.-Touv.) Zahn	→ <i>Hieracium velutellum</i> Nägeli & Peter
<i>Hieracium glanduliferum</i> Hoppe	→ incl. <i>Hieracium piliferum</i> Hoppe
<i>Hieracium gortanianum</i> Arv.-Touv. & Belli	→ incl. <i>Hieracium tephropogon</i> Zahn
<i>Hieracium halleri</i> Vill.	→ incl. <i>Hieracium alpinum</i> L.
<i>Hieracium heterospermum</i> Arv.-Touv.	→ incl. <i>Hieracium racemosum</i> Waldst. & Kit. ex Willd.
<i>Hieracium hopeanum</i> Schult. grex <i>macranthum</i> (Ten.) Nägeli & Peter	→ <i>Hieracium macranthum</i> (Ten.) Ten.
<i>Hieracium hybridiforme</i> Zahn	→ <i>Hieracium leucense</i> F.O. Wolf
<i>Hieracium hypochoerideum</i> Arv.-Touv.	→ incl. <i>Hieracium cirritum</i> Arv.-Touv.
<i>Hieracium incisum</i> Hoppe	→ incl. <i>Hieracium pallescens</i> Waldst. & Kit.
<i>Hieracium inclinatum</i> Arv.-Touv.	→ incl. <i>Hieracium oxyodon</i> Fr.
<i>Hieracium integratum</i> Dahlst.	→ incl. <i>Hieracium murorum</i> L.
<i>Hieracium intumescens</i> Nägeli & Peter	→ <i>Hieracium glabratum</i> Hoppe ex Willd.
<i>Hieracium intybellifolium</i> Arv.-Touv.	→ incl. <i>Hieracium macilentum</i> Fr.
<i>Hieracium iriginianum</i> Arrigoni	→ incl. <i>Hieracium pictum</i> Pers.
<i>Hieracium irriguum</i> Fr.	→ incl. <i>Hieracium lachenalii</i> C.C. Gmel.
<i>Hieracium italicum</i> Fr.	→ incl. <i>Hieracium racemosum</i> Waldst. & Kit. ex Willd.
<i>Hieracium jacquinii</i> Vill.	→ <i>Hieracium humile</i> Jacq.
<i>Hieracium jantropodum</i> Arv.-Touv. & Belli, nom. inval.	→ incl. <i>Hieracium bifidum</i> Kit. ex Hornem.
<i>Hieracium juraniforme</i> (Zahn) Zahn	→ <i>Hieracium dermatophyllum</i> Arv.-Touv.
<i>Hieracium juranum</i> Fr., nom. illeg., non Rapin	→ <i>Hieracium jurassicum</i> Griseb.
<i>Hieracium kernerii</i> Ausserd. ex Zahn	→ <i>Hieracium balbisianum</i> Arv.-Touv. & Briq.
<i>Hieracium lacerum</i> Reuter ex Fr.	→ incl. <i>Hieracium humile</i> Jacq.
<i>Hieracium lactaris</i> Bertol.	→ incl. <i>Hieracium umbellatum</i> L.
<i>Hieracium lactucella</i> Wallr. subsp. <i>nanum</i> (Scheele) P.D.Sell	→ incl. <i>Hieracium lactucella</i> Wallr.
<i>Hieracium lactucifolium</i> Arv.-Touv.	→ incl. <i>Hieracium ramosissimum</i> Schleich. ex Hegetschw.
<i>Hieracium laevicaule</i> Jord.	→ <i>Hieracium vulgatum</i> Fr.
<i>Hieracium lanatellum</i> Arv.-Touv.	→ incl. <i>Hieracium pulchellum</i> Gren. ex Griseb.
<i>Hieracium lanatum</i> Vill.	→ <i>Hieracium tomentosum</i> (L.) L.
<i>Hieracium lanceolatum</i> Vill.	→ incl. <i>Hieracium prenanthoides</i> Vill.
<i>Hieracium laschii</i> F.W. Schultz & Sch. Bip. ex Zahn	→ <i>Hieracium kalksburgense</i> Wiesb.
<i>Hieracium lasiophyllum</i> Koch	→ incl. <i>Hieracium schmidtii</i> Tausch
<i>Hieracium latifolium</i> auct., non Froel. ex Link	→ <i>Hieracium brevifolium</i> Tausch
<i>Hieracium latisquamum</i> Nägeli & Peter	→ <i>Hieracium viridifolium</i> Peter
<i>Hieracium latobrigorum</i> (Zahn) Roffey	→ incl. <i>Hieracium inuloides</i> Tausch
<i>Hieracium leontodontoides</i> Arv.-Touv. & Briq.	→ incl. <i>Hieracium nigrescens</i> Willd.
<i>Hieracium leucochlorum</i> Arv.-Touv.	→ incl. <i>Hieracium armerioides</i> Arv.-Touv.
<i>Hieracium leucopsis</i> Arv.-Touv.	→ incl. <i>Hieracium piliferum</i> Hoppe
<i>Hieracium limbarae</i> Arrigoni	→ incl. <i>Hieracium platyphyllum</i> (Arv.-Touv.) Arv.-Touv.

<i>Hieracium liotardii</i> Vill.	→ incl. <i>Hieracium tomentosum</i> (L.) L.
<i>Hieracium longanum</i> Belli & Arv.-Touv.	→ incl. <i>Hieracium oxyodon</i> Fr.
<i>Hieracium lychnioides</i> Arvet-Touvet	→ <i>Hieracium lychnioides</i> Arv.-Touv.
<i>Hieracium lycopsifolium</i> Froelich	→ <i>Hieracium lycopifolium</i> Froel.
<i>Hieracium magyricum</i> Nägeli & Peter	→ <i>Hieracium bauhini</i> Schult.
<i>Hieracium mairanum</i> Belli	→ incl. <i>Hieracium melanops</i> Arv.-Touv.
<i>Hieracium martellianum</i> Arrigoni	→ incl. <i>Hieracium mattirolanum</i> Arv.-Touv. & Belli
<i>Hieracium melandrifolium</i> Arv.-Touv.	→ incl. <i>Hieracium verbascifolium</i> Vill.
<i>Hieracium menthifolium</i> Arv.-Touv.	→ incl. <i>Hieracium verbascifolium</i> Vill.
<i>Hieracium michelianum</i> Arv.-Touv. & Belli	→ incl. <i>Hieracium argothrix</i> Nägeli & Peter
<i>Hieracium micranthum</i> Huet (nom. inval.)	→ incl. <i>Hieracium lactucella</i> Wallr.
<i>Hieracium mollis</i> Jacq.	→ <i>Crepis mollis</i> (Jacq.) Asch. s.l.
<i>Hieracium morisianum</i> Rchb.f.	→ <i>Hieracium pilosum</i> Schleich. ex Froel.
<i>Hieracium mougeotii</i> (Froel. ex Koch) Godr.	→ <i>Hieracium vogesiacum</i> (Kirschl.) Fr.
<i>Hieracium naegelii</i> (Norrl. ex Nägeli & Peter) Zahn, nom. inval.	→ incl. <i>Hieracium guthnickianum</i> Hegetschw.
<i>Hieracium neglectum</i> Arv.-Touv., nom. illeg., non Norrl.	→ incl. <i>Hieracium nigrescens</i> Willd.
<i>Hieracium neopinnatifidum</i> Pugsley	→ incl. <i>Hieracium lachenalii</i> C.C. Gmel.
<i>Hieracium neopolytrichum</i> Arv.-Touv.	→ incl. <i>Hieracium dasytrichum</i> Arv.-Touv.
<i>Hieracium neoprenanthes</i> Arv.-Touv.	→ incl. <i>Hieracium taurinense</i> Jord.
<i>Hieracium neorupicola</i> P.D. Sell	→ incl. <i>Hieracium schmidtii</i> Tausch
<i>Hieracium niphobium</i> Nägeli & Peter	→ <i>Hieracium niphostribes</i> Peter
<i>Hieracium niveum</i> (Müll. Arg.) Zahn	→ <i>Hieracium saussureoides</i> (Arv.-Touv.) St.-Lag.
<i>Hieracium obscurum</i> Rchb.	→ incl. <i>Hieracium praealtum</i> Vill. ex Gochnat
<i>Hieracium ochroleucum</i> Schleicher ex Koch	→ incl. <i>Hieracium picroides</i> Vill.
<i>Hieracium odontinum</i> Arv.-Touv.	→ incl. <i>Hieracium taurinense</i> Jord.
<i>Hieracium oliastreae</i> Arrigoni	→ incl. <i>Hieracium racemosum</i> Waldst. & Kit. ex Willd.
<i>Hieracium oligocephalum</i> Arv.-Touv.	→ incl. <i>Hieracium pellitum</i> Fr.
<i>Hieracium pachylodes</i> Nägeli & Peter	→ <i>Hieracium longisquamum</i> Peter
<i>Hieracium pachylodes</i> Nägeli & Peter grex <i>macristolonum</i> Zahn	→ <i>Hieracium tessellatum</i> Arv.-Touv. & Faure
<i>Hieracium pallidum</i> Biv.-Bern. f.	→ incl. <i>Hieracium schmidtii</i> Tausch
<i>Hieracium paludosum</i> L.	→ <i>Crepis paludosa</i> (L.) Moench
<i>Hieracium pamphilii</i> Arvet-Touvet	→ <i>Hieracium pamphilei</i> Arv.-Touv.
<i>Hieracium parcepilosum</i> Arv.-Touv.	→ incl. <i>Hieracium cydonifolium</i> Vill.
<i>Hieracium peleteranum</i> Merat	→ <i>Hieracium peleterianum</i> Mérat
<i>Hieracium peletieranum</i> Mérat	→ <i>Hieracium peleterianum</i> Mérat
<i>Hieracium petraeum</i> Hoppe	→ incl. <i>Hieracium amplexicaule</i> L.
<i>Hieracium pictiforme</i> (Zahn) Zahn non Belli & Arv.-Touv.	→ <i>Hieracium neopictiforme</i> Gottschl.
<i>Hieracium pictiforme</i> Belli & Arv.-Touv. p.p.	→ incl. <i>Hieracium pulchellum</i> Gren. ex Griseb.
<i>Hieracium pietrae</i> Zahn	→ <i>Hieracium acanthodontoides</i> Arv.-Touv. & Belli
<i>Hieracium pilosella</i> L. var. <i>incanum</i> DC.	→ <i>Hieracium velutinum</i> Hegetschw.
<i>Hieracium pilosella</i> L. var. <i>macranthum</i> Ten.	→ <i>Hieracium macranthum</i> (Ten.) Ten.
<i>Hieracium piloselloides</i> Vill. grex <i>beerianum</i> (Dalla Torre) Zahn	→ incl. <i>Hieracium praealtum</i> Vill. ex Gochnat
<i>Hieracium piloselloides</i> Vill. grex <i>florentinum</i> (All.) Zahn	→ <i>Hieracium piloselloides</i> Vill.
<i>Hieracium piloselloides</i> Vill. grex <i>subcymigerum</i> (Nägeli & Peter) Zahn	→ incl. <i>Hieracium praealtum</i> Vill. ex Gochnat
<i>Hieracium pleiastrum</i> Besse & Zahn	→ incl. <i>Hieracium aridum</i> Freyn
<i>Hieracium polyadenum</i> Arv.-Touv.	→ incl. <i>Hieracium taurinense</i> Jord.
<i>Hieracium praecox</i> Sch. Bip.	→ incl. <i>Hieracium glaucinum</i> Jord.
<i>Hieracium praemorsum</i> L.	→ <i>Crepis praemorsa</i> (L.) Walther
<i>Hieracium pratense</i> Tausch	→ <i>Hieracium caespitosum</i> Dumort.
<i>Hieracium pseuditalicum</i> Zahn	→ incl. <i>Hieracium grovesianum</i> Arv.-Touv. ex Belli
<i>Hieracium pseudoboreale</i> (Nägeli & Peter) Zahn non Arv.-Touv.	→ <i>Hieracium borealiforme</i> P.D. Sell & C. West
<i>Hieracium pseudolanatum</i> Arv.-Touv.	→ incl. <i>Hieracium pellitum</i> Fr.
<i>Hieracium pseudopictis</i> Arv.-Touv.	→ incl. <i>Hieracium picroides</i> Vill.
<i>Hieracium pseudoporrectum</i> Christener	→ incl. <i>Hieracium dentatum</i> Hoppe
<i>Hieracium pseudorhaeticum</i> (Zahn) P.D. Sell & C. West	→ incl. <i>Hieracium nigrescens</i> Willd.
<i>Hieracium pulchrum</i> Arv.-Touv.	→ incl. <i>Hieracium chondrifolium</i> Fr.
<i>Hieracium pulmonarioides</i> Vill.	→ incl. <i>Hieracium amplexicaule</i> L.
<i>Hieracium pyrenaicum</i> L.	→ <i>Crepis pyrenaica</i> (L.) Greuter
<i>Hieracium raiblense</i> Huter	→ <i>Hieracium arnoserioides</i> Nägeli & Peter
<i>Hieracium rauzense</i> Murr	→ incl. <i>Hieracium rohacsense</i> Kit.
<i>Hieracium rhaeticum</i> Fr.	→ incl. <i>Hieracium nigrescens</i> Willd.
<i>Hieracium rhyparum</i> (Nägeli & Peter) Zahn, nom. inval.	→ incl. <i>Hieracium aridum</i> Freyn
<i>Hieracium rigidum</i> Hartm.	→ incl. <i>Hieracium laevigatum</i> Willd.
<i>Hieracium rigoanum</i> Arv.-Touv. & Belli	→ incl. <i>Hieracium wiesbaurianum</i> Uechtr.
<i>Hieracium rupicola</i> Fr., nom. illeg., non Jord.	→ incl. <i>Hieracium schmidtii</i> Tausch
<i>Hieracium sabinum</i> Seb.	→ incl. <i>Hieracium cymosum</i> L.
<i>Hieracium salaevense</i> (Rapin ex Fr.) Dalla Torre	→ <i>Hieracium doronicifolium</i> Arv.-Touv.

<i>Hieracium sanctoides</i> P.D. Sell & C. West	→ incl. <i>Hieracium pospichalii</i> Zahn
<i>Hieracium sanctum</i> Nägeli & Peter, nom. illeg., non L.	→ incl. <i>Hieracium pospichalii</i> Zahn
<i>Hieracium sardoum</i> (Belli) Pignatti	→ <i>Hieracium soleirolianum</i> Arv.-Touv. & Briq.
<i>Hieracium sarracenianum</i> Arv.-Touv. & Belli	→ incl. <i>Hieracium taurinense</i> Jord.
<i>Hieracium sartorianum</i> sensu Arv.-Touv. & Belli non Boiss. & Heldr.	→ <i>Hieracium profetanum</i> Belli
<i>Hieracium saxatile</i> Vill., nom. illeg., non Jacq.	→ <i>Hieracium lawsonii</i> Vill.
<i>Hieracium schroeterianum</i> (Zahn) P.D. Sell & C. West	→ incl. <i>Hieracium atratum</i> Fr.
<i>Hieracium segureum</i> Arvet-Touvet	→ <i>Hieracium segurum</i> Arv.-Touv.
<i>Hieracium semisilvaticum</i> (Zahn) P.D. Sell & C. West	→ incl. <i>Hieracium murorum</i> L.
<i>Hieracium serinense</i> (Zahn) Zahn	→ incl. <i>Hieracium wiesbaurianum</i> Uechtr.
<i>Hieracium serpyllifolium</i> Fr.	→ incl. <i>Hieracium lactucella</i> Wallr.
<i>Hieracium serratifolium</i> Jord. ex Boreau	→ incl. <i>Hieracium murorum</i> L.
<i>Hieracium silvularum</i> Jord. ex Boreau	→ incl. <i>Hieracium murorum</i> L.
<i>Hieracium sixtinum</i> Arv.-Touv.	→ incl. <i>Hieracium dentatum</i> Hoppe
<i>Hieracium smithii</i> Arv.-Touv.	→ p.p. <i>Hieracium niphostribes</i> Peter
<i>Hieracium spectabile</i> auct. non Fr.	→ <i>Hieracium praestans</i> Arv.-Touv. & Gaut.
<i>Hieracium speluncarum</i> Arv.-Touv.	→ incl. <i>Hieracium amplexicaule</i> L.
<i>Hieracium squalidum</i> Arv.-Touv.	→ incl. <i>Hieracium cottetii</i> Godet ex Christener
<i>Hieracium stauii</i> Zahn	→ incl. <i>Hieracium macilentum</i> Fr.
<i>Hieracium stenodontum</i> Arv.-Touv. & Belli	→ <i>Hieracium dolichaetum</i> Zahn
<i>Hieracium stipitatus</i> Jacq.	→ <i>Willemetia stipitata</i> (Jacq.) D. Torre subsp. <i>stipitata</i>
<i>Hieracium subalpinum</i> Arv.-Touv.	→ incl. <i>Hieracium umbrosum</i> Jord.
<i>Hieracium subbifidiforme</i> (Zahn) P.D. Sell & C. West	→ incl. <i>Hieracium murorum</i> L.
<i>Hieracium subexpallens</i> (Zahn) P.D. Sell & C. West	→ incl. <i>Hieracium dentatum</i> Hoppe
<i>Hieracium subglaberrimum</i> (Sendtner) Zahn	→ <i>Hieracium sparsiratum</i> Nägeli & Peter
<i>Hieracium subincisum</i> Arv.-Touv.	→ incl. <i>Hieracium bifidum</i> Kit. ex Hornem.
<i>Hieracium subnivale</i> Gren. & Godr.	→ incl. <i>Hieracium piliferum</i> Hoppe
<i>Hieracium subpamphilii</i> Zahn	→ <i>Hieracium subpamphilei</i> Zahn
<i>Hieracium subpatulum</i> (Zahn) Zahn	→ incl. <i>Hieracium pallescens</i> Waldst. & Kit.
<i>Hieracium subpiliferum</i> Arv.-Touv. & Briq.	→ incl. <i>Hieracium dasytrichum</i> Arv.-Touv.
<i>Hieracium subtardans</i> (Nägeli & Peter) Zahn grex <i>amphipolium</i> (Nägeli & Peter) Zahn	→ <i>Hieracium amphipolium</i> (Nägeli & Peter) Soest
<i>Hieracium subtomentosum</i> (Burnat & Gremli) Zahn	→ <i>Hieracium gnaphalodes</i> Arv.-Touv.
<i>Hieracium subvirens</i> Arv.-Touv.	→ incl. <i>Hieracium conicum</i> Arv.-Touv.
<i>Hieracium supramontanum</i> Arrigoni	→ incl. <i>Hieracium wiesbaurianum</i> Uechtr.
<i>Hieracium sylvaticum</i> (L.) L.	→ <i>Hieracium murorum</i> L.
<i>Hieracium symphytaceum</i> Arv.-Touv.	→ incl. <i>Hieracium taurinense</i> Jord.
<i>Hieracium tardans</i> Nägeli & Peter	→ <i>Hieracium saussureoides</i> (Arv.-Touv.) St.-Lag.
<i>Hieracium tauschii</i> Zahn	→ <i>Hieracium densiflorum</i> Tausch
<i>Hieracium templare</i> Arrigoni	→ incl. <i>Hieracium bernardii</i> Rouy
<i>Hieracium thapsoides</i> Arv.-Touv., nom. illeg., non Panic	→ incl. <i>Hieracium verbascifolium</i> Vill.
<i>Hieracium trachselianum</i> sensu Arv.-Touv. non Christener	→ incl. <i>Hieracium oxyodon</i> Fr.
<i>Hieracium tridentatum</i> (Fr.) Fr.	→ incl. <i>Hieracium laevigatum</i> Willd.
<i>Hieracium undulatum</i> Boiss.	→ incl. <i>Hieracium naegelianum</i> Panic
<i>Hieracium ustulatum</i> Arv.-Touv.	→ incl. <i>Hieracium armerioides</i> Arv.-Touv.
<i>Hieracium vagum</i> Jord.	→ incl. <i>Hieracium sabaudum</i> L.
<i>Hieracium vallesiacum</i> Fr.	→ incl. <i>Hieracium lycopifolium</i> Froel.
<i>Hieracium virgaurea</i> Coss.	→ incl. <i>Hieracium racemosum</i> Waldst. & Kit. ex Willd.
<i>Hieracium vulgatum</i> auct. non Fr.	→ <i>Hieracium lachenalii</i> C.C. Gmel.
<i>Hieracium willdenowianum</i> (Zahn) P.D. Sell & C. West	→ incl. <i>Hieracium valdepiosum</i> Vill.
<i>Hieracium willdenowii</i> (Monn.) Griseb.	→ incl. <i>Hieracium glaucum</i> All.
<i>Hieracium x calabrum</i> Nägeli & Peter	→ <i>Hieracium calabrum</i> Nägeli & Peter
<i>Hieracium x-aletschense</i> Zahn	→ <i>Hieracium aletschense</i> Zahn
<i>Hieracium x-anchusoides</i> (Arvet-Touvet) Arvet-Touvet	→ <i>Hieracium anchusoides</i> (Arv.-Touv.) Arv.-Touv.
<i>Hieracium x-aurantellum</i> Naegeli & Peter	→ <i>Hieracium aurantellum</i> Nägeli & Peter
<i>Hieracium x-auriculiforme</i> Fries	→ <i>Hieracium auriculiforme</i> Fr.
<i>Hieracium x-basifurcum</i> Peter	→ <i>Hieracium basifurcum</i> Peter
<i>Hieracium x-biflorum</i> Arvet-Touvet	→ <i>Hieracium biflorum</i> Arv.-Touv.
<i>Hieracium x-brachiatum</i> Bertol. ex Lam.	→ <i>Hieracium brachiatum</i> Bertol. ex DC.
<i>Hieracium x-densiflorum</i> Tausch	→ <i>Hieracium densiflorum</i> Tausch
<i>Hieracium x-fallacinum</i> F.W. Schultz	→ <i>Hieracium fallacinum</i> F.W. Schultz
<i>Hieracium x-faurei</i> (Arvet-Touvet) Arvet-Touvet	→ <i>Hieracium faurei</i> (Arv.-Touv.) Arv.-Touv.
<i>Hieracium x-frigidarium</i> Naegeli & Peter	→ <i>Hieracium frigidarium</i> Nägeli & Peter
<i>Hieracium x-fulvisetum</i> Bertol.	→ <i>Hieracium fulvisetum</i> Bertol.
<i>Hieracium x-fuscum</i> Vill.	→ <i>Hieracium fuscum</i> Vill.
<i>Hieracium x-guthnickianum</i> Hegetschw.	→ <i>Hieracium guthnickianum</i> Hegetschw.
<i>Hieracium x-hybridum</i> Chaix ex Vill.	→ <i>Hieracium hybridum</i> Chaix

<i>Hieracium x-hypeurum</i> Peter	→ <i>Hieracium hypeurum</i> Peter
<i>Hieracium x-laggeri</i> (Schultz Bip. ex Reichenb. fil.) Fries	→ <i>Hieracium laggeri</i> (Sch.-Bip. ex Rchb. f.) Fr.
<i>Hieracium x-lathraeum</i> Peter	→ <i>Hieracium lathraeum</i> Nägeli & Peter
<i>Hieracium x-litardioreanum</i> Zahn	→ <i>Hieracium litardioreanum</i> Zahn
<i>Hieracium x-longisquamum</i> Peter	→ <i>Hieracium longisquamum</i> Peter
<i>Hieracium x-niphostribes</i> Peter	→ <i>Hieracium niphostribes</i> Peter
<i>Hieracium x-nothum</i> Huter	→ <i>Hieracium nothum</i> Huter
<i>Hieracium x-pachypilon</i> Peter	→ <i>Hieracium pachypilon</i> Peter
<i>Hieracium x-peteranum</i> Kaeser	→ <i>Hieracium peterianum</i> Käser ex Zahn
<i>Hieracium x-plaicense</i> Woloszczak	→ <i>Hieracium plaicense</i> Wol.
<i>Hieracium x-pseudotrichodes</i> Zahn	→ <i>Hieracium pseudotrichodes</i> Zahn
<i>Hieracium x-rubrum</i> Peter	→ <i>Hieracium rubrum</i> Peter
<i>Hieracium x-ruprechtii</i> Boiss.	→ <i>Hieracium ruprechtii</i> Boiss.
<i>Hieracium x-salernicola</i> Vetter & Zahn	→ <i>Hieracium salernicola</i> Vetter & Zahn
<i>Hieracium x-schultesii</i> F.W. Schultz	→ <i>Hieracium schultesii</i> F.W. Schultz
<i>Hieracium x-sciadophorum</i> Naegeli & Peter	→ <i>Hieracium sciadophorum</i> Nägeli & Peter
<i>Hieracium x-spurium</i> Chaix ex Froelich	→ <i>Hieracium spurium</i> Chaix ex Froel.
<i>Hieracium x-stoloniflorum</i> Waldst. & Kit.	→ <i>Hieracium stoloniflorum</i> Waldst. & Kit.
<i>Hieracium x-subrubens</i> (Arvet-Touvet) Zahn	→ <i>Hieracium subrubens</i> (Arv.-Touv.) St.-Lag.
<i>Hieracium x-substoloniflorum</i> Peter	→ <i>Hieracium substoloniflorum</i> Waldst. & Kit.
<i>Hieracium x-sulphureum</i> Doell	→ <i>Hieracium sulphureum</i> Döll
<i>Hieracium x-tendinum</i> Naegeli & Peter	→ <i>Hieracium tendinum</i> Nägeli & Peter
<i>Hieracium x-tephrocephalum</i> Vuk.	→ <i>Hieracium tephrocephalum</i> Vuk.
<i>Hieracium x-tinctilingua</i> (Zahn) Zahn	→ <i>Hieracium tinctilingua</i> Zahn
<i>Hieracium x-viridifolium</i> Peter	→ <i>Hieracium viridifolium</i> Peter
<i>Hieracium x-zizianum</i> Tausch	→ <i>Hieracium zizianum</i> Tausch
<i>Hieracium zizianum</i> Tausch subsp. <i>sardonium</i> Zahn	→ incl. <i>Hieracium zizianum</i> Tausch
<i>Hierochloë australis</i> (Schrader) Roemer & Schultes	→ <i>Hierochloë australis</i> (Schrad.) Roem. & Schult.
<i>Hierochloë odorata</i> (L.) Beauv.	→ <i>Hierochloë odorata</i> (L.) P. Beauv.
<i>Himantoglossum longibracteatum</i> (Biv.) Schltr.	→ <i>Barlia robertiana</i> (Loisel.) Greuter
<i>Himantoglossum robertianum</i> (Loisel.) P. Delforge	→ <i>Barlia robertiana</i> (Loisel.) Greuter
<i>Himenolobus pauciflorus</i> (Koch) Sch. et Th.	→ <i>Hornungia pauciflora</i> (W.D.J. Koch) Banfi, Galasso, Soldano & F. Conti
<i>Himenolobus procumbens</i> (L.) Nutt.	→ <i>Hornungia procumbens</i> (L.) Hayek
<i>Hippia integrifolia</i> L. f.	→ <i>Dichrocephala integrifolia</i> (L. f.) Kuntze
<i>Hippocrepis emerus</i> (L.) Lassen subsp. <i>emeroides</i> (Boiss. & Spruner) Lassen	→ <i>Emerus majus</i> Mill. subsp. <i>emeroides</i> (Boiss. & Spruner) Soldano & F. Conti
<i>Hippocrepis emerus</i> (L.) Lassen subsp. <i>emerus</i>	→ <i>Emerus majus</i> Mill. s.l.
<i>Hippocrepis unisiliquosa</i> L.	→ <i>Hippocrepis biflora</i> Spreng.
<i>Hippophaë rhamnoides</i> L. subsp. <i>fluviatilis</i> Soest	→ <i>Hippophaë fluviatilis</i> (Soest) Rivas Mart.
<i>Hirschfeldia incana</i> (L.) Lagr.-Foss. subsp. <i>geniculata</i> (Desf.) Maire	→ <i>Hirschfeldia incana</i> (L.) Lagr.-Foss. subsp. <i>incana</i>
<i>Hladnikia golaka</i> (Hacq.) Rchb.f.	→ <i>Grafia golaka</i> (Hacq.) Rchb.
<i>Holcus australis</i> Schrad.	→ <i>Hierochloë australis</i> (Schrad.) Roem. & Schult.
<i>Holcus pertusus</i> L.	→ <i>Bothriochloa insculpta</i> (Hochst.) A.Camus
<i>Holcus setiger</i> De Not.	→ <i>Holcus notarisii</i> Nyman
<i>Holoschoenus australis</i> (L.) Rchb.	→ <i>Scirpoides holoschoenus</i> (L.) Soják
<i>Holoschoenus vulgaris</i> Link	→ <i>Scirpoides holoschoenus</i> (L.) Soják
<i>Hordelymus asper</i> (Simonk.) Beldie	→ <i>Taeniatherum asperum</i> (Simonk.) Nevski
<i>Hordelymus caput-medusae</i> (L.) Pign.	→ <i>Taeniatherum caput-medusae</i> (L.) Nevski
<i>Hordelymus caput-medusae</i> (L.) Pign. subsp. <i>asper</i> (Simonkai) Pign.	→ <i>Taeniatherum asperum</i> (Simonk.) Nevski
<i>Hordelymus caput-medusae</i> (L.) Pign. subsp. <i>crinitus</i> (Schreber) Pign.	→ <i>Taeniatherum caput-medusae</i> (L.) Nevski
<i>Hordeum asperum</i> (Simonk.) Degen	→ <i>Taeniatherum asperum</i> (Simonk.) Nevski
<i>Hordeum crinitum</i> Schreb.) Desf.	→ <i>Taeniatherum caput-medusae</i> (L.) Nevski
<i>Hordeum distichon</i> L.	→ incl. <i>Hordeum vulgare</i> L.
<i>Hordeum europaeum</i> (L.) All.	→ <i>Hordelymus europaeus</i> (L.) Harz
<i>Hordeum gussoneanum</i> Parl.	→ <i>Hordeum marinum</i> Huds. subsp. <i>gussoneanum</i> (Parl.) K. Richt.
<i>Hordeum hystrix</i> Roth	→ <i>Hordeum marinum</i> Huds. subsp. <i>gussoneanum</i> (Parl.) K. Richt.
<i>Hordeum leporinum</i> Link	→ <i>Hordeum murinum</i> L. subsp. <i>leporinum</i> (Link) Arcang.
<i>Hordeum maritimum</i> With.	→ <i>Hordeum marinum</i> Huds. subsp. <i>marinum</i>
<i>Humulus scandens</i> (Lour.) Merr.	→ <i>Humulus japonicus</i> Siebold & Zucc.
<i>Hutchinsia alpina</i> (L.) R. Br.	→ <i>Hornungia alpina</i> (L.) O. Appel s.l.
<i>Hutchinsia brevicaulis</i> Spreng.	→ <i>Hornungia alpina</i> (L.) O. Appel subsp. <i>brevicaulis</i> (Spreng.) O. Appel
<i>Hutchinsia brevistyla</i> DC.	→ <i>Thlaspi brevistylum</i> (DC.) Mutel
<i>Hutchinsia revelierei</i> Jord.	→ <i>Hornungia revelierei</i> Soldano, F. Conti, Banfi & Galasso

<i>Hutchinsia torreana</i> Ten.	→ <i>Thlaspi torreanum</i> (Ten.) Greuter & Burdet
<i>Hyacinthus botryoides</i> L.	→ <i>Muscari botryoides</i> (L.) Mill. s.l.
<i>Hyacinthus ciliatus</i> Cirillo	→ <i>Bellevia ciliata</i> (Cirillo) Nees
<i>Hyacinthus comosus</i> L.	→ <i>Muscari comosum</i> (L.) Mill.
<i>Hyacinthus dubius</i> Guss.	→ <i>Bellevia dubia</i> (Guss.) Kunth s.l.
<i>Hyacinthus fastigiatus</i> (Viv.) Bertol.	→ <i>Brimeura fastigiata</i> (Viv.) Chouard
<i>Hyacinthus fastigiatus</i> Bertol.	→ <i>Brimeura fastigiata</i> (Viv.) Chouard
<i>Hyacinthus non-scriptus</i> L.	→ <i>Hyacinthoides non-scripta</i> (L.) Chouard ex Rothm.
<i>Hyacinthus romanus</i> L.	→ <i>Bellevia romana</i> (L.) Sweet
<i>Hyacinthus serotinus</i> L.	→ <i>Dipcadi serotinum</i> L.W. Medicus
<i>Hyacinthus trifolius</i> Ten.	→ <i>Bellevia trifoliata</i> (Ten.) Kunth
<i>Hymenocarpus circinnatus</i> (L.) Savi	→ <i>Hymenocarpos circinnatus</i> (L.) Savi
<i>Hymenolobus pauciflorus</i> (Koch) Schinz & Thell.	→ <i>Hornungia pauciflora</i> (W.D.J. Koch) Banfi, Galasso, Soldano & F. Conti
<i>Hymenolobus procumbens</i> (L.) Nutt. ex Torrey & A. Gray	→ <i>Hornungia procumbens</i> (L.) Hayek
<i>Hymenolobus procumbens</i> (L.) Nutt. in Torrey & A. Gray subsp. <i>pauciflorus</i> (Koch) Schinz & Thell.	→ <i>Hornungia pauciflora</i> (W.D.J. Koch) Banfi, Galasso, Soldano & F. Conti
<i>Hymenolobus procumbens</i> (L.) Nutt. in Torrey & A. Gray subsp. <i>revelierei</i> (Jordan) Greuter & Burdet	→ <i>Hornungia revelierei</i> Soldano, F. Conti, Banfi & Galasso
<i>Hymenolobus revelierei</i> (Jord.) Brullo subsp. <i>sommieri</i> (Pamp.) Brullo	→ incl. <i>Hornungia revelierei</i> Soldano, F. Conti, Banfi & Galasso
<i>Hyoseris cretica</i> L.	→ <i>Hedynois cretica</i> (L.) Dum.Cours.
<i>Hyoseris minima</i> L.	→ <i>Arnosieris minima</i> (L.) Schweigg. & Körte
<i>Hypericum barbatum</i> auct. fl. ital.	→ <i>Hypericum calabricum</i> Spreng.
<i>Hypericum barbatum</i> auct.	→ <i>Hypericum calabricum</i> Spreng.
<i>Hypericum hircinum</i> L. var. <i>majus</i> Aiton	→ <i>Hypericum hircinum</i> L. subsp. <i>majus</i> (Aiton) N. Robson
<i>Hypericum majus</i> (A. Gray) Britton	→ <i>Hypericum hircinum</i> L. subsp. <i>majus</i> (Aiton) N. Robson
<i>Hypericum perforatum</i> L. var. <i>angustifolium</i> Borkh.	→ incl. <i>Hypericum perforatum</i> L.
<i>Hypericum perforatum</i> L. var. <i>microphyllum</i> DC.	→ incl. <i>Hypericum perforatum</i> L.
<i>Hypericum perforatum</i> L. subsp. <i>veronense</i> (Schränk) A. Fröhl.	→ <i>Hypericum perforatum</i> L.
<i>Hypericum quadrangulum</i> L.	→ <i>Hypericum tetrapterum</i> Fr.
<i>Hypericum veronense</i> Schränk	→ <i>Hypericum perforatum</i> L.
<i>Hypochaeris aetnensis</i> (L.) Benth. & Hook.	→ <i>Hypochaeris achyrophorus</i> L.
<i>Hypochaeris achyrophorus</i> L.	→ <i>Hypochaeris achyrophorus</i> L.
<i>Hypochaeris cretensis</i> (L.) Chaub. et Bory	→ <i>Hypochaeris cretensis</i> (L.) Bory & Chaub.
<i>Hypochaeris facchiniana</i> Ambrosi	→ <i>Hypochaeris facchiniana</i> Ambrosi
<i>Hypochaeris glabra</i> L.	→ <i>Hypochaeris glabra</i> L.
<i>Hypochaeris laevigata</i> (L.) Ces., P. et G.	→ <i>Hypochaeris laevigata</i> (L.) Ces., Pass. & Gibelli
<i>Hypochaeris maculata</i> L.	→ <i>Hypochaeris maculata</i> L.
<i>Hypochaeris radicata</i> L.	→ <i>Hypochaeris radicata</i> L.
<i>Hypochaeris robertia</i> Fiori	→ <i>Robertia taraxacoides</i> (Loisel.) DC.
<i>Hypochaeris uniflora</i> Vill.	→ <i>Hypochaeris uniflora</i> Vill.
<i>Hyssopus officinalis</i> L. subsp. <i>pilifer</i> (Pant.) Murb.	→ <i>Hyssopus officinalis</i> L. subsp. <i>aristatus</i> (Godr.) Nyman
<i>Iberis cepaeifolia</i> Wulfen	→ <i>Thlaspi rotundifolium</i> (L.) Gaudin s.l.
<i>Iberis intermedia</i> Guersent	→ <i>Iberis linifolia</i> L. subsp. <i>linifolia</i>
<i>Iberis nana</i> All.	→ <i>Iberis aurosica</i> Chaix subsp. <i>nana</i> (All.) Moreno
<i>Iberis nudicaulis</i> L.	→ <i>Teesdalia nudicaulis</i> (L.) R. Br.
<i>Iberis rotundifolia</i> L.	→ <i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>cepaefolium</i> (Wulfen) Rouy & Fouc.
<i>Iberis spathulata</i> J. P. Bergeret	→ <i>Iberis aurosica</i> Chaix subsp. <i>nana</i> (All.) Moreno
<i>Iberis spathulata</i> J.P. Bergeret subsp. <i>nana</i> (All.) Heywood	→ <i>Iberis aurosica</i> Chaix subsp. <i>nana</i> (All.) Moreno
<i>Iberis stricta</i> Jordan	→ <i>Iberis linifolia</i> L. subsp. <i>stricta</i> (Jord.) P. Fourn.
<i>Iberis stricta</i> Jord. subsp. <i>leptophylla</i> Franco & P. Silva	→ <i>Iberis linifolia</i> L. subsp. <i>stricta</i> (Jord.) P. Fourn.
<i>Iberis stylosa</i> Ten.	→ <i>Thlaspi stylosum</i> (Ten.) Mutel
<i>Illecebrum arabicum</i> L.	→ <i>Paronychia arabica</i> (L.) DC. subsp. <i>longiseta</i> Batt.
<i>Illecebrum capitatum</i> L.	→ <i>Paronychia capitata</i> (L.) Lam. subsp. <i>capitata</i>
<i>Illecebrum cymosum</i> L.	→ <i>Chaetonychia cymosa</i> (L.) Sweet
<i>Illecebrum kapela</i> Hacq.	→ <i>Paronychia kapela</i> (Hacq.) A. Kern. s.l.
<i>Illecebrum polygonifolium</i> Vill.	→ <i>Paronychia polygonifolia</i> (Vill.) DC.
<i>Illecebrum serpyllifolium</i> Chaix	→ <i>Paronychia kapela</i> (Hacq.) A. Kern. subsp. <i>serpyllifolia</i> (Chaix) Graebn.
<i>Imperatoria ostruthium</i> L.	→ <i>Peucedanum ostruthium</i> (L.) W.D.J. Koch
<i>Inula conyza</i> DC.	→ <i>Inula conyzae</i> (Griess.) Meikle
<i>Inula crithmoides</i> L.	→ <i>Limbarda crithmoides</i> (L.) Dumort. s.l.
<i>Inula dysenterica</i> L.	→ <i>Pulicaria dysenterica</i> (L.) Bernh.
<i>Inula graveolens</i> (L.) Desf.	→ <i>Dittrichia graveolens</i> (L.) Greuter
<i>Inula odora</i> L.	→ <i>Pulicaria odora</i> (L.) Rchb.
<i>Inula viscosa</i> (L.) Aiton	→ <i>Dittrichia viscosa</i> (L.) Greuter s.l.

<i>Ionopsidium acaule</i> (Desf.) Rchb.	→ <i>Jonopsidium acaule</i> (Desf.) Rchb.
<i>Ionopsidium albiflorum</i> Durieu	→ <i>Jonopsidium albiflorum</i> Durieu
<i>Ionopsidium savianum</i> (Caruel) Ball	→ <i>Jonopsidium savianum</i> (Caruel) Arcang.
<i>Ionorchis abortiva</i> (L.) Beck	→ <i>Limodorum abortivum</i> (L.) Sw.
<i>Iris alata</i> Poir.	→ <i>Iris planifolia</i> (Mill.) Fiori
<i>Iris benacensis</i> A. Kern.	→ <i>Iris aphylla</i> L.
<i>Iris chamaeiris</i> Bertol.	→ <i>Iris lutescens</i> Lam.
<i>Iris collina</i> N. Terracc.	→ <i>Iris lorea</i> Janka
<i>Iris florentina</i> L.	→ incl. <i>Iris germanica</i> L.
<i>Iris illyrica</i> Tommasini	→ <i>Iris cengialti</i> Ambrosi ex A. Kern. subsp. <i>illyrica</i> (Asch. & Graebn.) Poldini
<i>Iris pallida</i> Lam. subsp. <i>cengialti</i> (Ambrosi) Foster	→ <i>Iris cengialti</i> Ambrosi ex A. Kern. s.l.
<i>Iris sintenisii</i> Janka	→ <i>Iris lorea</i> Janka
<i>Iris sisyrinchium</i> L.	→ <i>Gynandris sisyrinchium</i> (L.) Parl.
<i>Iris suaveolens</i> N. Terracc.	→ <i>Iris relictata</i> Colas.
<i>Iris todaroana</i> Cif. & Giacom.	→ <i>Gynandris sisyrinchium</i> (L.) Parl.
<i>Iris tuberosa</i> L.	→ <i>Hermodactylus tuberosus</i> (L.) Mill.
<i>Isatis allionii</i> P. W. Ball.	→ <i>Isatis apennina</i> Ten. ex Grande
<i>Isatis canescens</i> DC.	→ <i>Isatis tinctoria</i> L. subsp. <i>tinctoria</i>
<i>Isatis tinctoria</i> L. subsp. <i>canescens</i> (DC.) Arcang.	→ <i>Isatis tinctoria</i> L. subsp. <i>tinctoria</i>
<i>Ischarum dispar</i> Schott	→ <i>Biarum dispar</i> (Schott) Talavera
<i>Isoetes duriei</i> Bory	→ <i>Isoëtes duriei</i> Bory
<i>Isoetes duriei</i> Bory	→ <i>Isoëtes duriei</i> Bory
<i>Isoetes echinospora</i> Durieu	→ <i>Isoëtes echinospora</i> Durieu
<i>Isoetes histrix</i> Bory	→ <i>Isoëtes histrix</i> Bory
<i>Isoetes lacustris</i> L.	→ <i>Isoëtes lacustris</i> L.
<i>Isoetes malinverniana</i> Cesati et De Not	→ <i>Isoëtes malinverniana</i> Ces. & De Not.
<i>Isoetes velata</i> A. Braun	→ <i>Isoëtes velata</i> A. Braun s.l.
<i>Isoetes velata</i> A. Braun subsp. <i>tegulensis</i> Batt. & Trabut.	→ <i>Isoëtes velata</i> A. Braun subsp. <i>tegulensis</i> Batt. & Trab.
<i>Isoetes velata</i> A. Braun subsp. <i>velata</i>	→ <i>Isoëtes velata</i> A. Braun subsp. <i>velata</i>
<i>Isoëtes dubia</i> Gennari	→ <i>Isoëtes velata</i> A. Braun subsp. <i>dubia</i> (Gennari) Batt. & Trab.
<i>Isoëtes tiguliana</i> Gennari	→ <i>Isoëtes velata</i> A. Braun subsp. <i>tegulensis</i> Batt. & Trab.
<i>Jasione echinata</i> Boiss. & Reut.	→ <i>Jasione montana</i> L.
<i>Jasione laevis</i> Lam. subsp. <i>orbiculata</i>	→ <i>Jasione orbiculata</i> Griseb.
<i>Jasione montana</i> L. subsp. <i>echinata</i> (Boiss. & Reuter) Nyman	→ <i>Jasione montana</i> L.
<i>Jasminus fruticans</i> L.	→ <i>Jasminum fruticans</i> L.
<i>Jasminus officinale</i> L.	→ <i>Jasminum officinale</i> L.
<i>Jovibarba globifera</i> (L.) J. Parnell subsp. <i>allionii</i> (Jordan & Fourr.) J. Parnell	→ <i>Jovibarba allionii</i> (Jord. & Fourr.) D.A. Webb
<i>Jovibarba hirta</i> (L.) Opiz	→ <i>Jovibarba globifera</i> (L.) J. Parn. subsp. <i>hirta</i> (L.) J. Parn.
<i>Juncus alpinopilosus</i> Chaix	→ <i>Juncus alpinoarticulatus</i> Chaix
<i>Juncus alpinopilosus</i> Chaix	→ <i>Luzula alpinopilosa</i> (Chaix) Breistr. subsp. <i>alpinopilosa</i>
<i>Juncus alpinus</i> Vill.	→ <i>Juncus alpinoarticulatus</i> Chaix
<i>Juncus congestus</i> Thuill.	→ <i>Luzula congesta</i> (Thuill.) Lej.
<i>Juncus depauperatus</i> Ten.	→ <i>Juncus inflexus</i> L.
<i>Juncus effusus</i> L. subsp. <i>fistulosus</i> (Guss.) Cif. et Giacom.	→ <i>Juncus effusus</i> L. subsp. <i>effusus</i>
<i>Juncus fistulosus</i> Guss.	→ <i>Juncus effusus</i> L. subsp. <i>effusus</i>
<i>Juncus forsteri</i> Sm.	→ <i>Luzula forsteri</i> (Sm.) DC.
<i>Juncus fuscoater</i> Schreb.	→ <i>Juncus alpinoarticulatus</i> Chaix
<i>Juncus gerardi</i> Loisel.	→ <i>Juncus gerardii</i> Loisel.
<i>Juncus glabratus</i> Hoppe	→ <i>Luzula glabrata</i> (Hoppe) Desv.
<i>Juncus gussonii</i> Parl.	→ <i>Juncus articulatus</i> L.
<i>Juncus littoralis</i> C. A. Meyer	→ <i>Juncus littoralis</i> C.A. Mey.
<i>Juncus luteus</i> All.	→ <i>Luzula lutea</i> (All.) DC. subsp. <i>lutea</i>
<i>Juncus luzulinus</i> Vill.	→ <i>Luzula luzulina</i> (Vill.) D. Torre & Sarnth.
<i>Juncus luzuloides</i> Lam.	→ <i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott s.l.
<i>Juncus monanthos</i> Jacq.	→ <i>Juncus trifidus</i> L. subsp. <i>monanthos</i> (Jacq.) Asch. & Graebn.
<i>Juncus multibracteatus</i> Tineo	→ <i>Juncus acutus</i> L. subsp. <i>acutus</i>
<i>Juncus niveus</i> L.	→ <i>Luzula nivea</i> (L.) DC.
<i>Juncus pilosus</i> L.	→ <i>Luzula pilosa</i> (L.) Willd.
<i>Juncus sorrentini</i> Parl.	→ <i>Juncus sorrentinii</i> Parl.
<i>Juncus spicatus</i> L.	→ <i>Luzula spicata</i> (L.) DC. s.l.
<i>Juncus sudeticus</i> Willd.	→ <i>Luzula sudetica</i> (Willd.) Schult.
<i>Juncus sylvaticus</i> Huds.	→ <i>Luzula sylvatica</i> (Huds.) Gaudin s.l.
<i>Juncus tenageia</i> L. fil.	→ <i>Juncus tenageja</i> Ehrh.
<i>Juniperus alpina</i> Gray	→ incl. <i>Juniperus communis</i> L.
<i>Juniperus communis</i> L. subsp. <i>hemisphaerica</i> (J. Presl & C. Presl) Nyman	→ incl. <i>Juniperus communis</i> L.

<i>Juniperus communis</i> L. var. <i>intermedia</i> (Schur) Sanio	→ incl. <i>Juniperus communis</i> L.
<i>Juniperus communis</i> L. subsp. <i>nana</i> Syme	→ incl. <i>Juniperus communis</i> L.
<i>Juniperus communis</i> L. var. <i>saxatilis</i> Pall.	→ incl. <i>Juniperus communis</i> L.
<i>Juniperus hemisphaerica</i> J. Presl & C. Presl	→ incl. <i>Juniperus communis</i> L.
<i>Juniperus macrocarpa</i> Sm.	→ <i>Juniperus oxycedrus</i> L. subsp. <i>macrocarpa</i> (Sibth. & Sm.) Neilr.
<i>Juniperus nana</i> Willd.	→ incl. <i>Juniperus communis</i> L.
<i>Juniperus phoenicea</i> L. subsp. <i>mediterranea</i> Lebreton & Thivend	→ <i>Juniperus phoenicea</i> L. subsp. <i>phoenicea</i>
<i>Jurinea humilis</i> (Desf.) DC.	→ <i>Jurinea bocconii</i> (Guss.) DC.
<i>Jussiaea grandiflora</i> Michx.	→ <i>Ludwigia uruguayensis</i> (Camb.) Hara
<i>Jussiaea michauxiana</i> Fernald	→ <i>Ludwigia uruguayensis</i> (Camb.) Hara
<i>Jussiaea uruguayensis</i> Cambess.	→ <i>Ludwigia uruguayensis</i> (Camb.) Hara
<i>Knautia centrifrons</i> Borbás	→ <i>Knautia drymeia</i> Heuff. subsp. <i>centrifrons</i> (Borbás) Ehrend.
<i>Knautia intermedia</i> Pernh. & Wettst.	→ <i>Knautia drymeia</i> Heuff. subsp. <i>intermedia</i> (Pernh. & Wettst.) Ehrend.
<i>Kobresia bellardii</i> (All.) Degl. ex Loisel.	→ <i>Kobresia myosuroides</i> (Vill.) Fiori
<i>Kobresia caricina</i> Willd.	→ <i>Kobresia simpliciuscula</i> (Wahlenb.) Mack.
<i>Kobresia scirpina</i> Willd.	→ <i>Kobresia myosuroides</i> (Vill.) Fiori
<i>Kochia arenaria</i> (Maerklin) Roth	→ <i>Bassia laniflora</i> (S.G. Gmel.) A.J. Scott
<i>Kochia prostrata</i> (L.) Schrader	→ <i>Bassia prostrata</i> (L.) Beck
<i>Kochia saxicola</i> Guss.	→ <i>Bassia saxicola</i> (Guss.) A.J. Scott
<i>Koeleria alpicola</i> Gren. & Godr.	→ <i>Koeleria vallesiana</i> (Honck.) Gaudin subsp. <i>alpicola</i> (Gren. & Godr.) Asch. & Graebn.
<i>Koeleria brevifolia</i> Reut.	→ <i>Koeleria cenisia</i> Reut.
<i>Koeleria cristata</i> (L.) Bertol.	→ <i>Rostraria cristata</i> (L.) Tzvelev s.l.
<i>Koeleria gerardi</i> (Vill.) Shinnars	→ <i>Rostraria cristata</i> (L.) Tzvelev s.l.
<i>Koeleria grandiflora</i> Bertol.	→ <i>Koeleria lobata</i> (M. Bieb.) Roem. & Schult.
<i>Koeleria hispida</i> (Savi) DC.	→ <i>Rostraria hispida</i> (Savi) Dogan
<i>Koeleria macrantha</i> auct., non (Ledeb.) Schultes	→ <i>Koeleria cristata</i> (L.) Roem. & Schult.
<i>Koeleria michelii</i> (Savi) Coss. & Durieu	→ <i>Trisetaria michelii</i> (Savi) D. Heller
<i>Koeleria panicea</i> (Lam.) Pers.	→ <i>Trisetaria panicea</i> (Lam.) Maire
<i>Koeleria phleoides</i> (Vill.) Pers.	→ <i>Rostraria cristata</i> (L.) Tzvelev s.l.
<i>Koeleria pubescens</i> (Lam.) P. Beauv.	→ <i>Rostraria litorea</i> (All.) Holub
<i>Koeleria reuteri</i> Rouy	→ <i>Koeleria cenisia</i> Reut.
<i>Koeleria setacea</i> Pers.	→ <i>Koeleria vallesiana</i> (Honck.) Gaudin s.l.
<i>Koeleria splendens</i> Presl	→ <i>Koeleria lobata</i> (M. Bieb.) Roem. & Schult.
<i>Koniga halimifolia</i> Rchb.	→ <i>Alyssum ligusticum</i> Breistr.
<i>Koniga rupestris</i> Heynh.	→ <i>Ptilotrichum rupestre</i> (Ten.) Boiss. subsp. <i>rupestre</i>
<i>Kruberia leptiflora</i> Parl.	→ <i>Kruberia peregrina</i> (L.) Hoffm.
<i>Kyllinga brevifolia</i> Rottb.	→ <i>Cyperus brevifolius</i> (Rottb.) Hassk.
<i>Laburnum vulgare</i> Bercht. & J. Presl	→ <i>Laburnum anagyroides</i> Medik. s.l.
<i>Lactuca quercina</i> L. subsp. <i>chaixii</i> (Vill.) Celak	→ <i>Lactuca quercina</i> L. subsp. <i>quercina</i>
<i>Lagenaria vulgaris</i> Ser.	→ <i>Lagenaria siceraria</i> (Molina) Standl.
<i>Lagoseris nemausensis</i> (Gouan) W.D.J. Koch	→ <i>Crepis sancta</i> (L.) Bab. subsp. <i>sancta</i>
<i>Lagoseris sancta</i> (L.) K. Malý	→ <i>Crepis sancta</i> (L.) Bab. subsp. <i>sancta</i>
<i>Lamiastrum argentatum</i> (Smejkal) G.H. Loos	→ <i>Lamium argentatum</i> (Smejkal) Henker ex G.H. Loos
<i>Lamiastrum galeobdolon</i> (L.) Ehrend. & Polatschek	→ <i>Lamium galeobdolon</i> L. s.l.
<i>Lamiastrum galeobdolon</i> (L.) Ehrend. & Polatschek subsp. <i>flavidum</i> (F. Herm.) Ehrend. & Polatschek	→ <i>Lamium galeobdolon</i> L. subsp. <i>flavidum</i> (F. Herm.) A. Löve & D. Löve
<i>Lamiastrum galeobdolon</i> (L.) Ehrend. & Polatschek subsp. <i>galeobdolon</i>	→ <i>Lamium galeobdolon</i> L. subsp. <i>galeobdolon</i>
<i>Lamiastrum galeobdolon</i> (L.) Ehrend. & Polatschek subsp. <i>montanum</i> (Pers.) Ehrend. & Polatschek	→ <i>Lamium galeobdolon</i> L. subsp. <i>montanum</i> (Pers.) Hayek
<i>Lamium corsicum</i> G. et G.	→ <i>Lamium garganicum</i> L. subsp. <i>corsicum</i> (Gren. & Godr.) Arcang.
<i>Lamium flavidum</i> F. Herm.	→ <i>Lamium galeobdolon</i> L. subsp. <i>flavidum</i> (F. Herm.) A. Löve & D. Löve
<i>Lamium garganicum</i> L. subsp. <i>gracile</i> (Briq.) Greuter & Burdet	→ <i>Lamium garganicum</i> L. subsp. <i>striatum</i> (Sm.) Hayek
<i>Lamium hybridum</i> Vill.	→ <i>Lamium purpureum</i> L.
<i>Lamium purpureum</i> L. subsp. <i>incisum</i> (Willd.) Pers.	→ incl. <i>Lamium purpureum</i> L.
<i>Landoltia punctata</i> (G. Mey.) D.H. Les & D.J. Crawford	→ <i>Spirodela oligorrhiza</i> (Kurz) Hegelm.
<i>Lappula marginata</i> (Bieb.) Gurke	→ <i>Lappula patula</i> (Lehm.) Gürke
<i>Lappula squarrosa</i> (Retz.) Dumort. subsp. <i>heteracantha</i> (Ledeb.) Chater	→ <i>Lappula heteracantha</i> (Ledeb.) Gürke
<i>Lapsana capillaris</i> L.	→ <i>Crepis capillaris</i> (L.) Wallr.
<i>Lapsana zacintha</i> L.	→ <i>Crepis zacintha</i> (L.) Loisel.
<i>Laserpitium chironium</i> L.	→ <i>Opopanax chironium</i> (L.) W.D.J. Koch
<i>Laserpitium ferulaceum</i> L.	→ <i>Cachrys ferulacea</i> (L.) Calest.
<i>Laserpitium garganicum</i> Ten.	→ <i>Laserpitium siler</i> L. subsp. <i>garganicum</i> (Ten.) Arcang.

<i>Laserpitium garganicum</i> (Ten.) Bertol. subsp. <i>siculum</i> (Sprengel) Pign.	→ <i>Laserpitium siler</i> L. subsp. <i>siculum</i> (Spreng.) Santangelo, F. Conti & Gubellini
<i>Laserpitium gaudinii</i> Moretti	→ <i>Laserpitium krapfii</i> Crantz subsp. <i>gaudinii</i> (Moretti) Thell.
<i>Laserpitium latifolium</i> L. subsp. <i>asperum</i> (Crantz) Schübl. & G. Martens	→ incl. <i>Laserpitium latifolium</i> L.
<i>Laserpitium mutellinoides</i> Crantz	→ <i>Ligusticum mutellinoides</i> (Crantz) Vill.
<i>Laserpitium silaifolium</i> Jacq.	→ <i>Cnidium silaifolium</i> (Jacq.) Simonk. subsp. <i>silaifolium</i>
<i>Laserpitium trilobum</i> L.	→ <i>Laser trilobum</i> (L.) Borkh.
<i>Lasiagrostis bromoides</i> (L.) Nevski	→ <i>Achnatherum bromoides</i> (L.) P. Beauv.
<i>Lasiagrostis calamagrostis</i> (L.) Link	→ <i>Achnatherum calamagrostis</i> (L.) P. Beauv.
<i>Lathyrus articulatus</i> L.	→ <i>Lathyrus clymenum</i> L.
<i>Lathyrus inconspicuus</i> L.	→ <i>Lathyrus inconspicuus</i> L.
<i>Lathyrus lusseri</i> W.D.J. Koch	→ <i>Lathyrus pratensis</i> L. subsp. <i>lusseri</i> (Heer ex W.D.J. Koch) Soják
<i>Lathyrus montanus</i> Bernh.	→ <i>Lathyrus linifolius</i> (Reichard) Bässler
<i>Lathyrus niger</i> (L.) Bernh. subsp. <i>jordanii</i> (Ten.) Arcangeli	→ <i>Lathyrus jordanii</i> Ten.
<i>Lathyrus occidentalis</i> (Fisch. et Mey.) Fritsch	→ <i>Lathyrus laevigatus</i> (Waldst. & Kit.) Gren. subsp. <i>occidentalis</i> (Fisch. & C.A. Mey.) Breistr.
<i>Lathyrus occidentalis</i> (Fisch. & C.A. Mey.) Fritsch subsp. <i>scopolii</i> (Fritsch) Bässler	→ <i>Lathyrus laevigatus</i> (Waldst. & Kit.) Gren. s.l.
<i>Lathyrus ochraceus</i> Kittel	→ <i>Lathyrus laevigatus</i> (Waldst. & Kit.) Gren. subsp. <i>occidentalis</i> (Fisch. & C.A. Mey.) Breistr.
<i>Lathyrus ochraceus</i> Kittel subsp. <i>occidentalis</i> (Fischer & C. A. Meyer) Bässler	→ <i>Lathyrus laevigatus</i> (Waldst. & Kit.) Gren. subsp. <i>occidentalis</i> (Fisch. & C.A. Mey.) Breistr.
<i>Laurentia bivonae</i> (Tineo) Pign.	→ <i>Solenopsis minuta</i> (L.) C. Presl subsp. <i>nobilis</i> (Wimm.) Meikle
<i>Laurentia gasparrinii</i> (Tineo) Strobl	→ <i>Solenopsis laurentia</i> (L.) C. Presl
<i>Laurentia tenella</i> A. DC.	→ <i>Solenopsis minuta</i> (L.) C. Presl subsp. <i>nobilis</i> (Wimm.) Meikle
<i>Lavatera ambigua</i> DC.	→ <i>Lavatera thuringiaca</i> L. subsp. <i>ambigua</i> (DC.) Nyman
<i>Lavatera flava</i> Fiori	→ <i>Lavatera agrigentina</i> Tineo
<i>Lavatera minoricensis</i> Camb.	→ <i>Lavatera triloba</i> L. subsp. <i>pallescens</i> (Moris) Nyman
<i>Lavatera pallescens</i> Moris	→ <i>Lavatera triloba</i> L. subsp. <i>pallescens</i> (Moris) Nyman
<i>Lavatera triloba</i> L. subsp. <i>agrigentina</i> (Tineo) R. Fernandes	→ <i>Lavatera agrigentina</i> Tineo
<i>Lembotropis nigricans</i> (L.) Griseb.	→ <i>Cytisus nigricans</i> L. s.l.
<i>Lembotropis nigricans</i> (L.) Griseb. subsp. <i>australis</i> (Freyn ex Wohlf.) J. Holub	→ <i>Cytisus nigricans</i> L. subsp. <i>atratus</i> (Schur) Nyman
<i>Lembotropis nigricans</i> (L.) Griseb. subsp. <i>mediterraneus</i> (Pant.) Holub	→ <i>Cytisus nigricans</i> L. subsp. <i>atratus</i> (Schur) Nyman
<i>Lembotropis nigricans</i> (L.) Griseb. subsp. <i>nigricans</i>	→ <i>Cytisus nigricans</i> L. subsp. <i>nigricans</i>
<i>Lemna arrhiza</i> L.	→ <i>Wolffia arrhiza</i> (L.) Horkel ex Wimm.
<i>Lemna minuscula</i> Herter	→ <i>Lemna minuta</i> Kunth
<i>Lemna paucicostata</i> Hegelm.	→ <i>Lemna aequinoctialis</i> Welw.
<i>Lemna perpusilla</i> Torrey	→ <i>Lemna aequinoctialis</i> Welw.
<i>Lemna polyrrhiza</i> L.	→ <i>Spirodela polyrrhiza</i> (L.) Schleid.
<i>Leontodon aureum</i> L.	→ <i>Crepis aurea</i> (L.) Cass. s.l.
<i>Leontodon autumnalis</i> L. subsp. <i>pratensis</i> (Link) Arcang.	→ <i>Leontodon autumnalis</i> L.
<i>Leontodon bulbosus</i> L.	→ <i>Sonchus bulbosus</i> (L.) N. Kilian & Greuter subsp. <i>bulbosus</i>
<i>Leontodon crispus</i> Vill. subsp. <i>asper</i> (Waldst. & Kit.) Rohlena	→ <i>Leontodon crispus</i> Vill. subsp. <i>crispus</i>
<i>Leontodon hirtus</i> L.	→ <i>Leontodon rosani</i> (Ten.) DC.
<i>Leontodon hispidus</i> L. subsp. <i>alpicolus</i> (Chenevard) Poldini	→ <i>Leontodon hispidus</i> L.
<i>Leontodon hispidus</i> L. subsp. <i>alpinus</i> (Jacq.) Finch & P.D.Sell	→ <i>Leontodon hispidus</i> L.
<i>Leontodon hispidus</i> L. subsp. <i>brumatii</i> (Schiede ex Rchb.) Wraber	→ <i>Leontodon hispidus</i> L.
<i>Leontodon hispidus</i> L. subsp. <i>danubialis</i> (Jacq.) Simonk.	→ <i>Leontodon hispidus</i> L.
<i>Leontodon hispidus</i> L. subsp. <i>hispidus</i>	→ <i>Leontodon hispidus</i> L.
<i>Leontodon hispidus</i> L. subsp. <i>montanus</i> (Ball) Greuter	→ <i>Leontodon hispidus</i> L.
<i>Leontodon hispidus</i> L. subsp. <i>opimus</i> (W.D.J. Koch) Finch & P.D. Sell	→ <i>Leontodon hispidus</i> L.
<i>Leontodon hyoseroides</i> Welw.ex Reichb. subsp. <i>pseudocrispus</i> p.p.	→ <i>Leontodon hyoseroides</i> Welw.ex Reichb.
<i>Leontodon hyoseroides</i> Welw.ex Reichb. subsp. <i>pseudocrispus</i> p.p.	→ <i>Leontodon scaber</i> Miel.
<i>Leontodon pyrenaicus</i> Gouan subsp. <i>helveticus</i> (Merat) Finch & P.D. Sell	→ <i>Leontodon helveticus</i> Mérat emend. Widder
<i>Leontodon tenuiflorus</i> (Gaudin) Rchb.	→ <i>Leontodon incanus</i> (L.) Schrank subsp. <i>tenuiflorus</i> (Gaudin) Hegi
<i>Leontodon villarsii</i> auct.	→ <i>Leontodon rosani</i> (Ten.) DC.
<i>Leontopodium alpinum</i> Cass. subsp. <i>nivale</i> (Ten.) Tutin	→ <i>Leontopodium nivale</i> (Ten.) Huet ex Hand.-Mazz.
<i>Leopoldia comosa</i> (L.) Parl.	→ <i>Muscari comosum</i> (L.) Mill.
<i>Leopoldia gussonei</i> Parl.	→ <i>Muscari gussonei</i> (Parl.) Tod.
<i>Leopoldia tenuiflora</i> (Tausch) Heldr.	→ <i>Muscari tenuiflorum</i> Tausch
<i>Lepidium didymum</i> L.	→ <i>Coronopus didymus</i> (L.) Sm.
<i>Lepidium graminifolium</i> L. subsp. <i>suffruticosum</i> (L.) P. Monts.	→ <i>Lepidium graminifolium</i> L. subsp. <i>graminifolium</i>
<i>Lepidium petraeum</i> L.	→ <i>Hornungia petraea</i> (L.) Rchb. subsp. <i>petraea</i>

<i>Lepidium procumbens</i> L.	→ <i>Hornungia procumbens</i> (L.) Hayek
<i>Lepidium squamatum</i> Forssk.	→ <i>Coronopus squamatus</i> (Forssk.) Asch.
<i>Lepidium suffruticosum</i> L.	→ <i>Lepidium graminifolium</i> L. subsp. <i>graminifolium</i>
<i>Lepidotis inundata</i> (L.) Beauv.	→ <i>Lycopodiella inundata</i> (L.) Holub
<i>Lepidurus filiformis</i> (Roth) Janch.	→ <i>Parapholis filiformis</i> (Roth) C.E. Hubb.
<i>Lepturus cylindricus</i> (Willd.) Trin.	→ <i>Hainardia cylindrica</i> (Willd.) Greuter
<i>Lepturus filiformis</i> (Roth) Trin.	→ <i>Parapholis filiformis</i> (Roth) C.E. Hubb.
<i>Lepturus incurvus</i> Trin.	→ <i>Parapholis incurva</i> (L.) C.E. Hubb.
<i>Lepturus incurvus</i> (L.) Druce	→ <i>Parapholis incurva</i> (L.) C.E. Hubb.
<i>Lepturus pannonicus</i> (Host) Kunth	→ <i>Pholurus pannonicus</i> (Host) Trin.
<i>Lepturus strigosus</i> Dumort.	→ <i>Parapholis strigosa</i> (Dumort.) C.E. Hubb.
<i>Leucanthemopsis alpina</i> (L.) Heywood subsp. <i>minima</i> (Vill.) Holub	→ incl. <i>Leucanthemopsis alpina</i> (L.) Heywood
<i>Leucanthemopsis minima</i> (Vill.) Marchi	→ incl. <i>Leucanthemopsis alpina</i> (L.) Heywood
<i>Leucanthemum atratum</i> (Jacq.) DC. subsp. <i>ceratophylloides</i> (All.) Horvatic	→ <i>Leucanthemum coronopifolium</i> Vill. subsp. <i>ceratophylloides</i> (All.) Vogt & Greuter
<i>Leucanthemum atratum</i> (Jacq.) DC. subsp. <i>coronopifolium</i> (Vill.) Horvatic	→ <i>Leucanthemum coronopifolium</i> Vill. subsp. <i>coronopifolium</i>
<i>Leucanthemum atratum</i> (Jacq.) DC. subsp. <i>tridactylites</i> (A. Kerner & Huter ex Rigo) Heywood	→ <i>Leucanthemum tridactylites</i> (Kern. & Huter) Huter, Porta & Rigo
<i>Leucanthemum ceratophylloides</i> (All.) Nyman	→ <i>Leucanthemum coronopifolium</i> Vill. subsp. <i>ceratophylloides</i> (All.) Vogt & Greuter
<i>Leucanthemum ceratophylloides</i> (All.) Nyman subsp. <i>ceratophylloides</i>	→ <i>Leucanthemum coronopifolium</i> Vill. subsp. <i>ceratophylloides</i> (All.) Vogt & Greuter
<i>Leucanthemum ceratophylloides</i> (All.) Nyman subsp. <i>tenuifolium</i> (Guss.) Bazzichelli et Marchi	→ <i>Leucanthemum coronopifolium</i> Vill. subsp. <i>tenuifolium</i> (Guss.) Vogt & Greuter
<i>Leucanthemum corymbosum</i> (L.) Gren. & Godr.	→ <i>Tanacetum corymbosum</i> (L.) Sch. Bip. s.l.
<i>Leucanthemum discoideum</i> (All.) Coste	→ <i>Leucanthemum virgatum</i> (Desr.) Clos
<i>Leucanthemum flosculosum</i> (L.) P. Giraud	→ <i>Plagiis flosculosus</i> (L.) Alavi & Heywood
<i>Leucanthemum parthenium</i> (L.) Gren. & Godr.	→ <i>Tanacetum parthenium</i> (L.) Sch. Bip.
<i>Leucanthemum praecox</i> Horvatic	→ <i>Leucanthemum vulgare</i> Lam. subsp. <i>vulgare</i>
<i>Leucanthemum tenuifolium</i> (Guss.) Gamisans	→ <i>Leucanthemum coronopifolium</i> Vill. subsp. <i>tenuifolium</i> (Guss.) Vogt & Greuter
<i>Leucanthemum vulgare</i> Lam. subsp. <i>asperulum</i> N. Terr.	→ <i>Leucanthemum irtutianum</i> Turcz. ex DC. subsp. <i>asperulum</i> (N. Terracc.) Vogt & Greuter
<i>Leucojum hiemale</i> DC.	→ <i>Leucojum nicaeense</i> Ardoino
<i>Leucorchis albida</i> (L.) E. Meyer	→ <i>Pseudorchis albida</i> (L.) A. & D. Love
<i>Leuzea conifera</i> (L.) DC.	→ <i>Rhaponticum coniferum</i> (L.) Greuter
<i>Leuzea rhapontica</i> (L.) J. Holub	→ <i>Rhaponticum scariosum</i> Lam. s.l.
<i>Leuzea rhapontica</i> (L.) J. Holub subsp. <i>bicknellii</i> (Briq.) J. Holub	→ <i>Rhaponticum hehleniiifolium</i> Gren. & Godr. subsp. <i>bicknellii</i> (Briq.) Greuter
<i>Leuzea rhapontica</i> (L.) J. Holub subsp. <i>hehleniiifolia</i> (Gren. & Godron) J. Holub	→ <i>Rhaponticum hehleniiifolium</i> Gren. & Godr. subsp. <i>hehleniiifolium</i>
<i>Leuzea rhapontica</i> (L.) J. Holub subsp. <i>rhapontica</i>	→ <i>Rhaponticum scariosum</i> Lam. subsp. <i>scariosum</i>
<i>Libanotis daucifolia</i> (Scop.) Rchb.	→ <i>Seseli libanotis</i> (L.) W.D.J. Koch subsp. <i>libanotis</i>
<i>Libanotis montana</i> Crantz	→ <i>Seseli libanotis</i> (L.) W.D.J. Koch subsp. <i>libanotis</i>
<i>Ligusticum austriacum</i> L.	→ <i>Pleurospermum austriacum</i> (L.) Hoffm.
<i>Ligusticum cornubiense</i> L.	→ <i>Physospermum cornubiense</i> (L.) DC.
<i>Ligusticum garganicum</i> Ten.	→ <i>Laserpitium siler</i> L. subsp. <i>garganicum</i> (Ten.) Arcang.
<i>Ligusticum lucidum</i> Mill. subsp. <i>seguieri</i> (Jacq.) Leute	→ <i>Ligusticum lucidum</i> Mill. s.l.
<i>Ligusticum simplex</i> (L.) All.	→ <i>Ligusticum mutellinoides</i> (Crantz) Vill.
<i>Lilium rubrum</i> Lam. & DC.	→ <i>Lilium pomponium</i> L.
<i>Limodorum abortivum</i> (L.) Swartz subsp. <i>trabutianum</i> (Batt.) Rouy	→ <i>Limodorum trabutianum</i> Batt.
<i>Limonium argentarium</i> Pignatti	→ incl. <i>Limonium sommierianum</i> (Fiori) Arrigoni
<i>Limonium bonduellei</i> (Lestib.) O. Kuntze	→ <i>Limonium sinuatum</i> (L.) Mill. subsp. <i>bonduellei</i> (T. Lestib.) Sauvage & Vindt
<i>Limonium caprariae</i> Rizzotto	→ <i>Limonium contortirameum</i> (Mabille) Erben
<i>Limonium caspium</i> (Willd.) Gams	→ <i>Limonium bellidifolium</i> (Gouan) Dumort.
<i>Limonium exaristatum</i> (Murb.) P. Fourn.	→ <i>Limonium echiodes</i> (L.) Mill.
<i>Limonium halophilum</i> Pignatti	→ <i>Limonium ramosissimum</i> (Poir.) Maire
<i>Limonium johannis</i> Pign.	→ <i>Limonium cumanum</i> (Ten.) Kuntze
<i>Limonium lojaconoi</i> Brullo	→ <i>Limonium lojaconi</i> Brullo
<i>Limonium longispicatum</i> Erben	→ <i>Limonium avei</i> (De Not.) Brullo & Erben
<i>Limonium oleifolium</i> L. subsp. <i>oleifolium</i>	→ <i>Limonium virgatum</i> (Willd.) Fourr.
<i>Limonium parviflorum</i> (Tineo) Pignatti	→ <i>Limonium parvifolium</i> (Tineo) Pignatti
<i>Limonium pignattii</i> Brullo e Di Martino	→ <i>Limonium dubium</i> (Guss.) Litard.
<i>Limonium sardoum</i> (Pignatti) Erben	→ <i>Limonium caralitanum</i> Erben
<i>Limonium savianum</i> Pignatti	→ <i>Limonium gorgonae</i> Pignatti
<i>Limonium seluntinum</i> Brullo	→ <i>Limonium selinuntinum</i> Brullo

<i>Limonium serotinum</i> (Rchb.) Pign.	→ <i>Limonium narbonense</i> Mill.
<i>Limonium vulgare</i> Miller subsp. <i>serotinum</i> (Reichenb.) Gams	→ <i>Limonium narbonense</i> Mill.
<i>Linaria aequitriloba</i> (Viv.) Spreng.	→ <i>Cymbalaria aequitriloba</i> (Viv.) A. Chev. subsp. <i>aequitriloba</i>
<i>Linaria cirrhosa</i> (L.) Cav.	→ <i>Kickxia cirrhosa</i> (L.) Fritsch
<i>Linaria commutata</i> Bernh. ex Rchb.	→ <i>Kickxia commutata</i> (Bernh. ex Rchb.) Fritsch s.l.
<i>Linaria crinita</i> Mabilie	→ <i>Kickxia elatine</i> (L.) Dumort. subsp. <i>crinita</i> (Mabilie) Greuter
<i>Linaria elatine</i> (L.) Mill.	→ <i>Kickxia elatine</i> (L.) Dumort. s.l.
<i>Linaria elatine</i> (L.) Mill. subsp. <i>lasiopoda</i> (Vis.) Arcang.	→ <i>Kickxia elatine</i> (L.) Dumort. subsp. <i>crinita</i> (Mabilie) Greuter
<i>Linaria elatine</i> (L.) Mill. subsp. <i>sieberi</i> (Rchb.) Arcang.	→ <i>Kickxia elatine</i> (L.) Dumort. subsp. <i>crinita</i> (Mabilie) Greuter
<i>Linaria graeca</i> (Bory & Chaub.) Chav.	→ <i>Kickxia commutata</i> (Bernh. ex Rchb.) Fritsch subsp. <i>graeca</i> (Bory & Chaub.) R. Fern.
<i>Linaria italica</i> Trevir.	→ <i>Linaria angustissima</i> (Loisel.) Borbás
<i>Linaria lanigera</i> Desf.	→ <i>Kickxia lanigera</i> (Desf.) Hand.-Mazz.
<i>Linaria litoralis</i> Willd.	→ <i>Chaenorhinum minus</i> (L.) Lange subsp. <i>litorale</i> (Willd.) Hayek
<i>Linaria minor</i> (L.) Desf.	→ <i>Chaenorhinum minus</i> (L.) Lange s.l.
<i>Linaria muelleri</i> Moris	→ <i>Cymbalaria muelleri</i> (Moris) A. Chev.
<i>Linaria muralis</i> (L.) Mill.	→ <i>Cymbalaria muralis</i> Gaertn., B. Mey. & Scherb s.l.
<i>Linaria origanifolia</i> (L.) Cav.	→ <i>Chaenorhinum origanifolium</i> (L.) Kostel. subsp. <i>origanifolium</i>
<i>Linaria pallida</i> Ten.	→ <i>Cymbalaria pallida</i> (Ten.) Wettst.
<i>Linaria peloponnesiaca</i> Boiss. et Heldr.	→ <i>Linaria sibthorpiana</i> Boiss. & Heldr. ex Boiss.
<i>Linaria pubescens</i> J. Presl	→ <i>Cymbalaria pubescens</i> (J. Presl) Cufod.
<i>Linaria rubrifolia</i> Robill. & Castagne ex DC.	→ <i>Chaenorhinum rubrifolium</i> (Robill. & Castagne ex DC.) Fourr. subsp. <i>rubrifolium</i>
<i>Linaria sieberi</i> Rchb.	→ <i>Kickxia elatine</i> (L.) Dumort. subsp. <i>crinita</i> (Mabilie) Greuter
<i>Linaria spuria</i> (L.) Mill.	→ <i>Kickxia spuria</i> (L.) Dumort. s.l.
<i>Linaria vulgaris</i> Mill. subsp. <i>italica</i> (Trevir.) Arcang.	→ <i>Linaria angustissima</i> (Loisel.) Borbás
<i>Lindernia procumbens</i> (Krocker) Philcox	→ <i>Lindernia palustris</i> Hartmann
<i>Linum alpinum</i> Jacq. subsp. <i>gracilius</i> (Bertol.) Pign.	→ comb. inv. <i>Linum austriacum</i> L. subsp. <i>tommasinii</i> (Rchb.) Greuter & Burdet
<i>Linum alpinum</i> Jacq. subsp. <i>julicum</i> (Hayek) Gams	→ incl. <i>Linum alpinum</i> Jacq.
<i>Linum alpinum</i> Jacq. subsp. <i>laeve</i> (Scop.) Nyman	→ <i>Linum alpinum</i> Jacq.
<i>Linum catanense</i> Strobl.	→ incl. <i>Linum usitatissimum</i> L.
<i>Linum collinum</i> Guss.	→ <i>Linum austriacum</i> L. subsp. <i>collinum</i> (Boiss.) Nyman
<i>Linum perenne</i> L. subsp. <i>alpinum</i> (Jacq.) Ockendon	→ <i>Linum alpinum</i> Jacq.
<i>Linum strictum</i> L. subsp. <i>corymbulosum</i> (Rchb.) Rouy	→ <i>Linum corymbulosum</i> Rchb.
<i>Linum suffruticosum</i> L. subsp. <i>salsoloides</i> auct. fl. ital.	→ <i>Linum suffruticosum</i> L. subsp. <i>appressum</i> (Caball.) Rivas Mart.
<i>Linum tommasinii</i> Rchb.	→ <i>Linum austriacum</i> L. subsp. <i>tommasinii</i> (Rchb.) Greuter & Burdet
<i>Lippia canescens</i> Kunth	→ <i>Phyla canescens</i> (Kunth) Greene
<i>Lippia nodiflora</i> (L.) Michx.	→ <i>Phyla nodiflora</i> (L.) Greene
<i>Lithospermum arvense</i> L.	→ <i>Buglossoides arvensis</i> (L.) I.M. Johnst.
<i>Lithospermum calabrum</i> Ten.	→ <i>Buglossoides calabra</i> (Ten.) I.M. Johnst.
<i>Lithospermum incrassatum</i> Guss.	→ <i>Buglossoides incrassata</i> (Guss.) I.M. Johnst. s.l.
<i>Lithospermum minimum</i> Moris	→ <i>Buglossoides minima</i> (Moris) R. Fernandes
<i>Lithospermum purpureoaceruleum</i> L.	→ <i>Buglossoides purpureoacerulea</i> (L.) I.M. Johnst.
<i>Lithospermum tenuiflorum</i> L. fil.	→ <i>Buglossoides tenuiflora</i> (L. fil.) I.M. Johnst.
<i>Lloydia graeca</i> auct. Fl. Ital.	→ <i>Gagea trinervia</i> (Viv.) Greuter
<i>Lobularia halimifolia</i> Steud.	→ <i>Alyssum ligusticum</i> Breistr.
<i>Logfia arvensis</i> (L.) J. Holub	→ <i>Filago arvensis</i> L.
<i>Logfia gallica</i> (L.) Cosson & Germ.	→ <i>Filago gallica</i> L.
<i>Logfia heterantha</i> (Rafin.) J. Holub	→ <i>Filago heterantha</i> Raf.
<i>Logfia minima</i> (Sm.) Dumort.	→ <i>Filago minima</i> (Sm.) Pers.
<i>Logfia neglecta</i> (Soyer-Willemet) J. Holub	→ <i>Filago neglecta</i> (Soy.-Will.) DC.
<i>Loiseleuria procumbens</i> (L.) Desv.	→ <i>Kalmia procumbens</i> (L.) Gift, Kron & Stevens ex Galasso, Banfi & F. Conti
<i>Lolium arundinaceum</i> (Schreb.) S.J. Darbyshire	→ <i>Festuca arundinacea</i> Schreb. s.l.
<i>Lolium gussonei</i> Parl.	→ <i>Lolium temulentum</i> L. subsp. <i>gussonei</i> (Parl.) Arcang.
<i>Lolium loliaceum</i> (Bory et Chaub.) Hand.-Mazz.	→ <i>Lolium rigidum</i> Gaudin subsp. <i>lepturoides</i> (Boiss.) Sennen & Mauricio
<i>Lonicera cyrenaica</i> Viv.	→ incl. <i>Lonicera etrusca</i> Santi
<i>Lophochloa cristata</i> (L.) Hyl.	→ <i>Rostraria cristata</i> (L.) Tzvelev s.l.
<i>Lophochloa hispida</i> (Savi) Pign.	→ <i>Rostraria hispida</i> (Savi) Dogan
<i>Lophochloa phleoides</i> (Vill.) Rchb.	→ <i>Rostraria cristata</i> (L.) Tzvelev s.l.
<i>Lophochloa pubescens</i> (Lam.) Scholz	→ <i>Rostraria litorea</i> (All.) Holub
<i>Loretia ligustica</i> (All.) Duval-Jouve	→ <i>Vulpia ligustica</i> (All.) Link
<i>Loroglossum hircinum</i> (L.) L. C. Rich.	→ <i>Himantoglossum hircinum</i> (L.) Spreng.
<i>Lotus alpinus</i> (DC.) Schleicher	→ <i>Lotus corniculatus</i> L. subsp. <i>alpinus</i> (DC.) Rothm.
<i>Lotus biflorus</i> Desr. in Lam.	→ <i>Tetragonolobus biflorus</i> (Desr.) Ser.
<i>Lotus collinus</i> (Boiss.) Heldr.	→ <i>Lotus longisiliquosus</i> R. Roem.

<i>Lotus commutatus</i> Guss.	→ <i>Lotus creticus</i> L.
<i>Lotus conjugatus</i> L.	→ <i>Tetragonolobus conjugatus</i> (L.) Link s.l.
<i>Lotus conjugatus</i> L. subsp. <i>conjugatus</i>	→ <i>Tetragonolobus conjugatus</i> (L.) Link subsp. <i>conjugatus</i>
<i>Lotus conjugatus</i> L. subsp. <i>requienii</i> (Sanguinetti) Greuter	→ <i>Tetragonolobus conjugatus</i> (L.) Link subsp. <i>requienii</i> (Mauri ex Sanguin.) E. Domínguez & Galiano
<i>Lotus corniculatus</i> L. var. <i>alpinus</i> DC.	→ <i>Lotus corniculatus</i> L. subsp. <i>alpinus</i> (DC.) Rothm.
<i>Lotus delortii</i> Timb.	→ <i>Lotus corniculatus</i> L. subsp. <i>delortii</i> (Timb.-Lagr.) O. Bolòs & Vigo
<i>Lotus glaber</i> Mill.	→ <i>Lotus tenuis</i> W. et K.
<i>Lotus hirsutus</i> L.	→ <i>Dorycnium hirsutum</i> (L.) Ser.
<i>Lotus maritimus</i> L.	→ <i>Tetragonolobus maritimus</i> (L.) Roth
<i>Lotus preslii</i> Ten.	→ <i>Lotus corniculatus</i> L. subsp. <i>preslii</i> (Ten.) P. Fourn.
<i>Lotus rectus</i> L.	→ <i>Dorycnium rectum</i> (L.) Ser.
<i>Lotus requienii</i> Sanguin.	→ <i>Tetragonolobus conjugatus</i> (L.) Link subsp. <i>requienii</i> (Mauri ex Sanguin.) E. Domínguez & Galiano
<i>Lotus subbiflorus</i> Lag.	→ <i>Lotus hispidus</i> DC.
<i>Lotus tetragonolobus</i> L.	→ <i>Tetragonolobus purpureus</i> Moench
<i>Lotus uliginosus</i> Schkuhr	→ <i>Lotus pedunculatus</i> Cav.
<i>Ludwigia grandiflora</i> (Michaux) Greuter & Burdet	→ <i>Ludwigia uruguayensis</i> (Camb.) Hara
<i>Lunaria annua</i> L. subsp. <i>pachyrhiza</i> (Borbás) Hayek	→ inc. <i>Lunaria annua</i> L.
<i>Lunaria libyca</i> Viv.	→ <i>Lobularia libyca</i> (Viv.) Meisn.
<i>Lunaria pachyrhiza</i> Borbás	→ <i>Lunaria annua</i> L.
<i>Lupinus albus</i> L. subsp. <i>graecus</i> (Boiss. & Spruner) Franco & P. Silva	→ <i>Lupinus graecus</i> Boiss. & Spruner
<i>Lupinus micranthus</i> Guss.	→ <i>Lupinus gussoneanus</i> Agardh
<i>Lupinus reticulatus</i> Desv.	→ incl. <i>Lupinus angustifolius</i> L.
<i>Lupinus varius</i> L.	→ <i>Lupinus cosentinii</i> Guss.
<i>Lupisia galactites</i> (L.) Kuntze	→ <i>Galactites elegans</i> (All.) Soldano
<i>Luzula albida</i> (Hoffm.) Lam. et DC.	→ <i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott s.l.
<i>Luzula bulgarica</i> Chrtek & Krisa	→ <i>Luzula spicata</i> (L.) DC. subsp. <i>bulgarica</i> Chrtek & Krisa
<i>Luzula calabra</i> Ten.	→ <i>Luzula campestris</i> (L.) DC.
<i>Luzula italica</i> Parl.	→ <i>Luzula spicata</i> (L.) DC. subsp. <i>italica</i> (Parl.) Arcang.
<i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott subsp. <i>cuprina</i> (Rochel ex Ascherson & Graebner) Chrtek & Kri	→ <i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott subsp. <i>rubella</i> (Mert. & W.D.J. Koch) Holub
<i>Luzula multiflora</i> (Retz.) Lej. subsp. <i>congesta</i> (Thuill.) Hyl.	→ <i>Luzula congesta</i> (Thuill.) Lej.
<i>Luzula sieberi</i> Tausch	→ <i>Luzula sylvatica</i> (Huds.) Gaudin subsp. <i>sieberi</i> (Tausch) K. Richt.
<i>Luzula sieberi</i> Tausch subsp. <i>sicula</i> (Parl.) Pign.	→ <i>Luzula sicula</i> Parl.
<i>Lychnis alba</i> Mill.	→ <i>Silene latifolia</i> Poir. subsp. <i>alba</i> (Mill.) Greuter & Burdet
<i>Lychnis alpina</i> L.	→ <i>Silene suecica</i> (Lodd.) Greuter & Burdet
<i>Lychnis coronaria</i> (L.) Desr.	→ <i>Silene coronaria</i> (L.) Clairv.
<i>Lychnis dioica</i> L.	→ <i>Silene dioica</i> (L.) Clairv.
<i>Lychnis flos-cuculi</i> L.	→ <i>Silene flos-cuculi</i> (L.) Clairv.
<i>Lychnis flos-jovis</i> (L.) Desr.	→ <i>Silene flos-jovis</i> (L.) Greuter & Burdet
<i>Lychnis suecica</i> Lodd.	→ <i>Silene suecica</i> (Lodd.) Greuter & Burdet
<i>Lychnis viscaria</i> L.	→ <i>Silene viscaria</i> (L.) Borkh.
<i>Lycopersicon esculentum</i> Mill.	→ <i>Solanum lycopersicum</i> L.
<i>Lycopodium alpinum</i> L.	→ <i>Diphasiastrum alpinum</i> (L.) Holub
<i>Lycopodium alpinum</i> L. race <i>issleri</i> Pursh	→ <i>Diphasiastrum issleri</i> (Rouy) Holub
<i>Lycopodium clavatum</i> L. subsp. <i>monostachyon</i> (Grev. & Hook.) Selander	→ incl. <i>Lycopodium clavatum</i> L.
<i>Lycopodium complanatum</i> L.	→ <i>Diphasiastrum complanatum</i> (L.) Holub
<i>Lycopodium denticulatum</i> L.	→ <i>Selaginella denticulata</i> (L.) Spring
<i>Lycopodium helveticum</i> L.	→ <i>Selaginella helvetica</i> (L.) Spring
<i>Lycopodium inundatum</i> L.	→ <i>Lycopodiella inundata</i> (L.) Holub
<i>Lycopodium issleri</i> (Rouy) Domin	→ <i>Diphasiastrum issleri</i> (Rouy) Holub
<i>Lycopodium selaginoides</i> L.	→ <i>Selaginella selaginoides</i> (L.) P. Beauv. ex Schrank & Mart.
<i>Lycopodium tristachyum</i> Pursh	→ <i>Diphasiastrum tristachyum</i> (Pursh) Holub
<i>Lycopsis lutea</i> Desr.	→ <i>Nonea lutea</i> (Desr.) DC.
<i>Lycopsis setosa</i> Lehm.	→ <i>Nonea lutea</i> (Desr.) DC.
<i>Lycopus europaeus</i> L. subsp. <i>menthifolius</i> (Mabille) Skalický	→ <i>Lycopus europaeus</i> L. subsp. <i>menthaefolius</i> (Mabille) Skalický
<i>Lycopus europaeus</i> L. subsp. <i>mollis</i> (A. Kern.) Rothm. ex Skalický	→ incl. <i>Lycopus europaeus</i> L. s.l.
<i>Lygos monosperma</i> (L.) Heywood	→ <i>Retama monosperma</i> (L.) Boiss.
<i>Lygos raeata</i> (Forsk.) Heywood subsp. <i>gussonei</i> (D.A. Webb) Heywood	→ <i>Retama raeata</i> (Forssk.) Webb & Berthel. subsp. <i>gussonei</i> (Webb) Greuter
<i>Lyonnaea muricata</i> DC.	→ <i>Anthemis muricata</i> (DC.) Guss.
<i>Lysimachia linum-stellatum</i> L.	→ <i>Asterolinon linum-stellatum</i> (L.) Duby
<i>Lysimachia tenella</i> L.	→ <i>Anagallis tenella</i> (L.) L.
<i>Lythrum biflorum</i> (DC.) J.Gay	→ <i>Middendorfia borysthenica</i> (Schrank) Trautv.

<i>Lythrum borysthenticum</i> (Schrank) Litv.	→ <i>Middendorfia borysthénica</i> (Schrank) Trautv.
<i>Lythrum portula</i> (L.) D. A. Webb	→ <i>Peplis portula</i> L.
<i>Maianthemum convallaria</i> Weber	→ <i>Maianthemum bifolium</i> (L.) Schmidt
<i>Malaxis loeselii</i> (L.) Sw.	→ <i>Liparis loeselii</i> (L.) Rich.
<i>Malaxis paludosa</i> (L.) Sw.	→ <i>Hammarbya paludosa</i> (L.) Kuntze
<i>Malus communis</i> DC.	→ <i>Malus domestica</i> (Borkh.) Borkh.
<i>Malva althaeoides</i> Cav.	→ <i>Malva cretica</i> Cav. subsp. <i>althaeoides</i> (Cav.) Bég.
<i>Malva crispa</i> (L.) L.	→ incl. <i>Malva verticillata</i> L.
<i>Malva minoricensis</i> (Cambess.) Rodr.	→ <i>Lavatera triloba</i> L. subsp. <i>pallens</i> (Moris) Nyman
<i>Maresia nana</i> (DC.) Batt.	→ <i>Malcolmia nana</i> (DC.) Boiss.
<i>Marrubium hispanicum</i> L.	→ <i>Ballota hispanica</i> (L.) Benth.
<i>Marrubium pseudodictamnus</i> L.	→ <i>Ballota pseudodictamnus</i> (L.) Benth.
<i>Marsilea natans</i> L.	→ <i>Salvinia natans</i> (L.) All.
<i>Matricaria inodora</i> L.	→ <i>Tripleurospermum inodorum</i> (L.) Sch. Bip.
<i>Matricaria matricarioides</i> (Less.) Porter	→ <i>Matricaria discoidea</i> DC.
<i>Matricaria parthenium</i> L.	→ <i>Tanacetum parthenium</i> (L.) Sch. Bip.
<i>Matricaria perforata</i> Merat	→ <i>Tripleurospermum inodorum</i> (L.) Sch. Bip.
<i>Matricaria recutita</i> L.	→ <i>Matricaria chamomilla</i> L.
<i>Matricaria suaveolens</i> (Pursh) Buch., non L.	→ <i>Matricaria discoidea</i> DC.
<i>Matricaria virgata</i> Desr.	→ <i>Leucanthemum virgatum</i> (Desr.) Clos
<i>Matthiola carnica</i> Tammaro	→ incl. <i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>valesiaca</i> (Gay ex Gaudin) P.W. Ball
<i>Matthiola incana</i> (L.) R. Br. var. <i>pulchella</i> P. Conti	→ <i>Matthiola incana</i> (L.) R. Br. subsp. <i>pulchella</i> (Conti) Greuter & Burdet
<i>Matthiola italica</i> (Conti) Tammaro	→ incl. <i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>valesiaca</i> (Gay ex Gaudin) P.W. Ball
<i>Matthiola rupestris</i> (Raf.) DC.	→ <i>Matthiola incana</i> (L.) R. Br. subsp. <i>rupestris</i> (Raf.) Nyman
<i>Matthiola sinuata</i> (L.) R. Br. f. <i>ligurica</i> Conti	→ incl. <i>Matthiola sinuata</i> (L.) R. Br.
<i>Matthiola sinuata</i> (L.) R. Br. subsp. <i>ligurica</i> (Conti) Vierh.	→ incl. <i>Matthiola sinuata</i> (L.) R. Br.
<i>Matthiola undulata</i> Tineo	→ <i>Matthiola incana</i> (L.) R. Br. subsp. <i>rupestris</i> (Raf.) Nyman
<i>Matthiola valesiaca</i> Gay	→ <i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>valesiaca</i> (Gay ex Gaudin) P.W. Ball
<i>Mazus reptans</i> N.E. Br.	→ <i>Mazus miquelii</i> Makino
<i>Medeola asparagoides</i> L.	→ <i>Elide asparagoides</i> (L.) Kerguélen
<i>Medica italica</i> Mill.	→ <i>Medicago italica</i> (Mill.) Grande
<i>Medicago aculeata</i> Willd.	→ <i>Medicago doliata</i> Carmign.
<i>Medicago bonarotiana</i> Arcang.	→ incl. <i>Medicago blanchiana</i> Boiss.
<i>Medicago ciliaris</i> (L.) All.	→ incl. <i>Medicago intertexta</i> (L.) Mill.
<i>Medicago circinnata</i> L.	→ <i>Hymenocarpus circinnatus</i> (L.) Savi
<i>Medicago cupaniana</i> Guss.	→ <i>Medicago lupulina</i> L.
<i>Medicago globosa</i> Presl	→ <i>Medicago constricta</i> Durieu
<i>Medicago hispida</i> Gaertner	→ <i>Medicago polymorpha</i> L.
<i>Medicago italica</i> (Mill.) Fiori subsp. <i>tornata</i> (L.) Emb. & Maire	→ incl. <i>Medicago italica</i> (Mill.) Grande
<i>Medicago litoralis</i> Rohde	→ <i>Medicago littoralis</i> Loisel.
<i>Medicago monspeliaca</i> (L.) Trautv.	→ <i>Trigonella monspeliaca</i> L.
<i>Medicago muricoleptis</i> Tineo	→ incl. <i>Medicago intertexta</i> (L.) Mill.
<i>Medicago polymorpha</i> L. var. <i>arabica</i> L.	→ <i>Medicago arabica</i> (L.) Huds.
<i>Medicago polymorpha</i> L. var. <i>ciliaris</i> L.	→ <i>Medicago intertexta</i> (L.) Mill.
<i>Medicago polymorpha</i> L. var. <i>coronata</i> L.	→ <i>Medicago coronata</i> (L.) Bartal.
<i>Medicago polymorpha</i> L. var. <i>intertexta</i> L.	→ <i>Medicago intertexta</i> (L.) Mill.
<i>Medicago polymorpha</i> L. var. <i>laciniata</i> L.	→ <i>Medicago laciniata</i> (L.) Mill. subsp. <i>laciniata</i>
<i>Medicago polymorpha</i> L. var. <i>minima</i> L.	→ <i>Medicago minima</i> (L.) L.
<i>Medicago polymorpha</i> L. var. <i>orbicularis</i> L.	→ <i>Medicago orbicularis</i> (L.) Bartal.
<i>Medicago polymorpha</i> L. var. <i>rigidula</i> L.	→ <i>Medicago rigidula</i> (L.) All.
<i>Medicago polymorpha</i> L. var. <i>scutellata</i> L.	→ <i>Medicago scutellata</i> (L.) Mill.
<i>Medicago polymorpha</i> L. var. <i>tornata</i> L.	→ incl. <i>Medicago italica</i> (Mill.) Grande
<i>Medicago polymorpha</i> L. var. <i>tuberculata</i> Retz.	→ <i>Medicago turbinata</i> (L.) All.
<i>Medicago sativa</i> L. subsp. <i>falcata</i> (L.) Arcang.	→ <i>Medicago falcata</i> L. subsp. <i>falcata</i>
<i>Medicago sativa</i> L. subsp. <i>glomerata</i> (Balbis) Tutin	→ <i>Medicago glutinosa</i> M. Bieb.
<i>Medicago tuberculata</i> (Retz.) Willd.	→ <i>Medicago turbinata</i> (L.) All.
<i>Melampyrum pratense</i> L. subsp. <i>vulgatum</i> (Pers.) Ronn.	→ <i>Melampyrum pratense</i> L. subsp. <i>commutatum</i> (Tausch ex A. Kern.) C.E. Britton
<i>Melica bauhini</i> All.	→ <i>Melica amethystina</i> Pourr.
<i>Melica magnolii</i> G. et G.	→ <i>Melica ciliata</i> L. subsp. <i>magnolii</i> (Gren. & Godr.) Husn.
<i>Melilotus alba</i> Medicus	→ <i>Melilotus albus</i> Medik.
<i>Melilotus altissima</i> Thuill.	→ <i>Melilotus altissimus</i> Thuill.
<i>Melilotus dentata</i> (W. et K.) Pers.	→ <i>Melilotus dentatus</i> (Waldst. & Kit.) Desf.
<i>Melilotus indica</i> (L.) All.	→ <i>Melilotus indicus</i> (L.) All.

<i>Melilotus infesta</i> Guss.	→ <i>Melilotus infestus</i> Guss.
<i>Melilotus italica</i> (L.) Lam.	→ <i>Melilotus italicus</i> (L.) Lam.
<i>Melilotus messanensis</i> (L.) All.	→ <i>Melilotus siculus</i> (Turra) Steud.
<i>Melilotus neapolitana</i> Ten.	→ <i>Melilotus neapolitanus</i> Ten.
<i>Melilotus sulcata</i> Desf.	→ <i>Melilotus sulcatus</i> Desf.
<i>Melissa altissima</i> Sm.	→ <i>Melissa officinalis</i> L. subsp. <i>altissima</i> (Sm.) Arcang.
<i>Melissa romana</i> Miller	→ <i>Melissa officinalis</i> L. subsp. <i>altissima</i> (Sm.) Arcang.
<i>Melittis albida</i> Guss.	→ <i>Melittis melissophyllum</i> L. subsp. <i>albida</i> (Guss.) P.W. Ball
<i>Mentha aquatica</i> L. subsp. <i>ortmanniana</i> (Opiz) Lemke	→ <i>Mentha aquatica</i> L. subsp. <i>aquatica</i>
<i>Mentha arvensis</i> L. subsp. <i>austriaca</i> (Jacq.) Briq.	→ <i>Mentha arvensis</i> L.
<i>Mentha arvensis</i> L. subsp. <i>parietariifolia</i> (Becker) Briq.	→ <i>Mentha arvensis</i> L.
<i>Mentha longifolia</i> (L.) Huds. subsp. <i>grisella</i> (Briq.) Briq.	→ <i>Mentha longifolia</i> (L.) Huds.
<i>Mentha spicata</i> L. subsp. <i>condensata</i> (Briq.) Greuter & Burdet	→ <i>Mentha spicata</i> L.
<i>Mentha spicata</i> L. subsp. <i>glabrata</i> (Lej. & Courtois) Lebeau	→ incl. <i>Mentha spicata</i> L.
<i>Mentha spicata</i> L. subsp. <i>spicata</i>	→ incl. <i>Mentha spicata</i> L.
<i>Mentha x gentilis</i> L.	→ <i>Mentha x gracilis</i> Sole
<i>Mentha x-gentilis</i> L.	→ <i>Mentha x gracilis</i> Sole
<i>Mentha x-piperita</i> L.	→ <i>Mentha x piperita</i> L.
<i>Mentha x-smithiana</i> R.A. Graham	→ <i>Mentha x smithiana</i> R.A. Graham
<i>Mentha x-verticillata</i> L.	→ <i>Mentha x verticillata</i> L.
<i>Mercurialis ambigua</i> L. f.	→ <i>Mercurialis annua</i> L.
<i>Mercurialis huetii</i> Hanry	→ <i>Mercurialis annua</i> L.
<i>Mesembryanthemum acinaciforme</i> L.	→ <i>Carpobrotus acinaciformis</i> (L.) L. Bolus
<i>Mesembryanthemum cordifolium</i> L. f.	→ <i>Aptenia cordifolia</i> (L. f.) Schwantes
<i>Mesembryanthemum crystallinum</i> L.	→ <i>Mesembryanthemum cristallinum</i> L.
<i>Mesembryanthemum edule</i> L.	→ <i>Carpobrotus edulis</i> (L.) N.E. Br.
<i>Mespilus chamaemespilus</i> L.	→ <i>Sorbus chamaemespilus</i> (L.) Crantz
<i>Meum dalechampii</i> Ten.	→ <i>Trinia dalechampii</i> (Ten.) Janch.
<i>Meum mutellina</i> (L.) Gaertn.	→ <i>Ligusticum mutellina</i> (L.) Crantz
<i>Micromeria graeca</i> (L.) Benth. ex Reichenb. subsp. <i>consentina</i> (Ten.) Guinea	→ <i>Micromeria consentina</i> (Ten.) N. Terracc.
<i>Micromeria graeca</i> (L.) Benth. ex Reichenb. subsp. <i>fruticulosa</i> (Bertol.) Guinea	→ <i>Micromeria fruticulosa</i> (Bertol.) Šilic
<i>Micromeria graeca</i> (L.) Benth. ex Reichenb. subsp. <i>garganica</i> (Briq.) Guinea	→ <i>Micromeria canescens</i> (Guss.) Benth.
<i>Micropus erectus</i> L.	→ <i>Bombycilaena erecta</i> (L.) Smoljan.
<i>Micropus erectus</i> L. subsp. <i>discolor</i> Pers.	→ <i>Bombycilaena discolor</i> (Pers.) M. Lainz
<i>Microrrhinum litorale</i> (Bernh. ex Willd.) Speta	→ <i>Chaenorhinum minus</i> (L.) Lange subsp. <i>litorale</i> (Willd.) Hayek
<i>Microrrhinum minus</i> (L.) Fourr.	→ <i>Chaenorhinum minus</i> (L.) Lange s.l.
<i>Microstylis monophyllos</i> (L.) Lindl.	→ <i>Malaxis monophyllos</i> (L.) Sw.
<i>Milium coerulescens</i> Desf.	→ <i>Piptatherum caerulescens</i> (Desf.) P. Beauv.
<i>Milium lendigerum</i> L.	→ <i>Gastridium ventricosum</i> (Gouan) Schinz & Thell.
<i>Milium montianum</i> Parl.	→ <i>Milium vernale</i> M. Bieb. subsp. <i>montianum</i> (Parl.) Jahand. & Maire
<i>Milium multiflorum</i> Cav.	→ <i>Piptatherum miliaceum</i> (L.) Coss. s.l.
<i>Milium paradoxum</i> L.	→ <i>Piptatherum paradoxum</i> (L.) P. Beauv.
<i>Milium tenellum</i> Cav.	→ <i>Aiopsis tenella</i> (Cav.) Asch. & Graebn.
<i>Milium thomasi</i> Duby	→ <i>Piptatherum miliaceum</i> (L.) Coss. subsp. <i>thomasi</i> (Duby) Freitag
<i>Milla uniflora</i> Graham	→ <i>Ipheion uniflorum</i> (Graham) Raf.
<i>Mimosa longifolia</i> Andrews	→ <i>Acacia longifolia</i> (Andrews) Willd.
<i>Mimosa saligna</i> Labill.	→ <i>Acacia saligna</i> (Labill.) H.L. Wendl.
<i>Minuartia engleri</i> Mattf.	→ incl. <i>Minuartia recurva</i> (All.) Schinz & Thell. subsp. <i>condensata</i> (C. Presl) Greuter & Burdet
<i>Minuartia fastigiata</i> (Sm.) Rchb.	→ <i>Minuartia rubra</i> (Scop.) McNeill
<i>Minuartia geniculata</i> (Poir.) Thell.	→ <i>Rhodalsine geniculata</i> (Poir.) F.N. Williams
<i>Minuartia lanceolata</i> (All.) Mattf.	→ <i>Minuartia rupestris</i> (Scop.) Schinz & Thell. subsp. <i>clementei</i> (Huter) Greuter & Burdet
<i>Minuartia loricifolia</i> (L.) Sch. et Th. subsp. <i>ophiolithica</i> Pign.	→ <i>Minuartia loricifolia</i> (L.) Schinz & Thell. subsp. <i>ophiolithica</i> Pignatti
<i>Minuartia mutabilis</i> Sch. et Th.	→ <i>Minuartia rostrata</i> (Pers.) Rchb.
<i>Minuartia recurva</i> (All.) Sch. et Th. subsp. <i>juressi</i> (Willd.) Mattf.	→ <i>Minuartia recurva</i> (All.) Schinz & Thell. subsp. <i>condensata</i> (C. Presl) Greuter & Burdet
<i>Minuartia trichocalycina</i> (Ten. et Guss.) Grande	→ <i>Minuartia glomerata</i> (M. Bieb.) Degen subsp. <i>trichocalycina</i> (Ten. & Guss.) F. Conti
<i>Minuartia verna</i> (L.) Hiern subsp. <i>grandiflora</i> (Presl) Hayek	→ <i>Minuartia verna</i> (L.) Hiern subsp. <i>kabylica</i> (Pomel) Maire & Weiller
<i>Mirabilis nyctagineus</i> (Michx.) Sweet	→ <i>Oxybaphus nyctagineus</i> (Michx.) Sweet
<i>Moehringia insubrica</i> Degen	→ <i>Moehringia bavarica</i> (L.) Gren. subsp. <i>insubrica</i> (Degen) W. Sauer
<i>Moehringia sedifolia</i> Willd.	→ <i>Moehringia sedoides</i> (Pers.) Loisel.

<i>Moehringia trinervia</i> (L.) Clairv. subsp. <i>pentandra</i> (Gay) Nyman	→ <i>Moehringia pentandra</i> Gay
<i>Moenchia octandra</i> (Ziz ex Mert. & Koch) Gay	→ <i>Moenchia erecta</i> (L.) P. Gaertn., B. Mey. & Scherb. subsp. <i>octandra</i> (Ziz ex Mert. & W.D.J. Koch) Gürke ex Cout.
<i>Molinia arundinacea</i> Schrank	→ <i>Molinia caerulea</i> (L.) Moench subsp. <i>arundinacea</i> (Schrank) K. Richt.
<i>Molinia caerulea</i> (L.) Moench	→ <i>Molinia caerulea</i> (L.) Moench s.l.
<i>Molinia maxima</i> Hartm.	→ <i>Glyceria maxima</i> (Hartm.) Holmb.
<i>Molinia serotina</i> (L.) Mert. & W.D.J. Koch	→ <i>Kengia serotina</i> (L.) Packer
<i>Mollugo tetraphylla</i> L.	→ <i>Polycarpon tetraphyllum</i> (L.) L. s.l.
<i>Moluccella frutescens</i> L.	→ <i>Ballota frutescens</i> (L.) Woods
<i>Momordica elaterium</i> L.	→ <i>Ecballium elaterium</i> (L.) A. Rich.
<i>Monerma cylindrica</i> (Willd.) Coss. & Durieu	→ <i>Hainardia cylindrica</i> (Willd.) Greuter
<i>Monerma subulata</i> (Savi) P.Beauv.	→ <i>Hainardia cylindrica</i> (Willd.) Greuter
<i>Montia minor</i> C. C. Gmelin	→ <i>Montia fontana</i> L. subsp. <i>chondrosperma</i> (Fenzl) Walters
<i>Morus papyrifera</i> L.	→ <i>Broussonetia papyrifera</i> (L.) Vent.
<i>Mulgedium alpinum</i> (L.) Less.	→ <i>Lactuca alpina</i> (L.) A. Gray
<i>Muscari atlanticum</i> Boiss. & Reut.	→ <i>Muscari neglectum</i> Guss. ex Ten.
<i>Muscari lafarinae</i> (Lojac.) Garbari	→ <i>Muscari commutatum</i> Guss.
<i>Muscari longifolium</i> Rigo	→ <i>Muscari botryoides</i> (L.) Mill. subsp. <i>longifolium</i> (Rigo) Garbari
<i>Muscari macrocarpum</i> Sweet	→ <i>Muscarimia macrocarpa</i> (Sweet) Garbari
<i>Muscari moschatum</i> Willd.	→ <i>Muscarimia muscari</i> (L.) Losinsk.
<i>Muscari muscarimi</i> Medik.	→ <i>Muscarimia muscari</i> (L.) Losinsk.
<i>Muscari racemosum</i> (L.) Mill.	→ <i>Muscari neglectum</i> Guss. ex Ten.
<i>Mutellina purpurea</i> (Poir.) Thell.	→ <i>Ligusticum mutellina</i> (L.) Crantz
<i>Myagrum alyssum</i> Mill.	→ <i>Camelina alyssum</i> (Mill.) Thell. s.l.
<i>Myagrum irregulare</i> Asso	→ <i>Calepina irregularis</i> (Asso) Thell.
<i>Myagrum paniculatum</i> L.	→ <i>Neslia paniculata</i> (L.) Desv. s.l.
<i>Myagrum perenne</i> L.	→ <i>Rapistrum perenne</i> (L.) All.
<i>Myagrum rugosum</i> L.	→ <i>Rapistrum rugosum</i> (L.) Arcang.
<i>Myagrum sativum</i> L.	→ <i>Camelina sativa</i> (L.) Crantz s.l.
<i>Mycelis muralis</i> (L.) Dumort.	→ <i>Lactuca muralis</i> (L.) Gaertn.
<i>Myconella myconis</i> (L.) Sprague	→ <i>Coleostephus myconis</i> (L.) Cass. ex Rchb. f.
<i>Myconia myconis</i> (L.) Briq.	→ <i>Coleostephus myconis</i> (L.) Cass. ex Rchb. f.
<i>Myosotis caespitosa</i> C. F. Schultz	→ <i>Myosotis laxa</i> Lehm.
<i>Myosotis cyanea</i> Boiss. & Heldr. ex Halácsy	→ <i>Myosotis sylvatica</i> Hoffm. subsp. <i>cyanea</i> (Hayek) Vestergrén
<i>Myosotis elongata</i> Strobl	→ <i>Myosotis sylvatica</i> Hoffm. subsp. <i>elongata</i> (Strobl) Grau
<i>Myosotis laxa</i> Lehm. subsp. <i>caespitosa</i> (Schultz) Hyl. ex Nordh.	→ incl. <i>Myosotis laxa</i> Lehm.
<i>Myosotis scorpioides</i> L. var. <i>arvensis</i> L.	→ <i>Myosotis arvensis</i> (L.) Hill subsp. <i>arvensis</i>
<i>Myosotis sicula</i> Guss.	→ <i>Myosotis gussoni</i> Jan
<i>Myosotis stricta</i> Link ex Roem. & Schult. var. <i>speluncicola</i> Boiss.	→ <i>Myosotis speluncicola</i> (Boiss.) Rouy
<i>Myosoton aquaticum</i> (L.) Moench	→ <i>Stellaria aquatica</i> (L.) Scop.
<i>Myriophyllum alternifolium</i> DC.	→ <i>Myriophyllum alterniflorum</i> DC.
<i>Myriophyllum brasiliense</i> Cambess.	→ <i>Myriophyllum aquaticum</i> (Velloso) Verdc.
<i>Myrrhis capillifolium</i> Guss.	→ <i>Conopodium capillifolium</i> (Guss.) Boiss.
<i>Myrrhis cynapioides</i> Guss.	→ <i>Huetia cynapioides</i> (Guss.) P.W. Ball subsp. <i>cynapioides</i>
<i>Myrrhis sylvestris</i> (L.) Spreng.	→ <i>Anthriscus sylvestris</i> (L.) Hoffm. subsp. <i>sylvestris</i>
<i>Myrsiphyllum asparagoides</i> (L.) Willd.	→ <i>Elide asparagoides</i> (L.) Kerguelén
<i>Myrtus communis</i> L. var. <i>tarentina</i> L.	→ <i>Myrtus communis</i> L. subsp. <i>tarentina</i> (L.) Nyman
<i>Myrtus tarentina</i> (L.) Mill.	→ <i>Myrtus communis</i> L. subsp. <i>tarentina</i> (L.) Nyman
<i>Narcissus angustifolius</i> Curtis ex Haw.	→ incl. <i>Narcissus poeticus</i> L.
<i>Narcissus biflorus</i> Curtis	→ <i>Narcissus medioluteus</i> Mill.
<i>Narcissus poeticus</i> L. subsp. <i>radiiflorus</i> (Salisb.) Baker	→ incl. <i>Narcissus poeticus</i> L.
<i>Narcissus tazetta</i> L. subsp. <i>bertolonii</i> (Parl.) Baker	→ <i>Narcissus tazetta</i> L. subsp. <i>aureus</i> (Loisel.) Baker
<i>Narcissus x-incomparabilis</i> Miller	→ <i>Narcissus incomparabilis</i> Mill.
<i>Narcissus x-medioluteus</i> Miller	→ <i>Narcissus medioluteus</i> Mill.
<i>Narcissus x-odorus</i> L.	→ <i>Narcissus odoratus</i> L.
<i>Nardosmia fragrans</i> (Vill.) Rchb.	→ <i>Petasites fragrans</i> (Vill.) C. Presl
<i>Nardurus halleri</i> (Viv.) Fiori	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Nardurus lachenalii</i> (C.C. Gmel.) Godr.	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Nardurus maritimus</i> (L.) Murb.	→ <i>Vulpia unilateralis</i> (L.) Stace
<i>Nardurus poa</i> (DC.) Boiss.	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Nardurus tenellus</i> (L.) Duval-Jouve	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Nardurus unilateralis</i> (L.) Boiss.	→ <i>Vulpia unilateralis</i> (L.) Stace
<i>Nardus aristata</i> L.	→ <i>Psilurus incurvus</i> (Gouan) Schinz & Thell.
<i>Nardus incurva</i> Gouan	→ <i>Psilurus incurvus</i> (Gouan) Schinz & Thell.
<i>Nartheceum pusillum</i> Michx.	→ <i>Tofieldia pusilla</i> (Michx.) Pers.
<i>Nasturtium anceps</i> (Wahlenb.) Rchb.	→ <i>Rorippa anceps</i> (Wahlenb.) Rchb.
<i>Nasturtium armoracia</i> (L.) Fr.	→ <i>Armoracia rusticana</i> P. Gaertn., B. Mey. & Scherb.

<i>Nasturtium austriacum</i> Crantz	→ <i>Rorippa austriaca</i> (Crantz) Besser
<i>Nasturtium nebrodense</i> Raf.	→ <i>Lepidium hirtum</i> (L.) Sm. subsp. <i>nebrodense</i> (Raf.) Thell.
<i>Nectaroscordum hyacinthoides</i> (L.) Parl.	→ <i>Nectaroscilla hyacinthoides</i> (L.) Parl.
<i>Neotinea intacta</i> (Link) Rchb. f.	→ <i>Neotinea maculata</i> (Desf.) Stearn
<i>Nephrodium affine</i> Lowe	→ <i>Dryopteris affinis</i> (Lowe) Fraser-Jenk. s.l.
<i>Nephrodium expansum</i> C. Presl	→ <i>Dryopteris expansa</i> (C. Presl) Fraser-Jenk. & Jermy
<i>Nephrodium pallidum</i> Bory	→ <i>Dryopteris pallida</i> (Bory) Maire & Petitm. subsp. <i>pallida</i>
<i>Neslia apiculata</i> Fischer & al.	→ <i>Neslia paniculata</i> (L.) Desv. subsp. <i>thracica</i> (Velen.) Bornm.
<i>Nigella arvensis</i> L. var. <i>glaucescens</i> Guss.	→ <i>Nigella arvensis</i> L. subsp. <i>glaucescens</i> (Guss.) Greuter & Burdet
<i>Nigella hispanica</i> L. subsp. <i>atlantica</i> Murb.	→ <i>Nigella papillosa</i> G. López subsp. <i>atlantica</i> (Murb.) Amich ex G. López
<i>Nigritella corneliana</i> (Beauverd) Gözl & H.R. Reinhard subsp. <i>bournerasii</i> E. & R. Breiner	→ incl. <i>Nigritella corneliana</i> (Beauverd) Gözl & H.R. Reinhard
<i>Nigritella dolomitensis</i> (Teppner & E. Klein) Hedrén, E. Klein & Teppner	→ incl. <i>Nigritella rubra</i> (Wettst.) K. Richt.
<i>Nigritella miniata</i> (Crantz) Janch.	→ <i>Nigritella rubra</i> (Wettst.) K. Richt.
<i>Nigritella nigra</i> (L.) Rchb. f. p.p.	→ <i>Nigritella rhellicani</i> Teppner & E. Klein
<i>Nigritella nigra</i> (L.) Rchb. subsp. <i>austriaca</i> Teppner & E. Klein	→ <i>Nigritella austriaca</i> (Teppner & E. Klein) P. Delforge
<i>Nigritella nigra</i> (L.) Reichenb. fil. subsp. <i>corneliana</i> Beauverd	→ <i>Nigritella corneliana</i> (Beauverd) Gözl & H.R. Reinhard
<i>Nigritella nigra</i> (L.) Rchb. f. subsp. <i>nigra</i>	→ <i>Nigritella rhellicani</i> Teppner & E. Klein
<i>Nigritella nigra</i> (L.) Reichenb. fil. subsp. <i>rubra</i> (Wettst.) Beauverd	→ <i>Nigritella rubra</i> (Wettst.) K. Richt.
<i>Noccaea rotundifolia</i> (L.) Moench subsp. <i>grignensis</i> F.K. Mey.	→ <i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>grignense</i> (F.K. Mey.) Greuter & Burdet
<i>Nonea setosa</i> (Lehm.) Roem. & Schult.	→ <i>Nonea lutea</i> (Desr.) DC.
<i>Nonea ventricosa</i> (S. et S.) Griseb.	→ <i>Nonea echiodides</i> (L.) Roem. & Schult.
<i>Notholaena persica</i> Bory	→ <i>Cheilanthes persica</i> (Bory) Mett. ex Kuhn
<i>Nothoscordum inodorum</i> (Aiton) G. Nicholson	→ <i>Allium neapolitanum</i> Cirillo
<i>Nuphar luteum</i> (L.) S. et S.	→ <i>Nuphar lutea</i> (L.) Sm.
<i>Nymphaea alba</i> L. subsp. <i>minoriiflora</i> (Borbás) Stucchi	→ <i>Nymphaea alba</i> L.
<i>Obione cupani</i> (Tineo) Nicotra	→ incl. <i>Atriplex portulacoides</i> L.
<i>Odontites bocconei</i> (Guss.) Walpers	→ <i>Odontites bocconii</i> (Guss.) Walp.
<i>Odontites corsica</i> (Loisel.) Don	→ <i>Odontites corsicus</i> (Loisel.) G. Don
<i>Odontites lanceolata</i> (Gaudin) Rchb.	→ <i>Odontites lanceolatus</i> (Gaudin) Rchb.
<i>Odontites lutea</i> (L.) Clairv.	→ <i>Odontites luteus</i> (L.) Clairv.
<i>Odontites rigidifolia</i> (Biv.) Benth	→ <i>Odontites rigidifolius</i> (Biv.) Benth.
<i>Odontites rubra</i> (Baumg.) Opiz	→ <i>Odontites vulgaris</i> Moench s.l.
<i>Odontites rubra</i> (Baumg.) Opiz subsp. <i>rubra</i>	→ <i>Odontites vulgaris</i> Moench subsp. <i>vulgaris</i>
<i>Odontites rubra</i> (Baumg.) Opiz subsp. <i>sicula</i> (Guss.) Pign.	→ <i>Odontites vulgaris</i> Moench subsp. <i>siculus</i> (Guss.) Bolliger
<i>Odontites verna</i> (Bellardi) Dumort. sensu Flora Europaea	→ <i>Odontites vulgaris</i> Moench s.l.
<i>Odontites verna</i> (Bellardi) Dumort. subsp. <i>sicula</i> (Guss.) P.D. Sell	→ <i>Odontites vulgaris</i> Moench subsp. <i>siculus</i> (Guss.) Bolliger
<i>Odontites vernus</i> (Bellardi) Dumort. subsp. <i>serotinus</i> (Dumort.) Corb.	→ <i>Odontites vulgaris</i> Moench s.l.
<i>Odontospermum aquaticum</i> (L.) Sch. Bip.	→ <i>Asteriscus aquaticus</i> (L.) Less. subsp. <i>aquaticus</i>
<i>Odontospermum maritimum</i> (L.) Sch. Bip.	→ <i>Asteriscus maritimus</i> (L.) Less.
<i>Oenanthe globulosa</i> L. subsp. <i>kunzei</i> (Willk.) Nyman	→ <i>Oenanthe globulosa</i> L.
<i>Oenanthe phellandrium</i> Lam.	→ <i>Oenanthe aquatica</i> (L.) Poir.
<i>Oenothera chicagensis</i> Renner	→ <i>Oenothera chicaginensis</i> Renner ex R.E. Cleland & Blakeslee
<i>Oenothera erythrosepala</i> Borbás	→ <i>Oenothera glazioviana</i> Micheli
<i>Oenothera hungarica</i> Borbás	→ <i>Oenothera depressa</i> Green
<i>Oenothera sinuata</i> L.	→ <i>Oenothera laciniata</i> Hill
<i>Oenothera striata</i> Link	→ <i>Oenothera stricta</i> Link
<i>Oenothera villosa</i> auct.	→ <i>Oenothera depressa</i> Green
<i>Oglifa arvensis</i> (L.) Cass.	→ <i>Filago arvensis</i> L.
<i>Oglifa gallica</i> (L.) Chrtk et Holub	→ <i>Filago gallica</i> L.
<i>Oglifa heterantha</i> (Rafin.) Pign.	→ <i>Filago heterantha</i> Raf.
<i>Oglifa lojaconoi</i> Brullo	→ <i>Filago lojaconoi</i> (Brullo) Greuter
<i>Oglifa minima</i> (Sm.) Rchb.	→ <i>Filago minima</i> (Sm.) Pers.
<i>Oglifa neglecta</i> (Soy.-Will.) Rchb.	→ <i>Filago neglecta</i> (Soy.-Will.) DC.
<i>Olea europaea</i> L. subsp. <i>oleaster</i> (Hoffmanns. & Link) Negodi	→ <i>Olea europaea</i> L.
<i>Omalotheca hoppeana</i> (Koch) Schultz Bip. & F.W. Schultz	→ <i>Gnaphalium hoppeanum</i> W.D.J. Koch s.l.
<i>Omalotheca norvegica</i> (Gunn.) Schultz Bip. & F.W. Schultz	→ <i>Gnaphalium norvegicum</i> Gunnerus
<i>Omalotheca supina</i> (L.) DC.	→ <i>Gnaphalium supinum</i> L.
<i>Omalotheca sylvatica</i> (L.) Schultz Bip. & F.W. Schultz	→ <i>Gnaphalium sylvaticum</i> L.
<i>Onobrychis alba</i> (W. et K.) Desv. subsp. <i>laconica</i> (Orph.) Hayek	→ <i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>pentelica</i> (Hauskn.) Nyman
<i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>tenoreana</i> (Lacaita) Pignatti	→ <i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>alba</i>

<i>Onobrychis arenaria</i> (Kit.) DC. subsp. <i>tommasini</i> (Jordan) Asch. et Gr.	→ <i>Onobrychis arenaria</i> (Kit.) DC. subsp. <i>tommasinii</i> (Jord.) Asch. & Graebn.
<i>Onobrychis echinata</i> G. Don	→ <i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>echinata</i> (G. Don) P.W. Ball
<i>Onobrychis laconica</i> Boiss.	→ <i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>pentelica</i> (Hausskn.) Nyman
<i>Onobrychis tenoreana</i> Lacaita	→ <i>Onobrychis alba</i> (Waldst. & Kit.) Desv. subsp. <i>alba</i>
<i>Onobrychis tommasinii</i> Jord.	→ <i>Onobrychis arenaria</i> (Kit.) DC. subsp. <i>tommasinii</i> (Jord.) Asch. & Graebn.
<i>Ononis antiquorum</i> L.	→ <i>Ononis spinosa</i> L. subsp. <i>antiquorum</i> (L.) Arcang.
<i>Ononis arvensis</i> L.	→ <i>Ononis spinosa</i> L. subsp. <i>arvensis</i> (L.) Greuter & Burdet
<i>Ononis austriaca</i> Beck	→ <i>Ononis spinosa</i> L. subsp. <i>austriaca</i> (Beck) Gams
<i>Ononis breviflora</i> DC.	→ <i>Ononis viscosa</i> L. subsp. <i>breviflora</i> (DC.) Nyman
<i>Ononis exalopcuroides</i> G. López	→ <i>Ononis alopecuroides</i> L. subsp. <i>exalopcuroides</i> (G. López) Greuter & Burdet
<i>Ononis maritima</i> Dumort.	→ <i>Ononis spinosa</i> L. subsp. <i>maritima</i> (Dumort.) P. Fourn.
<i>Ononis pendula</i> Desf. f. <i>boissieri</i> Širj.	→ <i>Ononis pendula</i> Desf. subsp. <i>boissieri</i> (Širj.) Devesa
<i>Ononis ramosissima</i> Desf.	→ <i>Ononis natrix</i> L. subsp. <i>ramosissima</i> (Desf.) Batt.
<i>Ononis reclinata</i> L. subsp. <i>mollis</i> (Savi) Bég.	→ incl. <i>Ononis reclinata</i> L.
<i>Ononis repens</i> L.	→ <i>Ononis spinosa</i> L. subsp. <i>maritima</i> (Dumort.) P. Fourn.
<i>Ononis spinosa</i> L. subsp. <i>foetens</i> (All.) Širj.	→ <i>Ononis spinosa</i> L. subsp. <i>austriaca</i> (Beck) Gams
<i>Ononis spinosa</i> L. subsp. <i>masquillierii</i> (Bertol.) Negodi	→ <i>Ononis masquillierii</i> Bertol.
<i>Ononis viscosa</i> L. subsp. <i>brachycarpa</i> (DC.) Batt.	→ <i>Ononis viscosa</i> L. subsp. <i>breviflora</i> (DC.) Nyman
<i>Ononis viscosa</i> L. subsp. <i>sieberi</i> (Besser ex DC.) Širj.	→ <i>Ononis sieberi</i> DC.
<i>Onopordum horridum</i> Viv.	→ <i>Onopordum illyricum</i> L. subsp. <i>horridum</i> (Viv.) Franco
<i>Onosma arenaria</i> Waldst. & Kit. subsp. <i>fallax</i> (Borbás) Jav.	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>fallax</i> (Borbás) Teppner
<i>Onosma arenaria</i> Waldst. & Kit. subsp. <i>pennina</i> Br.-Bl. em. Teppner	→ <i>Onosma arenaria</i> Waldst. & Kit. subsp. <i>pennina</i> Braun-Blanq.
<i>Onosma arenaria</i> Waldst. & Kit. subsp. <i>vaudensis</i> (Gremli) Kerguélen	→ incl. <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>helvetica</i>
<i>Onosma arenarium</i> W. et K. subsp. <i>penninum</i> Br.-Bl. em. Teppner	→ <i>Onosma arenaria</i> Waldst. & Kit. subsp. <i>pennina</i> Braun-Blanq.
<i>Onosma dalmaticum</i> Scheele	→ <i>Onosma echioides</i> (L.) L.
<i>Onosma helveticum</i> Boiss. em. Teppner	→ <i>Onosma helvetica</i> Boiss. em. Teppner s.l.
<i>Onosma helveticum</i> Boiss. em. Teppner subsp. <i>fallax</i> (Borbás) Teppner	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>fallax</i> (Borbás) Teppner
<i>Onosma helveticum</i> Boiss. em. Teppner subsp. <i>helveticum</i>	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>helvetica</i>
<i>Onosma helveticum</i> Boiss. em. Teppner subsp. <i>tridentinum</i> (Wet.)Teppner	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>tridentina</i> (Wettst.) Teppner
<i>Onosma javorkae</i> Simonk.	→ <i>Onosma dalmatica</i> Scheele
<i>Onosma lucana</i> Lacaita	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>lucana</i> (Lacaita) Peruzzi, Aquaro & Cesca
<i>Onosma pennina</i> (Br.-Bl.) Binz	→ <i>Onosma arenaria</i> Waldst. & Kit. subsp. <i>pennina</i> Braun-Blanq.
<i>Onosma pseudoarenaria</i> Schur subsp. <i>fallax</i> (Borbás) Rauschert	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>fallax</i> (Borbás) Teppner
<i>Onosma pseudoarenaria</i> Schur subsp. <i>lucana</i> (Lacaita) Rauschert	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>lucana</i> (Lacaita) Peruzzi, Aquaro & Cesca
<i>Onosma pseudoarenaria</i> Schur subsp. <i>tridentina</i> (Wettst.) Br.-Bl.	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>tridentina</i> (Wettst.) Teppner
<i>Onosma stellulatum</i> W. et K.	→ <i>Onosma stellulata</i> Waldst. & Kit.
<i>Onosma tridentina</i> Wettst.	→ <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>tridentina</i> (Wettst.) Teppner
<i>Onosma vaudensis</i> Gremli	→ incl. <i>Onosma helvetica</i> Boiss. em. Teppner subsp. <i>helvetica</i>
<i>Ophrys aestivalis</i> Poir.	→ <i>Spiranthes aestivalis</i> (Poir.) Rich.
<i>Ophrys alpina</i> L.	→ <i>Chamorchis alpina</i> (L.) Rich.
<i>Ophrys annae</i> Devillers-Terschuren	→ incl. <i>Ophrys fuciflora</i> (F.W. Schmidt) Moench s.l.
<i>Ophrys arachnites</i> Mill.	→ <i>Ophrys apifera</i> Huds.
<i>Ophrys araneola</i> Rchb.	→ incl. <i>Ophrys sphegodes</i> Mill. s.l.
<i>Ophrys aranifera</i> Huds.	→ <i>Ophrys sphegodes</i> Mill. subsp. <i>sphegodes</i>
<i>Ophrys arnoldii</i> P. Delforge	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys atrata</i> Lindl., non L.	→ <i>Ophrys incubacea</i> Bianca
<i>Ophrys caesiella</i> P. Delforge	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys candica</i> (E. Nelson ex Soó) H. Baumann & Künkele	→ <i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>candica</i> E. Nelson ex Soó
<i>Ophrys ciliata</i> Biv.	→ <i>Ophrys speculum</i> Link
<i>Ophrys cordata</i> L.	→ <i>Listera cordata</i> (L.) R. Br.
<i>Ophrys exaltata</i> Ten. subsp. <i>sundermannii</i> Soó	→ incl. <i>Ophrys crabronifera</i> Mauri
<i>Ophrys fucifera</i> Curtis	→ <i>Ophrys sphegodes</i> Mill. subsp. <i>sphegodes</i>

<i>Ophrys fuciflora</i> (Crantz) Moench subsp. <i>exaltata</i> Nelson	→ <i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>chestermanii</i> (J.J. Wood) Blatt & M. Wirth
<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>lorenae</i> F. De Martino & Centurione	→ incl. <i>Ophrys fuciflora</i> (F.W. Schmidt) Moench s.l.
<i>Ophrys fuciflora</i> (Crantz) Moench subsp. <i>oxyrrhynchos</i> (Tod.) Soó	→ <i>Ophrys oxyrrhynchos</i> Tod.
<i>Ophrys fuciflora</i> (Crantz) Moench subsp. <i>pollinensis</i> Nelson	→ <i>Ophrys biscutella</i> O. & E. Danesch
<i>Ophrys fuciflora</i> (F.W. Schmidt) Moench subsp. <i>sundermannii</i> Soó	→ <i>Ophrys crabronifera</i> Mauri
<i>Ophrys funerea</i> Viv.	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys galilaea</i> H. Fleischm. & Bornm.	→ incl. <i>Ophrys lutea</i> Cav.
<i>Ophrys grandiflora</i> Ten.	→ <i>Ophrys tenthredinifera</i> Willd.
<i>Ophrys hespera</i> Devillers-Tersch. & Devillers	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys iricolor</i> Desf. subsp. <i>maxima</i> (A. Terracc.) Paulus & Gack	→ incl. <i>Ophrys fusca</i> Link subsp. <i>iricolor</i> (Desf.) K. Richt.
<i>Ophrys lapercalis</i> Devillers & Devillers-Tersch	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys ligustica</i> Gand.	→ <i>Ophrys scolopax</i> Cav. s.l.
<i>Ophrys loeselii</i> L.	→ <i>Liparis loeselii</i> (L.) Rich.
<i>Ophrys lojaconoi</i> P. Delforge	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys lucana</i> P. Delforge	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys lucifera</i> Devillers-Tersch. & Devillers	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys lutea</i> Cav. subsp. <i>melenae</i> Renz	→ incl. <i>Ophrys lutea</i> Cav.
<i>Ophrys lutea</i> Cav. subsp. <i>minor</i> (Guss.) O. & E. Danesch	→ incl. <i>Ophrys lutea</i> Cav.
<i>Ophrys lutea</i> Cav. var. <i>minor</i> (Tod.) Guss.	→ incl. <i>Ophrys lutea</i> Cav.
<i>Ophrys lutea</i> Cav. subsp. <i>murbeckii</i> Soó	→ incl. <i>Ophrys lutea</i> Cav.
<i>Ophrys lutea</i> Cav. subsp. <i>phryganae</i> (Devillers-Tersch. & Devillers) Melki	→ incl. <i>Ophrys lutea</i> Cav.
<i>Ophrys lutea</i> Cav. subsp. <i>sicula</i> (Tin.) Soldano	→ incl. <i>Ophrys lutea</i> Cav.
<i>Ophrys monophyllos</i> L.	→ <i>Malaxis monophyllos</i> (L.) Sw.
<i>Ophrys monorchis</i> L.	→ <i>Herminium monorchis</i> (L.) R. Br.
<i>Ophrys muscifera</i> Huds.	→ <i>Ophrys insectifera</i> L.
<i>Ophrys myodes</i> Jacq.	→ <i>Ophrys insectifera</i> L.
<i>Ophrys neglecta</i> Parl.	→ <i>Ophrys tenthredinifera</i> Willd.
<i>Ophrys nidus-avis</i> L.	→ <i>Neottia nidus-avis</i> (L.) Rich.
<i>Ophrys obaesa</i> Lojac.	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys ovata</i> L.	→ <i>Listera ovata</i> (L.) R. Br.
<i>Ophrys oxyrrhynchos</i> Tod. subsp. <i>celiensis</i> O. & E. Danesch	→ <i>Ophrys oxyrrhynchos</i> Tod.
<i>Ophrys picta</i> Link	→ <i>Ophrys scolopax</i> Cav. s.l.
<i>Ophrys posidonia</i> P. Delforge	→ incl. <i>Ophrys tetraloniae</i> W.P. Teschner
<i>Ophrys rostrata</i> Ten.	→ <i>Ophrys apifera</i> Huds.
<i>Ophrys scolopax</i> Cav. subsp. <i>apiformis</i> (Desf.) Maire & Weiller	→ incl. <i>Ophrys scolopax</i> Cav. subsp. <i>scolopax</i>
<i>Ophrys scolopax</i> Cav. subsp. <i>conradiae</i> (Melki & Deschatres) H. Baumann, Giotta, Künkele, R. Lorenz & Piccitto	→ incl. <i>Ophrys scolopax</i> Cav. subsp. <i>scolopax</i>
<i>Ophrys scolopax</i> Cav. subsp. <i>oestrifera</i> (M. Bieb.) Soó	→ incl. <i>Ophrys scolopax</i> Cav. subsp. <i>cornuta</i> (Steven) E.G. Camus
<i>Ophrys scolopax</i> Cav. subsp. <i>sardoa</i> H. Baumann, Giotta, Künkele, R. Lorenz & Piccitto	→ incl. <i>Ophrys scolopax</i> Cav. subsp. <i>scolopax</i>
<i>Ophrys sicula</i> Tineo	→ incl. <i>Ophrys lutea</i> Cav.
<i>Ophrys sipontensis</i> R. Lorenz & Gembardt	→ incl. <i>Ophrys sphegodes</i> Mill. subsp. <i>garganica</i> E. Nelson
<i>Ophrys sphecodes</i> Miller subsp. <i>atrata</i> (Lindl.) E. Mayer	→ <i>Ophrys incubacea</i> Bianca
<i>Ophrys sphecodes</i> Miller subsp. <i>garganica</i> Nelson	→ <i>Ophrys sphegodes</i> Mill. subsp. <i>garganica</i> E. Nelson
<i>Ophrys sphecodes</i> Miller subsp. <i>panormitana</i> (Tod.) Nelson	→ <i>Ophrys panormitana</i> (Tod.) Soó
<i>Ophrys sphecodes</i> Miller subsp. <i>sicula</i> Nelson	→ <i>Ophrys exaltata</i> Ten. s.l.
<i>Ophrys sphecodes</i> Miller subsp. <i>sphecodes</i>	→ <i>Ophrys sphegodes</i> Mill. subsp. <i>sphegodes</i>
<i>Ophrys sphecodes</i> Miller subsp. <i>atrata</i> (Lindley) E. Mayer	→ <i>Ophrys incubacea</i> Bianca
<i>Ophrys sphegodes</i> Mill. subsp. <i>litigiosa</i> (E.G. Camus) Bech.	→ incl. <i>Ophrys sphegodes</i> Mill. s.l.
<i>Ophrys sphegodes</i> Miller subsp. <i>sicula</i> E. Nelson ex Soó	→ <i>Ophrys exaltata</i> Ten. s.l.
<i>Ophrys spiralis</i> L.	→ <i>Spiranthes spiralis</i> (L.) Chevall.
<i>Ophrys sulcata</i> Devillers-Tersch. & Devillers	→ incl. <i>Ophrys fusca</i> Link s.l.
<i>Ophrys tenoreana</i> Lindl.	→ <i>Ophrys tenthredinifera</i> Willd.
<i>Ophrys tommasinii</i> Vis.	→ incl. <i>Ophrys sphegodes</i> Mill. s.l.
<i>Ophrys vernixia</i> auct. non Brot.	→ <i>Ophrys speculum</i> Link
<i>Ophrys vernixia</i> Brot. subsp. <i>ciliata</i> (Biv.) Del Prete	→ <i>Ophrys speculum</i> Link
<i>Ophrys villosa</i> Desf.	→ <i>Ophrys tenthredinifera</i> Willd.
<i>Opopanax orientalis</i> Boiss.	→ <i>Opopanax hispidus</i> (Friv.) Griseb.
<i>Oporanthus luteus</i> (L.) Herb.	→ <i>Sternbergia lutea</i> (L.) Ker Gawl. ex Spreng.
<i>Opuntia compressa</i> (Salisbury) McBride nom. incorr.	→ <i>Opuntia humifusa</i> (Raf.) Raf.
<i>Opuntia ficus-barbarica</i> A. Berger	→ <i>Opuntia ficus-indica</i> (L.) Mill.
<i>Opuntia maxima</i> auct. non Mill.	→ <i>Opuntia amyclaea</i> Ten.
<i>Opuntia vulgaris</i> auct. non Mill.	→ <i>Opuntia humifusa</i> (Raf.) Raf.
<i>Orchis abortiva</i> L.	→ <i>Limodorum abortivum</i> (L.) Sw.
<i>Orchis acuminata</i> Desf.	→ <i>Orchis lactea</i> Poir.

<i>Orchis albida</i> (L.) Scop.	→ <i>Pseudorchis albida</i> (L.) A. & D. Love
<i>Orchis angustifolia</i> Rchb.	→ <i>Dactylorhiza traunsteineri</i> (Sauter ex Rchb.) Soó s.l.
<i>Orchis bifolia</i> L.	→ <i>Platanthera bifolia</i> (L.) Rchb.
<i>Orchis brevicornis</i> Viv.	→ <i>Orchis patens</i> Desf.
<i>Orchis chlorantha</i> Custer	→ <i>Platanthera chlorantha</i> (Custer) Rchb.
<i>Orchis cimicina</i> Crantz	→ <i>Orchis coriophora</i> L.
<i>Orchis commutata</i> Tod.	→ incl. <i>Orchis tridentata</i> Scop.
<i>Orchis comosa</i> Scop.	→ <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Orchis conica</i> Guss.	→ <i>Orchis tridentata</i> Scop.
<i>Orchis conopsea</i> L.	→ <i>Gymnadenia conopsea</i> (L.) R. Br.
<i>Orchis corsica</i> Viv.	→ <i>Orchis lactea</i> Poir.
<i>Orchis cruenta</i> Müller	→ <i>Dactylorhiza incarnata</i> (L.) Soó subsp. <i>cruenta</i> (O.F. Müll.) P.D. Sell
<i>Orchis cyrilli</i> Ten.	→ <i>Orchis provincialis</i> Balb. ex Lam. & DC.
<i>Orchis expansa</i> Ten.	→ <i>Orchis papilionacea</i> L.
<i>Orchis fasciculata</i> Tineo ex Guss.	→ <i>Dactylorhiza insularis</i> (Sommier) Landwehr
<i>Orchis fistulosa</i> Moench	→ <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Orchis fragrans</i> Pollini	→ <i>Orchis coriophora</i> L.
<i>Orchis fuchsii</i> (Druce) Hyl.	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>fuchsii</i> (Druce) Hyl.
<i>Orchis fusca</i> Jacq.	→ <i>Orchis purpurea</i> Huds.
<i>Orchis hircina</i> (L.) Crantz	→ <i>Himantoglossum hircinum</i> (L.) Spreng.
<i>Orchis hostii</i> Tratt.	→ <i>Orchis quadripunctata</i> Cirillo ex Ten.
<i>Orchis ichnusae</i> (Corrias) Devillers-Tersch. & Devillers	→ <i>Orchis mascula</i> (L.) L. subsp. <i>ichnusae</i> Corrias
<i>Orchis impudica</i> Crantz	→ <i>Dactylorhiza incarnata</i> (L.) Soó s.l.
<i>Orchis incarnata</i> L.	→ <i>Dactylorhiza incarnata</i> (L.) Soó s.l.
<i>Orchis insularis</i> Sommier	→ <i>Dactylorhiza insularis</i> (Sommier) Landwehr
<i>Orchis intacta</i> Link	→ <i>Neotinea maculata</i> (Desf.) Stearn
<i>Orchis latifolia</i> L.	→ p.p. <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Orchis laxiflora</i> Lam. subsp. <i>palustris</i> (Jacq.) Bonnier & Layens	→ <i>Orchis palustris</i> Jacq.
<i>Orchis leucostachys</i> Griseb.	→ <i>Orchis provincialis</i> Balb. ex Lam. & DC.
<i>Orchis longibracteata</i> Biv.	→ <i>Barlia robertiana</i> (Loisel.) Greuter
<i>Orchis longicruris</i> Link	→ <i>Orchis italica</i> Poir.
<i>Orchis macrostachys</i> Tineo	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>saccifera</i> (Brongn.) Diklic
<i>Orchis maculata</i> L.	→ <i>Dactylorhiza maculata</i> (L.) Soó s.l.
<i>Orchis maculata</i> L. subsp. <i>fuchsii</i> (Druce) Hylander	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>fuchsii</i> (Druce) Hyl.
<i>Orchis maculata</i> L. subsp. <i>saccifera</i> (Brongn.) Soó	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>saccifera</i> (Brongn.) Diklic
<i>Orchis majalis</i> Rchb.	→ <i>Dactylorhiza majalis</i> (Rchb.) P.F. Hunt & Summerh.
<i>Orchis markusii</i> Tineo	→ <i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>markusii</i> (Tineo) Holub
<i>Orchis mascula</i> (L.) L. subsp. <i>signifera</i> (Vest.) Soó	→ <i>Orchis mascula</i> (L.) L. subsp. <i>mascula</i>
<i>Orchis mediterranea</i> Klinge	→ <i>Dactylorhiza romana</i> (Sebast.) Soó s.l.
<i>Orchis mediterranea</i> Klinge subsp. <i>siciliensis</i> (Klinge) Soó	→ <i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>markusii</i> (Tineo) Holub
<i>Orchis odoratissima</i> L.	→ <i>Gymnadenia odoratissima</i> (L.) Rich.
<i>Orchis olbiensis</i> Reut. ex Gren.	→ <i>Orchis mascula</i> (L.) L. subsp. <i>olbiensis</i> (Reut. ex Gren.) Asch. & Graebn.
<i>Orchis olbiensis</i> Reut. ex Gren. subsp. <i>ichnusae</i> (Corrias) Buttler	→ <i>Orchis mascula</i> (L.) L. subsp. <i>ichnusae</i> Corrias
<i>Orchis olivetorum</i> Dörf.	→ <i>Orchis mascula</i> (L.) L. subsp. <i>olbiensis</i> (Reut. ex Gren.) Asch. & Graebn.
<i>Orchis panormitana</i> Tineo	→ <i>Orchis patens</i> Desf.
<i>Orchis papilionacea</i> L. subsp. <i>grandiflora</i> (Boiss.) H. Baumann	→ <i>Orchis papilionacea</i> L.
<i>Orchis parviflora</i> Ten.	→ <i>Orchis lactea</i> Poir.
<i>Orchis picta</i> Loisel.	→ <i>Orchis morio</i> L.
<i>Orchis provincialis</i> Balbis subsp. <i>pauciflora</i> (Ten.) Camus	→ <i>Orchis pauciflora</i> Ten.
<i>Orchis pseudopallens</i> Ten.	→ <i>Orchis pauciflora</i> Ten.
<i>Orchis pseudosambucina</i> Ten.	→ <i>Dactylorhiza romana</i> (Sebast.) Soó s.l.
<i>Orchis ricasoliana</i> Parl.	→ <i>Orchis lactea</i> Poir.
<i>Orchis robertiana</i> Loisel.	→ <i>Barlia robertiana</i> (Loisel.) Greuter
<i>Orchis romana</i> Sebast.	→ <i>Dactylorhiza romana</i> (Sebast.) Soó s.l.
<i>Orchis romana</i> Sebast. & Mauri subsp. <i>fasciculata</i> Soó	→ <i>Dactylorhiza insularis</i> (Sommier) Landwehr
<i>Orchis rubra</i> Jacq.	→ <i>Orchis papilionacea</i> L.
<i>Orchis saccata</i> Ten.	→ <i>Orchis collina</i> Banks & Sol. ex Russell
<i>Orchis saccifera</i> Brongn.	→ <i>Dactylorhiza maculata</i> (L.) Soó subsp. <i>saccifera</i> (Brongn.) Diklic
<i>Orchis sambucina</i> L.	→ <i>Dactylorhiza sambucina</i> (L.) Soó
<i>Orchis sesquipedalis</i> Willd.	→ <i>Dactylorhiza elata</i> (Poir.) Soó subsp. <i>sesquipedalis</i> (Willd.) Soó
<i>Orchis sicula</i> Tineo	→ <i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>markusii</i> (Tineo) Holub
<i>Orchis signifera</i> Vest	→ <i>Orchis mascula</i> (L.) L. subsp. <i>mascula</i>
<i>Orchis speciosa</i> Host	→ <i>Orchis mascula</i> (L.) L. subsp. <i>mascula</i>
<i>Orchis stabiana</i> Ten.	→ <i>Orchis mascula</i> (L.) L. subsp. <i>mascula</i>
<i>Orchis sulphurea</i> Link	→ <i>Dactylorhiza romana</i> (Sebast.) Soó subsp. <i>markusii</i> (Tineo) Holub

<i>Orchis sulphurea</i> Sims	→ <i>Orchis pallens</i> L.
<i>Orchis tenoreana</i> Guss.	→ <i>Orchis lactea</i> Poir.
<i>Orchis tephrosanthos</i> Vill.	→ <i>Orchis simia</i> Lam.
<i>Orchis traunsteineri</i> Sauter ex Rchb.	→ <i>Dactylorhiza traunsteineri</i> (Sauter ex Rchb.) Soó s.l.
<i>Orchis undulatifolia</i> Biv.	→ <i>Orchis italica</i> Poir.
<i>Orchis variegata</i> All.	→ <i>Orchis tridentata</i> Scop.
<i>Orchis viridis</i> Crantz	→ <i>Coeloglossum viride</i> (L.) Hartm.
<i>Oreochloa pedemontana</i> Reut.	→ <i>Oreochloa sesleroides</i> (All.) Richt.
<i>Origanum heracleoticum</i> L.	→ <i>Origanum vulgare</i> L. subsp. <i>viridulum</i> (Martin-Donos) Nyman
<i>Orlaya kochii</i> Heywood	→ <i>Orlaya daucoidea</i> (L.) Greuter
<i>Ormenis praecox</i> (Link) Briq.	→ <i>Chamaemelum fuscum</i> (Brot.) Vasc.
<i>Ornithogalum ambiguum</i> A. Terracc.	→ <i>Ornithogalum exscapum</i> Ten.
<i>Ornithogalum arabicum</i> L.	→ <i>Melomphs arabica</i> (L.) Raf.
<i>Ornithogalum bohemicum</i> Zauschn.	→ <i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f.
<i>Ornithogalum boucheanum</i> (Kunth) Asch.	→ <i>Honorius boucheanus</i> (Kunth) J. Holub
<i>Ornithogalum brutium</i> A. Terracc.	→ <i>Ornithogalum refractum</i> Kit. ex Willd.
<i>Ornithogalum busambarensis</i> Tineo	→ <i>Gagea bohemica</i> (Zauschn.) Schult. & Schult. f.
<i>Ornithogalum caudatum</i> (Aiton) Maire	→ <i>Stellarioides canaliculata</i> Medik.
<i>Ornithogalum exscapum</i> Ten. var. <i>ambiguum</i> (A. Terracc.) Fiori	→ <i>Ornithogalum exscapum</i> Ten.
<i>Ornithogalum exscapum</i> Ten. subsp. <i>sandaliticum</i> Tornadore et Garbari	→ <i>Ornithogalum corsicum</i> Jord. & Fourr.
<i>Ornithogalum foliosum</i> J. Presl	→ <i>Gagea foliosa</i> (J. & C. Presl) Schult. & Schult. f.
<i>Ornithogalum fragiferum</i> Vill.	→ <i>Gagea fragifera</i> (Vill.) Ehr. Bayer & G. López
<i>Ornithogalum luteum</i> L.	→ <i>Gagea lutea</i> (L.) Ker Gawl.
<i>Ornithogalum minimum</i> L.	→ <i>Gagea minima</i> (L.) Ker Gawl.
<i>Ornithogalum narbonense</i> L.	→ <i>Loncomelos narbonensis</i> (Torn. in L.) Raf.
<i>Ornithogalum nutans</i> L.	→ <i>Honorius nutans</i> S.F. Gray
<i>Ornithogalum orthophyllum</i> Ten. subsp. <i>kochii</i> (Parl.) Zahar.	→ <i>Ornithogalum kochii</i> Parl.
<i>Ornithogalum pratense</i> Pers.	→ <i>Gagea pratensis</i> (Pers.) Dumort.
<i>Ornithogalum pusillum</i> F.W. Schmidt	→ <i>Gagea pusilla</i> (F.W. Schmidt) Schult. & Schult.f.
<i>Ornithogalum pyramidale</i> auct., non L.	→ <i>Loncomelos brevistylus</i> (Wolfn.) Dostál
<i>Ornithogalum pyrenaicum</i> L.	→ <i>Loncomelos pyrenaicus</i> (L.) Hrouda ex J. Holub s.l.
<i>Ornithogalum refractum</i> Kit. var. <i>adalgisae</i> (H. Groves) H. Groves	→ incl. <i>Ornithogalum refractum</i> Kit. ex Willd.
<i>Ornithogalum spathaceum</i> Hayne	→ <i>Gagea spathacea</i> (Hayne) Salisb.
<i>Ornithogalum sphaerocarpum</i> Kerner	→ <i>Loncomelos pyrenaicus</i> (L.) Hrouda ex J. Holub subsp. <i>sphaerocarpus</i> (A. Kern.) Holub
<i>Ornithogalum villosum</i> M. Bieb.	→ <i>Gagea villosa</i> (M. Bieb.) Sweet
<i>Ornithopus repandus</i> Poir.	→ <i>Coronilla repanda</i> (Poir.) Guss. subsp. <i>repanda</i>
<i>Ornithopus scorpioides</i> L.	→ <i>Coronilla scorpioides</i> (L.) W.D.J. Koch
<i>Orobanchae alsatica</i> Kirschleger	→ <i>Orobanchae bartlingii</i> Griseb.
<i>Orobanchae laevis</i> L.	→ <i>Orobanchae arenaria</i> Borkh.
<i>Orobanchae loricata</i> Rchb.	→ <i>Orobanchae artemisiae-campestris</i> Gaudin
<i>Orobanchae major</i> L.	→ <i>Orobanchae elatior</i> Sutton
<i>Orobanchae picridis</i> F.W. Schultz ex W.D.J. Koch	→ incl. <i>Orobanchae artemisiae-campestris</i> Gaudin
<i>Orobanchae ramosa</i> L. subsp. <i>mutelli</i> (F.W. Schultz) Coutinho	→ <i>Orobanchae ramosa</i> L. subsp. <i>mutellii</i> (F.W. Schultz) Cout.
<i>Orobanchae reticulata</i> Wallr. subsp. <i>pallidiflora</i> (Wimm. & Grab.) Hayek	→ incl. <i>Orobanchae reticulata</i> Wallr.
<i>Orobis asphodeloides</i> Gouan	→ <i>Lathyrus pannonicus</i> (Jacq.) Garcke subsp. <i>asphodeloides</i> (Gouan) Bässler
<i>Orobis digitatus</i> M. Bieb.	→ <i>Lathyrus digitatus</i> (M. Bieb.) Fiori
<i>Orobis filiformis</i> Lam.	→ <i>Lathyrus filiformis</i> (Lam.) J. Gay
<i>Orobis jordanii</i> Ten.	→ <i>Lathyrus jordanii</i> Ten.
<i>Orobis laevigatus</i> Waldst. & Kit.	→ <i>Lathyrus laevigatus</i> (Waldst. & Kit.) Gren. s.l.
<i>Orobis laxiflorus</i> Desf.	→ <i>Lathyrus laxiflorus</i> (Desf.) Kuntze subsp. <i>laxiflorus</i>
<i>Orobis linifolius</i> Reichard	→ <i>Lathyrus linifolius</i> (Reichard) Bässler
<i>Orobis luteus</i> L. var. <i>occidentalis</i> Fisch. & C. A. Mey.	→ <i>Lathyrus laevigatus</i> (Waldst. & Kit.) Gren. subsp. <i>occidentalis</i> (Fisch. & C.A. Mey.) Breistr.
<i>Orobis niger</i> L.	→ <i>Lathyrus niger</i> (L.) Bernh.
<i>Orobis pannonicus</i> Jacq.	→ <i>Lathyrus pannonicus</i> (Jacq.) Garcke s.l.
<i>Orobis saxatilis</i> Vent.	→ <i>Lathyrus saxatilis</i> (Vent.) Vis.
<i>Orobis siculus</i> Raf.	→ <i>Vicia sicula</i> (Raf.) Guss.
<i>Orobis varius</i> Hill	→ <i>Lathyrus pannonicus</i> (Jacq.) Garcke subsp. <i>varius</i> (Hill) P.W. Ball
<i>Orobis venetus</i> Mill.	→ <i>Lathyrus venetus</i> (Mill.) Wohlf.
<i>Orobis vernus</i> L.	→ <i>Lathyrus vernus</i> (L.) Bernh. s.l.
<i>Oryza oryzoides</i> (L.) Brand	→ <i>Leersia oryzoides</i> (L.) Sw.
<i>Oryzopsis coerulescens</i> (Desf.) Richter	→ <i>Piptatherum caerulescens</i> (Desf.) P. Beauv.
<i>Oryzopsis miliacea</i> (L.) Asch. et Schweinf.	→ <i>Piptatherum miliaceum</i> (L.) Coss. s.l.
<i>Oryzopsis miliacea</i> (L.) Asch. et Schweinf. subsp. <i>miliacea</i>	→ <i>Piptatherum miliaceum</i> (L.) Coss. subsp. <i>miliaceum</i>

<i>Oryzopsis miliacea</i> (L.) Asch. et Schweinf. subsp. <i>thomasi</i> (Duby) Pign.	→ <i>Piptatherum miliaceum</i> (L.) Coss. subsp. <i>thomasi</i> (Duby) Freitag
<i>Oryzopsis paradoxa</i> (L.) Nutt.	→ <i>Piptatherum paradoxum</i> (L.) P. Beauv.
<i>Oryzopsis virescens</i> (Trin.) Beck	→ <i>Piptatherum virescens</i> (Trin.) Boiss.
<i>Osmunda crispa</i> L.	→ <i>Cryptogramma crispa</i> (L.) R. Br. ex Hook.
<i>Osmunda lanceolata</i> S.G. Gmel.	→ <i>Botrychium lanceolatum</i> (S.G. Gmel.) Ångstr.
<i>Osmunda lunaria</i> L.	→ <i>Botrychium lunaria</i> (L.) Sw.
<i>Osmunda multifida</i> S.G. Gmel.	→ <i>Botrychium multifidum</i> (S.G. Gmel.) Rupr.
<i>Osmunda spicant</i> L.	→ <i>Blechnum spicant</i> (L.) Roth
<i>Osmunda struthiopteris</i> L.	→ <i>Matteuccia struthiopteris</i> (L.) Tod.
<i>Osmunda virginiana</i> L.	→ <i>Botrychium virginianum</i> (L.) Sw.
<i>Osteospermum moniliferum</i> L.	→ <i>Chrysanthemoides monilifera</i> (L.) Norl.
<i>Osterdamia matrella</i> (L.) Kuntze	→ <i>Zoysia matrella</i> (L.) Merr.
<i>Orites roemerii</i> (Friv.) J. Holub	→ <i>Silene roemerii</i> Friv. subsp. <i>staminea</i> (Bertol.) Nyman
<i>Oxalis corymbosa</i> DC.	→ <i>Oxalis debilis</i> Kunth
<i>Oxalis dillenii</i> Jacq.	→ <i>Oxalis stricta</i> L.
<i>Oxalis europaea</i> Jord.	→ <i>Oxalis stricta</i> L.
<i>Oxalis fontana</i> Bunge	→ <i>Oxalis stricta</i> L.
<i>Oxalis variabilis</i> Jacq. ampl. Knuth	→ <i>Oxalis purpurea</i> L.
<i>Oxycoccus microcarpum</i> Rupr.	→ <i>Vaccinium microcarpum</i> (Turcz. ex Rupr.) Schmalh.
<i>Oxycoccus oxycoccus</i> (L.) Adolphi	→ <i>Vaccinium oxycoccus</i> L.
<i>Oxytropis campestris</i> (L.) DC. subsp. <i>tirolensis</i> (Sieber ex Fritsch) Leins & Merxm.	→ incl. <i>Oxytropis campestris</i> (L.) DC.
<i>Oxytropis caputoi</i> Moraldo & La Valva	→ <i>Oxytropis pilosa</i> (L.) DC. subsp. <i>caputoi</i> (Moraldo & La Valva) Brilli-Catt., Di Massimo & Gubellini
<i>Oxytropis foetida</i> (Vill.) DC.	→ <i>Oxytropis fetida</i> (Vill.) DC.
<i>Oxytropis gaudinii</i> Bunge	→ <i>Oxytropis helvetica</i> Scheele
<i>Oxytropis pyrenaica</i> G. et G.	→ <i>Oxytropis neglecta</i> Ten.
<i>Oxytropis tirolensis</i> Sieber ex Fritsch	→ incl. <i>Oxytropis campestris</i> (L.) DC.
<i>Oxytropis velutina</i> Schur	→ <i>Oxytropis halleri</i> W.D.J. Koch subsp. <i>velutina</i> (Schur) O. Schwarz
<i>Pachypleurum alpinum</i> Ledeb.	→ <i>Ligusticum mutellinoides</i> (Crantz) Vill.
<i>Pachypleurum simplex</i> (L.) Rchb.	→ <i>Ligusticum mutellinoides</i> (Crantz) Vill.
<i>Padus petraea</i> (Tausch) M.J. Roemer	→ <i>Prunus padus</i> L. subsp. <i>petraea</i> (Tausch) Domin
<i>Paeonia banatica</i> Rochel	→ <i>Paeonia officinalis</i> L. subsp. <i>banatica</i> (Rochel) Soó
<i>Paeonia mascula</i> (L.) Miller subsp. <i>coriacea</i> (Boiss.) Malagarriga	→ <i>Paeonia coriacea</i> Boiss.
<i>Paeonia mascula</i> (L.) Mill. subsp. <i>russoi</i> (Biv.) Cullen & Heywood	→ incl. <i>Paeonia mascula</i> (L.) Mill.
<i>Paeonia officinalis</i> L. var. <i>mascula</i> L.	→ <i>Paeonia mascula</i> (L.) Mill.
<i>Paeonia officinalis</i> L. subsp. <i>villosa</i> (Huth) Cullen et Heyw	→ <i>Paeonia officinalis</i> L. subsp. <i>huthii</i> Soldano
<i>Paeonia peregrina</i> Mill. var. <i>villosa</i> Huth	→ <i>Paeonia officinalis</i> L. subsp. <i>huthii</i> Soldano
<i>Paeonia russoi</i> Biv.	→ incl. <i>Paeonia mascula</i> (L.) Mill.
<i>Paliurus aculeatus</i> Lam.	→ <i>Paliurus spina-christi</i> Mill.
<i>Paliurus australis</i> Gaertn.	→ <i>Paliurus spina-christi</i> Mill.
<i>Pancratium angustifolium</i> Lojac.	→ <i>Pancratium linosae</i> Soldano & F. Conti
<i>Panicum acuminatum</i> Sw.	→ <i>Dichanthelium acuminatum</i> (Sw.) Gould & C.A. Clark
<i>Panicum ciliare</i> Retz.	→ <i>Digitaria ciliaris</i> (Retz.) Koeler
<i>Panicum compressum</i> Biv.	→ <i>Panicum maximum</i> Jacq.
<i>Panicum debile</i> Desf.	→ <i>Digitaria debilis</i> (Desf.) Willd.
<i>Panicum eruciforme</i> Sibth. & Sm.	→ <i>Brachiaria eruciformis</i> (Sm.) Griseb.
<i>Panicum glaucum</i> L.	→ <i>Setaria pumila</i> (Poir.) Roem. & Schult.
<i>Panicum italicum</i> L.	→ <i>Setaria italica</i> (L.) P. Beauv.
<i>Panicum pumilum</i> Poir.	→ <i>Setaria pumila</i> (Poir.) Roem. & Schult.
<i>Panicum pycnocomum</i> Steud.	→ <i>Setaria viridis</i> (L.) P. Beauv. subsp. <i>pycnocoma</i> (Steud.) Tzvelev
<i>Panicum undulatifolium</i> Ard.	→ <i>Oplismenus undulatifolius</i> (Ard.) P. Beauv.
<i>Panicum verticillatum</i> L.	→ <i>Setaria verticillata</i> (L.) P. Beauv.
<i>Panicum viride</i> L.	→ <i>Setaria viridis</i> (L.) P. Beauv. s.l.
<i>Papaver aurantiacum</i> Loisel.	→ <i>Papaver alpinum</i> L. subsp. <i>rhaeticum</i> (Leresche) Markgr.
<i>Papaver degenii</i> (Urum. & Jáv.) Kuzmanov	→ <i>Papaver alpinum</i> L. subsp. <i>kernerii</i> (Hayek) Fedde
<i>Papaver ernesti-mayeri</i> (Markgraf) T. Wraber	→ <i>Papaver alpinum</i> L. subsp. <i>ernesti-mayeri</i> Markgr.
<i>Papaver julicum</i> E. Mayer et Merxm.	→ <i>Papaver alpinum</i> L. subsp. <i>ernesti-mayeri</i> Markgr.
<i>Papaver kernerii</i> Hayek	→ <i>Papaver alpinum</i> L. subsp. <i>kernerii</i> (Hayek) Fedde
<i>Papaver lecoquii</i> Lamotte	→ <i>Papaver dubium</i> L. subsp. <i>lecoquii</i> (Lamotte) Syme
<i>Papaver pyrenaicum</i> Gay subsp. <i>degenii</i> Urum. & Jáv.	→ <i>Papaver alpinum</i> L. subsp. <i>kernerii</i> (Hayek) Fedde
<i>Papaver rhaeticum</i> Leresche	→ <i>Papaver alpinum</i> L. subsp. <i>rhaeticum</i> (Leresche) Markgr.
<i>Papaver rhoeas</i> L. var. <i>strigosum</i> Boenn.	→ <i>Papaver rhoeas</i> L. subsp. <i>rhoeas</i>
<i>Papaver somniferum</i> L. subsp. <i>setigerum</i> (DC.) Arcangeli	→ <i>Papaver setigerum</i> DC.
<i>Papaver strigosum</i> (Boenn.) Schur	→ <i>Papaver rhoeas</i> L. subsp. <i>rhoeas</i>
<i>Parapholis cylindrica</i> (Willd.) C.E.Hubb.	→ <i>Hainardia cylindrica</i> (Willd.) Greuter
<i>Parietaria diffusa</i> M. et K.	→ <i>Parietaria judaica</i> L.

<i>Paronychia cymosa</i> (L.) DC.	→ <i>Chaetonychia cymosa</i> (L.) Sweet
<i>Paronychia pseudoaretioides</i> Emb. & Maire	→ <i>Paronychia kapela</i> (Hacq.) A. Kern. subsp. <i>pseudoaretioides</i> (Emb. & Maire) Maire
<i>Paronychia serpyllifolia</i> (Chaix) DC.	→ <i>Paronychia kapela</i> (Hacq.) A. Kern. subsp. <i>serpyllifolia</i> (Chaix) Graebn.
<i>Parthenocissus inserta</i> (A. Kern.) Fritsch	→ <i>Parthenocissus quinquefolia</i> (L.) Planch.
<i>Parvotrisetum myrianthum</i> (Bertol.) Chrtk	→ <i>Trisetaria myriantha</i> (Bertol.) D. Heller
<i>Paspalum digitaria</i> Poir.	→ <i>Paspalum distichum</i> L.
<i>Paspalum paspalodes</i> (Michx.) Scribner	→ <i>Paspalum distichum</i> L.
<i>Paspalum paspaloides</i> (Michx.) Scribner	→ <i>Paspalum distichum</i> L.
<i>Passerina annua</i> Wikstr.	→ <i>Thymelaea passerina</i> (L.) Coss. & Germ.
<i>Passerina arvensis</i> (Lam.) Ball	→ <i>Thymelaea passerina</i> (L.) Coss. & Germ.
<i>Passerina dioica</i> (Gouan) DC.	→ <i>Thymelaea dioica</i> (Gouan) All.
<i>Passerina hirsuta</i> L.	→ <i>Thymelaea hirsuta</i> (L.) Endl.
<i>Passiflora caerulea</i> L.	→ <i>Passiflora coerulea</i> L.
<i>Pastinaca hispida</i> (Friv.) Fenzl	→ <i>Opopanax hispidus</i> (Friv.) Griseb.
<i>Pastinaca opopanax</i> L.	→ <i>Opopanax chironium</i> (L.) W.D.J. Koch
<i>Pastinaca sativa</i> L. subsp. <i>divaricata</i> (Desf.) Rouy et Cam.	→ <i>Pastinaca divaricata</i> Desf.
<i>Pastinaca sylvestris</i> Mill.	→ <i>Pastinaca sativa</i> L. subsp. <i>sylvestris</i> (Mill.) Rouy & E.G. Camus
<i>Pastinaca urens</i> Req. ex Godr.	→ <i>Pastinaca sativa</i> L. subsp. <i>urens</i> (Req. ex Godr.) Celak.
<i>Patellifolia patellaris</i> (Moq.) A.J. Scott & al.	→ <i>Beta patellaris</i> Moq.
<i>Pedicularis ascendens</i> Schleicher ex Gaudin	→ <i>Pedicularis adscendens</i> Schleich. ex Gaudin
<i>Pedicularis elegans</i> Ten. subsp. <i>praetutiana</i> (Lavier) E. Pignatti-Wikus	→ <i>Pedicularis elegans</i> Ten.
<i>Pedicularis gyroflexa</i> Vill. subsp. <i>praetutiana</i> (Lavier ex Steininger) H. Kunz & E. Mayer	→ <i>Pedicularis elegans</i> Ten.
<i>Pedicularis julica</i> E. Mayer	→ <i>Pedicularis elongata</i> A. Kern. subsp. <i>julica</i> (E. Mayer) Hartl
<i>Pedicularis recutita</i> L. var. <i>trichocalycina</i> Poldini	→ incl. <i>Pedicularis recutita</i> L.
<i>Pedicularis rostrato-spicata</i> Crantz	→ <i>Pedicularis rostratospicata</i> Crantz s.l.
<i>Pedicularis rostrato-spicata</i> Crantz subsp. <i>helvetica</i> (Steingr.) O. Schwartz	→ <i>Pedicularis rostratospicata</i> Crantz subsp. <i>helvetica</i> (Steininger) O. Schwarz
<i>Pedicularis rostrato-spicata</i> Crantz subsp. <i>rostrato-spicata</i>	→ <i>Pedicularis rostratospicata</i> Crantz subsp. <i>rostratospicata</i>
<i>Peplis australis</i> Schult. & Schult.f.	→ <i>Middendorfia borysthenica</i> (Schränk) Trautv.
<i>Peplis biflora</i> DC.	→ <i>Middendorfia borysthenica</i> (Schränk) Trautv.
<i>Peplis borysthenica</i> Schrank	→ <i>Middendorfia borysthenica</i> (Schränk) Trautv.
<i>Peplis erecta</i> Moris	→ <i>Middendorfia borysthenica</i> (Schränk) Trautv.
<i>Peplis indica</i> Willd.	→ <i>Rotala indica</i> (Willd.) Koehne
<i>Peramium repens</i> (L.) Salisb. ex C.C. Curtis	→ <i>Goodyera repens</i> (L.) R. Br.
<i>Periballia minuta</i> (L.) Asch. et Gr.	→ <i>Molineriella minuta</i> (L.) Rouy
<i>Periploca laevigata</i> Aiton	→ <i>Periploca angustifolia</i> Labill.
<i>Periploca laevigata</i> Aiton subsp. <i>angustifolia</i> (Labill.) Markgraf	→ <i>Periploca angustifolia</i> Labill.
<i>Persicaria alpina</i> (All.) H. Gross	→ <i>Aconogonon alpinum</i> (All.) Schur
<i>Persicaria bistorta</i> (L.) Samp.	→ <i>Bistorta officinalis</i> Delarbre
<i>Persicaria mitis</i> (Schränk) Assenov	→ <i>Persicaria dubia</i> (Stein.) Fourr.
<i>Persicaria salicifolia</i> (Willd.) Assenov	→ <i>Persicaria decipiens</i> (R.Br.) K.L. Wilson
<i>Persicaria vivipara</i> (L.) Ronse Decraene	→ <i>Bistorta vivipara</i> (L.) Delarbre
<i>Persicaria wallichii</i> Greuter & Burdet	→ <i>Aconogonon polystachyum</i> (Wall. ex Meisn.) Small
<i>Petagnaea gussonei</i> (Spreng.) Rauschert	→ <i>Petagnaea gussonii</i> (Spreng.) Rausch.
<i>Petagnaea saniculifolia</i> Guss.	→ <i>Petagnaea gussonii</i> (Spreng.) Rausch.
<i>Petagnia gussonei</i> (Spreng.) Rauschert	→ <i>Petagnaea gussonii</i> (Spreng.) Rausch.
<i>Petagnia saniculifolia</i> Guss.	→ <i>Petagnaea gussonii</i> (Spreng.) Rausch.
<i>Petasites niveus</i> (Vill.) Baumg.	→ <i>Petasites paradoxus</i> (Retz.) Baumg.
<i>Petasites officinalis</i> Moench	→ <i>Petasites hybridus</i> (L.) P. Gaertn., B. Mey. & Scherb. subsp. <i>hybridus</i>
<i>Petrorhagia nanteuilli</i> (Burnat) P. W. Ball & Heywood	→ <i>Petrorhagia nanteuillii</i> (Burnat) P.W. Ball & Heywood
<i>Petrorhagia velutina</i> (Guss.) P. W. Ball et Heywood	→ <i>Petrorhagia dubia</i> (Raf.) G. López & Romo
<i>Petroselinum ammoides</i> (L.) Rchb.f.	→ <i>Ammoides pusilla</i> (Brot.) Breistr.
<i>Petroselinum hortense</i> Hoffm.	→ <i>Petroselinum crispum</i> (Mill.) Fuss
<i>Petroselinum peregrinum</i> (L.) Lag.	→ <i>Petroselinum crispum</i> (Mill.) Fuss
<i>Petroselinum sativum</i> Hoffm.	→ <i>Petroselinum crispum</i> (Mill.) Fuss
<i>Petroselinum vulgare</i> Lag.	→ <i>Petroselinum crispum</i> (Mill.) Fuss
<i>Peucedanum altissimum</i> (Mill.) Thell.	→ <i>Peucedanum verticillare</i> (L.) Mert. & W.D.J. Koch
<i>Peucedanum austriacum</i> L. var. <i>rablense</i> (Wulfen) W.D.J. Koch	→ incl. <i>Heracleum austriacum</i> L.
<i>Peucedanum carvifolia</i> Vill.	→ <i>Peucedanum carvifolium-chabraei</i> (Crantz) Soldano
<i>Peucedanum cervaria</i> (L.) Lapeyr. var. <i>cervaria</i>	→ incl. <i>Peucedanum cervaria</i> (L.) Lapeyr.
<i>Peucedanum cervaria</i> (L.) Lapeyr. var. <i>microphyllum</i> Posp.	→ incl. <i>Peucedanum cervaria</i> (L.) Lapeyr.
<i>Peucedanum chabraei</i> (Jacq.) Rchb.	→ <i>Peucedanum carvifolium-chabraei</i> (Crantz) Soldano

<i>Peucedanum rablense</i> (Wulfen) Koch	→ <i>Peucedanum austriacum</i> (Jacq.) W.D.J. Koch subsp. <i>rablense</i> (Wulfen) Celak.
<i>Peucedanum schottii</i> Besser var. <i>petraeum</i> (Noë) Koch	→ incl. <i>Peucedanum schottii</i> Besser ex DC.
<i>Peucedanum silaus</i> L.	→ <i>Silaum silaus</i> (L.) Schinz & Thell.
<i>Phaca australis</i> L.	→ <i>Astragalus australis</i> (L.) Lam.
<i>Phaca frigida</i> L.	→ <i>Astragalus frigidus</i> (L.) A. Gray
<i>Phaca lapponica</i> Wahlenb.	→ <i>Oxytropis lapponica</i> (Wahlenb.) J. Gay
<i>Phagnalon graecum</i> Boiss. et Heldr. subsp. <i>illyricum</i> (Lindb.) Ginzb.	→ <i>Phagnalon rupestre</i> (L.) DC. subsp. <i>illyricum</i> (H. Lindb.) Ginzb.
<i>Phalaris arundinacea</i> L. subsp. <i>rotgesii</i> (Fouc. & Mandon ex Husnot) Kerguelen	→ <i>Phalaris rotgesii</i> (Husn.) Litard.
<i>Phalaris bulbosa</i> auct., non L.	→ <i>Phalaris aquatica</i> L.
<i>Phalaris coerulescens</i> Desf.	→ <i>Phalaris caerulescens</i> Desf.
<i>Phalaris eruciformis</i> L.	→ <i>Beckmannia eruciformis</i> (L.) Host
<i>Phalaris oryzoides</i> L.	→ <i>Leersia oryzoides</i> (L.) Sw.
<i>Phalaris phleoides</i> L.	→ <i>Phleum phleoides</i> (L.) H. Karst. subsp. <i>phleoides</i>
<i>Phalaris pubescens</i> Lam.	→ <i>Rostraria litorea</i> (All.) Holub
<i>Phalaris setacea</i> Forssk.	→ <i>Pennisetum setaceum</i> (Forssk.) Chiov.
<i>Phalaris subulata</i> Savi	→ <i>Phleum subulatum</i> (Savi) Asch. & Graebn.
<i>Pharbitis learii</i> (Paxton) Lindl.	→ <i>Ipomoea acuminata</i> (Vahl) Roem. & Schult.
<i>Pharbitis tricolor</i> Cav.	→ <i>Ipomoea tricolor</i> Cav.
<i>Pharnaceum cerviana</i> L.	→ <i>Mollugo cerviana</i> (L.) Ser.
<i>Phegopteris polypodioides</i> Fée	→ <i>Phegopteris connectilis</i> (Michx.) Watt
<i>Phellandrium aquaticum</i> L.	→ <i>Oenanthe aquatica</i> (L.) Poir.
<i>Phellandrium mutellina</i> L.	→ <i>Ligusticum mutellina</i> (L.) Crantz
<i>Phleum alopecuroides</i> Piller & Mitterp.	→ <i>Crypsis alopecuroides</i> (Piller & Mitterp.) Schrad.
<i>Phleum alpinum</i> L. subsp. <i>rhaeticum</i> Humphries	→ <i>Phleum rhaeticum</i> (Humphries) Rauschert
<i>Phleum ambiguum</i> Ten.	→ <i>Phleum hirsutum</i> Honck. subsp. <i>ambiguum</i> (Ten.) Tzvelev
<i>Phleum commutatum</i> Gaudin	→ <i>Phleum alpinum</i> L.
<i>Phleum crypsoides</i> (D'Urv.) Hackel subsp. <i>sardoum</i> (Hackel) Horn Af Rantzien	→ <i>Phleum sardoum</i> (Hack.) Hack.
<i>Phleum graecum</i> Boiss. et Heldr.	→ <i>Phleum exaratum</i> Hochst. ex Griseb.
<i>Phleum pratense</i> L. subsp. <i>bertolonii</i> (DC.) Bornm.	→ <i>Phleum bertolonii</i> DC.
<i>Phleum schoenoides</i> L.	→ <i>Crypsis schoenoides</i> (L.) Lam.
<i>Phlomis ferruginea</i> Ten.	→ <i>Phlomis tenorei</i> Soldano
<i>Phlomis pungens</i> Willd.	→ <i>Phlomis herba-venti</i> L. subsp. <i>pungens</i> (Willd.) Maire
<i>Pholiurus filiformis</i> (Roth) Schinz & Thell.	→ <i>Parapholis filiformis</i> (Roth) C.E. Hubb.
<i>Pholiurus incurvatus</i> Hitchc.	→ <i>Parapholis incurva</i> (L.) C.E. Hubb.
<i>Pholiurus incurvus</i> (L.) Schinz & Thell.	→ <i>Parapholis incurva</i> (L.) C.E. Hubb.
<i>Phragmites altissimus</i> Mabilie	→ <i>Phragmites australis</i> (Cav.) Trin. ex Steud. s.l.
<i>Phragmites australis</i> (Cav.) Trin. ex Steud. var. <i>isiacus</i> (Delile) Coss. & Dur.	→ <i>Phragmites australis</i> (Cav.) Trin. ex Steud. subsp. <i>chrysanthus</i> (Mabilie) Soják
<i>Phragmites vulgaris</i> Samp.	→ <i>Phragmites australis</i> (Cav.) Trin. ex Steud. s.l.
<i>Phyllitis hemionitis</i> (Lag.) O. Kuntze	→ <i>Phyllitis sagittata</i> (DC.) Guinea & Heywood
<i>Phyllostachys mitis</i> A. et C. Rivière	→ <i>Phyllostachys edulis</i> (Carrière) Houz.
<i>Phyllostachys viridis</i> (R.A. Young) McClure	→ <i>Phyllostachys sulphurea</i> (Carrière) Rivière & C. Rivière
<i>Physocaulis nodosus</i> (L.) W.D.J. Koch	→ <i>Myrrhoides nodosa</i> (L.) Cannon
<i>Physospermum aquilegifolium</i> W.D.J. Koch	→ <i>Physospermum cornubiense</i> (L.) DC.
<i>Phyteuma betonicifolium</i> Vill. subsp. <i>scaposum</i> (R. Schulz) Pignatti	→ <i>Phyteuma betonicifolium</i> Vill.
<i>Phyteuma spicatum</i> L. subsp. <i>coeruleum</i> R. Schulz	→ <i>Phyteuma spicatum</i> L. subsp. <i>occidentale</i> R. Schulz
<i>Picea abies</i> (L.) H. Karst. subsp. <i>alpestris</i> (Brügger) Domin	→ incl. <i>Picea abies</i> (L.) H. Karst.
<i>Picea excelsa</i> (Lam.) Link	→ <i>Picea abies</i> (L.) H. Karst.
<i>Picridium tingitanum</i> (L.) Desf.	→ <i>Reichardia tingitana</i> (L.) Roth
<i>Picridium vulgare</i> Desf.	→ <i>Reichardia picroides</i> (L.) Roth
<i>Picris altissima</i> Delile	→ <i>Picris rhagadioloides</i> (L.) Desf.
<i>Picris echioides</i> L.	→ <i>Helminthotheca echioides</i> (L.) Holub
<i>Picris grandiflora</i> Ten.	→ <i>Picris hieracioides</i> L. subsp. <i>grandiflora</i> (Ten.) Arcang.
<i>Picris scaberrima</i> Guss.	→ <i>Picris laciniata</i> Vis.
<i>Picris spinulosa</i> Bertol. ex Guss.	→ <i>Picris hieracioides</i> L. subsp. <i>spinulosa</i> (Bertol. ex Guss.) Arcang.
<i>Pimpinella alpestris</i> (Sprengel) Schultes	→ incl. <i>Pimpinella saxifraga</i> L.
<i>Pimpinella glauca</i> L.	→ <i>Trinia glauca</i> (L.) Dumort. s.l.
<i>Pimpinella leptophylla</i> Pers.	→ <i>Apium leptophyllum</i> (Pers.) F. Muell.
<i>Pimpinella magna</i> L.	→ <i>Pimpinella major</i> (L.) Huds.
<i>Pimpinella major</i> (L.) Huds. subsp. <i>rubra</i> (Hoppe) O. Schwarz	→ incl. <i>Pimpinella major</i> (L.) Huds.
<i>Pimpinella nigra</i> Mill.	→ <i>Pimpinella saxifraga</i> L.
<i>Pimpinella saxifraga</i> L. subsp. <i>alpestris</i> (Spreng.) Simonk.	→ incl. <i>Pimpinella saxifraga</i> L.
<i>Pimpinella saxifraga</i> L. subsp. <i>minor</i> (Spreng.) Wallr.	→ incl. <i>Pimpinella saxifraga</i> L.
<i>Pimpinella saxifraga</i> L. subsp. <i>montana</i> Weide	→ incl. <i>Pimpinella saxifraga</i> L.

<i>Pimpinella thomasi</i> (Ten.) Arcang.	→ <i>Lereschia thomasi</i> (Ten.) Boiss.
<i>Pimpinella tragium</i> Vill. subsp. <i>lithophila</i> (Schischk.) Tutin	→ <i>Pimpinella tragium</i> Vill.
<i>Pinguicula hirtiflora</i> Ten.	→ <i>Pinguicula crystallina</i> Sibth. & Sm. subsp. <i>hirtiflora</i> (Ten.) Strid
<i>Pinguicula longifolia</i> Ramond ex DC. subsp. <i>reichenbachiana</i> (Schindler) Casper	→ <i>Pinguicula reichenbachiana</i> Schindl.
<i>Pinus halepensis</i> Miller subsp. <i>brutia</i> (Ten.) Holmboe	→ <i>Pinus brutia</i> Ten.
<i>Pinus hamiltonii</i> Ten.	→ <i>Pinus pinaster</i> Aiton subsp. <i>escarena</i> (Risso) K. Richt.
<i>Pinus heldreichii</i> auct.	→ <i>Pinus leucodermis</i> Antoine
<i>Pinus laricio</i> Poir.	→ <i>Pinus nigra</i> J.F. Arnold subsp. <i>laricio</i> Maire
<i>Pinus laricio</i> Poir. subsp. <i>calabrica</i> (Loud.) Cesca & Peruzzi	→ incl. <i>Pinus nigra</i> J.F. Arnold subsp. <i>laricio</i> Maire
<i>Pinus mugo</i> Turra subsp. <i>pumilio</i> (Haenke) Zenari	→ incl. <i>Pinus mugo</i> Turra s.l.
<i>Pinus pinaster</i> Griseb. subsp. <i>hamiltonii</i> (Ten.) Huguét del Villar	→ <i>Pinus pinaster</i> Aiton subsp. <i>pinaster</i>
<i>Pinus pumilio</i> Haenke	→ <i>Pinus mugo</i> Turra s.l.
<i>Pinus uncinata</i> Miller	→ <i>Pinus mugo</i> Turra subsp. <i>uncinata</i> (Ramond ex DC.) Domin
<i>Piptatherum coerulescens</i> (Desf.) Beauv.	→ <i>Piptatherum caerulescens</i> (Desf.) P. Beauv.
<i>Piptatherum multiflorum</i> (Cav.) P. Beauv.	→ <i>Piptatherum miliaceum</i> (L.) Coss. s.l.
<i>Piptatherum thomasi</i> (Duby) Kunth	→ <i>Piptatherum miliaceum</i> (L.) Coss. subsp. <i>thomasi</i> (Duby) Freitag
<i>Pisum biflorum</i> Raf.	→ <i>Pisum sativum</i> L. subsp. <i>biflorum</i> (Raf.) Soldano
<i>Pisum elatius</i> M. Bieb.	→ <i>Pisum sativum</i> L. subsp. <i>biflorum</i> (Raf.) Soldano
<i>Pisum ochrus</i> L.	→ <i>Lathyrus ochrus</i> (L.) DC.
<i>Pisum sativum</i> L. subsp. <i>elatius</i> (Bieb.) Asch. et Gr.	→ <i>Pisum sativum</i> L. subsp. <i>biflorum</i> (Raf.) Soldano
<i>Plantago bellardi</i> All.	→ <i>Plantago bellardii</i> All.
<i>Plantago brutia</i> Ten.	→ <i>Plantago media</i> L. subsp. <i>brutia</i> (Ten.) Arcang.
<i>Plantago commutata</i> Guss.	→ <i>Plantago weldenii</i> Rchb.
<i>Plantago cornuti</i> Gouan	→ <i>Plantago cornutii</i> Gouan
<i>Plantago coronopus</i> L. subsp. <i>commutata</i> (Guss.) Pilger	→ <i>Plantago weldenii</i> Rchb.
<i>Plantago coronopus</i> L. subsp. <i>cupanii</i> (Guss.) Nyman	→ <i>Plantago cupanii</i> Guss.
<i>Plantago coronopus</i> L. subsp. <i>humilis</i> (Guss.) Gamisans	→ <i>Plantago humilis</i> Guss.
<i>Plantago cupani</i> Guss.	→ <i>Plantago cupanii</i> Guss.
<i>Plantago cynops</i> L.	→ <i>Plantago sempervirens</i> Crantz
<i>Plantago fuscescens</i> Jordan	→ <i>Plantago atrata</i> Hoppe subsp. <i>fuscescens</i> (Jord.) Pilg.
<i>Plantago indica</i> L.	→ <i>Plantago arenaria</i> Waldst. & Kit.
<i>Plantago macrorrhiza</i> Poiret	→ <i>Plantago macrorrhiza</i> Poir.
<i>Plantago macrorrhiza</i> Poiret subsp. <i>humilis</i> (Guss.) Pilger	→ <i>Plantago humilis</i> Guss.
<i>Plantago major</i> L. subsp. <i>intermedia</i> (Godr.) Lange	→ <i>Plantago major</i> L. subsp. <i>pleiosperma</i> Pilg.
<i>Plantago psyllium</i> L.	→ <i>Plantago afra</i> L. s.l.
<i>Plantago serpentina</i> All.	→ <i>Plantago maritima</i> L. subsp. <i>serpentina</i> (All.) Arcang.
<i>Plantago uniflora</i> L.	→ <i>Littorella uniflora</i> (L.) Asch.
<i>Platanthera montana</i> Rchb. f.	→ <i>Platanthera chlorantha</i> (Custer) Rchb.
<i>Platanthera solstitialis</i> Boen.	→ <i>Platanthera bifolia</i> (L.) Rchb.
<i>Platanthera viridis</i> Lindl.	→ <i>Coeloglossum viride</i> (L.) Hartm.
<i>Platanus acerifolia</i> (Aiton) Willd.	→ <i>Platanus hispanica</i> Mill. ex Münchh.
<i>Platanus hybrida</i> Brot.	→ <i>Platanus hispanica</i> Mill. ex Münchh.
<i>Platanus occidentalis</i> L.	→ <i>Platanus hispanica</i> Mill. ex Münchh.
<i>Platycapnos spicata</i> (L.) Bernh.	→ <i>Platycapnos spicatus</i> (L.) Bernh.
<i>Poa aetnensis</i> Guss.	→ <i>Bellardiochloa variegata</i> (Lam.) Kerguélen s.l.
<i>Poa alpina</i> L. subsp. <i>insularis</i> (Parl.) Hayek	→ <i>Poa bivonae</i> Parl. ex Guss.
<i>Poa bulbosa</i> L. subsp. <i>pseudoconcinna</i> (Schur) Jirasek	→ incl. <i>Poa bulbosa</i> L.
<i>Poa cenisia</i> All. subsp. <i>sardoa</i> E. Schmid	→ <i>Poa font-queri</i> Braun-Blanq.
<i>Poa chaixii</i> Vill.	→ <i>Poa chaixi</i> Vill.
<i>Poa concinna</i> auct.	→ <i>Poa perconcinna</i> J.R. Edm.
<i>Poa convoluta</i> Hornem.	→ <i>Puccinellia convoluta</i> (Hornem.) Hayek
<i>Poa distans</i> Jacq.	→ <i>Puccinellia distans</i> (Jacq.) Parl.
<i>Poa distans</i> L.	→ <i>Puccinellia distans</i> (Jacq.) Parl.
<i>Poa disticha</i> Wulfen	→ <i>Oreochloa disticha</i> (Wulfen) Link
<i>Poa divaricata</i> Gouan	→ <i>Sphenopus divaricatus</i> (Gouan) Rchb.
<i>Poa fasciculata</i> Torr.	→ <i>Puccinellia fasciculata</i> (Torr.) E.P. Bicknell
<i>Poa festuciformis</i> Host	→ <i>Puccinellia festuciformis</i> (Host) Parl.
<i>Poa fontquerii</i> Br.-Bl.	→ <i>Poa font-queri</i> Braun-Blanq.
<i>Poa insularis</i> Parl.	→ <i>Poa bivonae</i> Parl. ex Guss.
<i>Poa littoralis</i> Gouan	→ <i>Aeluropus littoralis</i> (Gouan) Parl.
<i>Poa molineri</i> Balbis	→ <i>Poa molinerii</i> Balb.
<i>Poa pratensis</i> L. subsp. <i>angustifolia</i> (L.) Gaudin	→ <i>Poa angustifolia</i> L.
<i>Poa pseudoconcinna</i> Schur	→ incl. <i>Poa bulbosa</i> L.
<i>Poa pyramidata</i> Lam.	→ <i>Koeleria pyramidata</i> (Lam.) Domin
<i>Poa rigida</i> L.	→ <i>Catapodium rigidum</i> (L.) C.E. Hubb. ex Dony s.l.
<i>Poa seslerioides</i> All.	→ <i>Oreochloa seslerioides</i> (All.) Richt.
<i>Poa striata</i> Lam.	→ <i>Glyceria striata</i> (Lam.) Hitchc.

<i>Poa trivialis</i> L. subsp. <i>sylvicola</i> (Guss.) H. Lindb. fil.	→ <i>Poa sylvicola</i> Guss.
<i>Poa vallesiana</i> Honck.	→ <i>Koeleria vallesiana</i> (Honck.) Gaudin s.l.
<i>Poa violacea</i> Bellardi	→ <i>Bellardiochloa variegata</i> (Lam.) Kerguelen s.l.
<i>Podospermum canum</i> C.A. Mey.	→ <i>Scorzonera jacquiniana</i> (W.D.J. Koch) Boiss.
<i>Podospermum jacquinianum</i> W.D.J. Koch	→ <i>Scorzonera jacquiniana</i> (W.D.J. Koch) Boiss.
<i>Podospermum laciniatum</i> (L.) DC.	→ <i>Scorzonera laciniata</i> L. s.l.
<i>Podospermum resedifolium</i> (L.) DC.	→ <i>Scorzonera laciniata</i> L. subsp. <i>decumbens</i> (Guss.) Greuter
<i>Polanisia dodecandra</i> (L.) DC.	→ <i>Polanisia trachysperma</i> Torr. & A. Gray
<i>Polycarpon alsinifolium</i> (Biv.) DC.	→ <i>Polycarpon tetraphyllum</i> (L.) L. subsp. <i>alsinifolium</i> (Biv.) Ball
<i>Polycarpon diphyllum</i> Cav.	→ <i>Polycarpon tetraphyllum</i> (L.) L. subsp. <i>diphyllum</i> (Cav.) O. Bolòs & Font Quer
<i>Polygala alpestris</i> Rchb. subsp. <i>angelisii</i> (Ten.) Nyman	→ incl. <i>Polygala alpestris</i> Rchb.
<i>Polygala alpestris</i> Rchb. subsp. <i>croatica</i> (Chodat) Hayek	→ incl. <i>Polygala alpestris</i> Rchb.
<i>Polygala angelisii</i> Ten.	→ incl. <i>Polygala alpestris</i> Rchb.
<i>Polygala carniolica</i> A. Kern.	→ <i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>carniolica</i> (A. Kern.) P. Graebn.
<i>Polygala corsica</i> Boreau	→ <i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>corsica</i> (Boreau) P. Graebn.
<i>Polygala croatica</i> Chodat	→ incl. <i>Polygala alpestris</i> Rchb.
<i>Polygala gariodiana</i> Jord. & Fourr.	→ <i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>gariodiana</i> (Jord. & Fourr.) Chodat
<i>Polygala nicaeensis</i> Risso ex Koch subsp. <i>forojulensis</i> (A. Kerner) Graebner	→ <i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>carniolica</i> (A. Kern.) P. Graebn.
<i>Polygala pedemontana</i> Perr. et Verl.	→ <i>Polygala nicaeensis</i> W.D.J. Koch subsp. <i>carniolica</i> (A. Kern.) P. Graebn.
<i>Polygonatum gussonei</i> Parl.	→ <i>Polygonatum multiflorum</i> (L.) All.
<i>Polygonatum hirtum</i> (Poir.) Pursh	→ <i>Polygonatum latifolium</i> (Jacq.) Desf.
<i>Polygonatum officinale</i> All.	→ <i>Polygonatum odoratum</i> (Mill.) Druce
<i>Polygonum alpinum</i> All.	→ <i>Aconogonon alpinum</i> (All.) Schur
<i>Polygonum amphibium</i> L.	→ <i>Persicaria amphibia</i> (L.) Delarbre
<i>Polygonum bistorta</i> L.	→ <i>Bistorta officinalis</i> Delarbre
<i>Polygonum convolvulus</i> L.	→ <i>Fallopia convolvulus</i> (L.) Á. Löve
<i>Polygonum dumetorum</i> L.	→ <i>Fallopia dumetorum</i> (L.) Holub
<i>Polygonum gussonei</i> Tod.	→ <i>Polygonum gussonei</i> Tod.
<i>Polygonum hydropiper</i> L.	→ <i>Persicaria hydropiper</i> (L.) Delarbre
<i>Polygonum lapathifolium</i> L.	→ <i>Persicaria lapathifolia</i> (L.) Delarbre s.l.
<i>Polygonum minus</i> Hudson	→ <i>Persicaria minor</i> (Huds.) Opiz
<i>Polygonum mite</i> Schrank	→ <i>Persicaria dubia</i> (Stein.) Fourr.
<i>Polygonum nepalense</i> Meisn.	→ <i>Persicaria nepalensis</i> (Meisn.) H. Gross
<i>Polygonum orientale</i> L.	→ <i>Persicaria orientalis</i> (L.) Spach
<i>Polygonum oxyspermum</i> C.A. Mey. & Bunge ex Ledeb.	→ <i>Polygonum robertii</i> Loisel.
<i>Polygonum oxyspermum</i> C.A. Mey. & Bunge ex Ledeb. subsp. <i>robertii</i> (Loisel.) Akeroyd & D.A. Webb	→ <i>Polygonum robertii</i> Loisel.
<i>Polygonum pensylvanicum</i> L.	→ <i>Persicaria pensylvanica</i> (L.) M. Gómez
<i>Polygonum persicaria</i> L.	→ <i>Persicaria maculosa</i> (L.) Gray
<i>Polygonum polystachyum</i> Wall. ex Meissner	→ <i>Aconogonon polystachyum</i> (Wall. ex Meisn.) Small
<i>Polygonum raii</i> auct. Fl. Ital.	→ <i>Polygonum robertii</i> Loisel.
<i>Polygonum rurivagum</i> Jordan	→ <i>Polygonum aviculare</i> L. subsp. <i>rurivagum</i> (Jord. ex Boreau) Berher
<i>Polygonum salicifolium</i> Brouss.	→ <i>Persicaria decipiens</i> (R.Br.) K.L. Wilson
<i>Polygonum tenoreanum</i> Nardi & Raffaelli	→ <i>Polygonum tenorei</i> C. Presl
<i>Polygonum virginianum</i> L.	→ <i>Persicaria virginiana</i> (L.) Gaertn.
<i>Polygonum viviparum</i> L.	→ <i>Bistorta vivipara</i> (L.) Delarbre
<i>Polymnia abyssinica</i> L. f.	→ <i>Guizotia abyssinica</i> (L. f.) Cass.
<i>Polypodium aculeatum</i> L.	→ <i>Polystichum aculeatum</i> (L.) Roth
<i>Polypodium alpinum</i> Lam.	→ <i>Cystopteris alpina</i> (Lam.) Desv.
<i>Polypodium australe</i> Fée	→ <i>Polypodium cambricum</i> L.
<i>Polypodium cambricum</i> L. subsp. <i>australe</i> (Fée) Greuter & Burdet	→ <i>Polypodium cambricum</i> L.
<i>Polypodium cambricum</i> L. subsp. <i>serrulatum</i> (Schinz ex Arcang.) Pic. Serm.	→ <i>Polypodium cambricum</i> L.
<i>Polypodium carthusianum</i> Vill.	→ <i>Dryopteris carthusiana</i> (Vill.) H.P. Fuchs
<i>Polypodium connectile</i> Michx.	→ <i>Phegopteris connectilis</i> (Michx.) Watt
<i>Polypodium cristatum</i> L.	→ <i>Dryopteris cristata</i> (L.) A. Gray
<i>Polypodium dilatatum</i> Hoffm.	→ <i>Dryopteris dilatata</i> (Hoffm.) A. Gray
<i>Polypodium dryopteris</i> L.	→ <i>Gymnocarpium dryopteris</i> (L.) Newman
<i>Polypodium filix-femina</i> L.	→ <i>Athyrium filix-femina</i> (L.) Roth
<i>Polypodium filix-mas</i> L.	→ <i>Dryopteris filix-mas</i> (L.) Schott
<i>Polypodium fragile</i> L.	→ <i>Cystopteris fragilis</i> (L.) Bernh.
<i>Polypodium interjectum</i> Shivas	→ <i>Polypodium interjectum</i> Shivas

<i>Polypodium leptophyllum</i> L.	→ <i>Anogramma leptophylla</i> (L.) Link
<i>Polypodium limbospermum</i> All.	→ <i>Oreopteris limbosperma</i> (All.) Holub
<i>Polypodium lonchitis</i> L.	→ <i>Polystichum lonchitis</i> (L.) Roth
<i>Polypodium montanum</i> Lam.	→ <i>Cystopteris montana</i> (Lam.) Bernh. ex Desv.
<i>Polypodium robertianum</i> Hoffm.	→ <i>Gymnocarpium robertianum</i> (Hoffm.) Newman
<i>Polypodium serratum</i> (Willd.) Saut.	→ <i>Polypodium cambricum</i> L.
<i>Polypodium setiferum</i> Forssk.	→ <i>Polystichum setiferum</i> (Forssk.) T. Moore ex Woyn.
<i>Polypodium villarii</i> Bellardi	→ <i>Dryopteris villarii</i> (Bellardi) Woyn. ex Thell. subsp. <i>villarii</i>
<i>Polypogon litoralis</i> (With.) Sm.	→ <i>x Agropogon litoralis</i> (Sm.) C.E. Hubb.
<i>Polypogon maritimus</i> Willd. subsp. <i>subspathaceus</i> (Req.) Bonnier & Layens	→ <i>Polypogon subspathaceus</i> Req.
<i>Populus x canadensis</i> Moench	→ <i>Populus canadensis</i> Moench
<i>Portenschlagiella ramosissima</i> (Portenschl.) Tutin	→ <i>Athamanta ramosissima</i> Port.
<i>Potamogeton densus</i> L.	→ <i>Groenlandia densa</i> (L.) Fourr.
<i>Potamogeton siculus</i> Tineo ex Guss.	→ <i>Potamogeton coloratus</i> Hornem.
<i>Potentilla acaulis</i> L. subsp. <i>arenaria</i> (Borkh.) Soják	→ <i>Potentilla incana</i> P. Gaertn., B. Mey. & Scherb.
<i>Potentilla acaulis</i> L. subsp. <i>cinerea</i> (Chaix ex Vill.) Soják	→ <i>Potentilla cinerea</i> Chaix ex Vill.
<i>Potentilla acaulis</i> L. subsp. <i>tommasiniana</i> (F.W. Schultz) Soják	→ <i>Potentilla tommasiniana</i> F.W. Schultz
<i>Potentilla australis</i> Krasan	→ <i>Potentilla zimmeri</i> Borbás
<i>Potentilla brauniana</i> Hoppe	→ <i>Potentilla brauneana</i> Hoppe
<i>Potentilla cinerea</i> Chaix subsp. <i>arenaria</i> (Borkh.) Fourn. P.	→ <i>Potentilla incana</i> P. Gaertn., B. Mey. & Scherb.
<i>Potentilla corsica</i> Sieber ex Lehm.	→ <i>Potentilla rupestris</i> L. subsp. <i>corsica</i> (Soleirol ex Lehm.) Rouy & E.G. Camus
<i>Potentilla crantzii</i> (Crantz) Beck ex Fritsch var. <i>baldensis</i> (A. Kern.) Gams	→ incl. <i>Potentilla crantzii</i> (Crantz) Beck ex Fritsch subsp. <i>crantzii</i>
<i>Potentilla crantzii</i> (Crantz) Beck ex Fritsch var. <i>crantzii</i>	→ incl. <i>Potentilla crantzii</i> (Crantz) Beck ex Fritsch subsp. <i>crantzii</i>
<i>Potentilla fruticosa</i> L.	→ <i>Dasiphora fruticosa</i> (L.) Rydb.
<i>Potentilla heptaphylla</i> L. subsp. <i>australis</i> (Nyman) Gams	→ incl. <i>Potentilla heptaphylla</i> L.
<i>Potentilla hirta</i> L. subsp. <i>laeta</i> (Rchb. ex Focke) Prodán	→ incl. <i>Potentilla hirta</i> L.
<i>Potentilla nebrodensis</i> Strobl ex Zimmeter	→ incl. <i>Potentilla caulescens</i> L.
<i>Potentilla neumanniana</i> Rchb. emend. Soják	→ <i>Potentilla tabernaemontani</i> Asch.
<i>Potentilla wiemanniana</i> Günther & Schummel	→ incl. <i>Potentilla collina</i> Wibel
<i>Prangos ferulacea</i> (L.) Lindl.	→ <i>Cachrys ferulacea</i> (L.) Calest.
<i>Prenanthes chondrilloides</i> Ard.	→ <i>Chondrilla chondrilloides</i> (Ard.) H. Karst.
<i>Prenanthes muralis</i> L.	→ <i>Lactuca muralis</i> (L.) Gaertn.
<i>Prenanthes viminea</i> L.	→ <i>Lactuca viminea</i> (L.) J. & C. Presl s.l.
<i>Primula acaulis</i> (L.) Hill	→ <i>Primula vulgaris</i> Huds. subsp. <i>vulgaris</i>
<i>Primula auricula</i> L. subsp. <i>balbisi</i> (Lehm.) Nyman	→ <i>Primula auricula</i> L. subsp. <i>ciliata</i> (Moretti) Lüdi
<i>Primula auricula</i> L. subsp. <i>balbisii</i> (Lehm.) Nyman	→ <i>Primula auricula</i> L. subsp. <i>ciliata</i> (Moretti) Lüdi
<i>Primula auricula</i> L. subsp. <i>bauhini</i> (Beck) Lüdi	→ <i>Primula auricula</i> L. subsp. <i>ciliata</i> (Moretti) Lüdi
<i>Primula columnae</i> Ten.	→ <i>Primula veris</i> L. subsp. <i>suaveolens</i> (Bertol.) Gutermann & Ehrend.
<i>Primula farinosa</i> L. subsp. <i>alpigena</i> O. Schwartz	→ incl. <i>Primula farinosa</i> L.
<i>Primula glaucescens</i> Moretti subsp. <i>longobarda</i> (Porta) Pax in Engler	→ <i>Primula glaucescens</i> Moretti
<i>Primula intricata</i> Gren. & Godr.	→ <i>Primula elatior</i> (L.) Hill subsp. <i>intricata</i> (Gren. & Godr.) Arcang.
<i>Primula parlatoarei</i> Caruel	→ <i>Primula spectabilis</i> Tratt.
<i>Primula pedemontana</i> Thomas ex Gaudin subsp. <i>apennina</i> (Widmer) Kress	→ <i>Primula apennina</i> Widmer
<i>Primula polliniana</i> Moretti	→ <i>Primula spectabilis</i> Tratt.
<i>Primula suaveolens</i> Bertol.	→ <i>Primula veris</i> L. subsp. <i>suaveolens</i> (Bertol.) Gutermann & Ehrend.
<i>Primula veris</i> L. subsp. <i>canescens</i> (Opiz) Hayek	→ <i>Primula veris</i> L. s.l.
<i>Primula veris</i> L. subsp. <i>columnae</i> (Ten.) Lüdi	→ <i>Primula veris</i> L. subsp. <i>suaveolens</i> (Bertol.) Gutermann & Ehrend.
<i>Primula vitaliana</i> L.	→ <i>Androsace vitaliana</i> (L.) Lapeyr. s.l.
<i>Pritzelago alpina</i> (L.) Kuntze	→ <i>Hornungia alpina</i> (L.) O. Appel s.l.
<i>Pritzelago alpina</i> (L.) O. Kuntze subsp. <i>alpina</i>	→ <i>Hornungia alpina</i> (L.) O. Appel subsp. <i>alpina</i>
<i>Pritzelago alpina</i> O. Kuntze subsp. <i>austroalpina</i> (Trpin) Greuter & Burdet	→ <i>Hornungia alpina</i> (L.) O. Appel subsp. <i>austroalpina</i> (Trpin) O. Appel
<i>Pritzelago alpina</i> (L.) O. Kuntze subsp. <i>brevicaulis</i> (Hoppe) Greuter & Burdet	→ <i>Hornungia alpina</i> (L.) O. Appel subsp. <i>brevicaulis</i> (Spreng.) O. Appel
<i>Prunus padus</i> L. subsp. <i>borealis</i> Cajander	→ <i>Prunus padus</i> L. subsp. <i>petraea</i> (Tausch) Domin
<i>Pseudognaphalium luteoalbum</i> (L.) Hilliard & B.L. Burt	→ <i>Laphangium luteoalbum</i> (L.) Tzvelev
<i>Pseudolysimachion longifolium</i> (L.) Opiz sensu Pignatti Fl. Ital.	→ <i>Pseudolysimachion maritimum</i> (L.) Á. & D. Löve
<i>Pseudolysimachion pallens</i> (Host) M. A. Fischer	→ <i>Pseudolysimachion spicatum</i> (L.) Opiz subsp. <i>fischeri</i> Travn.
<i>Pseudorchis loeselii</i> (L.) Gray	→ <i>Liparis loeselii</i> (L.) Rich.
<i>Pseudosecale villosum</i> (L.) Degen	→ <i>Dasyphyrum villosum</i> (L.) P. Candargy, non Borbás
<i>Pseudostellaria europaea</i> Schaeftlein	→ <i>Stellaria bulbosa</i> Wulfen
<i>Psilurus aristatus</i> (L.) Duval-Jouve	→ <i>Psilurus incurvus</i> (Gouan) Schinz & Thell.
<i>Psilurus nardoides</i> Trin.	→ <i>Psilurus incurvus</i> (Gouan) Schinz & Thell.

<i>Psoralea americana</i> L.	→ <i>Cullen americanum</i> (L.) Rydb.
<i>Psoralea bituminosa</i> L.	→ <i>Bituminaria bituminosa</i> (L.) C.H. Stirt.
<i>Psoralea morisiana</i> Pign. et Metlesics	→ <i>Bituminaria morisiana</i> (Pignatti & Metlesics) Greuter
<i>Pteris acrostica</i> Balb.	→ <i>Cheilanthes acrostica</i> (Balb.) Tod.
<i>Pteris aquilina</i> L.	→ <i>Pteridium aquilinum</i> (L.) Kuhn subsp. <i>aquilinum</i>
<i>Pterocephalus papposus</i> (L.) Coulter	→ <i>Pterocephalus plumosus</i> (L.) Coult.
<i>Pteroselinum austriacum</i> (Jacq.) Rchb.	→ <i>Peucedanum austriacum</i> (Jacq.) W.D.J. Koch s.l.
<i>Pterotheca nemausensis</i> (Gouan) C.A. Mey.	→ <i>Crepis sancta</i> (L.) Bab. subsp. <i>sancta</i>
<i>Pterotheca sancta</i> (L.) K. Koch	→ <i>Crepis sancta</i> (L.) Bab. subsp. <i>sancta</i>
<i>Ptilotrichum halimifolium</i> Boiss.	→ <i>Alyssum ligusticum</i> Breistr.
<i>Ptychotis ammoides</i> W.D.J. Koch	→ <i>Ammoides pusilla</i> (Brot.) Breistr.
<i>Ptychotis heterophylla</i> W.D.J. Koch	→ <i>Ptychotis saxifraga</i> (L.) Loret & Barrandon
<i>Puccinellia borrieri</i> (Bab.) Hayek	→ <i>Puccinellia fasciculata</i> (Torr.) E.P. Bicknell
<i>Puccinellia festuciformis</i> (Host) Parl. subsp. <i>convoluta</i> (Hornem.) W.E. Hughes	→ <i>Puccinellia convoluta</i> (Hornem.) Hayek
<i>Puccinellia palustris</i> (Seen.) Hayek	→ <i>Puccinellia festuciformis</i> (Host) Parl.
<i>Pulicaria uliginosa</i> Steven ex DC.	→ <i>Pulicaria dysenterica</i> (L.) Bernh.
<i>Pulmonaria australis</i> (Murr) Sauer	→ <i>Pulmonaria australis</i> (Murr) W. Sauer
<i>Pulmonaria saccharata</i> auct. fl. ital.	→ <i>Pulmonaria picta</i> Rouy
<i>Pulsatilla alpina</i> (L.) Delarb. subsp. <i>alba</i> Domin	→ <i>Pulsatilla alpina</i> (L.) Delarb. subsp. <i>austriaca</i> Aichele & Schwegler
<i>Pyrethrum alpinum</i> (L.) Schrank	→ <i>Leucanthemopsis alpina</i> (L.) Heywood
<i>Pyrethrum cinerariifolium</i> Trevir.	→ <i>Tanacetum cinerariifolium</i> (Trevir.) Sch. Bip.
<i>Pyrethrum clusii</i> Rchb.	→ <i>Tanacetum corymbosum</i> (L.) Sch. Bip. subsp. <i>clusii</i> (Rchb.) Heywood
<i>Pyrethrum corymbosum</i> (L.) Scop.	→ <i>Tanacetum corymbosum</i> (L.) Sch. Bip. s.l.
<i>Pyrethrum frutescens</i> (L.) Gaertn.	→ <i>Argyranthemum frutescens</i> (L.) Sch. Bip. subsp. <i>frutescens</i>
<i>Pyrethrum parthenium</i> (L.) Sm.	→ <i>Tanacetum parthenium</i> (L.) Sch. Bip.
<i>Pyrethrum tenuisectum</i> Bertol.	→ <i>Leucanthemum coronopifolium</i> Vill. subsp. <i>tenuifolium</i> (Guss.) Vogt & Greuter
<i>Pyrola secunda</i> L.	→ <i>Orthilia secunda</i> (L.) House
<i>Pyrola uniflora</i> L.	→ <i>Moneses uniflora</i> (L.) A. Gray
<i>Pyrus amygdaliformis</i> Vill.	→ <i>Pyrus spinosa</i> Forssk.
<i>Pyrus aria</i> Ehrh.	→ <i>Sorbus aria</i> (L.) Crantz s.l.
<i>Pyrus chamaemespilus</i> Ehrh.	→ <i>Sorbus chamaemespilus</i> (L.) Crantz
<i>Pyrus domestica</i> Ehrh.	→ <i>Sorbus domestica</i> L.
<i>Pyrus florentina</i> Targ.-Tozz.	→ <i>Malus florentina</i> (Zuccagni) C.K. Schneid.
<i>Pyrus magyarica</i> Terpö	→ <i>Pyrus cordata</i> Desv.
<i>Pyrus malus</i> L.	→ <i>Malus domestica</i> (Borkh.) Borkh.
<i>Pyrus pyrastrer</i> Burgsd.	→ <i>Pyrus communis</i> L.
<i>Pyrus sorbus</i> Gaertn.	→ <i>Sorbus domestica</i> L.
<i>Pyrus torminalis</i> Ehrh.	→ <i>Sorbus torminalis</i> (L.) Crantz
<i>Quercus amplifolia</i> Guss.	→ <i>Quercus pubescens</i> Willd. subsp. <i>pubescens</i>
<i>Quercus brutia</i> Ten.	→ <i>Quercus robur</i> L. subsp. <i>brutia</i> (Ten.) O. Schwarz
<i>Quercus calliprinos</i> Webb	→ <i>Quercus coccifera</i> L.
<i>Quercus coccifera</i> L. subsp. <i>calliprinos</i> (Webb) Holmboe	→ <i>Quercus coccifera</i> L.
<i>Quercus fontanesii</i> Guss.	→ incl. <i>Quercus crenata</i> Lam.
<i>Quercus macrolepis</i> Kotschy	→ <i>Quercus ithaburensis</i> Decne. subsp. <i>macrolepis</i> (Kotschy) Hedge & Yalt.
<i>Quercus petraea</i> (Matt.) Liebl. subsp. <i>austrotyrrhenica</i> Brullo, Guarino & Siracusa	→ incl. <i>Quercus petraea</i> (Matt.) Liebl. subsp. <i>petraea</i>
<i>Quercus pseudosuber</i> Santi	→ <i>Quercus crenata</i> Lam.
<i>Quercus robur</i> L. var. <i>petraea</i> Matt.	→ <i>Quercus petraea</i> (Matt.) Liebl. subsp. <i>petraea</i>
<i>Quercus sicula</i> Borzi	→ incl. <i>Quercus pubescens</i> Willd. subsp. <i>pubescens</i>
<i>Quercus soluntina</i> Lojac.	→ incl. <i>Quercus coccifera</i> L.
<i>Quercus tommasinii</i> Kotschy ex Vis.	→ <i>Quercus pubescens</i> Willd. subsp. <i>pubescens</i>
<i>Quercus virgiliana</i> (Ten.) Ten.	→ incl. <i>Quercus pubescens</i> Willd. subsp. <i>pubescens</i>
<i>Ranunculus aesontinus</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus allemannii</i> Braun-Blanq.	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus alpestris</i> L. subsp. <i>traunfellneri</i> (Hoppe) P. Fourn.	→ <i>Ranunculus traunfellneri</i> Hoppe
<i>Ranunculus aquatilis</i> L. var. <i>eradicatus</i> Laest.	→ <i>Ranunculus trichophyllus</i> Chaix subsp. <i>eradicatus</i> (Laest.) C.D.K. Cook
<i>Ranunculus aspromontanus</i> Huter	→ <i>Ranunculus monspeliacus</i> L. subsp. <i>aspromontanus</i> (Huter) Peruzzi & N.G. Passal.
<i>Ranunculus augustanus</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus auricomus</i> L. var. <i>fallax</i> Wimm. & Grab.	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus baudotii</i> Godron	→ <i>Ranunculus peltatus</i> Schrank subsp. <i>baudotii</i> (Godr.) C.D.K. Cook
<i>Ranunculus boreoapenninus</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.

<i>Ranunculus braun-blanquetii</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus bulbifer</i> Jord.	→ incl. <i>Ranunculus bulbosus</i> L.
<i>Ranunculus bulbosus</i> L. subsp. <i>aleae</i> auct.	→ <i>Ranunculus neapolitanus</i> Ten.
<i>Ranunculus cassubicus</i> L.	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus crenatus</i> Waldst. & Kit.	→ <i>Ranunculus magellensis</i> Ten.
<i>Ranunculus cymbalariaefolius</i> Balbis ex Moris	→ <i>Ranunculus cymbalariaefolius</i> Moris
<i>Ranunculus falcatus</i> L.	→ <i>Ceratocephala falcata</i> (L.) Pers.
<i>Ranunculus fallax</i> (Wimm. & Grab.) Sloboda	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus ficaria</i> L. subsp. <i>bulbilifer</i> Lambinon	→ <i>Ranunculus ficaria</i> L. subsp. <i>ficaria</i>
<i>Ranunculus ficaria</i> L. subsp. <i>nudicaulis</i> (Kerner) Hegi	→ <i>Ranunculus ficaria</i> L. subsp. <i>calthifolius</i> (Rchb.) Arcang.
<i>Ranunculus ficariiformis</i> F. W. Schultz	→ <i>Ranunculus ficaria</i> L. subsp. <i>ficariiformis</i> (F.W. Schultz) Rouy & Foucaud
<i>Ranunculus fiorii</i> Soldano	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus flabellatus</i> Desf.	→ <i>Ranunculus paludosus</i> Poir.
<i>Ranunculus friesianus</i> Jord.	→ <i>Ranunculus acris</i> L. subsp. <i>friesianus</i> (Jord.) Syme
<i>Ranunculus fucoides</i> Freyn	→ <i>Ranunculus peltatus</i> Schrank subsp. <i>fucoides</i> (Freyn) Muñoz Garm.
<i>Ranunculus gardenensis</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus gortanii</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus grenieranus</i> Jordan	→ <i>Ranunculus villarsii</i> DC.
<i>Ranunculus grenierianus</i> Jordan	→ <i>Ranunculus villarsii</i> DC.
<i>Ranunculus hostiliensis</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus kuepferi</i> Greuter & Burdet	→ <i>Ranunculus kuepferi</i> Greuter & Burdet s.l.
<i>Ranunculus ligusticus</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus luminarius</i> Rigo	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus marsicus</i> Guss. & Ten.	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus montanus</i> Willd. var. <i>apenninus</i> Chiov.	→ <i>Ranunculus apenninus</i> (Chiov.) Pignatti
<i>Ranunculus montanus</i> Willd. var. <i>pollinensis</i> N. Terracc.	→ <i>Ranunculus pollinensis</i> (N. Terracc.) Chiov.
<i>Ranunculus mutinensis</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus nemorosus</i> DC.	→ <i>Ranunculus serpens</i> Schrank subsp. <i>nemorosus</i> (DC.) G. López
<i>Ranunculus oreophilus</i> Bieb.	→ <i>Ranunculus breyninus</i> Crantz
<i>Ranunculus palaeoeuganeus</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus parnassifolius</i> L. subsp. <i>heterocarpus</i> Küpfer	→ <i>Ranunculus parnassifolius</i> L. subsp. <i>heterocarpus</i> Küpfer
<i>Ranunculus parvifolius</i> L.	→ <i>Ranunculus parviflorus</i> L.
<i>Ranunculus philonotis</i> Ehrh. var. <i>diffusus</i> Moris	→ <i>Ranunculus cordiger</i> Viv. subsp. <i>diffusus</i> (Moris) Arrigoni
<i>Ranunculus polyanthemoides</i> Boreau	→ <i>Ranunculus polyanthemoides</i> L. subsp. <i>polyanthemos</i> (Boreau) Ahlfv.
<i>Ranunculus polyanthemophyllus</i> Koch et Hess	→ <i>Ranunculus serpens</i> Schrank subsp. <i>polyanthemophyllus</i> (W. Koch & H.E. Hess) Kerguélen
<i>Ranunculus pyrenaicus</i> L.	→ <i>Ranunculus kuepferi</i> Greuter & Burdet s.l.
<i>Ranunculus revelieri</i> Boreau	→ <i>Ranunculus revelieri</i> Boreau
<i>Ranunculus rupestris</i> Guss.	→ <i>Ranunculus spicatus</i> Desf. subsp. <i>rupestris</i> (Guss.) Maire
<i>Ranunculus saniculifolius</i> Viv.	→ <i>Ranunculus peltatus</i> Schrank subsp. <i>fucoides</i> (Freyn) Muñoz Garm.
<i>Ranunculus saxatilis</i> Balb.	→ <i>Ranunculus monspeliacus</i> L. subsp. <i>saxatilis</i> (Balb.) Nyman
<i>Ranunculus silanus</i> Pignatti	→ incl. <i>Ranunculus auricomus</i> L.
<i>Ranunculus spicatus</i> Desf. subsp. <i>aspromontanus</i> (Huter) Greuter & Burdet	→ <i>Ranunculus monspeliacus</i> L. subsp. <i>aspromontanus</i> (Huter) Peruzzi & N.G. Passal.
<i>Ranunculus thomasi</i> Ten.	→ <i>Ranunculus polyanthemoides</i> L. subsp. <i>thomasi</i> (Ten.) Tutin
<i>Ranunculus tuberosus</i> Lapeyr.	→ <i>Ranunculus serpens</i> Schrank subsp. <i>nemorosus</i> (DC.) G. López
<i>Raphanus landra</i> DC.	→ <i>Raphanus raphanistrum</i> L. subsp. <i>landra</i> (DC.) Bonnier & Layens
<i>Raphanus maritimus</i> Sm.	→ <i>Raphanus raphanistrum</i> L. subsp. <i>landra</i> (DC.) Bonnier & Layens
<i>Raphanus raphanistrum</i> L. subsp. <i>maritimus</i> (Sm.) Thell.	→ <i>Raphanus raphanistrum</i> L. subsp. <i>landra</i> (DC.) Bonnier & Layens
<i>Raphanus raphanistrum</i> L. var. <i>microcarpus</i> Lange	→ <i>Raphanus raphanistrum</i> L. subsp. <i>raphanistrum</i>
<i>Raphanus raphanistrum</i> L. subsp. <i>microcarpus</i> (Lange) Thell.	→ <i>Raphanus raphanistrum</i> L. subsp. <i>raphanistrum</i>
<i>Raphanus tenellus</i> Pall.	→ <i>Chorispora tenella</i> (Pallas) DC.
<i>Rapistrum rugosum</i> (L.) All. subsp. <i>linnaeanum</i> Rouy & Foucaud	→ <i>Rapistrum rugosum</i> (L.) Arcang.
<i>Rapistrum rugosum</i> (L.) All. subsp. <i>orientale</i> (L.) Arcang.	→ <i>Rapistrum rugosum</i> (L.) Arcang.
<i>Reseda purpurascens</i> L.	→ <i>Sesamoides purpurascens</i> (L.) G. López
<i>Reseda sesamoides</i> L.	→ <i>Sesamoides interrupta</i> (Boreau) G. López
<i>Retama gussonei</i> Webb	→ <i>Retama raetam</i> (Forssk.) Webb & Berthel. subsp. <i>gussonei</i> (Webb) Greuter
<i>Reynoutria japonica</i> Houtt.	→ <i>Fallopia japonica</i> (Houtt.) Ronse Decr.
<i>Reynoutria sachalinensis</i> (Friedrich Schmidt Petrop.) Nakai	→ <i>Fallopia sachalinensis</i> (F. Schmidt) Ronse Decr.
<i>Rhagadiolus edulis</i> Gaertn.	→ <i>Rhagadiolus stellatus</i> (L.) Gaertn.
<i>Rhamnus alpinus</i> L.	→ <i>Rhamnus alpina</i> L. s.l.
<i>Rhamnus alpinus</i> L. subsp. <i>alpinus</i>	→ <i>Rhamnus alpina</i> L. subsp. <i>alpina</i>
<i>Rhamnus alpinus</i> L. subsp. <i>fallax</i> (Boiss.) Maire et Ptmg.	→ <i>Rhamnus alpina</i> L. subsp. <i>fallax</i> (Boiss.) Maire & Petitm.
<i>Rhamnus alpinus</i> L. subsp. <i>glaucophyllus</i> (Sommier) Tutin	→ <i>Rhamnus glaucophylla</i> Sommier
<i>Rhamnus catharticus</i> L.	→ <i>Rhamnus cathartica</i> L.

<i>Rhamnus fallax</i> Boiss.	→ <i>Rhamnus alpina</i> L. subsp. <i>fallax</i> (Boiss.) Maire & Petitm.
<i>Rhamnus glaucophyllus</i> Sommier	→ <i>Rhamnus glaucophylla</i> Sommier
<i>Rhamnus infectoria</i> L.	→ <i>Rhamnus saxatilis</i> Jacq. subsp. <i>infectoria</i> (L.) P. Fourn.
<i>Rhamnus intermedius</i> Steudel & Hochst.	→ <i>Rhamnus intermedia</i> Steud. & Hochst.
<i>Rhamnus lotus</i> L.	→ <i>Ziziphus lotus</i> (L.) Lam. subsp. <i>lotus</i>
<i>Rhamnus oleoides</i> L.	→ <i>Rhamnus lycioides</i> L. subsp. <i>oleoides</i> (L.) Jahand. & Maire
<i>Rhamnus paliurus</i> L.	→ <i>Paliurus spina-christi</i> Mill.
<i>Rhamnus pentaphyllus</i> Jacq.	→ <i>Rhus pentaphylla</i> (Jacq.) Desf.
<i>Rhamnus persicifolius</i> Moris	→ <i>Rhamnus persicifolia</i> Moris
<i>Rhamnus pumilus</i> Turra	→ <i>Rhamnus pumila</i> Turra
<i>Rhamnus rupestris</i> Scop.	→ <i>Frangula rupestris</i> (Scop.) Schur
<i>Rhamnus saxatilis</i> Jacq. subsp. <i>infectorius</i> (L.) P. Fourn.	→ <i>Rhamnus saxatilis</i> Jacq. subsp. <i>infectoria</i> (L.) P. Fourn.
<i>Rhamnus spina-christi</i> L.	→ <i>Paliurus spina-christi</i> Mill.
<i>Rhamnus tripartitus</i> Ucria	→ <i>Rhus tripartita</i> (Ucria) Grande
<i>Rhamnus zizyphus</i> L.	→ <i>Ziziphus zizyphus</i> (L.) Meikle
<i>Rhaponticum scariosum</i> Lam. subsp. <i>bicknellii</i> (Briq.) Pign.	→ <i>Rhaponticum hehleniifolium</i> Gren. & Godr. subsp. <i>bicknellii</i> (Briq.) Greuter
<i>Rhaponticum scariosum</i> Lam. subsp. <i>lyratum</i> (Bellardi) Hayek	→ <i>Rhaponticum hehleniifolium</i> Gren. & Godr. subsp. <i>hehleniifolium</i>
<i>Rhinanthus alectorolophus</i> (Scop.) Pollich subsp. <i>buccalis</i> (Wallr.) Schinz & Thell.	→ incl. <i>Rhinanthus alectorolophus</i> (Scop.) Pollich s.l.
<i>Rhinanthus alectorolophus</i> (Scop.) Pollich subsp. <i>patulus</i> (Sterneck) Soó	→ incl. <i>Rhinanthus alectorolophus</i> (Scop.) Pollich s.l.
<i>Rhinanthus aristatus</i> Celak.	→ <i>Rhinanthus glacialis</i> Personnat subsp. <i>glacialis</i>
<i>Rhinanthus aschersonianus</i> (M. Schulze) Soó	→ <i>Rhinanthus alectorolophus</i> (Scop.) Pollich subsp. <i>aschersonianus</i> (M. Schulze) Hartl
<i>Rhinanthus elephas</i> L.	→ <i>Rhynchocorys elephas</i> (L.) Griseb.
<i>Rhinanthus mediterraneus</i> (Sterneck) Sennen	→ <i>Rhinanthus pumilus</i> (Sterneck) Pau
<i>Rhinanthus personatus</i> (Behrend) Bég.	→ <i>Rhinanthus minor</i> L.
<i>Rhinanthus rumelicus</i> Velen.	→ <i>Rhinanthus alectorolophus</i> (Scop.) Pollich subsp. <i>aschersonianus</i> (M. Schulze) Hartl
<i>Rhus hirta</i> (L.) Sudw.	→ <i>Rhus typhina</i> L.
<i>Rhus ziziphina</i> Tineo	→ <i>Rhus tripartita</i> (Ucria) Grande
<i>Rhynchosinapis cheiranthos</i> (Vill.) Dandy	→ <i>Coincya monensis</i> (L.) Greuter & Burdet subsp. <i>cheiranthos</i> (Franco) Aedo, Leadlay & Muñoz Garm.
<i>Rhynchosinapis richeri</i> (Vill.) Heyw.	→ <i>Coincya richeri</i> Greuter & Burdet
<i>Robinia pseudoacacia</i> L.	→ <i>Robinia pseudacacia</i> L.
<i>Romulea columnae</i> Sebastiani & Mauri subsp. <i>rollii</i> (Parl.) Marais	→ <i>Romulea rollii</i> Parl.
<i>Romulea insularis</i> Sommier	→ <i>Romulea revelieri</i> Jord. & Fourr.
<i>Romulea purpurascens</i> Ten.	→ <i>Romulea rosea</i> (L.) Eckl.
<i>Romulea revelieri</i> Jordan & Fourr.	→ <i>Romulea revelieri</i> Jord. & Fourr.
<i>Rorippa prostrata</i> (Bergeret) Sch. et Th.	→ <i>Rorippa anceps</i> (Wahlenb.) Rchb.
<i>Rorippa rusticana</i> (P. Gaertn., B. Mey. & Scherb.) Godr.	→ <i>Armoracia rusticana</i> P. Gaertn., B. Mey. & Scherb.
<i>Rorippa x anceps</i> (Wahlenb.) Reichenb.	→ <i>Rorippa anceps</i> (Wahlenb.) Rchb.
<i>Rosa caryophyllacea</i> Besser	→ p.p. <i>Rosa rhaetica</i> Gremli
<i>Rosa cinnamomea</i> L.	→ <i>Rosa majalis</i> Herrm.
<i>Rosa elliptica</i> Tausch	→ <i>Rosa inodora</i> Fr.
<i>Rosa glutinosa</i> Sm.	→ <i>Rosa pulverulenta</i> M. Bieb.
<i>Rosa jundzillii</i> Besser	→ <i>Rosa marginata</i> Wallr.
<i>Rosa mollis</i> Sm.	→ incl. <i>Rosa villosa</i> L.
<i>Rosa obtusifolia</i> Desv.	→ <i>Rosa balsamica</i> Besser
<i>Rosa pimpinellifolia</i> L.	→ <i>Rosa spinosissima</i> L.
<i>Rosa pygmaea</i> M. Bieb.	→ incl. <i>Rosa gallica</i> L.
<i>Rosa rubrifolia</i> Vill.	→ <i>Rosa glauca</i> Pourr.
<i>Rosa scabriuscula</i> Sm. in Sowerby	→ <i>Rosa pseudoscabriuscula</i> (R. Keller) Henker & G. Schulze
<i>Rosa serafini</i> Viv.	→ <i>Rosa serafinii</i> Viv.
<i>Rosa trachyphylla</i> A. Rau	→ <i>Rosa marginata</i> Wallr.
<i>Rosa vosagiaca</i> Desportes	→ <i>Rosa dumalis</i> Bechst.
<i>Rottboellia cylindrica</i> Willd.	→ <i>Hainardia cylindrica</i> (Willd.) Greuter
<i>Rottboellia filiformis</i> Roth	→ <i>Parapholis filiformis</i> (Roth) C.E. Hubb.
<i>Rottboellia pannonica</i> Host	→ <i>Pholiurus pannonicus</i> (Host) Trin.
<i>Rubus bellardii</i> Weihe et Nees	→ <i>Rubus glandulosus</i> Bellardi
<i>Rubus dalmatinus</i> Tratt. ex Focke	→ incl. <i>Rubus ulmifolius</i> Schott
<i>Rubus discolor</i> Weihe & Nees	→ <i>Rubus ulmifolius</i> Schott
<i>Rubus fragrans</i> Focke	→ <i>Rubus flaccidus</i> P.J. Müll.
<i>Rubus hedycarpus</i> Focke	→ <i>Rubus praecox</i> Bertol.
<i>Rubus lejeunei</i> Weihe ex Lej	→ <i>Rubus ulmifolius</i> Schott
<i>Rubus pubescens</i> Weihe non Rafin.	→ <i>Rubus chloocladus</i> W.C.R. Watson
<i>Rubus thyrsanthus</i> Focke	→ <i>Rubus grabowskii</i> Weihe

<i>Rubus trifoliatu</i> s Posp.	→ <i>Rubus pospichalii</i> Soldano & F. Conti
<i>Rubus vestii</i> Focke	→ <i>Rubus constrictus</i> P.J. Müll. & Lefèvre
<i>Rumex acetosella</i> L. subsp. <i>pyrenaicus</i> (Pourret ex Lapeyr.) Akeroyd	→ <i>Rumex acetosella</i> L. subsp. <i>angiocarpus</i> (Murb.) Murb.
<i>Rumex acetosella</i> L. var. <i>tenuifolius</i> Wallr.	→ incl. <i>Rumex acetosella</i> L. s.l.
<i>Rumex amplexicaulis</i> Lapeyr.	→ <i>Rumex alpestris</i> Jacq.
<i>Rumex angiocarpus</i> Murb.	→ <i>Rumex acetosella</i> L. subsp. <i>angiocarpus</i> (Murb.) Murb.
<i>Rumex arifolius</i> All.	→ <i>Rumex alpestris</i> Jacq.
<i>Rumex bucephalophorus</i> L. subsp. <i>graecus</i> (Steinh.) Rech. f.	→ incl. <i>Rumex bucephalophorus</i> L. subsp. <i>bucephalophorus</i>
<i>Rumex bucephalophorus</i> L. subsp. <i>hispanicum</i> (Steinh.) Rech. fil.	→ <i>Rumex bucephalophorus</i> L. subsp. <i>hispanicus</i> (Steinh.) Rech. f.
<i>Rumex digynum</i> L.	→ <i>Oxyria digyna</i> (L.) Hill
<i>Rumex obtusifolius</i> L. subsp. <i>silvestris</i> Celak.	→ <i>Rumex obtusifolius</i> L. subsp. <i>sylvestris</i> (Wallr.) Celak.
<i>Rumex pseudoalpinus</i> Höfft	→ <i>Rumex alpinus</i> L.
<i>Rumex pulcher</i> L. subsp. <i>divaricatus</i> (L.) Murb.	→ <i>Rumex pulcher</i> L. subsp. <i>woodsii</i> (De Not.) Arcang.
<i>Rumex spinosus</i> L.	→ <i>Emex spinosa</i> (L.) Campd.
<i>Rumex suffocatus</i> Moris ex Bertol.	→ <i>Rumex pulcher</i> L. subsp. <i>suffocatus</i> (Moris ex Bertol.) Nyman
<i>Rumex tenuifolius</i> (Wallr.) A. Löve	→ <i>Rumex acetosella</i> L. s.l.
<i>Ruppia drepanensis</i> Tineo	→ <i>Ruppia cirrhosa</i> (Petagna) Grande
<i>Ruppia spiralis</i> Dumort.	→ <i>Ruppia cirrhosa</i> (Petagna) Grande
<i>Ruta patavina</i> L.	→ <i>Haplophyllum patavinum</i> (L.) G. Don
<i>Saccharum ravennae</i> L.	→ <i>Erianthus ravennae</i> (L.) P.Beauv.
<i>Saccharum spontaneum</i> L.	→ <i>Saccharum spontaneum</i> L. subsp. <i>aegyptiacum</i> (Willd.) Hack.
<i>Saccharum strictum</i> (Host) Spreng.	→ <i>Erianthus hostii</i> Griseb.
<i>Sagina apetala</i> Ard. subsp. <i>erecta</i> (Hornem.) F. Hermann	→ <i>Sagina micropetala</i> Rauschert
<i>Sagina erecta</i> L.	→ <i>Moenchia erecta</i> (L.) P. Gaertn., B. Mey. & Scherb. s.l.
<i>Sagina microcarpa</i> C. Presl in J. Presl & C. Presl	→ <i>Herniaria glabra</i> L. subsp. <i>nebrodensis</i> Jan ex Nyman
<i>Sagina octandra</i> Mert. & W.D.J. Koch	→ <i>Moenchia erecta</i> (L.) P. Gaertn., B. Mey. & Scherb. subsp. <i>octandra</i> (Ziz ex Mert. & W.D.J. Koch) Gürke ex Cout.
<i>Salicornia amplexicaulis</i> Vahl	→ <i>Halopeplis amplexicaulis</i> (Vahl) Ces., Pass. & Gibelli
<i>Salicornia europaea</i> L.	→ <i>Salicornia patula</i> Duval-Jouve
<i>Salicornia macrostachya</i> Moric.	→ <i>Arthrocnemum macrostachyum</i> (Moric.) Moris
<i>Salicornia perennis</i> Mill.	→ <i>Sarcocornia perennis</i> (Mill.) A.J. Scott
<i>Salicornia procumbens</i> Sm. in Sowerby	→ <i>Salicornia emerici</i> Duval-Jouve
<i>Salicornia ramosissima</i> J. Woods	→ <i>Salicornia dolichostachya</i> Moss
<i>Salicornia strobilacea</i> Pallas	→ <i>Halocnemum strobilaceum</i> (Pallas) M. Bieb.
<i>Salix alba</i> L. subsp. <i>coerulea</i> (Sm.) Rech. f.	→ incl. <i>Salix alba</i> L.
<i>Salix alba</i> L. var. <i>coerulea</i> (Sm.) Sm.	→ incl. <i>Salix alba</i> L.
<i>Salix alba</i> L. subsp. <i>vitellina</i> (L.) Arcang.	→ incl. <i>Salix alba</i> L.
<i>Salix alba</i> L. var. <i>vitellina</i> (L.) Ser.	→ incl. <i>Salix alba</i> L.
<i>Salix cinerea</i> L. subsp. <i>oleifolia</i> Macreight	→ <i>Salix atrocinerea</i> Brot. subsp. <i>atrocinerea</i>
<i>Salix cordata</i> Mühlenbg.	→ <i>Salix eriocephala</i> Michx.
<i>Salix elaeagnos</i> Scop.	→ <i>Salix elaeagnos</i> Scop. s.l.
<i>Salix elaeagnos</i> Scop. subsp. <i>angustifolia</i> (Cariot) Rech. fil.	→ <i>Salix elaeagnos</i> Scop. subsp. <i>angustifolia</i> (Cariot) Rech. f.
<i>Salix elaeagnos</i> Scop. subsp. <i>elaagnos</i>	→ <i>Salix elaeagnos</i> Scop. subsp. <i>elaagnos</i>
<i>Salix lambertiana</i> Sm.	→ incl. <i>Salix purpurea</i> L. s.l.
<i>Salix purpurea</i> L. subsp. <i>lambertiana</i> (Sm.) Neumann ex Rech. f.	→ incl. <i>Salix purpurea</i> L. s.l.
<i>Salix triandra</i> L. subsp. <i>discolor</i> (Koch) Arcang.	→ <i>Salix triandra</i> L. subsp. <i>amygdalina</i> (L.) Schübl. & G. Martens
<i>Salix x-dasyclados</i> Wimmer	→ <i>Salix dasyclados</i> Wimm.
<i>Salsola atriplicifolia</i> Spreng.	→ <i>Cycloloma atriplicifolium</i> (Spreng.) J.M. Coult.
<i>Salsola flavescens</i> Cav.	→ incl. <i>Salsola vermiculata</i> L.
<i>Salsola hyssopifolia</i> Pallas	→ <i>Bassia hyssopifolia</i> (Pallas) Kuntze
<i>Salsola kali</i> L. subsp. <i>ruthenica</i> (Iljin) Soó	→ <i>Salsola tragus</i> L. subsp. <i>tragus</i>
<i>Salsola kali</i> L. subsp. <i>tragus</i> (L.) Celak.	→ <i>Salsola tragus</i> L. subsp. <i>tragus</i>
<i>Salsola laniflora</i> S.G. Gmel.	→ <i>Bassia laniflora</i> (S.G. Gmel.) A.J. Scott
<i>Salsola prostrata</i> L.	→ <i>Bassia prostrata</i> (L.) Beck
<i>Salsola sativa</i> L.	→ <i>Halogeton sativus</i> (L.) Moq.
<i>Salsola splendens</i> Pourr.	→ <i>Suaeda splendens</i> (Pourr.) Gren. & Godr.
<i>Salsola verticillata</i> Schousboe	→ <i>Salsola oppositifolia</i> Desf.
<i>Salvia grahami</i> Benth	→ <i>Salvia grahamii</i> Benth.
<i>Salvia multifida</i> Sm.	→ <i>Salvia verbenaca</i> L.
<i>Salvia pratensis</i> L. subsp. <i>haematodes</i> (L.) Briq.	→ <i>Salvia haematodes</i> L.
<i>Salvia sylvestris</i> auct., non L.	→ <i>Salvia nemorosa</i> L. subsp. <i>nemorosa</i>
<i>Salvia triloba</i> L. f.	→ <i>Salvia fruticosa</i> Mill.
<i>Sanguisorba minor</i> Scop. subsp. <i>magnolii</i> (Spach) Briq.	→ <i>Sanguisorba verrucosa</i> (Link ex G. Don) Ces.
<i>Sanguisorba minor</i> Scop. subsp. <i>muricata</i> (Grenli) Briq.	→ <i>Sanguisorba minor</i> Scop. subsp. <i>balearica</i> (Bourg. ex Nyman) Muñoz Garm. & C. Navarro
<i>Sanguisorba minor</i> Scop. subsp. <i>rupicola</i> (Boiss. et Reut.) Nordborg.	→ <i>Sanguisorba rupicola</i> (Boiss. & Reut.) A. Braun & C.D. Bouché

<i>Sanguisorba minor</i> Scop. subsp. <i>verrucosa</i> (Ehrenb.) Holmboe	→ <i>Sanguisorba verrucosa</i> (Link ex G. Don) Ces.
<i>Santolina alpina</i> L.	→ <i>Anthemis cretica</i> L. subsp. <i>alpina</i> (L.) R. Fern.
<i>Santolina annua</i> L.	→ <i>Lonas annua</i> (L.) Vines & Druce
<i>Santolina pinnata</i> Viv.	→ <i>Santolina leucantha</i> Bertol.
<i>Santolina suaveolens</i> Pursh	→ <i>Matricaria discoidea</i> DC.
<i>Saponaria alsinoides</i> Viv.	→ <i>Saponaria ocymoides</i> L. subsp. <i>alsinoides</i> (Viv.) Arcang.
<i>Saponaria hispanica</i> Mill.	→ <i>Vaccaria hispanica</i> (Mill.) Rauschert
<i>Saponaria illyrica</i> Ard.	→ <i>Petrorrhagia illyrica</i> (Ard.) P.W. Ball & Heywood subsp. <i>haynaldiana</i> (F.N. Williams) P.W. Ball & Heywood
<i>Saponaria pumilio</i> (L.) Fenzl ex A. Braun	→ <i>Saponaria pumila</i> Janch.
<i>Saponaria vaccaria</i> L. var. <i>grandiflora</i> Ser. in DC.	→ <i>Vaccaria hispanica</i> (Mill.) Rauschert
<i>Sarcocornia perennis</i> (Mill.) A.J. Scott subsp. <i>alpini</i> (Lag.) Castroviejo	→ incl. <i>Sarcocornia perennis</i> (Mill.) A.J. Scott
<i>Satureja acinos</i> (L.) Scheele	→ <i>Acinos arvensis</i> (Lam.) Dandy s.l.
<i>Satureja alpina</i> (L.) Scheele	→ <i>Acinos alpinus</i> (L.) Moench s.l.
<i>Satureja alpina</i> (L.) Scheele subsp. <i>alpina</i>	→ <i>Acinos alpinus</i> (L.) Moench subsp. <i>alpinus</i>
<i>Satureja alpina</i> (L.) Scheele subsp. <i>granatensis</i> (Boiss. & Reuter) Maire	→ <i>Acinos alpinus</i> (L.) Moench subsp. <i>meridionalis</i> (Nyman) P.W. Ball
<i>Satureja alpina</i> (L.) Scheele subsp. <i>meridionalis</i> (Nyman) Greuter & Burdet	→ <i>Acinos alpinus</i> (L.) Moench subsp. <i>meridionalis</i> (Nyman) P.W. Ball
<i>Satureja ascendens</i> (Jordan) K. Malý	→ <i>Calamintha ascendens</i> Jord.
<i>Satureja brauneana</i> Jav.	→ <i>Calamintha einseleana</i> F.W. Schultz
<i>Satureja cordata</i> Bertol.	→ <i>Micromeria filiformis</i> (Aiton) Benth. subsp. <i>cordata</i> (Bertol.) Pignatti
<i>Satureja fruticosa</i> (L.) Briq.	→ <i>Micromeria fruticosa</i> (L.) Druce
<i>Satureja fruticulosa</i> (Bertol.) Grande	→ <i>Micromeria fruticulosa</i> (Bertol.) Šilic
<i>Satureja graeca</i> L.	→ <i>Micromeria graeca</i> (L.) Benth. ex Rchb. s.l.
<i>Satureja graeca</i> L. subsp. <i>cosentina</i> (Ten.) Arcangeli	→ <i>Micromeria consentina</i> (Ten.) N. Terracc.
<i>Satureja graeca</i> L. subsp. <i>garganica</i> Briq.	→ <i>Micromeria canescens</i> (Guss.) Benth.
<i>Satureja graeca</i> L. subsp. <i>imperica</i> (Chater) Greuter & Burdet	→ <i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>imperica</i> Chater
<i>Satureja graeca</i> L. subsp. <i>longiflora</i> (C. Presl) Briq.	→ <i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>longiflora</i> (C. Presl) Nyman
<i>Satureja graeca</i> L. subsp. <i>micrantha</i> (Brot.) Greuter & Burdet	→ <i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>micrantha</i> (Brot.) Greuter & Burdet
<i>Satureja graeca</i> L. subsp. <i>tenuifolia</i> (Ten.) Arcangeli	→ <i>Micromeria graeca</i> (L.) Benth. ex Rchb. subsp. <i>tenuifolia</i> (Ten.) Nyman
<i>Satureja grandiflora</i> (L.) Scheele	→ <i>Calamintha grandiflora</i> (L.) Moench
<i>Satureja graveolens</i> Caruel	→ <i>Acinos rotundifolius</i> Pers.
<i>Satureja juliana</i> L.	→ <i>Micromeria juliana</i> (L.) Benth. ex Rchb.
<i>Satureja marginata</i> (Sm.) Greuter & Burdet	→ <i>Micromeria marginata</i> (Sm.) Chater
<i>Satureja menthifolia</i> (Host) Fritsch	→ <i>Calamintha nepeta</i> (L.) Savi subsp. <i>sylvatica</i> (Bromf.) R. Morales
<i>Satureja microphylla</i> (Dum.-Urville) Guss.	→ <i>Micromeria microphylla</i> (d'Urv.) Benth.
<i>Satureja nepeta</i> (L.) Scheele	→ <i>Calamintha nepeta</i> (L.) Savi s.l.
<i>Satureja nervosa</i> Desf.	→ <i>Micromeria nervosa</i> (Desf.) Benth.
<i>Satureja sardoa</i> (Ascherson & Levier) Greuter & Burdet	→ <i>Acinos sardous</i> (Asch. & Levier) Arrigoni
<i>Satureja suaveolens</i> (Sm.) Watzl-Zeman	→ <i>Acinos suaveolens</i> (Sm.) Loudon
<i>Satureja thymifolia</i> Scop.	→ <i>Micromeria thymifolia</i> (Scop.) Fritsch
<i>Satureja vulgaris</i> (L.) Fritsch	→ <i>Clinopodium vulgare</i> L. s.l.
<i>Satureja vulgaris</i> (L.) Fritsch subsp. <i>orientalis</i> (Bothmer) Greuter & Burdet	→ <i>Clinopodium vulgare</i> L. subsp. <i>arundanum</i> (Boiss.) Nyman
<i>Satureja vulgaris</i> (L.) Fritsch subsp. <i>vulgaris</i>	→ <i>Clinopodium vulgare</i> L. subsp. <i>vulgare</i>
<i>Satyrium albidum</i> L.	→ <i>Pseudorchis albida</i> (L.) A. & D. Love
<i>Satyrium maculatum</i> Desf.	→ <i>Neotinea maculata</i> (Desf.) Stearn
<i>Satyrium odoratissimum</i> Wahlenb.	→ <i>Gymnadenia odoratissima</i> (L.) Rich.
<i>Satyrium repens</i> L.	→ <i>Goodyera repens</i> (L.) R. Br.
<i>Satyrium viride</i> L.	→ <i>Coeloglossum viride</i> (L.) Hartm.
<i>Saussurea depressa</i> Gren.	→ <i>Saussurea alpina</i> (L.) DC. subsp. <i>depressa</i> (Gren.) Gremli
<i>Saussurea monocephala</i> Cass.	→ <i>Saussurea pygmaea</i> (Jacq.) Spreng.
<i>Saxifraga allionii</i> Gaudin	→ incl. <i>Saxifraga exarata</i> Vill. subsp. <i>moschata</i> (Wulfen) Cavill.
<i>Saxifraga aspera</i> L. subsp. <i>micrantha</i> Pignatti	→ incl. <i>Saxifraga aspera</i> L.
<i>Saxifraga australis</i> Moric.	→ incl. <i>Saxifraga callosa</i> Sm. subsp. <i>callosa</i>
<i>Saxifraga biflora</i> All. var. <i>kochii</i> Kittel	→ incl. <i>Saxifraga biflora</i> All. subsp. <i>biflora</i>
<i>Saxifraga biflora</i> All. subsp. <i>macropetala</i> (A. Kern.) Rouy & Camus	→ incl. <i>Saxifraga biflora</i> All. subsp. <i>biflora</i>
<i>Saxifraga burseriana</i> L.	→ <i>Saxifraga burseriana</i> L.
<i>Saxifraga callosa</i> Smith subsp. <i>lantoscana</i> (Boiss. & Reut.) Arcang.	→ <i>Saxifraga callosa</i> Sm. subsp. <i>callosa</i>
<i>Saxifraga cervicornis</i> Viv.	→ <i>Saxifraga pedemontana</i> All. subsp. <i>cervicornis</i> (Viv.) Engl.
<i>Saxifraga etrusca</i> Pignatti	→ <i>Saxifraga aspera</i> L.

<i>Saxifraga exarata</i> Vill. subsp. <i>leucantha</i> (Thomas) Braun-Blanq.	→ <i>Saxifraga exarata</i> Vill. subsp. <i>exarata</i>
<i>Saxifraga graeca</i> Boiss.	→ <i>Saxifraga carpetana</i> Boiss. & Reut. subsp. <i>graeca</i> (Boiss. & Heldr.) D.A. Webb
<i>Saxifraga latina</i> (N. Terracc.) Hayek	→ incl. <i>Saxifraga oppositifolia</i> L. subsp. <i>oppositifolia</i>
<i>Saxifraga macropetala</i> Kern.	→ <i>Saxifraga biflora</i> All. subsp. <i>biflora</i>
<i>Saxifraga moschata</i> Wulfen	→ <i>Saxifraga exarata</i> Vill. subsp. <i>moschata</i> (Wulfen) Cavill.
<i>Saxifraga moschata</i> Wulfen subsp. <i>carniolica</i> (Huter) Br.-Bl.	→ <i>Saxifraga exarata</i> Vill. subsp. <i>carniolica</i> (Huter) T. Wraber
<i>Saxifraga murithiana</i> Tiss.	→ <i>Saxifraga oppositifolia</i> L. subsp. <i>murithiana</i> (Tissière) Braun-Blanq.
<i>Saxifraga oppositifolia</i> L. subsp. <i>rudolfiana</i> (Hornsch.) Engler & Irmsher	→ <i>Saxifraga oppositifolia</i> L. subsp. <i>rudolphiana</i> (Hornsch.) Nyman
<i>Saxifraga paniculata</i> Mill. subsp. <i>stabiana</i> (Ten.) Pignatti	→ <i>Saxifraga paniculata</i> Mill.
<i>Saxifraga pseudogranulata</i> (Lacaita) Fen.	→ incl. <i>Saxifraga carpetana</i> Boiss. & Reut. subsp. <i>graeca</i> (Boiss. & Heldr.) D.A. Webb
<i>Saxifraga purpurea</i> All.	→ <i>Saxifraga retusa</i> Gouan subsp. <i>augustana</i> (Vacc.) D.A. Webb
<i>Saxifraga retusa</i> Gouan var. <i>augustana</i> Vacc.	→ <i>Saxifraga retusa</i> Gouan subsp. <i>augustana</i> (Vacc.) D.A. Webb
<i>Saxifraga rudolphiana</i> Hornsch.	→ <i>Saxifraga oppositifolia</i> L. subsp. <i>rudolphiana</i> (Hornsch.) Nyman
<i>Saxifraga speciosa</i> Dörfler et Hayek	→ <i>Saxifraga oppositifolia</i> L. subsp. <i>speciosa</i> (Dörfl. & Hayek) Engl. & Irmsh.
<i>Saxifraga squarrosa</i> Sieber var. <i>grappae</i> Massalongo	→ incl. <i>Saxifraga squarrosa</i> Sieber
<i>Saxifraga stellaris</i> L. subsp. <i>alpigena</i> Temesy.	→ <i>Saxifraga stellaris</i> L. subsp. <i>engleri</i> P. Fourn.
<i>Saxifraga stellaris</i> L. subsp. <i>robusta</i> (Engl.) Gremler	→ <i>Saxifraga stellaris</i> L. subsp. <i>engleri</i> P. Fourn.
<i>Scabiosa alpina</i> L.	→ <i>Cephalaria alpina</i> (L.) Roem. & Schult.
<i>Scabiosa argentea</i> L.	→ <i>Lomelosia argentea</i> (L.) Greuter & Burdet
<i>Scabiosa atropurpurea</i> L.	→ <i>Sixalix atropurpurea</i> (L.) Greuter & Burdet s.l.
<i>Scabiosa australis</i> Wulfen	→ <i>Succisella inflexa</i> (Kluk) Beck
<i>Scabiosa candicans</i> Jordan	→ <i>Scabiosa mollissima</i> Viv.
<i>Scabiosa cinerea</i> Lapeyr. ex Lam. subsp. <i>hladnikiana</i> (Host) Jasiewicz	→ <i>Scabiosa hladnikiana</i> Host
<i>Scabiosa crenata</i> Cyr.	→ <i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet s.l.
<i>Scabiosa crenata</i> Cyr. subsp. <i>crenata</i>	→ <i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>crenata</i>
<i>Scabiosa crenata</i> Cyr. subsp. <i>dallaportae</i> (Heldr. ex Boiss.) Hayek	→ <i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>dallaportae</i> (Boiss.) Greuter & Burdet
<i>Scabiosa cretica</i> L.	→ <i>Lomelosia cretica</i> (L.) Greuter & Burdet
<i>Scabiosa dallaportae</i> Heldr.	→ <i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>dallaportae</i> (Boiss.) Greuter & Burdet
<i>Scabiosa dichotoma</i> Ucria	→ <i>Scabiosa parviflora</i> Desf.
<i>Scabiosa dubia</i> Vel.	→ <i>Scabiosa velenovskiana</i> Bobrov
<i>Scabiosa gramuntia</i> L.	→ <i>Scabiosa triandra</i> L.
<i>Scabiosa inflexa</i> Kluk	→ <i>Succisella inflexa</i> (Kluk) Beck
<i>Scabiosa leucantha</i> L.	→ <i>Cephalaria leucantha</i> (L.) Roem. & Schult.
<i>Scabiosa limonifolia</i> Vahl	→ <i>Pseudoscabiosa limonifolia</i> (Vahl) Devesa
<i>Scabiosa maritima</i> L.	→ <i>Sixalix atropurpurea</i> (L.) Greuter & Burdet subsp. <i>grandiflora</i> (Scop.) Soldano & F. Conti
<i>Scabiosa pseudisetensis</i> (Lacaita) Pign.	→ <i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet subsp. <i>pseudisetensis</i> (Lacaita) Greuter & Burdet
<i>Scabiosa rutifolia</i> Vahl	→ <i>Pycnocomon rutifolium</i> (Vahl) Hoffmanns. & Link
<i>Scabiosa squamiflora</i> Sieber	→ <i>Cephalaria squamiflora</i> (Sieber) Greuter subsp. <i>mediterranea</i> (Viv.) Pignatti
<i>Scabiosa stellata</i> L. subsp. <i>simplex</i> (Desf.) Coutino	→ <i>Lomelosia simplex</i> (Desf.) Raf. subsp. <i>simplex</i>
<i>Scabiosa syriaca</i> L.	→ <i>Cephalaria syriaca</i> (L.) Roem. & Schult.
<i>Scabiosa transsylvanica</i> L.	→ <i>Cephalaria transsylvanica</i> (L.) Roem. & Schult.
<i>Scabiosa vestita</i> Jordan	→ <i>Scabiosa pyrenaica</i> All.
<i>Scandix anthriscus</i> L.	→ <i>Anthriscus caucalis</i> M. Bieb.
<i>Scandix brachycarpa</i> Guss.	→ <i>Scandix pecten-veneris</i> L. subsp. <i>brachycarpa</i> (Guss.) Thell.
<i>Scandix cerefolium</i> L.	→ <i>Anthriscus cerefolium</i> (L.) Hoffm.
<i>Scandix grandiflora</i> L.	→ <i>Scandix australis</i> L. subsp. <i>grandiflora</i> (L.) Thell.
<i>Scandix macrorhyncha</i> C.A. Mey.	→ <i>Scandix pecten-veneris</i> L. subsp. <i>macrorhyncha</i> (C.A. Mey.) Rouy & E.G. Camus
<i>Scandix nodosa</i> L.	→ <i>Myrrhoides nodosa</i> (L.) Cannon
<i>Scandix odorata</i> L.	→ <i>Myrrhis odorata</i> (L.) Scop.
<i>Scandix pecten-veneris</i> L. subsp. <i>hispanica</i> (Boiss.) Bonnier & Layens	→ <i>Scandix pecten-veneris</i> L. subsp. <i>macrorhyncha</i> (C.A. Mey.) Rouy & E.G. Camus
<i>Scandix pecten-veneris</i> L. subsp. <i>macrorhyncha</i> (C. A. Meyer) Rouy	→ <i>Scandix pecten-veneris</i> L. subsp. <i>macrorhyncha</i> (C.A. Mey.) Rouy & E.G. Camus
<i>Schivereckia jonthlaspi</i> L.	→ <i>Chypeola jonthlaspi</i> L. s.l.
<i>Schmidtia subtilis</i> Tratt.	→ <i>Coleanthus subtilis</i> (Tratt.) Seidel
<i>Schoenodorus violaceus</i> (Bellardi) Link	→ <i>Bellardiochloa variegata</i> (Lam.) Kerguelen s.l.

<i>Schoenoplectus americanus</i> (Pers.) Volkart	→ <i>Schoenoplectus pungens</i> (Vahl) Palla
<i>Schoenus aculeatus</i> L.	→ <i>Crypsis aculeata</i> (L.) Aiton
<i>Schoenus albus</i> L.	→ <i>Rhynchospora alba</i> (L.) Vahl
<i>Schoenus compressus</i> L.	→ <i>Blysmus compressus</i> (L.) Panz. ex Link
<i>Schoenus fuscus</i> L.	→ <i>Rhynchospora fusca</i> (L.) W.T. Aiton
<i>Schoenus mariscus</i> L.	→ <i>Cladium mariscus</i> (L.) Pohl
<i>Scilla cupani</i> Guss.	→ <i>Oncostema cerulea</i> (Raf.) Speta
<i>Scilla cupanii</i> Guss.	→ <i>Oncostema cerulea</i> (Raf.) Speta
<i>Scilla hispanica</i> Mill.	→ <i>Hyacinthoides hispanica</i> (Mill.) Rothm.
<i>Scilla hughii</i> Tineo	→ <i>Oncostema hughii</i> (Tineo ex Guss.) Speta
<i>Scilla hyacinthoides</i> L.	→ <i>Nectaroscilla hyacinthoides</i> (L.) Parl.
<i>Scilla italica</i> L.	→ <i>Hyacinthoides italica</i> (L.) Rothm.
<i>Scilla litardierei</i> Breistr.	→ <i>Chowardia litardierei</i> (Breistr.) Speta
<i>Scilla maritima</i> L.	→ <i>Charybdis maritima</i> (L.) Speta
<i>Scilla obtusifolia</i> Poir. subsp. <i>intermedia</i> (Guss.) Bég.	→ <i>Prospero obtusifolia</i> (Poir.) Speta subsp. <i>intermedia</i> (Guss.) Soldano & F. Conti
<i>Scilla peruviana</i> auct.	→ <i>Oncostema elongata</i> (Parl.) Speta
<i>Scilla undulata</i> Desf.	→ <i>Charybdis undulata</i> (Desf.) Speta
<i>Scinus molle</i> L.	→ <i>Schinus molle</i> L.
<i>Scirpoides holoschoenus</i> (L.) Soják subsp. <i>australis</i> (Murray) Soják	→ incl. <i>Scirpoides holoschoenus</i> (L.) Soják
<i>Scirpoides holoschoenus</i> (L.) Soják subsp. <i>holoschoenus</i>	→ incl. <i>Scirpoides holoschoenus</i> (L.) Soják
<i>Scirpus acicularis</i> L.	→ <i>Eleocharis acicularis</i> (L.) Roem. & Schult.
<i>Scirpus alpinus</i> (L.) Dalla Torre & Sarnth.	→ <i>Trichophorum alpinum</i> (L.) Pers.
<i>Scirpus annuus</i> All.	→ <i>Fimbristylis annua</i> (All.) Roem. & Schult.
<i>Scirpus atropurpureus</i> Retz.	→ <i>Eleocharis atropurpurea</i> (Retz.) C. Presl
<i>Scirpus bisumbellatus</i> Forssk.	→ <i>Fimbristylis bisumbellata</i> (Forssk.) Bubani
<i>Scirpus cernuus</i> Vahl	→ <i>Isolepis cernua</i> (Vahl) Roem. & Schult.
<i>Scirpus cespitosus</i> L.	→ <i>Trichophorum cespitosum</i> (L.) Hartm.
<i>Scirpus compressus</i> (L.) Pers.	→ <i>Blysmus compressus</i> (L.) Panz. ex Link
<i>Scirpus dichotomus</i> L.	→ <i>Fimbristylis annua</i> (All.) Roem. & Schult.
<i>Scirpus flavesces</i> Poir.	→ <i>Eleocharis flavesces</i> (Poir.) Urb.
<i>Scirpus fluitans</i> L.	→ <i>Isolepis fluitans</i> (L.) R. Br.
<i>Scirpus geniculatus</i> L.	→ <i>Eleocharis geniculata</i> (L.) Roem. & Schult.
<i>Scirpus hudsonianus</i> (Michx.) Fernald	→ <i>Trichophorum alpinum</i> (L.) Pers.
<i>Scirpus juncoides</i> Roxb.	→ <i>Schoenoplectus juncoides</i> (Roxb.) V.I. Krecz.
<i>Scirpus lacustris</i> L.	→ <i>Schoenoplectus lacustris</i> (L.) Palla
<i>Scirpus lacustris</i> L. subsp. <i>tabernaemontani</i> (C.C. Gmelin) Syme	→ <i>Schoenoplectus tabernaemontani</i> (C.C. Gmel.) Palla
<i>Scirpus litoralis</i> Schrader	→ <i>Schoenoplectus litoralis</i> (Schrader) Palla
<i>Scirpus mamillatus</i> (H. Lindb.) H. Lindb.	→ <i>Eleocharis mamillata</i> H. Lindb. subsp. <i>mamillata</i>
<i>Scirpus maritimus</i> L.	→ <i>Bolboschoenus maritimus</i> (L.) Palla
<i>Scirpus michelianus</i> L.	→ <i>Cyperus michelianus</i> (L.) Link
<i>Scirpus mucronatus</i> L.	→ <i>Schoenoplectus mucronatus</i> (L.) Palla
<i>Scirpus multicaulis</i> Sm.	→ <i>Eleocharis multicaulis</i> (Sm.) Desv.
<i>Scirpus obtusus</i> Willd.	→ <i>Eleocharis obtusa</i> (Willd.) Schult.
<i>Scirpus ovatus</i> Roth	→ <i>Eleocharis ovata</i> (Roth) Roem. & Schult.
<i>Scirpus palustris</i> L.	→ <i>Eleocharis palustris</i> (L.) Roem. & Schult. subsp. <i>palustris</i>
<i>Scirpus parvulus</i> Roem. & Schult.	→ <i>Eleocharis parvula</i> (Roem. & Schult.) Link ex Bluff, Nees & Schauer
<i>Scirpus pauciflorus</i> Lightf.	→ <i>Eleocharis quinqueflora</i> (Hartmann) O. Schwarz
<i>Scirpus pseudosetaceus</i> Daveau	→ <i>Isolepis pseudosetacea</i> (Daveau) Lainz
<i>Scirpus pumilus</i> Vahl	→ <i>Trichophorum pumilum</i> (Vahl) Schinz & Thell.
<i>Scirpus pungens</i> Vahl	→ <i>Schoenoplectus pungens</i> (Vahl) Palla
<i>Scirpus quinqueflorus</i> Hartmann	→ <i>Eleocharis quinqueflora</i> (Hartmann) O. Schwarz
<i>Scirpus setaceus</i> L.	→ <i>Isolepis setacea</i> (L.) R. Br.
<i>Scirpus supinus</i> L.	→ <i>Schoenoplectus supinus</i> (L.) Palla
<i>Scirpus triquet</i> L.	→ <i>Schoenoplectus triquet</i> (L.) Palla
<i>Scirpus uniglumis</i> Link	→ <i>Eleocharis uniglumis</i> (Link) Schult. subsp. <i>uniglumis</i>
<i>Scirpus x-carinatus</i> Sm.	→ <i>Schoenoplectus carinatus</i> (Sm.) Palla
<i>Scleranthus annuus</i> L. subsp. <i>aetnensis</i> (Strobl) Pign.	→ <i>Scleranthus aetnensis</i> Strobl
<i>Scleranthus annuus</i> L. subsp. <i>polycarpus</i> (L.) Thell. in Schinz & R. Keller	→ <i>Scleranthus polycarpus</i> L.
<i>Scleranthus annuus</i> L. subsp. <i>verticillatus</i> (Tausch) Arcangeli	→ <i>Scleranthus verticillatus</i> Tausch
<i>Scleranthus burnatii</i> Briq.	→ <i>Scleranthus perennis</i> L. subsp. <i>burnatii</i> (Briq.) P.D. Sell
<i>Scleranthus dichotomus</i> Schur	→ <i>Scleranthus perennis</i> L. subsp. <i>dichotomus</i> (Schur) Nyman
<i>Scleranthus marginatus</i> Guss.	→ <i>Scleranthus perennis</i> L. subsp. <i>marginatus</i> (Guss.) Nyman
<i>Scleranthus marginatus</i> Guss. subsp. <i>dichotomus</i> (Schur) Pign.	→ <i>Scleranthus perennis</i> L. subsp. <i>dichotomus</i> (Schur) Nyman
<i>Scleranthus polycarpus</i> L. subsp. <i>collinus</i> (Hornung) Pign.	→ <i>Scleranthus verticillatus</i> Tausch
<i>Scleranthus vulcanicus</i> Strobl	→ <i>Scleranthus perennis</i> L. subsp. <i>vulcanicus</i> (Strobl) Bég.

<i>Sclerochloa divaricata</i> (Desf.) Link	→ <i>Cutandia divaricata</i> (Desf.) Benth.
<i>Sclerochloa hemipoa</i> (Delile ex Sprengel) Guss.	→ <i>Catapodium hemipoa</i> (Delile ex Spreng.) Lainz
<i>Sclerochloa loliacea</i> (Huds.) J. Woods	→ <i>Catapodium balearicum</i> (Willk.) H. Scholz
<i>Sclerochloa maritima</i> (L.) Sweet	→ <i>Cutandia maritima</i> (L.) Barbey
<i>Sclerochloa rigida</i> (L.) Link	→ <i>Catapodium rigidum</i> (L.) C.E. Hubb. ex Dony s.l.
<i>Scleropoa divaricata</i> (Desf.) Parl.	→ <i>Cutandia divaricata</i> (Desf.) Benth.
<i>Scleropoa hemipoa</i> (Delile ex Sprengel) Parl.	→ <i>Catapodium hemipoa</i> (Delile ex Spreng.) Lainz
<i>Scleropoa loliacea</i> (Huds.) Gren. & Godr.	→ <i>Catapodium balearicum</i> (Willk.) H. Scholz
<i>Scleropoa maritima</i> (L.) Parl.	→ <i>Cutandia maritima</i> (L.) Barbey
<i>Scleropoa rigida</i> (L.) Griseb.	→ <i>Catapodium rigidum</i> (L.) C.E. Hubb. ex Dony s.l.
<i>Scolopendrium hemionitis</i> Swartz	→ <i>Phyllitis sagittata</i> (DC.) Guinea & Heywood
<i>Scolopendrium sagittatum</i> DC.	→ <i>Phyllitis sagittata</i> (DC.) Guinea & Heywood
<i>Scorodonia sicula</i> Rafin.	→ <i>Teucrium siculum</i> (Raf.) Guss. subsp. <i>euganeum</i> (Vis.) Tornad.
<i>Scorpiurus pinnatus</i> Mill.	→ <i>Ornithopus pinnatus</i> (Mill.) Druce
<i>Scorzonera cana</i> (C.A. Mey.) O. Hoffm.	→ <i>Scorzonera jacquiniana</i> (W.D.J. Koch) Boiss.
<i>Scorzonera columnae</i> Guss.	→ <i>Scorzonera villosa</i> Scop. subsp. <i>columnae</i> (Guss.) Nyman
<i>Scorzonera glastifolia</i> Willd.	→ <i>Scorzonera hispanica</i> L. subsp. <i>glastifolia</i> (Willd.) Arcang.
<i>Scorzonera picroides</i> L.	→ <i>Reichardia picroides</i> (L.) Roth
<i>Scorzonera resedifolia</i> Retz.	→ <i>Scorzonera laciniata</i> L. subsp. <i>decumbens</i> (Guss.) Greuter
<i>Scorzonera rosea</i> Waldst. & Kit.	→ <i>Scorzonera purpurea</i> L. subsp. <i>rosea</i> (Waldst. & Kit.) Nyman
<i>Scorzonera tingitana</i> L.	→ <i>Reichardia tingitana</i> (L.) Roth
<i>Scorzonera trachysperma</i> Guss.	→ <i>Scorzonera hispanica</i> L. subsp. <i>neapolitana</i> (Grande) Greuter
<i>Scorzonera undulata</i> Vahl subsp. <i>deliciosa</i> (Guss.) Maire	→ <i>Scorzonera deliciosa</i> Guss. ex DC.
<i>Scorzonera villosa</i> Scop. subsp. <i>callosa</i> (Moris) Chater	→ <i>Scorzonera callosa</i> Moris
<i>Scrophularia bicolor</i> Sm.	→ <i>Scrophularia canina</i> L. subsp. <i>bicolor</i> (Sm.) Greuter
<i>Scrophularia canina</i> L. subsp. <i>hoppii</i> (Koch) P. Fourn.	→ <i>Scrophularia hoppii</i> Koch
<i>Scrophularia juratensis</i> Schleicher	→ <i>Scrophularia hoppii</i> Koch
<i>Scutellaria columnae</i> All. subsp. <i>gussonei</i> (Ten.) Rech. fil.	→ <i>Scutellaria columnae</i> All. subsp. <i>gussonei</i> (Ten.) Arcang.
<i>Scutellaria gussonei</i> Ten.	→ <i>Scutellaria columnae</i> All. subsp. <i>gussonei</i> (Ten.) Arcang.
<i>Scutellaria linnaeana</i> Caruel	→ <i>Scutellaria rubicunda</i> Hornem.
<i>Scutellaria rubicunda</i> Hornem. subsp. <i>linnaeana</i> (Caruel) Rech.	→ <i>Scutellaria rubicunda</i> Hornem.
<i>Secale montanum</i> Guss.	→ <i>Secale strictum</i> (C. Presl) C. Presl
<i>Secale villosum</i> L.	→ <i>Dasyphyrum villosum</i> (L.) P. Candargy, non Borbás
<i>Sedum acre</i> L. subsp. <i>neglectum</i> (Ten.) Rouy & Camus	→ <i>Sedum acre</i> L.
<i>Sedum alsinifolium</i> All.	→ <i>Sedum alsinefolium</i> All.
<i>Sedum anacampseros</i> L.	→ <i>Hylotelephium anacampseros</i> (L.) H. Ohba
<i>Sedum anopetalum</i> DC.	→ <i>Sedum ochroleucum</i> Chaix
<i>Sedum atratum</i> L. var. <i>carinthiacum</i> Pacher	→ <i>Sedum atratum</i> L. subsp. <i>carinthiacum</i> (Hoppe ex Pacher) D.A. Webb
<i>Sedum maximum</i> (L.) Suter	→ <i>Hylotelephium maximum</i> (L.) Holub
<i>Sedum neglectum</i> Ten.	→ <i>Sedum acre</i> L.
<i>Sedum ochroleucum</i> Chaix subsp. <i>montanum</i> (Song. & Perr.) D.A. Webb	→ <i>Sedum montanum</i> E.P. Perrier & Sonjeon s.l.
<i>Sedum olympicum</i> Boiss.	→ <i>Sedum magellense</i> Ten. subsp. <i>olympicum</i> (Boiss.) Grande
<i>Sedum spurium</i> Bieb.	→ <i>Phedimus spurius</i> (M.Bieb.) 't Hart in 't Hart & Eggli
<i>Sedum stellatum</i> L.	→ <i>Phedimus stellatus</i> (L.) Raf.
<i>Sedum telephium</i> L. var. <i>maximum</i> L.	→ <i>Hylotelephium maximum</i> (L.) Holub
<i>Sedum tenuifolium</i> (S. et S.) Strobil	→ <i>Sedum amplexicaule</i> DC. subsp. <i>tenuifolium</i> (Sm. in Sibth. & Sm.) Greuter
<i>Selinum austriacum</i> Jacq.	→ <i>Peucedanum austriacum</i> (Jacq.) W.D.J. Koch s.l.
<i>Selinum cerefolium</i> (L.) E.H.L. Krause	→ <i>Anthriscus cerefolium</i> (L.) Hoffm.
<i>Selinum cervaria</i> L.	→ <i>Peucedanum cervaria</i> (L.) Lapeyr.
<i>Selinum latifolium</i> M. Bieb.	→ <i>Peucedanum latifolium</i> (M. Bieb.) DC.
<i>Selinum palustre</i> L.	→ <i>Peucedanum palustre</i> (L.) Moench
<i>Sempervivum arachnoideum</i> L. subsp. <i>tomentosum</i> (C.B. Lehm. & Schnittsp.) Schinz & Thell.	→ <i>Sempervivum arachnoideum</i> L.
<i>Sempervivum arboreum</i> L.	→ <i>Aeonium arboreum</i> (L.) Webb & Berthel.
<i>Sempervivum arenarium</i> Koch	→ <i>Jovibarba arenaria</i> (Koch) Opiz
<i>Sempervivum globiferum</i> L.	→ <i>Jovibarba globifera</i> (L.) J. Parn. subsp. <i>hirta</i> (L.) J. Parn.
<i>Sempervivum hirtum</i> L.	→ <i>Jovibarba globifera</i> (L.) J. Parn. subsp. <i>hirta</i> (L.) J. Parn.
<i>Sempervivum italicum</i> Ricci	→ <i>Sempervivum riccii</i> Iberite & Anzal.
<i>Sempervivum sediforme</i> Jacq.	→ <i>Sedum sediforme</i> (Jacq.) Pau
<i>Senecio abrotanifolius</i> L. subsp. <i>tyroliensis</i> (Kerner) Gams	→ <i>Senecio abrotanifolius</i> L. subsp. <i>tyroliensis</i> (A. Kern.) Gams
<i>Senecio aethnensis</i> Jan	→ <i>Senecio squalidus</i> L. subsp. <i>aethnensis</i> (Poir.) Greuter
<i>Senecio aethnensis</i> Jan var. <i>incisus</i> (C. Presl) DC.	→ <i>Senecio squalidus</i> L. subsp. <i>aethnensis</i> (Poir.) Greuter
<i>Senecio ambiguus</i> (Biv.) DC. subsp. <i>gibbosus</i> (Guss.) Chater	→ <i>Senecio gibbosus</i> (Guss.) DC. subsp. <i>gibbosus</i>
<i>Senecio aquaticus</i> Hill var. <i>aquaticus</i>	→ incl. <i>Senecio aquaticus</i> Hill
<i>Senecio aquaticus</i> Hill var. <i>barbareifolius</i> (Krock.) Wimm. & Grab.	→ incl. <i>Senecio aquaticus</i> Hill

<i>Senecio aurantiacus</i> (Hoppe) Lessing	→ <i>Tephroseris integrifolia</i> (L.) Holub subsp. <i>capitata</i> (Wahlenb.) B. Nord.
<i>Senecio balbisianus</i> DC.	→ <i>Tephroseris balbisiana</i> (DC.) Holub
<i>Senecio bicolor</i> (Willd.) Tod.	→ <i>Senecio gibbosus</i> (Guss.) DC. subsp. <i>bicolor</i> (Willd.) Peruzzi, N.G. Passal. & Soldano
<i>Senecio bicolor</i> (Willd.) Tod. subsp. <i>cineraria</i> (DC.) Chater	→ <i>Senecio gibbosus</i> (Guss.) DC. subsp. <i>cineraria</i> (DC.) Peruzzi, N.G. Passal. & Soldano
<i>Senecio bicolor</i> (Willd.) Tod. subsp. <i>nebrodensis</i> (Guss.) Chater	→ <i>Senecio ambiguus</i> (Biv.) DC. subsp. <i>nebrodensis</i> (Guss.) Peruzzi & N.G. Passal.
<i>Senecio brachychaetus</i> sensu Pignatti	→ <i>Tephroseris italica</i> Holub
<i>Senecio candidus</i> (J. & C. Presl) DC.	→ <i>Senecio ambiguus</i> (Biv.) DC. subsp. <i>nebrodensis</i> (Guss.) Peruzzi & N.G. Passal.
<i>Senecio capitatus</i> (Wahlenb.) Steud.	→ <i>Tephroseris integrifolia</i> (L.) Holub subsp. <i>capitata</i> (Wahlenb.) B. Nord.
<i>Senecio carniolicus</i> Willd.	→ <i>Senecio incanus</i> L. subsp. <i>carniolicus</i> (Willd.) Braun-Blanq.
<i>Senecio cineraria</i> DC.	→ <i>Senecio gibbosus</i> (Guss.) DC. subsp. <i>cineraria</i> (DC.) Peruzzi, N.G. Passal. & Soldano
<i>Senecio cordatus</i> Koch	→ <i>Senecio alpinus</i> (L.) Scop.
<i>Senecio coronopifolius</i> Desf.	→ <i>Senecio gallicus</i> Chaix
<i>Senecio doronicum</i> L. subsp. <i>gerardii</i> (G. et G.) Nyman	→ <i>Senecio provincialis</i> (L.) Druce
<i>Senecio erraticus</i> Bertol.	→ incl. <i>Senecio aquaticus</i> Hill
<i>Senecio erraticus</i> Bertol. subsp. <i>barbareifolius</i> (Wimm. & Grab.) Beger	→ incl. <i>Senecio aquaticus</i> Hill
<i>Senecio erraticus</i> Bertol. subsp. <i>erraticus</i>	→ incl. <i>Senecio aquaticus</i> Hill
<i>Senecio fuchsii</i> Gmelin	→ <i>Senecio ovatus</i> (P. Gaertn., B. Mey. & Scherb.) Willd. s.l.
<i>Senecio gaudinii</i> Gremli	→ <i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>gaudinii</i> (Gremli) Kerguelen
<i>Senecio gerardii</i> Godr. & Gren.	→ <i>Senecio provincialis</i> (L.) Druce
<i>Senecio integrifolius</i> (L.) Clairv.	→ <i>Tephroseris integrifolia</i> (L.) Holub s.l.
<i>Senecio integrifolius</i> (L.) Clairv. subsp. <i>aurantiacus</i> (Hoppe ex Willd.) Briq. & Cavillier	→ <i>Tephroseris integrifolia</i> (L.) Holub subsp. <i>capitata</i> (Wahlenb.) B. Nord.
<i>Senecio integrifolius</i> (L.) Clairv. subsp. <i>integrifolius</i>	→ <i>Tephroseris integrifolia</i> (L.) Holub subsp. <i>integrifolia</i>
<i>Senecio lanatus</i> Scop.	→ <i>Senecio scopolii</i> Hoppe & Hornsch. ex Bluff & Fingerh.
<i>Senecio nemorensis</i> L.	→ <i>Senecio germanicus</i> Wallr. s.l.
<i>Senecio nemorensis</i> L. subsp. <i>fuchsii</i> (C.C. Gmelin) Celak.	→ <i>Senecio ovatus</i> (P. Gaertn., B. Mey. & Scherb.) Willd. s.l.
<i>Senecio nemorensis</i> L. subsp. <i>nemorensis</i>	→ <i>Senecio germanicus</i> Wallr. subsp. <i>germanicus</i>
<i>Senecio nemorensis</i> L. subsp. <i>stabianus</i> (Lacaita) Pign.	→ <i>Senecio stabianus</i> Lacaita
<i>Senecio ovirensis</i> (Koch) DC.	→ <i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk s.l.
<i>Senecio ovirensis</i> (Koch) DC. subsp. <i>gaudinii</i> (Gremli) Cuf.	→ <i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>gaudinii</i> (Gremli) Kerguelen
<i>Senecio pseudocrispus</i> (Fiori) E. Mayer	→ <i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>pseudocrispa</i> (Fiori) Greuter
<i>Senecio rivularis</i> (Waldst. & Kit.) DC. subsp. <i>pseudocrispus</i> (Fiori) E. Mayer	→ <i>Tephroseris longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>pseudocrispa</i> (Fiori) Greuter
<i>Senecio rupestris</i> W. et K.	→ <i>Senecio squalidus</i> L. s.l.
<i>Senecio samniticus</i> Huet	→ incl. <i>Senecio alpinus</i> (L.) Scop.
<i>Senecio samnitum</i> (Nyman) Greuter	→ incl. <i>Senecio alpinus</i> (L.) Scop.
<i>Senecio siculus</i> All.	→ <i>Senecio squalidus</i> L. subsp. <i>chrysanthemifolius</i> (Poir.) Greuter
<i>Senecio tenorei</i> Pignatti	→ incl. <i>Senecio scopolii</i> Hoppe & Hornsch. ex Bluff & Fingerh.
<i>Serapias damasonium</i> Miller	→ <i>Cephalanthera damasonium</i> (Mill.) Druce
<i>Serapias microphylla</i> Ehrh.	→ <i>Epipactis microphylla</i> (Ehrh.) Sw.
<i>Serapias olbia</i> Verg.	→ incl. <i>Serapias lingua</i> L.
<i>Serapias orientalis</i> (Greuter) H. Baumann & Künkele	→ <i>Serapias vomeracea</i> (Burm. f.) Briq. subsp. <i>orientalis</i> Greuter
<i>Serapias orientalis</i> E. Nelson (nom. illeg.)	→ <i>Serapias vomeracea</i> (Burm. f.) Briq. subsp. <i>orientalis</i> Greuter
<i>Serapias orientalis</i> (Greuter) H. Baumann & Künkele subsp. <i>apulica</i> H. Baumann & Künkele	→ incl. <i>Serapias vomeracea</i> (Burm. f.) Briq. subsp. <i>orientalis</i> Greuter
<i>Serapias orientalis</i> (Greuter) H. Baumann & Künkele subsp. <i>siciliensis</i> Bartolo & Pulv.	→ incl. <i>Serapias vomeracea</i> (Burm. f.) Briq. subsp. <i>orientalis</i> Greuter
<i>Serapias palustris</i> Mill.	→ <i>Epipactis palustris</i> (L.) Crantz
<i>Serapias rubra</i> L.	→ <i>Cephalanthera rubra</i> (L.) Rich.
<i>Serapias vomeracea</i> (Burm. f.) Briq. subsp. <i>longipetala</i> (Ten.) H. Baumann & Künkele	→ <i>Serapias vomeracea</i> (Burm. f.) Briq. s.l.
<i>Seriola aetnensis</i> L.	→ <i>Hypochaeris achyrophorus</i> L.
<i>Serrafalcus unioides</i> (Kunth) Samp.	→ <i>Ceratochloa cathartica</i> (Vahl) Herter
<i>Serratula alpina</i> L.	→ <i>Saussurea alpina</i> (L.) DC. s.l.
<i>Serratula cichoracea</i> (L.) DC. subsp. <i>cichoracea</i>	→ <i>Klasea flavescens</i> (L.) Holub subsp. <i>cichoracea</i> (L.) Greuter & Wagenitz
<i>Serratula cichoracea</i> (L.) DC. subsp. <i>mucronata</i> (Desf.) Lacaita	→ <i>Klasea flavescens</i> (L.) Holub subsp. <i>mucronata</i> (Desf.) Cantó & Rivas Mart.

<i>Serratula discolor</i> Willd.	→ <i>Saussurea discolor</i> (Willd.) DC.
<i>Serratula humilis</i> Desf.	→ <i>Jurinea bocconii</i> (Guss.) DC.
<i>Serratula lycopifolia</i> (Vill.) Kerner	→ <i>Klasea lycopifolia</i> (Vill.) Á. & D. Löve
<i>Serratula macrocephala</i> Bertol.	→ <i>Serratula tinctoria</i> L. subsp. <i>macrocephala</i> (Bertol.) Wilczek & Schinz
<i>Serratula nudicaulis</i> (L.) DC.	→ <i>Klasea nudicaulis</i> (L.) Fourr.
<i>Sesamoides canescens</i> (L.) O. Kuntze	→ <i>Sesamoides interrupta</i> (Boreau) G. López
<i>Sesamoides clusii</i> (Sprengel) Greuter & Burdet	→ <i>Sesamoides interrupta</i> (Boreau) G. López
<i>Sesamoides purpurascens</i> (L.) G. López subsp. <i>spatulata</i> (Moris) Lambinon & Kerguélen	→ <i>Sesamoides spatulifolia</i> (Revelière ex Boreau) Rothm.
<i>Sesamoides pygmaea</i> (Scheele) Kuntze	→ <i>Sesamoides interrupta</i> (Boreau) G. López
<i>Seseli austriacum</i> (Beck) Wohlf.	→ <i>Seseli elatum</i> L. subsp. <i>austriacum</i> (Beck) P.W. Ball
<i>Seseli bocconi</i> Guss. subsp. <i>praecox</i> Gamisans	→ <i>Seseli praecox</i> (Gamisans) Gamisans
<i>Seseli carvifolia</i> L.	→ <i>Selinum carvifolia</i> (L.) L.
<i>Seseli carvifolium</i> Vill.	→ <i>Seseli annuum</i> L. subsp. <i>carvifolium</i> (Vill.) P. Fourn.
<i>Seseli gouanii</i> W.D.J. Koch	→ <i>Seseli elatum</i> L. subsp. <i>gouanii</i> (W.D.J. Koch) P.W. Ball
<i>Seseli montanum</i> L. subsp. <i>polyphyllum</i> (Ten.) P.W. Ball	→ <i>Seseli polyphyllum</i> Ten.
<i>Seseli montanum</i> L. subsp. <i>tommasinii</i> (Reichenb. fil.) Arcangeli	→ <i>Seseli tommasinii</i> Rchb. f.
<i>Seseli pusilla</i> Brot.	→ <i>Ammoides pusilla</i> (Brot.) Breistr.
<i>Seseli ramosissimum</i> (Port.) Ces.	→ <i>Athamanta ramosissima</i> Port.
<i>Seseli varium</i> Treviranus	→ <i>Seseli pallasii</i> Besser
<i>Seseli viarum</i> Calest.	→ <i>Seseli tommasinii</i> Rchb. f.
<i>Seselinia austriaca</i> Beck	→ <i>Seseli elatum</i> L. subsp. <i>austriacum</i> (Beck) P.W. Ball
<i>Sesleria cylindrica</i> (Balbis) DC.	→ <i>Sesleria argentea</i> (Savi) Savi
<i>Sesleria disticha</i> (Wulfen) Pers.	→ <i>Oreochloa disticha</i> (Wulfen) Link
<i>Sesleria insularis</i> Sommier subsp. <i>italica</i> (Pamp.) Deyl	→ <i>Sesleria italica</i> (Pamp.) Ujhelyi
<i>Sesleria leucocephala</i> DC.	→ <i>Sesleriella leucocephala</i> (DC.) Deyl
<i>Sesleria ovata</i> (Hoppe) Kerner	→ <i>Psilathera ovata</i> (Hoppe) Deyl
<i>Sesleria pedemontana</i> (Reut.) Nyman	→ <i>Oreochloa seslerioides</i> (All.) Richt.
<i>Sesleria sadlerana</i> Janka	→ <i>Sesleria tatrae</i> (Degen) Deyl
<i>Sesleria sadleriana</i> Janka	→ <i>Sesleria tatrae</i> (Degen) Deyl
<i>Sesleria sphaerocephala</i> Ardoino	→ <i>Sesleriella sphaerocephala</i> (Ard.) Deyl
<i>Sesleria tenuifolia</i> Schrader subsp. <i>kalnicensis</i> (Jav.) Deyl	→ <i>Sesleria kalnikensis</i> Jáv.
<i>Sesleria tuzsonii</i> Ujhelyi	→ <i>Sesleria autumnalis</i> (Scop.) F.W. Schultz
<i>Sesleria varia</i> (Jacq.) Wettst.	→ <i>Sesleria caerulea</i> (L.) Ard. s.l.
<i>Setaria ambigua</i> Guss.	→ <i>Setaria verticillata</i> (L.) P. Beauv.
<i>Setaria decipiens</i> K.F. Schimp.	→ <i>Setaria verticillata</i> (L.) P. Beauv.
<i>Setaria geniculata</i> (Lam.) Beauv.	→ <i>Setaria parviflora</i> (Poir.) Kerguélen
<i>Setaria glauca</i> (L.) Beauv.	→ <i>Setaria pumila</i> (Poir.) Roem. & Schult.
<i>Setaria verticilliformis</i> Dumort.	→ <i>Setaria verticillata</i> (L.) P. Beauv.
<i>Setariopsis glauca</i> (L.) Samp.	→ <i>Setaria pumila</i> (Poir.) Roem. & Schult.
<i>Setariopsis verticillata</i> (L.) Samp.	→ <i>Setaria verticillata</i> (L.) P. Beauv.
<i>Setariopsis viridis</i> (L.) Samp.	→ <i>Setaria viridis</i> (L.) P. Beauv. s.l.
<i>Sicyos edulis</i> Jacq.	→ <i>Sechium edule</i> (Jacq.) Sw.
<i>Sicyos lobata</i> Michx.	→ <i>Echinocystis lobata</i> (Michx.) Torr. & A. Gray
<i>Sida abutilon</i> L.	→ <i>Abutilon theophrasti</i> Medik.
<i>Sideritis brutia</i> Ten.	→ <i>Sideritis italica</i> (Mill.) Greuter & Burdet
<i>Sideritis ocymastrum</i> L.	→ <i>Stachys ocymastrum</i> (L.) Briq.
<i>Sideritis sicula</i> Ucria	→ <i>Sideritis italica</i> (Mill.) Greuter & Burdet
<i>Sideritis syriaca</i> L. sensu Pignatti Fl. d'It.	→ <i>Sideritis italica</i> (Mill.) Greuter & Burdet
<i>Siebera cherlerioides</i> Hoppe	→ <i>Minuartia cherlerioides</i> (Hoppe) Bech. subsp. <i>cherlerioides</i>
<i>Sieglingia decumbens</i> (L.) P. Beauv.	→ <i>Danthonia decumbens</i> (L.) DC. subsp. <i>decumbens</i>
<i>Sieglingia decumbens</i> (L.) Bernh.	→ <i>Danthonia decumbens</i> (L.) DC. subsp. <i>decumbens</i>
<i>Sigesbeckia orientalis</i> L.	→ <i>Sigesbeckia orientalis</i> L.
<i>Silene acaulis</i> (L.) Jacq. subsp. <i>exscapa</i> (All.) Br.-Bl.	→ <i>Silene acaulis</i> (L.) Jacq. subsp. <i>bryoides</i> (Jord.) Nyman
<i>Silene acaulis</i> (L.) Jacq. subsp. <i>longiscapa</i> Vierh.	→ <i>Silene acaulis</i> (L.) Jacq. s.l.
<i>Silene alba</i> (Miller) Krause	→ <i>Silene latifolia</i> Poir. subsp. <i>alba</i> (Mill.) Greuter & Burdet
<i>Silene auriculata</i> Sibth. & Sm.	→ <i>Silene lanuginosa</i> Bertol.
<i>Silene auriculata</i> Sm. subsp. <i>lanuginosa</i> (Bertol.) Arcangeli	→ <i>Silene lanuginosa</i> Bertol.
<i>Silene bosniaca</i> (Beck) Hand.-Mazz.	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>commutata</i> (Guss.) Hayek
<i>Silene bryoides</i> Jord.	→ <i>Silene acaulis</i> (L.) Jacq. subsp. <i>bryoides</i> (Jord.) Nyman
<i>Silene coeli-rosa</i> (L.) Godron	→ <i>Silene coelirosa</i> (L.) Godr.
<i>Silene colorata</i> Poir. subsp. <i>canescens</i> (Ten.) Cif. et Giac.	→ <i>Silene canescens</i> Ten.
<i>Silene colorata</i> Poir. subsp. <i>morisiana</i> (Bég. et Ravano) Pign.	→ <i>Silene morisiana</i> Bég. & Ravano
<i>Silene commutata</i> Guss.	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>commutata</i> (Guss.) Hayek
<i>Silene conica</i> L. subsp. <i>subconica</i> (Friv.) Gavioli	→ <i>Silene subconica</i> Friv.
<i>Silene corsica</i> DC.	→ <i>Silene succulenta</i> Forssk. subsp. <i>corsica</i> (DC.) Nyman
<i>Silene cucubalus</i> Wibel	→ <i>Silene vulgaris</i> (Moench) Garcke s.l.

<i>Silene divaricata</i> Clemente	→ incl. <i>Silene dichotoma</i> Ehrh.
<i>Silene glareosa</i> Jord.	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>glareosa</i> (Jord.) Marsden-Jones & Turrill
<i>Silene graefferi</i> Guss.	→ <i>Silene ciliata</i> Pourr. subsp. <i>graefferi</i> (Guss.) Nyman
<i>Silene inflata</i> Sm.	→ <i>Silene vulgaris</i> (Moench) Garcke s.l.
<i>Silene inflata</i> Sm. var. <i>aetnensis</i> Strobl	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>aetnensis</i> (Strobl) Pignatti
<i>Silene inflata</i> Sm. subsp. <i>prostrata</i> Gaudin	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>prostrata</i> (Gaudin) Schinz & Thell.
<i>Silene italica</i> (L.) Pers. subsp. <i>nemoralis</i> (W. et K.) Nyman	→ <i>Silene nemoralis</i> Waldst. & Kit.
<i>Silene livida</i> Willd.	→ <i>Silene nutans</i> L. subsp. <i>insubrica</i> (Gaudin) Soldano
<i>Silene monachorum</i> (Vis. & Pancic) Vis. & Pancic	→ incl. <i>Silene pusilla</i> Waldst. & Kit. subsp. <i>pusilla</i>
<i>Silene nicaeensis</i> All.	→ <i>Silene niceensis</i> All.
<i>Silene nocturna</i> L. subsp. <i>neglecta</i> (Ten.) Arcangeli	→ <i>Silene neglecta</i> Ten.
<i>Silene nutans</i> L. subsp. <i>livida</i> (Willd.) Jeanmonod & Bocquet	→ <i>Silene nutans</i> L. subsp. <i>insubrica</i> (Gaudin) Soldano
<i>Silene parnassica</i> auct. Fl. Ital.	→ <i>Silene notarisii</i> Ces.
<i>Silene pseudotocion</i> Desf.	→ <i>Silene pseudotocion</i> Desf.
<i>Silene pseudotites</i> L.	→ <i>Silene otites</i> (L.) Wibel subsp. <i>pseudotites</i> (Rchb.) Graebn. & P. Graebn.
<i>Silene quadrifida</i> (L.) L.	→ incl. <i>Silene pusilla</i> Waldst. & Kit. subsp. <i>pusilla</i>
<i>Silene rubella</i> L.	→ <i>Silene diversifolia</i> Otth
<i>Silene rubella</i> L. subsp. <i>turbinata</i> (Guss.) Chater et Walters	→ <i>Silene turbinata</i> Guss.
<i>Silene salzmännii</i> Badaro	→ <i>Silene badaroi</i> Breistr.
<i>Silene sanctae-theresiae</i> Jeanm.	→ <i>Silene rosulata</i> Soy.-Will. & Godr. subsp. <i>sanctae-theresiae</i> (Jeanm.) Jeanm.
<i>Silene sicula</i> Ucria	→ <i>Silene italica</i> (L.) Pers. subsp. <i>sicula</i> (Ucria) Jeanm.
<i>Silene staminea</i> Bertol.	→ <i>Silene roemerii</i> Friv. subsp. <i>staminea</i> (Bertol.) Nyman
<i>Silene tenoreana</i> Colla	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>tenoreana</i> (Colla) Soldano & F. Conti
<i>Silene trinervia</i> Seb. et Mauri	→ <i>Silene gallinyi</i> Rchb.
<i>Silene tyrrhenia</i> Jeanmonod & Bocquet	→ <i>Silene badaroi</i> Breistr.
<i>Silene uniflora</i> Roth subsp. <i>glareosa</i> (Jordan) Chater & Walters	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>glareosa</i> (Jord.) Marsden-Jones & Turrill
<i>Silene uniflora</i> Roth subsp. <i>prostrata</i> (Gaudin) Chater & Walters	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>prostrata</i> (Gaudin) Schinz & Thell.
<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>angustifolia</i> (Miller) Hayek	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>tenoreana</i> (Colla) Soldano & F. Conti
<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>antelopum</i> (Vest) Hayek	→ <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>commutata</i> (Guss.) Hayek
<i>Silene x-pseudotites</i> Besser ex Reichenb.	→ <i>Silene otites</i> (L.) Wibel subsp. <i>pseudotites</i> (Rchb.) Graebn. & P. Graebn.
<i>Siler trilobum</i> (L.) Crantz	→ <i>Laser trilobum</i> (L.) Borkh.
<i>Simbuleta bellidifolia</i> (L.) Kuntze	→ <i>Anarrhinum bellidifolium</i> (L.) Desf.
<i>Simethis planifolia</i> (L.) Gren.	→ <i>Simethis mattiazzi</i> (Vandelli) Saccardo
<i>Sinapis crassifolia</i> Forssk.	→ <i>Diplotaxis harra</i> (Forssk.) Boiss. subsp. <i>crassifolia</i> (Raf.) Maire
<i>Sinapis dissecta</i> Lag.	→ <i>Sinapis alba</i> L. subsp. <i>dissecta</i> (Lag.) Bonnier
<i>Sinapis erucoides</i> L.	→ <i>Diplotaxis erucoides</i> (L.) DC. subsp. <i>erucoides</i>
<i>Sinapis geniculata</i> Desf.	→ <i>Hirschfeldia incana</i> (L.) Lagr.-Foss. subsp. <i>incana</i>
<i>Sinapis harra</i> Forssk.	→ <i>Diplotaxis harra</i> (Forssk.) Boiss. subsp. <i>crassifolia</i> (Raf.) Maire
<i>Sinapis hispanica</i> L.	→ <i>Erucaria hispanica</i> (L.) Druce
<i>Sinapis incana</i> L.	→ <i>Hirschfeldia incana</i> (L.) Lagr.-Foss. subsp. <i>incana</i>
<i>Sinapis mairaei</i> H. Lindb.	→ <i>Sinapis alba</i> L. subsp. <i>mairaei</i> (H. Lindb.) Maire
<i>Sinapis nigra</i> L.	→ <i>Brassica nigra</i> (L.) W.D.J. Koch
<i>Sinapis procumbens</i> Poir.	→ <i>Brassica procumbens</i> (Poir.) O.E. Schulz
<i>Sisalix atropurpurea</i> (L.) Greuter & Burdet subsp. <i>maritima</i> (L.) Greuter & Burdet	→ <i>Sisalix atropurpurea</i> (L.) Greuter & Burdet subsp. <i>grandiflora</i> (Scop.) Soldano & F. Conti
<i>Sison inundatum</i> L.	→ <i>Apium inundatum</i> (L.) Rchb. f.
<i>Sisymbriella dentata</i> (L.) O. E. Schulz	→ <i>Sisymbrella dentata</i> (L.) O.E. Schulz
<i>Sisymbrium amphibium</i> L.	→ <i>Rorippa amphibia</i> (L.) Besser
<i>Sisymbrium amphibium</i> L. var. <i>palustre</i> L.	→ <i>Rorippa palustris</i> (L.) Besser
<i>Sisymbrium amplexicaulis</i> Desf.	→ <i>Brassica souliei</i> (Batt.) Batt. subsp. <i>amplexicaulis</i> (Desf.) Greuter & Burdet
<i>Sisymbrium anceps</i> Wahlenb.	→ <i>Rorippa anceps</i> (Wahlenb.) Rchb.
<i>Sisymbrium arenosum</i> L.	→ <i>Arabidopsis arenosa</i> (L.) Lawalrée
<i>Sisymbrium islandicum</i> Oeder	→ <i>Rorippa islandica</i> (Oeder ex Murray) Borbás
<i>Sisymbrium lippizense</i> Wulfen	→ <i>Rorippa lippizensis</i> (Wulfen) Rchb.
<i>Sisymbrium murale</i> L.	→ <i>Diplotaxis muralis</i> (L.) DC.
<i>Sisymbrium nanum</i> DC.	→ <i>Malcolmia nana</i> (DC.) Boiss.
<i>Sisymbrium pyrenaicum</i> L.	→ <i>Rorippa pyrenaica</i> (L.) Rchb.
<i>Sisymbrium repandum</i> Willd.	→ <i>Brassica repanda</i> (Willd.) DC. subsp. <i>repanda</i>

<i>Sisymbrium sophia</i> L.	→ <i>Descurainia sophia</i> (L.) Webb ex Prantl
<i>Sisymbrium sylvestre</i> L.	→ <i>Rorippa sylvestris</i> (L.) Besser subsp. <i>sylvestris</i>
<i>Sisymbrium tanacetifolia</i> L.	→ <i>Hugueninia tanacetifolia</i> (L.) Rehb. subsp. <i>tanacetifolia</i>
<i>Sisymbrium tenuifolium</i> L.	→ <i>Diplotaxis tenuifolia</i> (L.) DC.
<i>Sisymbrium vimineum</i> L.	→ <i>Diplotaxis viminea</i> (L.) DC.
<i>Sisyrinchium bermudiana</i> L.	→ <i>Sisyrinchium angustifolium</i> Mill.
<i>Sisyrinchium montanum</i> Greene	→ <i>Sisyrinchium angustifolium</i> Mill.
<i>Sium erectum</i> Huds.	→ <i>Berula erecta</i> (Huds.) Coville
<i>Sium inundatum</i> (L.) Lam.	→ <i>Apium inundatum</i> (L.) Rehb. f.
<i>Sium nodiflorum</i> L.	→ <i>Apium nodiflorum</i> (L.) Lag. subsp. <i>nodiflorum</i>
<i>Sium repens</i> Jacq.	→ <i>Apium repens</i> (Jacq.) Lag.
<i>Sium sicula</i> L.	→ <i>Kundmannia sicula</i> (L.) DC.
<i>Sixalix atropurpurea</i> (L.) Greuter & Burdet subsp. <i>maritima</i> (L.) Greuter & Burdet	→ <i>Sixalix atropurpurea</i> (L.) Greuter & Burdet subsp. <i>grandiflora</i> (Scop.) Soldano & F. Conti
<i>Smyrniium rotundifolium</i> Miller	→ <i>Smyrniium perfoliatum</i> L. subsp. <i>rotundifolium</i> (Mill.) Hartvig
<i>Solanum citrullifolium</i> A. Br.	→ <i>Solanum heterodoxum</i> Dunal ex DC.
<i>Solanum cornutum</i> Lam.	→ <i>Solanum rostratum</i> Dunal
<i>Solanum ferrugineum</i> Jacq.	→ <i>Solanum torvum</i> Sw.
<i>Solanum luteum</i> Miller	→ <i>Solanum villosum</i> Mill. s.l.
<i>Solanum luteum</i> Miller subsp. <i>alatum</i> (Moench) Dostal	→ <i>Solanum villosum</i> Mill. subsp. <i>alatum</i> (Moench) Edmonds
<i>Solanum luteum</i> Miller subsp. <i>luteum</i>	→ <i>Solanum villosum</i> Mill. subsp. <i>villosum</i>
<i>Solanum nigrum</i> L. subsp. <i>schultesii</i> (Opiz) Wessely	→ incl. <i>Solanum nigrum</i> L.
<i>Solanum nitidibaccatum</i> Bitter	→ <i>Solanum sarrachoides</i> Sendtn.
<i>Solanum sodomeum</i> L.	→ <i>Solanum sodomaeum</i> L.
<i>Solanum sublobatum</i> Willd. ex Roem. & Schult.	→ <i>Solanum chenopodioides</i> Lam.
<i>Soldanella alpicola</i> F.K. Mey.	→ <i>Soldanella pusilla</i> Baumg. subsp. <i>alpicola</i> (F.K. Mey.) Chrték
<i>Soldanella hungarica</i> Simonkai	→ <i>Soldanella calabrella</i> Kress
<i>Solidago graminifolia</i> (L.) Salisb.	→ <i>Euthamia graminifolia</i> (L.) Nutt.
<i>Solidago lateriflora</i> L.	→ <i>Symphytotrichum lateriflorum</i> (L.) Á.Löve & D.Löve
<i>Solidago serotina</i> Retz.	→ <i>Solidago gigantea</i> Aiton subsp. <i>serotina</i> (Kuntze) McNeill
<i>Solidago virgaurea</i> L. subsp. <i>alpestris</i> (W. et K.) Rehb.	→ <i>Solidago virgaurea</i> L. subsp. <i>minuta</i> (L.) Arcang.
<i>Solidago virgaurea</i> L. subsp. <i>litoralis</i> (Savi) Burnat	→ <i>Solidago litoralis</i> Savi
<i>Sonchus alpinus</i> L.	→ <i>Lactuca alpina</i> (L.) A. Gray
<i>Sonchus asper</i> (L.) Hill subsp. <i>nymani</i> (Tineo et Guss.) Hegi	→ <i>Sonchus asper</i> (L.) Hill subsp. <i>glaucescens</i> (Jord.) Ball
<i>Sorbaria tomentosa</i> (Lindley) Rehder	→ <i>Sorbaria lindleyana</i> (Wall. ex Lindley) Maxim.
<i>Sorbus austriaca</i> (Beck) Prain	→ <i>Sorbus intermedia</i> (Ehrh.) Pers.
<i>Sorbus cretica</i> Lindley	→ <i>Sorbus aria</i> (L.) Crantz subsp. <i>cretica</i> (Lindl.) Holmboe
<i>Sorbus florentina</i> Nyman	→ <i>Malus florentina</i> (Zuccagni) C.K. Schneid.
<i>Sorbus graeca</i> (Spach) Kotschy	→ <i>Sorbus aria</i> (L.) Crantz subsp. <i>cretica</i> (Lindl.) Holmboe
<i>Sorbus meridionalis</i> (Guss.) Fritsch	→ <i>Sorbus aria</i> (L.) Crantz subsp. <i>cretica</i> (Lindl.) Holmboe
<i>Sorbus mougeotii</i> Soy.-Will. et Godr.	→ <i>Sorbus intermedia</i> (Ehrh.) Pers.
<i>Soyeria paludosa</i> (L.) Godr.	→ <i>Crepis paludosa</i> (L.) Moench
<i>Sparganium emersum</i> Rehmann subsp. <i>fluitans</i> (Gren. & Godr.) Arcang.	→ incl. <i>Sparganium emersum</i> Rehmann
<i>Sparganium minimum</i> Wallr.	→ <i>Sparganium natans</i> L.
<i>Spartina juncea</i> auct., non (Michx.) Willd.	→ <i>Spartina versicolor</i> Fabre
<i>Spartina stricta</i> (Aiton) Roth	→ <i>Spartina maritima</i> (Curtis) Fernald
<i>Spartium aetnense</i> Biv.	→ <i>Genista aetnensis</i> (Biv.) DC.
<i>Spartium cinereum</i> Vill.	→ <i>Genista cinerea</i> (Vill.) DC.
<i>Spartium corsicum</i> Loisel.	→ <i>Genista corsica</i> (Loisel.) DC.
<i>Spartium decumbens</i> Durande	→ <i>Cytisus decumbens</i> (Durande) Spach
<i>Spartium gasparrinii</i> Guss.	→ <i>Genista gasparrinii</i> (Guss.) C. Presl
<i>Spartium infestum</i> C. Presl	→ <i>Calicotome infesta</i> (C. Presl) Guss. subsp. <i>infesta</i>
<i>Spartium monospermum</i> L.	→ <i>Retama monosperma</i> (L.) Boiss.
<i>Spartium radiatum</i> L.	→ <i>Genista radiata</i> (L.) Scop.
<i>Spartium scoparium</i> L.	→ <i>Cytisus scoparius</i> (L.) Link subsp. <i>scoparius</i>
<i>Spartium spinosum</i> L.	→ <i>Calicotome spinosa</i> (L.) Link
<i>Spartium villosum</i> Poir.	→ <i>Calicotome villosa</i> (Poir.) Link
<i>Spergula arvensis</i> L. subsp. <i>chieusseana</i> (Pomel) Briq.	→ incl. <i>Spergula arvensis</i> L.
<i>Spergula chieusseana</i> Pomel	→ incl. <i>Spergula arvensis</i> L.
<i>Spergula flaccida</i> (Roxb.) Asch.	→ <i>Spergula fallax</i> (Lowe) E.H.L. Krause
<i>Spergula glabra</i> Willd.	→ <i>Sagina glabra</i> (Willd.) Fenzl.
<i>Spergula nodosa</i> L.	→ <i>Sagina nodosa</i> (L.) Fenzl
<i>Spergula pilifera</i> DC.	→ <i>Sagina pilifera</i> (DC.) Fenzl
<i>Spergula saginoides</i> L.	→ <i>Sagina saginoides</i> (L.) H. Karst. subsp. <i>saginoides</i>
<i>Spergula subulata</i> Sw.	→ <i>Sagina subulata</i> (Sw.) C. Presl
<i>Spergula tunetana</i> Maire	→ <i>Spergularia tunetana</i> (Maire) J alas
<i>Spergularia bocconii</i> (Scheele) Asch. et Gr.	→ <i>Spergularia bocconei</i> (Scheele) Graebn.

<i>Spergularia fallax</i> Lowe	→ <i>Spergula fallax</i> (Lowe) E.H.L. Krause
<i>Spergularia macrorrhiza</i> (Loisel.) Heynh.	→ <i>Spergularia macrorrhiza</i> (Loisel.) Heynh.
<i>Spergularia marina</i> (L.) Griseb.	→ <i>Spergularia salina</i> J. & C. Presl
<i>Spergularia maritima</i> (All.) Chiov.	→ <i>Spergularia media</i> (L.) C. Presl
<i>Spergularia maritima</i> (All.) Chiov. subsp. <i>tunetana</i> (Maire) Greuter & Burdet	→ <i>Spergularia tunetana</i> (Maire) J alas
<i>Spergularia media</i> (L.) C. Presl subsp. <i>tunetana</i> (Maire) Greuter & Burdet	→ <i>Spergularia tunetana</i> (Maire) J alas
<i>Spiraea decumbens</i> Koch subsp. <i>hacquetii</i> (Fenzl & Koch) Arcang.	→ incl. <i>Spiraea decumbens</i> Koch s.l.
<i>Spiranthes autumnalis</i> Rich.	→ <i>Spiranthes spiralis</i> (L.) Chevall.
<i>Spirodela polyrrhiza</i> (L.) Schleid.	→ <i>Spirodela polyrrhiza</i> (L.) Schleid.
<i>Spirodela punctata</i> (G. Mey.) C.H. Thomps.	→ <i>Spirodela oligorrhiza</i> (Kurz) Hegelm.
<i>Sporobolus poretii</i> (R. et S.) Hitchc.	→ <i>Sporobolus indicus</i> (L.) R. Br.
<i>Sporobolus pungens</i> (Schreber) Kunth	→ <i>Sporobolus virginicus</i> Kunth
<i>Stachys alopecuroides</i> (L.) Benth. subsp. <i>jacquinii</i> (Godr.) Vollm.	→ <i>Stachys alopecuroides</i> (L.) Benth. s.l.
<i>Stachys cretica</i> L. subsp. <i>salviifolia</i> (Ten.) Rech. fil.	→ <i>Stachys germanica</i> L. subsp. <i>salviifolia</i> (Ten.) Gams
<i>Stachys dasyanthos</i> Raf.	→ <i>Stachys germanica</i> L. subsp. <i>dasyanthos</i> (Raf.) Arcang.
<i>Stachys densiflora</i> Benth	→ <i>Stachys pradica</i> (Zanted.) Greuter & Pignatti
<i>Stachys hirta</i> L.	→ <i>Stachys ocymastrum</i> (L.) Briq.
<i>Stachys italica</i> Miller	→ <i>Sideritis italica</i> (Mill.) Greuter & Burdet
<i>Stachys jacquinii</i> Godron	→ <i>Stachys alopecuroides</i> (L.) Benth. s.l.
<i>Stachys janiana</i> Cesati & al.	→ <i>Stachys thirkei</i> C. Koch
<i>Stachys marubiiifolia</i> Viv.	→ <i>Stachys marrubiiifolia</i> Viv.
<i>Stachys monieri</i> (Gouan) P.W. Ball	→ <i>Stachys pradica</i> (Zanted.) Greuter & Pignatti
<i>Stachys officinalis</i> (L.) Trevis. subsp. <i>officinalis</i>	→ <i>Stachys officinalis</i> (L.) Trevis.
<i>Stachys officinalis</i> (L.) Trevis. subsp. <i>serotina</i> (Host) Murb.	→ <i>Stachys officinalis</i> (L.) Trevis.
<i>Stachys pubescens</i> Ten.	→ <i>Stachys annua</i> (L.) L. subsp. <i>annua</i>
<i>Stachys recta</i> L. var. <i>grandiflora</i> Caruel	→ <i>Stachys recta</i> L. subsp. <i>grandiflora</i> (Caruel) Arcang.
<i>Stachys recta</i> L. subsp. <i>labiosa</i> (Bertol.) Briq.	→ <i>Stachys recta</i> L. subsp. <i>grandiflora</i> (Caruel) Arcang.
<i>Stachys salviifolia</i> Ten.	→ <i>Stachys germanica</i> L. subsp. <i>salviifolia</i> (Ten.) Gams
<i>Stachys subcrenata</i> Vis.	→ <i>Stachys recta</i> L. subsp. <i>subcrenata</i> (Vis.) Briq.
<i>Stachys subcrenata</i> Vis. subsp. <i>fragilis</i> (Vis.) Poldini	→ <i>Stachys recta</i> L. subsp. <i>subcrenata</i> (Vis.) Briq.
<i>Statice alliacea</i> Cav.	→ <i>Armeria arenaria</i> (Pers.) Schult. in Roem. & Schult. subsp. <i>arenaria</i>
<i>Statice arenaria</i> Pers.	→ <i>Armeria arenaria</i> (Pers.) Schult. in Roem. & Schult. subsp. <i>arenaria</i>
<i>Statice articulata</i> Loisel.	→ <i>Limonium articulatum</i> (Loisel.) Kuntze
<i>Statice bellidifolia</i> (Gouan) DC.	→ <i>Limonium bellidifolium</i> (Gouan) Dumort.
<i>Statice calcarae</i> Janka	→ <i>Limonium calcarae</i> (Tod.) Pignatti
<i>Statice cancellata</i> Bertol.	→ <i>Limonium cancellatum</i> (Bertol.) Kuntze
<i>Statice canescens</i> Host	→ <i>Armeria canescens</i> (Host) Ebel
<i>Statice caspia</i> Willd.	→ <i>Limonium bellidifolium</i> (Gouan) Dumort.
<i>Statice cordata</i> L.	→ <i>Limonium cordatum</i> (L.) Mill.
<i>Statice cumana</i> Ten.	→ <i>Limonium cumanum</i> (Ten.) Kuntze
<i>Statice denticulata</i> Bertol.	→ <i>Armeria denticulata</i> (Bertol.) DC.
<i>Statice fasciculata</i> Vent.	→ <i>Armeria pungens</i> (Link) Hoffmanns. & Link
<i>Statice ferulacea</i> L.	→ <i>Limonium ferulaceum</i> (L.) Chaz.
<i>Statice plantaginea</i> All.	→ <i>Armeria arenaria</i> (Pers.) Schult. in Roem. & Schult. subsp. <i>arenaria</i>
<i>Statice pungens</i> Link	→ <i>Armeria pungens</i> (Link) Hoffmanns. & Link
<i>Statice sinuata</i> L.	→ <i>Limonium sinuatum</i> (L.) Mill. s.l.
<i>Stellaria cerastoides</i> L.	→ <i>Cerastium cerastoides</i> (L.) Britton
<i>Stellaria ciliata</i> Scop.	→ <i>Moehringia ciliata</i> (Scop.) D. Torre
<i>Stellaria dubia</i> Bastard	→ <i>Cerastium dubium</i> (Bastard) Guépin
<i>Stellaria media</i> (L.) Vill. subsp. <i>cupaniana</i> (Jordan et Fourr.) Nyman	→ <i>Stellaria cupaniana</i> (Jord. & Fourr.) Bég.
<i>Stellaria montana</i> Pierrat	→ <i>Stellaria nemorum</i> L. subsp. <i>montana</i> (Pierrat) Berher
<i>Stellaria nemorum</i> L. subsp. <i>glochidisperma</i> Murb.	→ <i>Stellaria nemorum</i> L. subsp. <i>montana</i> (Pierrat) Berher
<i>Stellaria rubra</i> Scop.	→ <i>Minuartia rubra</i> (Scop.) McNeill
<i>Stellaria rupestris</i> Scop.	→ <i>Minuartia rupestris</i> (Scop.) Schinz & Thell. s.l.
<i>Stellaria uliginosa</i> Murray	→ <i>Stellaria alsine</i> Grimm
<i>Stellera passerina</i> L.	→ <i>Thymelaea passerina</i> (L.) Coss. & Germ.
<i>Stenactis annua</i> (L.) Less.	→ <i>Erigeron annuus</i> (L.) Desf.
<i>Sternbergia lutea</i> (L.) Ker-Gawler ex Sprengel subsp. <i>sicula</i> (Tineo ex Guss.) D.A. Webb	→ <i>Sternbergia sicula</i> Tineo ex Guss.
<i>Stipa bromioides</i> (L.) Dorfl.	→ <i>Achnatherum bromioides</i> (L.) P. Beauv.
<i>Stipa calamagrostis</i> (L.) Wahlenb.	→ <i>Achnatherum calamagrostis</i> (L.) P. Beauv.
<i>Stipa caudata</i> Trin.	→ <i>Achnatherum caudatum</i> (Trin.) S.W.L. Jacobs & Everett

<i>Stipa johannis</i> Celak.	→ <i>Stipa pennata</i> L. subsp. <i>pennata</i>
<i>Stipa martinovskyi</i> Moraldo	→ <i>Stipa aquilana</i> Moraldo
<i>Stipa neesiana</i> Trin. & Rupr.	→ <i>Nassella mucronata</i> (Kunth) R.W. Pohl
<i>Stipa offneri</i> Breistr.	→ <i>Stipa juncea</i> L.
<i>Stipa pellita</i> H. Scholz	→ <i>Stipa letourneuxii</i> Trabut subsp. <i>pellita</i> (Trin. & Rupr.) H. Scholz
<i>Stipa pennata</i> L. subsp. <i>austriaca</i> (Beck) Martinovsky et Skalicky	→ <i>Stipa eriocaulis</i> Borbás subsp. <i>austriaca</i> (Beck) Moraldo & Ricceri
<i>Stipa pennata</i> L. subsp. <i>eriocaulis</i> (Borbás) Martinovsky et Skalicky	→ <i>Stipa eriocaulis</i> Borbás s.l.
<i>Stipa pennata</i> L. subsp. <i>kiemii</i> Martinovsky	→ <i>Stipa oligotricha</i> Moraldo subsp. <i>kiemii</i> (Martinovský) Moraldo
<i>Stipa setigera</i> Presl	→ <i>Nassella mucronata</i> (Kunth) R.W. Pohl
<i>Stipa siciliensis</i> Martinovsky	→ <i>Stipa sicula</i> Moraldo, Caputo, La Valva & Ricciardi
<i>Stipa trichotoma</i> Nees	→ <i>Nassella trichotoma</i> (Nees) Hack.
<i>Stratiotes alismoides</i> L.	→ <i>Ottelia alismoides</i> (L.) Pers.
<i>Suaeda fruticosa</i> (L.) Forsskål	→ <i>Suaeda vera</i> J.F. Gmel.
<i>Suaeda pruinosa</i> Lange	→ <i>Suaeda vermiculata</i> Forssk. ex J.F. Gmel.
<i>Succisa alpina</i> (L.) Moench	→ <i>Cephalaria alpina</i> (L.) Roem. & Schult.
<i>Succisa australis</i> (Wulfen) Rechb.	→ <i>Succisella inflexa</i> (Kluk) Beck
<i>Succisa inflexa</i> (Kluk) S.B. Jundz.	→ <i>Succisella inflexa</i> (Kluk) Beck
<i>Sucowia balearica</i> (L.) Medicus	→ <i>Succowia balearica</i> (L.) Medik.
<i>Suffrenia filiformis</i> Bellardi	→ <i>Rotala filiformis</i> (Bellardi) Hiern
<i>Symphoricarpos rivularis</i> Suksd.	→ <i>Symphoricarpos albus</i> (L.) S.F. Blake
<i>Symphytum tuberosum</i> L. subsp. <i>nodosum</i> (Schur) Soó	→ <i>Symphytum tuberosum</i> L. subsp. <i>angustifolium</i> (A. Kern.) Nyman
<i>Tamarix germanica</i> L.	→ <i>Myricaria germanica</i> (L.) Desv.
<i>Tamarix nilotica</i> Ehrenb. ex Bunge	→ <i>Tamarix gallica</i> L.
<i>Tanacetum alpinum</i> (L.) Sch. Bip.	→ <i>Leucanthemopsis alpina</i> (L.) Heywood
<i>Tanacetum audiberti</i> (Req.) DC.	→ <i>Tanacetum audibertii</i> (Req.) DC.
<i>Tanacetum suaveolens</i> (Pursh) Hook.	→ <i>Matricaria discoidea</i> DC.
<i>Tanacetum tridactylites</i> A. Kern. & Huter	→ <i>Leucanthemum tridactylites</i> (Kern. & Huter) Huter, Porta & Rigo
<i>Taraxacum absurdum</i> Soest	→ incl. <i>Taraxacum fontanum</i> (group)
<i>Taraxacum alpestre</i> DC.	→ <i>Taraxacum officinale</i> (group)
<i>Taraxacum alpinum</i> Hegetschw. & Herr	→ incl. <i>Taraxacum apenninum</i> (group)
<i>Taraxacum apenninum</i> (Ten.) Ten.	→ <i>Taraxacum apenninum</i> (group)
<i>Taraxacum aurantellum</i> Soest	→ incl. <i>Taraxacum fontanum</i> (group)
<i>Taraxacum carniolicum</i> Soest	→ incl. <i>Taraxacum palustre</i> (group)
<i>Taraxacum crocellum</i> Soest	→ incl. <i>Taraxacum nigricans</i> (group)
<i>Taraxacum dolomiticum</i> Soest	→ incl. <i>Taraxacum palustre</i> (group)
<i>Taraxacum hoppeanum</i> Griseb.	→ <i>Taraxacum aquilonare</i> Hand.-Mazz.
<i>Taraxacum huterianum</i> Soest	→ incl. <i>Taraxacum palustre</i> (group)
<i>Taraxacum insubricum</i> Soest	→ incl. <i>Taraxacum fontanum</i> (group)
<i>Taraxacum kalbfussi</i> Sch. Bip.	→ incl. <i>Taraxacum apenninum</i> (group)
<i>Taraxacum lacustre</i> Soest	→ incl. <i>Taraxacum palustre</i> (group)
<i>Taraxacum laevigatum</i> (Willd.) DC.	→ incl. <i>Taraxacum fulvum</i> (group)
<i>Taraxacum martellense</i> Soest	→ incl. <i>Taraxacum nigricans</i> (group)
<i>Taraxacum megalorhizon</i> (Forsk.) Hand.-Mazz.	→ <i>Taraxacum megalorrhizon</i> (Forssk.) Hand.-Mazz.
<i>Taraxacum melanops</i> Soest	→ incl. <i>Taraxacum apenninum</i> (group)
<i>Taraxacum officinale</i> Weber	→ <i>Taraxacum officinale</i> (group)
<i>Taraxacum palustre</i> auct.	→ incl. <i>Taraxacum palustre</i> (group)
<i>Taraxacum pedrottii</i> Soest	→ incl. <i>Taraxacum fontanum</i> (group)
<i>Taraxacum peralatum</i> Soest	→ incl. <i>Taraxacum fontanum</i> (group)
<i>Taraxacum praeticum</i> Soest	→ incl. <i>Taraxacum nigricans</i> (group)
<i>Taraxacum pseudofontanum</i> Soest	→ <i>Taraxacum apenninum</i> (group)
<i>Taraxacum silvicola</i> Soest	→ incl. <i>Taraxacum fontanum</i> (group)
<i>Taraxacum stylosum</i> Soest	→ incl. <i>Taraxacum nigricans</i> (group)
<i>Taraxacum tenuifolium</i> (Hoppe) Koch	→ incl. <i>Taraxacum palustre</i> (group)
<i>Taraxacum tortilobiforme</i> Soest	→ incl. <i>Taraxacum apenninum</i> (group)
<i>Taraxacum venustum</i> Dahlst.	→ incl. <i>Taraxacum apenninum</i> (group)
<i>Taraxacum vereinense</i> Soest	→ incl. <i>Taraxacum nigricans</i> (group)
<i>Taraxacum vernelense</i> Soest	→ <i>Taraxacum apenninum</i> (group)
<i>Tecoma radicans</i> (L.) Juss.	→ <i>Campsis radicans</i> (L.) Seem.
<i>Telekia speciosissima</i> (L.) Less.	→ <i>Xerolekia speciosissima</i> (L.) Anderb.
<i>Tephrosieris longifolia</i> (Jacq.) Griseb. & Schenk subsp. <i>brachychaetus</i> Greuter	→ <i>Tephrosieris italica</i> Holub
<i>Tetragonolobus requienii</i> (Mauri) Sang.	→ <i>Tetragonolobus conjugatus</i> (L.) Link subsp. <i>requienii</i> (Mauri ex Sanguin.) E. Domínguez & Galiano
<i>Teucrium chamaepitys</i> L.	→ <i>Ajuga chamaepitys</i> (L.) Schreb. s.l.
<i>Teucrium euganeum</i> Vis.	→ <i>Teucrium siculum</i> (Raf.) Guss. subsp. <i>euganeum</i> (Vis.) Tornad.
<i>Teucrium marum</i> L. subsp. <i>drosocalyx</i> Mus, Mayol & Rossellò	→ incl. <i>Teucrium marum</i> L.
<i>Teucrium marum</i> L. subsp. <i>occidentale</i> Mus, Mayol & Rossellò	→ incl. <i>Teucrium marum</i> L.

<i>Teucrium polium</i> L. subsp. <i>aureum</i> (Schreber) Arcang.	→ <i>Teucrium aureum</i> Schreb. subsp. <i>aureum</i>
<i>Teucrium polium</i> L. subsp. <i>capitatum</i> (L.) Arcang.	→ <i>Teucrium capitatum</i> L. subsp. <i>capitatum</i>
<i>Teucrium scordioides</i> Schreb.	→ <i>Teucrium scordium</i> L. subsp. <i>scordioides</i> (Schreb.) Arcang.
<i>Teucrium scorodonia</i> L. subsp. <i>euganeum</i> (Vis.) Arcangeli	→ <i>Teucrium siculum</i> (Raf.) Guss. subsp. <i>euganeum</i> (Vis.) Tornad.
<i>Teucrium subspinosum</i> Pourr. ex Willd.	→ incl. <i>Teucrium marum</i> L.
<i>Thalictrella thalictroides</i> (L.) E. Nardi	→ <i>Isopyrum thalictroides</i> L.
<i>Thalictrum angustifolium</i> auct. var. <i>galiioides</i> DC.	→ <i>Thalictrum simplex</i> L. subsp. <i>galiioides</i> (DC.) Korsh.
<i>Thalictrum bauhinii</i> Crantz	→ <i>Thalictrum simplex</i> L. subsp. <i>simplex</i>
<i>Thalictrum exaltatum</i> Gaudin sensu Pignatti Fl. d'Ital.	→ <i>Thalictrum flavum</i> L.
<i>Thalictrum galiioides</i> (DC.) Pers.	→ <i>Thalictrum simplex</i> L. subsp. <i>galiioides</i> (DC.) Korsh.
<i>Thalictrum mediterraneum</i> Jord.	→ <i>Thalictrum lucidum</i> L.
<i>Thalictrum minus</i> L. subsp. <i>olympicum</i> (Boiss. & Heldr.) Strid	→ <i>Thalictrum minus</i> L. subsp. <i>saxatile</i> Ces.
<i>Thalictrum morisonii</i> C.C. Gmel.	→ <i>Thalictrum flavum</i> L.
<i>Thalictrum morisonii</i> C.C. Gmel. subsp. <i>mediterraneum</i> (Jord.) P.W. Ball	→ <i>Thalictrum lucidum</i> L.
<i>Thalictrum saxatile</i> DC.	→ <i>Thalictrum minus</i> L. subsp. <i>saxatile</i> Ces.
<i>Thalictrum simplex</i> L. subsp. <i>bauhinii</i> (Crantz) Tutin	→ <i>Thalictrum simplex</i> L. subsp. <i>simplex</i>
<i>Thapsia asclepium</i> L.	→ <i>Elaeoselinum asclepium</i> (L.) Bertol. s.l.
<i>Thapsia polygama</i> Desf.	→ <i>Rouya polygama</i> (Desf.) Coincy
<i>Thelypteris dentata</i> (Forsskål) St John	→ <i>Christella dentata</i> (Forssk.) Brownsey & Jermy
<i>Thelypteris limbosperma</i> (All.) H. P. Fuchs	→ <i>Oreopteris limbosperma</i> (All.) Holub
<i>Thelypteris phegopteris</i> (L.) Slosson in Rydberg	→ <i>Phegopteris connectilis</i> (Michx.) Watt
<i>Thelysia alata</i> (Poir.) Parl.	→ <i>Iris planifolia</i> (Mill.) Fiori
<i>Thesium alpinum</i> L. subsp. <i>tenuifolium</i> (Saut.) O. Schwartz	→ incl. <i>Thesium alpinum</i> L.
<i>Thesium divaricatum</i> Jan ex Mert. & W.D.J. Koch	→ <i>Thesium humifusum</i> DC.
<i>Thesium pyrenaicum</i> Pourr. subsp. <i>alpestre</i> (Brügger) O. Schwarz	→ <i>Thesium pyrenaicum</i> Pourr. subsp. <i>grandiflorum</i> (DC.) Hendrych
<i>Thesium tenuifolium</i> Saut.	→ incl. <i>Thesium alpinum</i> L.
<i>Thlaspi alpestre</i> L. subsp. <i>virens</i> (Jordan) Hooker fil.	→ <i>Thlaspi virens</i> Jord.
<i>Thlaspi alpinum</i> Crantz subsp. <i>sylvium</i> (Gaudin) Clapham	→ <i>Thlaspi sylvium</i> Gaudin
<i>Thlaspi bursa-pastoris</i> L.	→ <i>Capsella bursa-pastoris</i> (L.) Medik. subsp. <i>bursa-pastoris</i>
<i>Thlaspi caeruleum</i> J. & C. Presl subsp. <i>virens</i> (Jordan) Hooker fil.	→ <i>Thlaspi virens</i> Jord.
<i>Thlaspi campestre</i> L.	→ <i>Lepidium campestre</i> (L.) R. Br.
<i>Thlaspi cepaeifolium</i> (Wulfen) Koch in Röhling	→ <i>Thlaspi rotundifolium</i> (L.) Gaudin s.l.
<i>Thlaspi cepaeifolium</i> (Wulfen) Koch in Röhling subsp. <i>cepaefolium</i>	→ <i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>rotundifolium</i>
<i>Thlaspi cepaeifolium</i> (Wulfen) Koch in Röhling subsp. <i>grignense</i> (F. K. Meyer) Greuter & Burdet	→ <i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>grignense</i> (F.K. Mey.) Greuter & Burdet
<i>Thlaspi cepaeifolium</i> (Wulfen) Koch in Röhling subsp. <i>rotundifolium</i> (L.) Greuter & Burdet	→ <i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>cepaefolium</i> (Wulfen) Rouy & Fouc.
<i>Thlaspi coronopifolium</i> J.P. Bergeret	→ <i>Teesdalia coronopifolia</i> (J.P. Bergeret) Thell.
<i>Thlaspi granatense</i> Boiss. & Reut.	→ incl. <i>Thlaspi perfoliatum</i> L. s.l.
<i>Thlaspi grandiflorum</i> Fauché & Chaub.	→ <i>Capsella grandiflora</i> (Fauché & Chaub.) Boiss.
<i>Thlaspi hirtum</i> L.	→ <i>Lepidium hirtum</i> (L.) Sm. s.l.
<i>Thlaspi luteum</i> Biv.	→ <i>Bivonaea lutea</i> (Biv.) DC.
<i>Thlaspi minimum</i> Ard.	→ <i>Thlaspi alpestre</i> Jacq.
<i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>corymbosum</i> (Gaudin) Gremli	→ <i>Thlaspi lereschianum</i> (Burnat) A.W. Hill
<i>Thlaspi rotundifolium</i> (L.) Gaudin subsp. <i>lereschianum</i> Burnat	→ <i>Thlaspi lereschianum</i> (Burnat) A.W. Hill
<i>Thlaspi saxatile</i> L.	→ <i>Aethionema saxatile</i> (L.) R. Br. s.l.
<i>Thymus acinos</i> L.	→ <i>Acinos arvensis</i> (Lam.) Dandy s.l.
<i>Thymus alpestris</i> Tausch sensu Pignatti Fl. d'It.	→ <i>Thymus pulegioides</i> L. s.l.
<i>Thymus alpinus</i> (Heinr. Braun) Ronniger	→ <i>Thymus praecox</i> Opiz subsp. <i>polytrichus</i> (Borbás) J alas
<i>Thymus alpinus</i> L.	→ <i>Acinos alpinus</i> (L.) Moench s.l.
<i>Thymus decipiens</i> Heinr. Braun	→ <i>Thymus glabrescens</i> Willd. subsp. <i>decipiens</i> (Heinr. Braun) Domin
<i>Thymus froelichianus</i> Opiz	→ <i>Thymus pulegioides</i> L. subsp. <i>carniolicus</i> (Borbás) P.A. Schmidt
<i>Thymus humifusus</i> Bernh. sensu Pignatti Fl. d'It.	→ <i>Thymus praecox</i> Opiz s.l.
<i>Thymus kernerii</i> Borbás	→ <i>Thymus praecox</i> Opiz subsp. <i>polytrichus</i> (Borbás) J alas
<i>Thymus longidens</i> (Velen.) Velen.	→ <i>Thymus thracicus</i> Velen.
<i>Thymus oenipontanus</i> Heinr. Braun	→ <i>Thymus glabrescens</i> Willd. subsp. <i>decipiens</i> (Heinr. Braun) Domin
<i>Thymus pannonicus</i> All.	→ <i>Thymus pulegioides</i> L. subsp. <i>carniolicus</i> (Borbás) P.A. Schmidt
<i>Thymus polytrichus</i> Kerner	→ <i>Thymus praecox</i> Opiz subsp. <i>polytrichus</i> (Borbás) J alas
<i>Thymus pulegioides</i> L. subsp. <i>chamaedrys</i> (Fr.) Litard.	→ <i>Thymus pulegioides</i> L. subsp. <i>pulegioides</i>
<i>Tilia cordifolia</i> Besser	→ <i>Tilia platyphyllos</i> Scop. subsp. <i>cordifolia</i> (Besser) C.K. Schneid.
<i>Tilia vulgaris</i> Hayne	→ <i>Tilia x vulgaris</i> Hayne
<i>Tilia x-vulgaris</i> Hayne	→ <i>Tilia x vulgaris</i> Hayne
<i>Tillaea hexandra</i> Lapierre	→ <i>Elatine hexandra</i> (Lapierre) DC.
<i>Tinea cylindrica</i> Biv.	→ <i>Neotinea maculata</i> (Desf.) Stearn

<i>Tithymalus androsaemifolius</i> (Willd.) Samp.	→ <i>Euphorbia esula</i> L. s.l.
<i>Tithymalus brittingeri</i> (Samp.) Holub	→ <i>Euphorbia brittingeri</i> Opiz ex Samp.
<i>Tithymalus dulcis</i> (L.) Scop.	→ <i>Euphorbia dulcis</i> L.
<i>Tithymalus epithymoides</i> (L.) Klotzsch & Garcke	→ <i>Euphorbia epithymoides</i> L.
<i>Tithymalus esula</i> (L.) Hill	→ <i>Euphorbia esula</i> L. s.l.
<i>Tithymalus exiguus</i> (L.) Hill	→ <i>Euphorbia exigua</i> L. subsp. <i>exigua</i>
<i>Tithymalus falcatus</i> (L.) Klotzsch & Garcke	→ <i>Euphorbia falcata</i> L. subsp. <i>falcata</i>
<i>Tithymalus lathyris</i> (L.) Hill	→ <i>Euphorbia lathyris</i> L.
<i>Tithymalus nicaeensis</i> (All.) Klotzsch & Garcke	→ <i>Euphorbia nicaeensis</i> All. s.l.
<i>Tithymalus peplis</i> (L.) Scop.	→ <i>Chamaesyce peplis</i> (L.) Prokh.
<i>Tithymalus peplus</i> (L.) Hill	→ <i>Euphorbia peplus</i> L.
<i>Tithymalus segetalis</i> (L.) Hill	→ <i>Euphorbia segetalis</i> L.
<i>Tithymalus seguieranus</i> (Neck.) Prokh.	→ <i>Euphorbia seguieriana</i> Neck. subsp. <i>seguieriana</i>
<i>Tithymalus villosus</i> (Willd.) Pascher	→ <i>Euphorbia illirica</i> Lam. subsp. <i>Illirica</i>
<i>Tofieldia palustris</i> Huds.	→ <i>Tofieldia pusilla</i> (Michx.) Pers.
<i>Tolpis barbata</i> auct.	→ <i>Tolpis umbellata</i> Bertol.
<i>Tolpis sexaristata</i> Biv.	→ incl. <i>Tolpis virgata</i> (Desf.) Bertol. subsp. <i>virgata</i>
<i>Tommasinia altissima</i> (Mill.) Thell.	→ <i>Peucedanum verticillare</i> (L.) Mert. & W.D.J. Koch
<i>Tordylium nodosum</i> L.	→ <i>Torilis nodosa</i> (L.) Gaertn.
<i>Tordylium peregrinum</i> L.	→ <i>Kruberia peregrina</i> (L.) Hoffm.
<i>Torilis anthriscus</i> (L.) Gaertn.	→ <i>Anthriscus caucalis</i> M. Bieb.
<i>Torilis arvensis</i> (Hudson) Link subsp. <i>elongata</i> (Hoffm. et Link) Cannon	→ <i>Torilis elongata</i> (Hoffmanns. & Link) Samp.
<i>Torilis heterophylla</i> Guss.	→ <i>Torilis arvensis</i> (Huds.) Link subsp. <i>purpurea</i> (Ten.) Hayek
<i>Torilis infesta</i> (L.) Spreng.	→ <i>Torilis arvensis</i> (Huds.) Link subsp. <i>neglecta</i> (Schult.) Thell.
<i>Torilis neglecta</i> Schult.	→ <i>Torilis arvensis</i> (Huds.) Link subsp. <i>neglecta</i> (Schult.) Thell.
<i>Tovara virginiana</i> (L.) Raf.	→ <i>Persicaria virginiana</i> (L.) Gaertn.
<i>Trachelium coeruleum</i> L.	→ <i>Trachelium caeruleum</i> L. s.l.
<i>Trachelium lanceolatum</i> Guss.	→ <i>Trachelium caeruleum</i> L. subsp. <i>lanceolatum</i> (Guss.) Arcang.
<i>Tragopogon crocifolius</i> L. subsp. <i>samaritani</i> (Heldr. & Sart. ex Boiss.) I.B.K. Richards	→ <i>Tragopogon samaritani</i> Heldr. & Sart. ex Boiss.
<i>Tragopogon cupani</i> Guss. ex DC.	→ <i>Tragopogon porrifolius</i> L. subsp. <i>cupani</i> (Guss. ex DC.) I. Richardson
<i>Tragopogon dalechampii</i> L.	→ <i>Urospermum dalechampii</i> (L.) F.W. Schmidt
<i>Tragopogon hybridus</i> L.	→ <i>Geropogon glaber</i> L.
<i>Tragopogon picroides</i> L.	→ <i>Urospermum picroides</i> (L.) Scop. ex F.W. Schmidt
<i>Tremastelma palaestinum</i> (L.) Janchen	→ <i>Lomelosia brachiata</i> (Sm.) Greuter & Burdet
<i>Trichomanes speciosum</i> Willd.	→ <i>Vandenboschia speciosa</i> (Willd.) G. Kunkel
<i>Trichomanes tunbrigense</i> L.	→ <i>Hymenophyllum tunbrigense</i> (L.) Sowerby
<i>Trichophorum caespitosum</i> (L.) Hartman	→ <i>Trichophorum caespitosum</i> (L.) Hartm.
<i>Trifolium angustifolium</i> L. subsp. <i>gibellianum</i> Pign.	→ <i>Trifolium infamia-ponertii</i> Greuter
<i>Trifolium bonanni</i> (C. Presl) Soják	→ incl. <i>Trifolium fragiferum</i> L. subsp. <i>fragiferum</i>
<i>Trifolium caeruleum</i> L.	→ <i>Trigonella caerulea</i> (L.) Ser.
<i>Trifolium dentatum</i> Waldst. & Kit.	→ <i>Melilotus dentatus</i> (Waldst. & Kit.) Desf.
<i>Trifolium elegans</i> Savi	→ <i>Trifolium hybridum</i> L. subsp. <i>elegans</i> (Savi) Asch. & Graebn.
<i>Trifolium filiforme</i> L.	→ <i>Trifolium micranthum</i> Viv.
<i>Trifolium fragiferum</i> L.	→ <i>Trifolium fragiferum</i> L. subsp. <i>fragiferum</i>
<i>Trifolium indicum</i> L.	→ <i>Melilotus indicus</i> (L.) All.
<i>Trifolium italicum</i> L.	→ <i>Melilotus italicus</i> (L.) Lam.
<i>Trifolium jaminianum</i> Boiss.	→ <i>Trifolium isthmocarpum</i> Brot. subsp. <i>jaminianum</i> (Boiss.) Murb.
<i>Trifolium maritimum</i> Hudson	→ <i>Trifolium squamosum</i> L.
<i>Trifolium meneghinianum</i> Clementi	→ incl. <i>Trifolium nigrescens</i> Viv. subsp. <i>petrisavii</i> (Clementi) Holmboe
<i>Trifolium messanense</i> L.	→ <i>Melilotus siculus</i> (Turra) Steud.
<i>Trifolium molinerii</i> Hornem.	→ <i>Trifolium incarnatum</i> L. subsp. <i>molinerii</i> (Hornem.) Ces.
<i>Trifolium multistriatum</i> Koch	→ <i>Trifolium setiferum</i> Boiss.
<i>Trifolium ochroleucon</i> Hudson	→ <i>Trifolium ochroleucum</i> Huds.
<i>Trifolium officinale</i> L.	→ <i>Melilotus officinalis</i> (L.) Pall.
<i>Trifolium petrisavii</i> Clementi	→ <i>Trifolium nigrescens</i> Viv. subsp. <i>petrisavii</i> (Clementi) Holmboe
<i>Trifolium praetutianum</i> Savi	→ <i>Trifolium noricum</i> Wulfen subsp. <i>praetutianum</i> (Savi) Arcang.
<i>Trifolium pratense</i> L. var. <i>nivale</i> Koch	→ <i>Trifolium pratense</i> L. subsp. <i>nivale</i> (Koch) Ces.
<i>Trifolium pratense</i> L. var. <i>semipurpureum</i> Strobl	→ <i>Trifolium pratense</i> L. subsp. <i>semipurpureum</i> (Strobl) Pignatti
<i>Trifolium rupestre</i> Ten.	→ <i>Trifolium montanum</i> L. subsp. <i>rupestre</i> (Ten.) Nyman
<i>Trifolium savianum</i> Guss.	→ <i>Trifolium uniflorum</i> L. subsp. <i>savianum</i> (Guss.) Asch. & Graebn.
<i>Trifolium scabrum</i> L. subsp. <i>lucanicum</i> (Gasparr.) Pign.	→ <i>Trifolium lucanicum</i> Guss.
<i>Trifolium sebastiani</i> Savi	→ <i>Trifolium sebastianii</i> Savi
<i>Trifolium segetale</i> Brot.	→ <i>Melilotus segetalis</i> (Brot.) Ser.
<i>Trifolium siculum</i> Turra	→ <i>Melilotus siculus</i> (Turra) Steud.

<i>Trifolium smyrnaeum</i> Boiss.	→ <i>Trifolium sylvaticum</i> Gérard ex Loisel.
<i>Trifolium speciosum</i> Willd.	→ <i>Trifolium grandiflorum</i> Schreb.
<i>Trifolium tenuiflorum</i> Ten.	→ <i>Trifolium striatum</i> L. subsp. <i>tenuiflorum</i> (Ten.) Arcang.
<i>Triglochin bulbosa</i> L. subsp. <i>barrelieri</i> (Loisel.) Rouy	→ <i>Triglochin bulbosum</i> L. subsp. <i>barrelieri</i> (Loisel.) Rouy
<i>Triglochin bulbosa</i> L. subsp. <i>laxiflora</i> (Guss.) Rouy	→ <i>Triglochin laxiflorum</i> Guss.
<i>Triglochin maritima</i> L.	→ <i>Triglochin maritimum</i> L.
<i>Triglochin palustris</i> L.	→ <i>Triglochin palustre</i> L.
<i>Trigonella coerulea</i> (L.) Ser.	→ <i>Trigonella caerulea</i> (L.) Ser.
<i>Trigonella corniculata</i> (L.) L.	→ <i>Trigonella esculenta</i> Willd.
<i>Trimorpha epirotica</i> Vierh.	→ <i>Erigeron epiroticus</i> (Vierh.) Halácsy
<i>Triodia decumbens</i> (L.) P. Beauv.	→ <i>Danthonia decumbens</i> (L.) DC. subsp. <i>decumbens</i>
<i>Tripleurospermum perforatum</i> (Mérat) Láinz	→ <i>Tripleurospermum inodorum</i> (L.) Sch. Bip.
<i>Trisetaria cavanillesii</i> (Trin.) Maire	→ <i>Trisetaria loeflingiana</i> (L.) Paunero
<i>Trisetaria parviflora</i> (Desf.) Maire	→ <i>Trisetaria segetum</i> (Savi) Soldano
<i>Trisetum alpestre</i> (Host) Beauv.	→ <i>Trisetaria alpestris</i> (Host) Baumg.
<i>Trisetum argenteum</i> (Willd.) R. et S.	→ <i>Trisetaria argentea</i> (Vill.) Banfi & Soldano
<i>Trisetum aureum</i> Ten.	→ <i>Trisetaria aurea</i> (Ten.) Pignatti
<i>Trisetum bertolonii</i> Jonsell	→ <i>Trisetaria villosa</i> (Bertol.) Banfi & Soldano
<i>Trisetum burnouffii</i> Req. ex Parl.	→ <i>Trisetaria burnouffii</i> (Req. ex Parl.) Banfi & Soldano
<i>Trisetum cavanillesii</i> Trin.	→ <i>Trisetaria loeflingiana</i> (L.) Paunero
<i>Trisetum corsicum</i> Rouy	→ <i>Trisetaria burnouffii</i> (Req. ex Parl.) Banfi & Soldano
<i>Trisetum distichophyllum</i> (Vill.) Beauv.	→ <i>Trisetaria distichophylla</i> (Vill.) Paunero s.l.
<i>Trisetum distichophyllum</i> (Vill.) Beauv. subsp. <i>brevifolium</i> (Host) Pign.	→ <i>Trisetaria distichophylla</i> (Vill.) Paunero subsp. <i>brevifolia</i> (Host) Banfi & Soldano
<i>Trisetum distichophyllum</i> (Vill.) Beauv. subsp. <i>distichophyllum</i>	→ <i>Trisetaria distichophylla</i> (Vill.) Paunero subsp. <i>distichophylla</i>
<i>Trisetum flavescens</i> (L.) Beauv.	→ <i>Trisetaria flavescens</i> (L.) Baumg. s.l.
<i>Trisetum flavescens</i> (L.) Beauv. subsp. <i>flavescens</i>	→ <i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>flavescens</i>
<i>Trisetum flavescens</i> (L.) Beauv. subsp. <i>purpurascens</i> (DC.) Arcangeli	→ <i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>purpurascens</i> (DC.) Banfi & Soldano
<i>Trisetum flavescens</i> (L.) Beauv. subsp. <i>splendens</i> (C. Presl) Arcangeli	→ <i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>splendens</i> (C. Presl) Banfi & Soldano
<i>Trisetum gracile</i> (Moris) Boiss.	→ <i>Trisetaria gracilis</i> (Moris) Banfi & Arrigoni
<i>Trisetum paniceum</i> (Lam.) Pers.	→ <i>Trisetaria panicea</i> (Lam.) Maire
<i>Trisetum parviflorum</i> (Desf.) Pers.	→ <i>Trisetaria segetum</i> (Savi) Soldano
<i>Trisetum spicatum</i> (L.) Richter subsp. <i>ovatipaniculatum</i> Hultén	→ <i>Trisetaria spicata</i> (L.) Paunero subsp. <i>ovatipaniculata</i> (Hultén ex Jonsell) Banfi & Soldano
<i>Trisetum villosum</i> (Bertol.) Schultes	→ <i>Trisetaria villosa</i> (Bertol.) Banfi & Soldano
<i>Triticum athericum</i> Link	→ <i>Elymus athericus</i> (Link) Kerguélen
<i>Triticum dicoccon</i> Schrank	→ incl. <i>Triticum turgidum</i> L.
<i>Triticum durum</i> Desf.	→ incl. <i>Triticum turgidum</i> L.
<i>Triticum elongatum</i> Host	→ <i>Elymus elongatus</i> (Host) Runemark subsp. <i>elongatus</i>
<i>Triticum farctum</i> Viv.	→ <i>Elymus farctus</i> (Viv.) Runemark ex Melderis subsp. <i>farctus</i>
<i>Triticum intermedium</i> Host	→ <i>Elymus hispidus</i> (Opiz) Melderis s.l.
<i>Triticum junceum</i> L.	→ <i>Elymus farctus</i> (Viv.) Runemark ex Melderis subsp. <i>farctus</i>
<i>Triticum maritimum</i> L.	→ <i>Cutandia maritima</i> (L.) Barbey
<i>Triticum obtusiflorum</i> DC.	→ <i>Elymus obtusiflorus</i> (DC.) Conert
<i>Triticum pungens</i> Pers.	→ <i>Elymus athericus</i> (Link) Kerguélen
<i>Triticum repens</i> L.	→ <i>Elymus repens</i> (L.) Gould. subsp. <i>repens</i>
<i>Triticum savignoni</i> (De Not.) Nyman	→ <i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>barbulatus</i> (Schur) Á. Löve
<i>Triticum spelta</i> L.	→ incl. <i>Triticum aestivum</i> L.
<i>Triticum tenellum</i> L.	→ <i>Micropyrum tenellum</i> (L.) Link
<i>Triticum unilaterale</i> L.	→ <i>Vulpia unilateralis</i> (L.) Stace
<i>Triticum villosum</i> (L.) M.Bieb.	→ <i>Dasyphyrum villosum</i> (L.) P. Candargy, non Borbás
<i>Trixago latifolia</i> (L.) Rchb.	→ <i>Parentucellia latifolia</i> (L.) Caruel
<i>Trixago viscosa</i> (L.) Rchb.	→ <i>Parentucellia viscosa</i> (L.) Caruel
<i>Trollius transsilvanicus</i> Schur	→ <i>Trollius europaeus</i> L. subsp. <i>transsilvanicus</i> (Schur) Domin & Podp.
<i>Tryphane grignensis</i> Rchb.	→ <i>Minuartia grignensis</i> (Rchb.) Mattf.
<i>Tuberaria perennis</i> Spach	→ <i>Tuberaria lignosa</i> (Sweet) Samp.
<i>Tuberaria vulgaris</i> Willk.	→ <i>Tuberaria lignosa</i> (Sweet) Samp.
<i>Tulipa oculus-solis</i> St.-Amans	→ <i>Tulipa agenensis</i> DC.
<i>Tulipa sylvestris</i> L. subsp. <i>australis</i> (Link) Pamp.	→ <i>Tulipa australis</i> Link
<i>Tunica prolifera</i> (L.) Scop.	→ <i>Petrorhagia prolifera</i> (L.) P.W. Ball & Heywood
<i>Tunica saxifraga</i> (L.) Scop.	→ <i>Petrorhagia saxifraga</i> (L.) Link s.l.
<i>Tunica velutina</i> (Guss.) Fischer & C.A. Meyer	→ <i>Petrorhagia dubia</i> (Raf.) G. López & Romo
<i>Turritis glabra</i> L.	→ <i>Arabis glabra</i> (L.) Bernh.
<i>Turritis hirsuta</i> L.	→ <i>Arabis hirsuta</i> (L.) Scop.
<i>Turritis planisiliqua</i> Pers.	→ <i>Arabis planisiliqua</i> (Pers.) Rchb.

<i>Turritis sagittata</i> Bertol.	→ <i>Arabis sagittata</i> (Bertol.) DC.
<i>Tussilago alba</i> L.	→ <i>Petasites albus</i> (L.) Gaertn.
<i>Tussilago alpina</i> L.	→ <i>Homogyne alpina</i> (L.) Cass.
<i>Tussilago discolor</i> Jacq.	→ <i>Homogyne discolor</i> (Jacq.) Cass.
<i>Tussilago hybrida</i> L.	→ <i>Petasites hybridus</i> (L.) P. Gaertn., B. Mey. & Scherb. subsp. <i>hybridus</i>
<i>Tussilago paradoxa</i> Retz.	→ <i>Petasites paradoxus</i> (Retz.) Baumg.
<i>Typhoides arundinacea</i> (L.) Moench subsp. <i>rotgesii</i> (Husnot) Gamisans	→ <i>Phalaris rotgesii</i> (Husn.) Litard.
<i>Ulmus canescens</i> Melville	→ <i>Ulmus minor</i> Mill. subsp. <i>canescens</i> (Melville) Browicz & Ziel.
<i>Urachne virescens</i> Trin.	→ <i>Piptatherum virescens</i> (Trin.) Boiss.
<i>Urginea maritima</i> (L.) Baker	→ <i>Charybdis maritima</i> (L.) Speta
<i>Urginea scilla</i> Steinh.	→ <i>Charybdis maritima</i> (L.) Speta
<i>Urginea undulata</i> (Desf.) Steinh.	→ <i>Charybdis undulata</i> (Desf.) Speta
<i>Urtica sicula</i> Gasp.	→ <i>Urtica dioica</i> L. subsp. <i>dioica</i>
<i>Uvularia amplexifolia</i> L.	→ <i>Streptopus amplexifolius</i> (L.) DC.
<i>Vaccaria hispanica</i> (Mill.) Rauschert subsp. <i>grandiflora</i> (Ser.) Holub	→ <i>Vaccaria hispanica</i> (Mill.) Rauschert
<i>Vaccinium gaultherioides</i> Bigelow	→ <i>Vaccinium uliginosum</i> L. subsp. <i>microphyllum</i> (Lange) Tolm.
<i>Vaccinium vitis idaea</i> L.	→ <i>Vaccinium vitis-idaea</i> L.
<i>Valeriana calcitrapae</i> L.	→ <i>Centranthus calcitrapae</i> (L.) Dufr. subsp. <i>calcitrapae</i>
<i>Valeriana collina</i> Wallroth	→ <i>Valeriana wallrothii</i> Kreyer
<i>Valeriana officinalis</i> L. subsp. <i>collina</i> (Wallr.) Nyman	→ <i>Valeriana wallrothii</i> Kreyer
<i>Valeriana officinalis</i> L. subsp. <i>sambucifolia</i> (Mikan fil.) Celak.	→ <i>Valeriana sambucifolia</i> J.C. Mikan ex Pohl
<i>Valeriana rubra</i> L.	→ <i>Centranthus ruber</i> (L.) DC. subsp. <i>ruber</i>
<i>Vella annua</i> L.	→ <i>Carrichtera annua</i> (L.) DC.
<i>Veratrum album</i> L. subsp. <i>lobelianum</i> (Bernh.) Arcang.	→ <i>Veratrum lobelianum</i> Bernh.
<i>Verbascum boerhaavii</i> L.	→ <i>Verbascum boerhavii</i> L.
<i>Verbascum crassifolium</i> DC.	→ <i>Verbascum thapsus</i> L. subsp. <i>montanum</i> (Schräd.) Bonnier & Layens
<i>Verbascum lanatum</i> auct.	→ <i>Verbascum alpinum</i> Turra
<i>Verbascum thapsus</i> L. subsp. <i>crassifolium</i> (Lam. et DC.) Murb.	→ <i>Verbascum thapsus</i> L. subsp. <i>montanum</i> (Schräd.) Bonnier & Layens
<i>Verbesina prostrata</i> L.	→ <i>Eclipta prostrata</i> (L.) L.
<i>Veronica alpina</i> L. subsp. <i>apennina</i> (Tausch) Arcang.	→ <i>Veronica serpyllifolia</i> L. subsp. <i>humifusa</i> (Dicks.) Syme
<i>Veronica apennina</i> Tausch	→ <i>Veronica serpyllifolia</i> L. subsp. <i>humifusa</i> (Dicks.) Syme
<i>Veronica austriaca</i> L. subsp. <i>austriaca</i>	→ <i>Veronica jacquinii</i> Baumg.
<i>Veronica austriaca</i> L. subsp. <i>teucrium</i> (L.) D.A. Webb	→ <i>Veronica teucrium</i> L.
<i>Veronica brevistyla</i> Moris	→ <i>Veronica verna</i> L. subsp. <i>brevistyla</i> (Moris) Rouy
<i>Veronica panormitana</i> Tineo in Guss.	→ <i>Veronica cymbalaria</i> Bodard subsp. <i>panormitana</i> (Guss.) Nyman
<i>Veronica pumila</i> All.	→ <i>Veronica alpina</i> L.
<i>Veronica serpyllifolia</i> L. subsp. <i>apennina</i> (Tausch) Rouy	→ <i>Veronica serpyllifolia</i> L. subsp. <i>humifusa</i> (Dicks.) Syme
<i>Veronica spicata</i> L.	→ <i>Pseudolysimachion spicatum</i> (L.) Opiz s.l.
<i>Veronica spicata</i> L. subsp. <i>barrelieri</i> (Schott ex Roemer & Schultes) Murb.	→ <i>Pseudolysimachion barrelieri</i> (Schott ex Roem. & Schult.) Holub s.l.
<i>Veronica spicata</i> L. subsp. <i>orchidea</i> (Crantz) Hayek	→ <i>Pseudolysimachion orchideum</i> (Crantz) Wraber
<i>Veronica sublobata</i> M. A. Fischer	→ <i>Veronica hederifolia</i> L. subsp. <i>lucorum</i> (Klett & Richt.) Hartl.
<i>Veronica triloba</i> (Opiz) Kerner	→ <i>Veronica hederifolia</i> L. subsp. <i>triloba</i> (Opiz) Celak.
<i>Vesicaria graeca</i> Boiss.	→ <i>Alyssoides utriculata</i> (L.) Medik.
<i>Vesicaria sativa</i> Mill.	→ <i>Eruca vesicaria</i> (L.) Cav.
<i>Vicia ambigua</i> Guss.	→ <i>Vicia pseudocracca</i> Bertol.
<i>Vicia amphicarpa</i> Dorthes	→ <i>Vicia sativa</i> L. subsp. <i>amphicarpa</i> (L.) Batt.
<i>Vicia atropurpurea</i> Desf.	→ <i>Vicia benghalensis</i> L.
<i>Vicia bengalensis</i> L.	→ <i>Vicia benghalensis</i> L.
<i>Vicia calcarata</i> Desf.	→ <i>Vicia monantha</i> Retz. subsp. <i>calcarata</i> (Desf.) Romero Zarco
<i>Vicia calcarata</i> Desf. subsp. <i>triflora</i> (Ten.) Burtt et Lewis	→ <i>Vicia monantha</i> Retz. subsp. <i>calcarata</i> (Desf.) Romero Zarco
<i>Vicia consentina</i> Sprengel	→ <i>Vicia pseudocracca</i> Bertol.
<i>Vicia cordata</i> Hoppe	→ <i>Vicia sativa</i> L. subsp. <i>cordata</i> (Hoppe) Batt.
<i>Vicia cracca</i> L. subsp. <i>incana</i> (Gouan) Rouy	→ <i>Vicia incana</i> Gouan
<i>Vicia elegans</i> Guss.	→ <i>Vicia tenuifolia</i> Roth subsp. <i>elegans</i> (Guss.) Nyman
<i>Vicia grandiflora</i> Scop. subsp. <i>sordida</i> (Waldst. & Kit.) Dostál	→ <i>Vicia grandiflora</i> Scop.
<i>Vicia incisa</i> M. Bieb.	→ <i>Vicia sativa</i> L. subsp. <i>incisa</i> (M. Bieb.) Arcang.
<i>Vicia laeta</i> Cesati in Friedrichsthal	→ <i>Vicia barbazitae</i> Ten. & Guss.
<i>Vicia microphylla</i> d'Urv.	→ <i>Vicia villosa</i> Roth subsp. <i>microphylla</i> (d'Urv.) P.W. Ball
<i>Vicia monantha</i> Retz. subsp. <i>triflora</i> (Ten.) B.L. Burtt & P. Lewis	→ <i>Vicia monantha</i> Retz. subsp. <i>calcarata</i> (Desf.) Romero Zarco
<i>Vicia olbiensis</i> Reut.	→ incl. <i>Vicia lathyroides</i> L.
<i>Vicia pimpinelloides</i> Seb. et Mauri	→ <i>Vicia sativa</i> L. subsp. <i>incisa</i> (M. Bieb.) Arcang.
<i>Vicia sativa</i> L. subsp. <i>angustifolia</i> (Grufb.) Gaudin	→ <i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.

<i>Vicia sativa</i> L. var. <i>macrocarpa</i> Moris	→ <i>Vicia sativa</i> L. subsp. <i>macrocarpa</i> (Moris) Arcang.
<i>Vicia sativa</i> L. var. <i>nigra</i> L.	→ <i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.
<i>Vicia sativa</i> L. subsp. <i>segetalis</i> (Thuill.) Gaudin	→ <i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.
<i>Vicia segetalis</i> Thuill.	→ <i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.
<i>Vicia serratifolia</i> Jacq.	→ <i>Vicia narbonensis</i> L. subsp. <i>serratifolia</i> (Jacq.) Ces.
<i>Vicia striata</i> M. Bieb.	→ <i>Vicia pannonica</i> Crantz subsp. <i>striata</i> (M. Bieb.) Nyman
<i>Vicia tenuifolia</i> Roth subsp. <i>dalmatica</i> (A. Kern.) Greuter	→ <i>Vicia dalmatica</i> A. Kern.
<i>Vicia tenuissima</i> (Bieb.) Sch. et Th.	→ <i>Vicia parviflora</i> Cav.
<i>Vicia terronii</i> (Ten.) Burnat	→ <i>Vicia loiseleurii</i> (M. Bieb.) Litv.
<i>Vicia varia</i> Host	→ <i>Vicia villosa</i> Roth subsp. <i>varia</i> (Host) Corb.
<i>Vicia varia</i> Host var. <i>eriocarpa</i> Hausskn.	→ <i>Vicia villosa</i> Roth subsp. <i>eriocarpa</i> (Hausskn.) P.W. Ball
<i>Vicia vestita</i> Boiss.	→ incl. <i>Vicia lutea</i> L.
<i>Vicia villosa</i> Roth subsp. <i>ambigua</i> (Guss.) Kerguélen	→ <i>Vicia pseudocracca</i> Bertol.
<i>Vicia villosa</i> Roth subsp. <i>pseudocracca</i> (Bertol.) P.W. Ball	→ <i>Vicia pseudocracca</i> Bertol.
<i>Vinca sardoa</i> (Stearn) Pign.	→ <i>Vinca difformis</i> Pourr. subsp. <i>sardoa</i> Stearn
<i>Viola alba</i> Besser subsp. <i>scotophylla</i> (Jord.) Nyman	→ <i>Viola alba</i> Besser subsp. <i>alba</i>
<i>Viola bertolonii</i> Pio subsp. <i>messanensis</i> (W. Becker) A. Schmidt	→ <i>Viola aethnensis</i> (DC.) Strobl subsp. <i>messanensis</i> (W. Becker) Merxm. & Lippert
<i>Viola canina</i> L. subsp. <i>montana</i> (L.) Hartman	→ <i>Viola canina</i> L. subsp. <i>ruppii</i> (All.) Schübl. & G. Martens
<i>Viola cavillieri</i> (W. Becker) Merxm. & Lippert	→ <i>Viola calcarata</i> L. subsp. <i>cavillieri</i> (W. Becker) Negodi
<i>Viola dehnhardtii</i> Ten.	→ <i>Viola alba</i> Besser subsp. <i>dehnhardtii</i> (Ten.) W. Becker
<i>Viola heterophylla</i> Bertol. subsp. <i>graeca</i> (W. Becker) W. Becker	→ <i>Viola graeca</i> (W. Becker) Halácsy
<i>Viola nummulariifolia</i> All. non Vill.	→ <i>Viola argenteria</i> Moraldo & Forneris
<i>Viola schultzei</i> Billot	→ <i>Viola canina</i> L. subsp. <i>schultzei</i> (Billot) Kirschl.
<i>Viola splendida</i> W. Becker	→ <i>Viola aethnensis</i> (DC.) Strobl subsp. <i>splendida</i> (W. Becker) Merxm. & Lippert
<i>Viola tricolor</i> L. subsp. <i>subalpina</i> Gaudin	→ <i>Viola tricolor</i> L. subsp. <i>saxatilis</i> (A.F.W. Schmidt) Jan
<i>Viscum abietis</i> (Wiesb.) Janchen	→ <i>Viscum album</i> L. subsp. <i>abietis</i> (Wiesb.) Janch.
<i>Viscum austriacum</i> Wiesb.	→ <i>Viscum album</i> L. subsp. <i>austriacum</i> (Wiesb.) Vollm.
<i>Viscum austriacum</i> Wiesb. var. <i>abietis</i> Wiesb.	→ <i>Viscum album</i> L. subsp. <i>abietis</i> (Wiesb.) Janch.
<i>Viscum laxum</i> Boiss. & Reuter	→ <i>Viscum album</i> L. subsp. <i>austriacum</i> (Wiesb.) Vollm.
<i>Viscum oxycedri</i> DC.	→ <i>Arceuthobium oxycedri</i> (DC.) M. Bieb.
<i>Vitaliana primulaeflora</i> Bertol.	→ <i>Androsace vitaliana</i> (L.) Lapeyr. s.l.
<i>Vitaliana primulaeflora</i> Bertol. subsp. <i>cinerea</i> (Sundermann) I.K. Ferguson	→ <i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>cinerea</i> (Sünd.) Kress
<i>Vitaliana primulaeflora</i> Bertol. subsp. <i>praetutiana</i> (Buser) I. K. Ferguson	→ <i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>praetutiana</i> (Sünd.) Kress
<i>Vitaliana primulaeflora</i> Bertol. subsp. <i>sesleri</i> (Buser) Pign.	→ <i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>sesleri</i> (Sünd.) Kress
<i>Vitaliana primuliflora</i> Bertol.	→ <i>Androsace vitaliana</i> (L.) Lapeyr. s.l.
<i>Vitaliana primuliflora</i> Bertol. subsp. <i>cinerea</i> (Sund.) I.K. Ferguson	→ <i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>cinerea</i> (Sünd.) Kress
<i>Vitaliana primuliflora</i> Bertol. subsp. <i>praetutiana</i> (Buser ex Suend) I.K. Ferguson	→ <i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>praetutiana</i> (Sünd.) Kress
<i>Vitaliana primuliflora</i> Bertol. subsp. <i>primuliflora</i>	→ <i>Androsace vitaliana</i> (L.) Lapeyr. subsp. <i>vitaliana</i>
<i>Vitis sylvestris</i> C.C. Gmel.	→ <i>Vitis vinifera</i> L. subsp. <i>sylvestris</i> (C.C. Gmel.) Hegi
<i>Vulpia aetnensis</i> Tineo	→ <i>Vulpia ciliata</i> Dumort.
<i>Vulpia alopecurus</i> (Schousb.) Dumort.	→ <i>Vulpia alopecurus</i> (Schousb.) Dumort.
<i>Vulpia attenuata</i> Parl.	→ <i>Vulpia sicula</i> (C. Presl) Link
<i>Vulpia dertonensis</i> (All.) Gola	→ <i>Vulpia bromoides</i> (L.) Gray
<i>Vulpia membranacea</i> auct., non (L.) Dumort.	→ <i>Vulpia fasciculata</i> (Forssk.) Fritsch
<i>Vulpia michelii</i> (Savi) Rchb.	→ <i>Trisetaria michelii</i> (Savi) D. Heller
<i>Vulpia uniglumis</i> (Aiton) Dumort.	→ <i>Vulpia fasciculata</i> (Forssk.) Fritsch
<i>Wahlenbergia nutabunda</i> (Guss.) DC.	→ <i>Wahlenbergia lobelioides</i> (L. f.) Link subsp. <i>nutabunda</i> (Guss.) Murb.
<i>Weingaertneria articulata</i> (Desf.) Asch. & Graebn.	→ <i>Corynephorus articulatus</i> (Desf.) P. Beauv.
<i>Weingaertneria canescens</i> (L.) Bernh.	→ <i>Corynephorus canescens</i> (L.) P. Beauv.
<i>Willemetia apargioides</i> Less.	→ <i>Willemetia stipitata</i> (Jacq.) D. Torre subsp. <i>stipitata</i>
<i>Willemetia hieracioides</i> Monnier	→ <i>Willemetia stipitata</i> (Jacq.) D. Torre subsp. <i>stipitata</i>
<i>Woodsia glabella</i> R. Br. subsp. <i>pulchella</i> Á. & D. Löve	→ <i>Woodsia pulchella</i> Bertol.
<i>Xanthium italicum</i> Moretti	→ <i>Xanthium orientale</i> L. subsp. <i>italicum</i> (Moretti) Greuter
<i>Xanthium strumarium</i> L. subsp. <i>italicum</i> (Moretti) D. Loeve	→ <i>Xanthium orientale</i> L. subsp. <i>italicum</i> (Moretti) Greuter
<i>Xanthoxalis stricta</i> (L.) Small	→ <i>Oxalis stricta</i> L.
<i>Xeranthemum foetidum</i> Moench	→ <i>Xeranthemum inapertum</i> (L.) Mill.
<i>Xiphion collinum</i> N. Terracc.	→ <i>Iris lorea</i> Janka
<i>Xiphion foetidissimum</i> (L.) Parl.	→ <i>Iris foetidissima</i> L.
<i>Xiphion gramineum</i> (L.) Schrank	→ <i>Iris graminea</i> L.
<i>Xiphion pseudacorus</i> (L.) Schrank	→ <i>Iris pseudacorus</i> L.
<i>Xiphion sibiricum</i> (L.) Schrank	→ <i>Iris sibirica</i> L.
<i>Xiphion vulgare</i> Mill.	→ <i>Iris xiphium</i> L.

<i>Zacintha verrucosa</i> Gaertn.	→ <i>Crepis zacintha</i> (L.) Loisel.
<i>Zannichellia major</i> (Hartm.) Rchb.	→ <i>Zannichellia palustris</i> L. subsp. <i>polycarpa</i> (Nolte) K. Richt.
<i>Zannichellia pedicellata</i> (Wahlenb. & Rosén) Fr.	→ <i>Zannichellia palustris</i> L. subsp. <i>pedicellata</i> (Wahlenb. & Rosén) Arcang.
<i>Zannichellia pedunculata</i> Rchb.	→ <i>Zannichellia palustris</i> L. subsp. <i>pedicellata</i> (Wahlenb. & Rosén) Arcang.
<i>Zannichellia polycarpa</i> Nolte	→ <i>Zannichellia palustris</i> L. subsp. <i>polycarpa</i> (Nolte) K. Richt.
<i>Ziziphus jujuba</i> Miller	→ <i>Ziziphus zizyphus</i> (L.) Meikle
<i>Ziziphus officinarum</i> Medik.	→ <i>Ziziphus zizyphus</i> (L.) Meikle
<i>Ziziphus sativa</i> Gaertn.	→ <i>Ziziphus zizyphus</i> (L.) Meikle
<i>Ziziphus vulgaris</i> Lam.	→ <i>Ziziphus zizyphus</i> (L.) Meikle
<i>Zollikoferia nudicaulis</i> (L.) Boiss.	→ <i>Launaea nudicaulis</i> (L.) Hook. f.
<i>Zostera nodosa</i> Ucria	→ <i>Cymodocea nodosa</i> (Ucria) Asch.
<i>Zostera oceanica</i> L.	→ <i>Posidonia oceanica</i> (L.) Delile

2 – Notes

Here are reported various remarks about the precision limits of the names as well as matters of taxonomic or phytogeographic concern and references.

- 1 According to some authors the most appropriate rank is the variety
- 2 Including *Asplenium eberlei* D.E. Mey.
- 3 Including *Azolla caroliniana* Willd. and *A. mexicana* C. Presl
- 4 Doubtfully independent *taxon*
- 5 Including *Lycopodium clavatum* L. subsp. *monostachyon* (Grev. & Hook.) Selander
- 6 Doubtfully native in Veneto region
- 7 GARBARI F., GIOVANNINI A. & MARCHETTI D., 2002. *Salvinia molesta* D.S. Mitchell (Salvinaceae) nuova per la flora d'Italia. Arch. Geobot., 6(1): 73-78
- 8 The taxonomic problems about the populations of Val Venosta are still unresolved. Nouviant (NOUVIANT J., 1997. *Recherche sur Ephedra en Europe. III: entre Ephedra distachya et E. helvetica*. Bull. Murith., Soc. Valais. Sci. Nat., 115:68-75.) ascribes them to *E. negrii* J. Nouviant, an alpine species morphologically intermediate between *E. distachya* L. and *E. elvetica* C.A. Mey. The original definition of *E. elvetica* C.A. Mey. (in Mayer's monograph) is based only on the shape of the slender tube: in *helvetica* it is about 2 mm long and always twisted, while in *distachya* it is 0,5-1,5 mm long and erect or a little curved. The *Ephedra* of the Val Venosta has an undoubtedly *distachya*-type slender tube so that some authors, like Riedl (RIEDL H., 1967. *Die Gattung Ephedra in Europa*. Sci. Pharm., 35: 225-228), quote it as *E. distachya*. Nowadays, because of a more pragmatic approach, all (?) the alpine populations are ascribed to *E. helvetica*. As regards the *Ephedra* from Val Venosta we decided to carry out genetic investigations in order to make this matter some clearer (T. Wilhalm, *in litt.*)
- 9 A. Soldano (*in verb.*)
- 10 Including *Juniperus alpina* Gray. In Italy the varieties *communis* (= *J. hemisphaerica* J. & C. Presl), *intermedia* (Schur) Sanio and *saxatilis* Pall. (= *J. nana* Willd.) do occur
- 11 In Italy only the var. *sabina*
- 12 In Italy only the var. *decidua*
- 13 Including *Picea abies* (L.) H. Karst. subsp. *alpestris* (Brügger) Domin. In Italy the varieties *abies* and *acuminata* (Beck) Dallim. et A.B. Jacks. do occur
- 14 Including *Pinus mugo* Turra subsp. *pumilio* (Haenke) Zenari. *P. sylvestris* subsp. *engadinensis* (Heer) Asch. & Graebn. is a hybrid between *P. mugo* Turra and *P. sylvestris* L.
- 15 Intermediate forms between *Pinus mugo* Turra subsp. *mugo* and *P. mugo* Turra subsp. *uncinata* (Ramond ex DC.) Domin were reported under this name, it is a *taxon* not clearly independent and occurring in the Alps and whose distribution is to be precised (P. Minghetti, *in verb.*)
- 16 Including *Pinus laricio* Poir. subsp. *calabrica* (Loud.) Cesca & Peruzzi
- 17 In Italy only the var. *sylvestris*; *Pinus sylvestris* L. subsp. *engadinensis* (Heer) Asch. & Graebn. is hybrid between *P. mugo* Turra and *P. sylvestris* L.
- 18 MINUTO L., 1992. *Segnalazioni Floristiche Italiane n. 727*. Inform. Bot. Ital., 24: 217
- 19 Records of *Acer marsicum* Guss., doubtfully independent *taxon*, are to be referred here
- 20 VAN GELDEREN D.M., DE JONG P.C. & OTERDOOM H.J., 1994. *Maples of the world*. Timber Press
- 21 VAN GELDEREN D.M., DE JONG P.C. & OTERDOOM H.J., 1994. *Maples of the world*. Timber Press
- 22 SAUKEL J. & LÄNGER R., 1992. *Achillea pratensis* Sauker & Länger, spec. nova, eine tetraploide Sippe der *Achillea millefolium*-Gruppe. Phytion, 32(1): 159-172
- 23 BARKWORTH M.E. & TORRES M.A., 2001. *Distribution and diagnostic characters of Nassella* (Poaceae: Stipeae). Taxon, 50: 439-470
- 24 Including *Aconitum lycoctonum* L. emend. Koelle subsp. *lycoctonum*, subsp. *neapolitanum* (Ten.) Nyman, subsp. *vulparia* (Rchb. ex Spreng.) Nyman and *Aconitum lamarckii* Rchb.
- 25 Including *Aconitum napellus* L. subsp. *vulgare* Rouy & Fouc. and subsp. *lusitanicum* Rouy
- 26 Including *Adenostyles australis* (Ten.) Nyman
- 27 Including *Adonis castellana* Pau and *A. cupaniana* Guss.
- 28 An *Aeonium* sp. was recorded for Chieti (Abruzzo region), maybe to be referred to this species
- 29 MAZZOLA P., 1981. *Osservazioni su alcune succulente spontaneizzate in Sicilia*. Giorn. Bot. Ital., 115: 407
- 30 Quoted as *Aeonium aff. simsii* (MAZZOLA P., 1981. *Osservazioni su alcune succulente spontaneizzate in Sicilia*. Giorn. Bot. Ital., 115: 407) and subsequently confirmed by the author (L. Gallo, *in litt.*)
- 31 Stable hybrid between *Agrostis stolonifera* L. x *Polypogon monspeliensis* (L.) Desf.
- 32 LÖVE Å., 1984. *Conspectus of the Triticaceae*. Feddes Repert., 95(7-8): 425-521
- 33 BRULLO S., SCELSI F. & SPAMPINATO G., 2001. *La vegetazione dell'Aspromonte*: 43. Laruffa, Reggio Calabria
- 34 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 35 For the description of the *taxon*, see SELVI F., 1994. *Agrostis canina* L. subsp. *monteluccii* Selvi, subsp. nov. (Poaceae). Webbia, 49(1): 51-58
- 36 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 37 Doubtfully independent *taxon*
- 38 ROMANI E. & ALESSANDRINI A., 2002. *Flora Piacentina*. Museo Civ. di St. Nat. Piacenza
- 39 Including *Alchemilla debilicaulis* Buser
- 40 BRULLO S., SCELSI F. & SPAMPINATO G., 1997. *An interesting new species of Alchemilla (Rosaceae) from S. Italy*. Willdenowia, 27: 69-72
- 41 Including *Alchemilla illyrica* Rothm.
- 42 Including *Alchemilla filicaulis* Buser subsp. *vestita* (Buser) M.E. Bradshaw
- 43 Probably to be excluded from the Italian Flora
- 44 BRULLO S., PAVONE P. & SALMERI C., 1997. *Allium anzalonei*, eine neue Art für die italienische Flora. Sendtnera, 4: 33-39
- 45 BRULLO S., PAVONE P. & SALMERI C., 1994. *Considerazioni citotassonomiche su Allium calabrum* (Alliaceae), raro endemismo dell'Italia meridionale. Giorn. Bot. Ital., 128(1): 246
- 46 BRULLO S., PAVONE P. & SALMERI C., 1991. *Cytotaxonomical notes on Allium dentiferum Webb & Berthelot, an unknown species of the Mediterranean flora*. Bot. Chron., 10: 785-796

- 47 Endemic of Sardegna and Corsica
- 48 BRULLO S., PAVONE P. & SPAMPINATO G., 1989. *Allium pentadactyli* (Liliaceae), a new species from S Italy. Willdenowia, 19: 115–120
- 49 CONTI F., 1995. *Prodromo della flora del Parco Nazionale d'Abruzzo*. 127 pp. Almadue. Roma
- 50 Not *Alopecurus alpinus* Sm.
- 51 TUTIN *et al.*, 1964-1980;1993
- 52 GARBARI F. & PEDULLÀ M.L., 2001. *Alternanthera philoxeroides* (Mart.) Griseb. (Amaranthaceae), specie nuova per la flora esotica d'Italia. Webbia, 56 (1): 139-143
- 53 Including *Althenia filiformis* Petit subsp. *barrandonii* (Duval-Jouve) Asch. & Graebn.
- 54 Endemic of Sicilia
- 55 Including *Amaranthus sylvestris* Vill. and *A. angustifolius* Lam.
- 56 Including *Amaranthus delilei* Loret
- 57 Including *Amaranthus tristis* L., *A. gangeticus* L. and *A. mangostanus* L.
- 58 FERNÁNDEZ PRIETO J.A., FERNÁNDEZ-CARVAJAL M.C. & AEDO C., 1987. *El género Ammophila Host en las costas europeas y norteafricanas*. Candollea, 42: 399-410
- 59 Doubtfully independent *taxon*; reported for the Southern part of the Italian peninsula where its distribution area is to be defined
- 60 Doubtfully independent *taxon*
- 61 According to CASTROVIEJO *et al.* (1997) it is a synonym of *Anagallis monelli* L.
- 62 According to CASTROVIEJO *et al.* (1997) it is a synonym of *Anagallis monelli* L.
- 63 Endemic of Sardegna and Corsica
- 64 SELVI F. & BIGAZZI M., 1998. *Andchusa L. and allied genera* (Boraginaceae) in Italy. Plant Biosystems, 132(2): 113-142
- 65 In Italy the subsp. *elongata* is missing
- 66 Including *Androsace vitaliana* (L.) Lapeyr. subsp. *canescens* O. Schwarz
- 67 Including *Andryala tenuifolia* DC.
- 68 UBALDI D., PUPPI G., 1989. *A new subspecies of Anemone trifolia* L. Candollea, 44: 137-146.
- 69 Probably *Anthemis asperula* Bertol. (GAMISANS J. & JEANMONOD D., 1998. *Compléments au Prodrome de la Flore Corse. I. Asteraceae*. Conservatoire et Jardin botaniques, Genève.) does not exist and is to be replaced in Sicilia with *A. abrotanifolia* (Willd.) Guss.
- 70 Including *Anthemis arvensis* L. subsp. *acrochordona* Briq. & Cavill.
- 71 FERNANDES R., 1975. *Identification, typification, affinités et distribution géographique de quelques taxa européens du genre Anthemis* L. Ann. Inst. Bot. Cavanill. 32: 1409-1488
- 72 FERNANDES R., 1975. *Identification, typification, affinités et distribution géographique de quelques taxa européens du genre Anthemis* L. Ann. Inst. Bot. Cavanill. 32: 1409-1488
- 73 FERNANDES R., 1975. *Identification, typification, affinités et distribution géographique de quelques taxa européens du genre Anthemis* L. Ann. Inst. Bot. Cavanill. 32: 1409-1488
- 74 FRANZÉN R., 1986. *Anthemis cretica* (Asteraceae) and related species in Greece. Willdenowia, 16: 35-45
- 75 FERNANDES R., 1975. *Identification, typification, affinités et distribution géographique de quelques taxa européens du genre Anthemis* L. Ann. Inst. Bot. Cavanill. 32: 1409-1488
- 76 Endemic of Pantelleria and Malta Islands
- 77 The distribution area is to be defined
- 78 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 79 *Anthriscus alpina* (Vill.) Jord., whose taxonomic status and distribution are to be defined, was reported for the Alps
- 80 Basing on literature some Appennine regions report two subspecies but, probably, only one occurs (L. Bernardo *in verbis*)
- 81 Taxonomically doubtful (TUTIN *et al.*, 1964-1980;1993)
- 82 Records of *Aquilegia kitaibelii* Schott for Italy are to be referred here
- 83 Including *Cardaminopsis halleri* (L.) Hayek subsp. *ovirensis* (Wulfen) Hegi & Em. Schmid
- 84 A. Soldano (*in verb.*)
- 85 Including *Arabis tenella* Guss. & Ten.
- 86 According to JALAS *et al.* (1996) it is a doubtfully independent *taxon*
- 87 The subsp. *pubens* (Bab.) Arens is acknowledged by POLDINI *et al.* (2001), but we'd rather consider it as a synonym of *Arctium minus* (Hill) Bernh., in agreement with DUISTERMAAT (DUISTERMAAT H., 1996. *Monograph of Arctium L. (Asteraceae). Generic delimitation (including Cousinia Cass. p.p.), revision of the species, pollen morphology, and hybrids*. Gorteria, 3: 1-143.)
- 88 Endemic of Alpi Marittime, Appennino, Sicilia, Sardegna e Corsica
- 89 SCHOLZ H. & BÖCKER R., 1996. *Ergänzungen und Anmerkungen zur Grasflora (Poaceae) der Kanaren*. Willdenowia, 25(2): 571-582
- 90 STRID & TAN, 1997
- 91 Endemic of Sardegna and Corsica
- 92 BRULLO S., SCELSI F. & SPAMPINATO G., 1997. *A new species of Armeria* (Plumbaginaceae) from S Italy. Edimb. J. Bot., 54 (1): 91-97
- 93 Doubtfully independent *taxon*
- 94 Doubtfully independent *taxon*
- 95 Doubtfully independent *taxon*
- 96 Including *Armeria canescens* (Host) Boiss. subsp. *gracilis* (Ten.) Bianchini
- 97 TUTIN *et al.*, 1964-1980;1993
- 98 TUTIN *et al.*, 1964-1980;1993
- 99 ROMERO ZARCO C., 1985. *Revisión del género Arrhenatherum Beauv. (Gramineae) en la Península Ibérica*. Acta Botánica Malacitana, 10: 123-154
- 100 Including *Artemisia alba* Turra subsp. *lobelii* (All.) Gams
- 101 Doubtfully native, probably it is naturalised

- 102 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 103 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 104 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 105 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 106 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 107 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 108 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 109 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 110 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 111 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 112 The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 113 Endemic of Sardegna and Corsica
- 114 POLDINI *et al.*, 2001
- 115 BEDALOV M., BIANCO P., MEDAGLI P., D'EMERICO S., 1993. *Considerazioni tassonomiche su Arum alpinum Schott et Kotschy*, *Arum cylindraceum Gasparr.* e *Arum lucanum Cavara et Grande*. Webbia, 48: 209-212
- 116 Including *Asparagus aetnensis* Tornab.
- 117 DÍAZ Z. & VALDÉS B., 1996. *Revisión del género Asphodelus L. (Asphodelaceae) en el Mediterráneo Occidental*. Boissiera, 52: 1-189
- 118 In Italy only the var. *macrocarpus*
- 119 In Italy exist the var. *ramosus* (the most common) and the var. *africanus* (Maire) Z. Díaz & Valdés (Lazio, Calabria, Sardegna, Sicilia)
- 120 Including *Astragalus sempervirens* Lam. subspecies *sempervirens*, *alpinus* Pignatti and *gussonei* Pignatti
- 121 GARGANO D. & PERUZZI L., 2002-2003. *Sulla carilogia e distribuzione di due rari Astragali tragacantoidi nel Parco Nazionale del Pollino*. Allionia, 39: 111-117
- 122 GARGANO D. & PERUZZI L., 2002-2003. *Sulla carilogia e distribuzione di due rari Astragali tragacantoidi nel Parco Nazionale del Pollino*. Allionia, 39: 111-117
- 123 Endemic of Sardegna and Corsica
- 124 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 125 Recent confirmations are missing
- 126 Including *Atriplex angustifolia* Sm.
- 127 Including *Obione cupani* (Tineo) Nicotra
- 128 BAUM B.R., 1977. *Oats: wild and cultivated. A monograph of the genus Avena L. (Poaceae)*. Ottawa, Biosystematics Research Institute, Canada Department of Agriculture, Research Branch, 1977; KERGUÉLEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 129 SCHOLZ H., 1991. *Die Systematik der Avena sterilis und A. fatua* (Gramineae). *Eine kritische Studie*. Willdenowia, 20: 103-112
- 130 SCHOLZ H., 1991. *Die Systematik der Avena sterilis und A. fatua* (Gramineae). *Eine kritische Studie*. Willdenowia, 20: 103-112
- 131 Including *Avenula adsurgens* (Schur ex Simonkai) Sauer & Chmelitschek subsp. *aussendorferi* (Aschersen & Graebn.) Sauer & Chmelitschek and *A. praeusta* (H.G.L. Reichenbach) Holub subsp. *pseudoviolacea* (A. Kern.) Hegi
- 132 Doubtfully independent *taxon*
- 133 KERGUÉLEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 134 RAIMONDO F.M., GIARDINA G. & SPADARO V., 2005. *Bocconea* (in press)
- 135 RAIMONDO F.M., GIARDINA G. & SPADARO V., 2005. *Bocconea* (in press)
- 136 BORZATTI DE LOWENSTERN A. & GARBARI F., 2003. *Bellevia dubia subsp. dubia* (Hyacinthaceae), *an endemic unit for the Sicilian flora*. *Bocconea*, 16(2): 543-548
- 137 BORZATTI DE LOWENSTERN A. & GARBARI F., 2003. *Bellevia dubia subsp. dubia* (Hyacinthaceae), *an endemic unit for the Sicilian flora*. *Bocconea*, 16(2): 543-548
- 138 Including *Bellis hybrida* Ten.
- 139 Endemic of Sardegna, Corsica and Baleares
- 140 Endemic of Southern Italy, Sicilia, Sardegna and Corsica
- 141 Doubtfully independent *taxon*; it is considered to be synonym of *B. pendula* Roth var. *pendula* (GOVAERTS R. & FRODIN D.G., 1998. *World checklist and bibliography of Fagales* (Betulaceae, Corylaceae, Fagaceae and Ticodendraceae). Royal Botanic Garden, Kew.)
- 142 In Italy only the var. *pendula*
- 143 In Italy only the var. *pubescens*
- 144 Distribution of the two subspecies to be verified
- 145 RAFFAELLI M. & BALDOIN L., 1997. *Il complesso di Biscutella laevigata L. (Cruciferae) in Italia*. Webbia, 52(1): 87-128
- 146 RAFFAELLI M. & BALDOIN L., 1997. *Il complesso di Biscutella laevigata L. (Cruciferae) in Italia*. Webbia, 52(1): 87-128
- 147 RAFFAELLI M. & BALDOIN L., 1997. *Il complesso di Biscutella laevigata L. (Cruciferae) in Italia*. Webbia, 52(1): 87-128
- 148 RAFFAELLI M. & BALDOIN L., 1997. *Il complesso di Biscutella laevigata L. (Cruciferae) in Italia*. Webbia, 52(1): 87-128

- 149 RAFFAELLI M. & BALDOIN L., 1997. *Il complesso di Biscutella laevigata L. (Cruciferae) in Italia*. Webbia, 52(1): 87-128
- 150 Previous records of *Biscutella raphanifolia* Poiret are to be referred here
- 151 Endemic of Sardegna and Corsica; reports of *Biscutella dydima* L. subsp. *columnae* (Ten.) Nyman are probably to be related here
- 152 RAFFAELLI M. & BALDOIN L., 1997. *Il complesso di Biscutella laevigata L. (Cruciferae) in Italia*. Webbia, 52(1): 87-128
- 153 Endemic of Capraia, Sardegna and Corsica
- 154 RAIMONDO F.M. & GERACI A., 2002. *A new taxonomic arrangement in Sicilian Brassica sect. Brassica (Cruciferae)*. Flora Mediterranea, 12: 439-441
- 155 RAIMONDO F.M. & GERACI A., 2002. *A new taxonomic arrangement in Sicilian Brassica sect. Brassica (Cruciferae)*. Flora Mediterranea, 12: 439-441
- 156 GIOTTA C., PICCITTO M. & ARRIGONI P.V., 2002. *Un nuovo endemismo della Sardegna: Brassica tyrrhena sp. nov. (Brassicaceae)*. Webbia, 57(1): 1-5
- 157 RAIMONDO F.M. & GERACI A., 2002. *A new taxonomic arrangement in Sicilian Brassica sect. Brassica (Cruciferae)*. Flora Mediterranea, 12: 439-441
- 158 RAIMONDO F.M. & GERACI A., 2002. *A new taxonomic arrangement in Sicilian Brassica sect. Brassica (Cruciferae)*. Flora Mediterranea, 12: 439-441
- 159 RAIMONDO F.M. & GERACI A., 2002. *A new taxonomic arrangement in Sicilian Brassica sect. Brassica (Cruciferae)*. Flora Mediterranea, 12: 439-441
- 160 RAIMONDO F.M. & GERACI A., 2002. *A new taxonomic arrangement in Sicilian Brassica sect. Brassica (Cruciferae)*. Flora Mediterranea, 12: 439-441
- 161 RAIMONDO F.M. & GERACI A., 2002. *A new taxonomic arrangement in Sicilian Brassica sect. Brassica (Cruciferae)*. Flora Mediterranea, 12: 439-441
- 162 TUTIN *et al.*, 1964-1980;1993
- 163 SALES F., 1993. *Taxonomy and nomenclature of Bromus Sect.* Genea. Edinb. J. Bot., 50: 1-31
- 164 Including *Bromus caprinus* A.Kern., *B. stenophyllus* Link and *B. transsilvanicus* Hack.
- 165 SALES F., 1993. *Taxonomy and nomenclature of Bromus Sect.* Genea. Edinb. J. Bot., 50: 1-31
- 166 Endemic of Sardegna and Corsica
- 167 Endemic of Corsica, doubtfully reported for Sardegna
- 168 The distribution area is to be defined
- 169 MINISALE P. & SPAMPINATO G., 1990. *Sulla presenza di Bupleurum gracile D'Urv. (Umbelliferae) in Calabria. Nuovo reperto per la Flora Italiana*. Webbia, 44(1): 91-95
- 170 Doubtfully occurring in Italy and to be confirmed (SNOGERUP S. & SNOGERUP B., 2001. *Bupleurum L. (Umbelliferae) in Europe – I. The annuals, B. sect. Bupleurum and sect. Aristata*. Willdenowia, 31: 205-308.)
- 171 GUERRA R., 1996. Segn. Fl. Ital.: 848. Inform. Bot. Ital., 28(2): 273
- 172 In Italy the var. *depauperatum* Boiss. is reported
- 173 The subspecies are worthless: see GAMISANS J. & JEANMONOD D., 1998. *Compléments au Prodrome de la Flore Corse*. I. Asteraceae. Conservatoire et Jardin botaniques, Genève
- 174 Including *Caltha laeta* Schott & al. Some infraspecific *taxa*, whose rank or independence are to be defined, were reported
- 175 The distribution area is to be defined
- 176 Including *Campanula glomerata* L. subspecies *cervicarioides* (Schult.) Arcang., *elliptica* (Kit. ex Schult.) Jan, *farinosa* (Andrz.) Kirschl. and *serotina* (Wettst.) O. Schwartz
- 177 PAIVA *et al.*, 2001
- 178 Also the var. *canescens* Cosson
- 179 Doubtfully independent *taxon*
- 180 Though reported for Italy, the occurrence of *Cardamine amara* subsp. *opicii* (J. & C. Presl) Celak is not confirmed
- 181 Marhold temporarily ascribes the populations of central Italy to this species but does not quote it as a synonym of *Cardamine amara* L. subsp. *grandifolia* Arcang. (LIHOVA J., MARHOLD K., TRIBSCH A. & STUESSY T.F., 2004. *Morphometric and AFLP Re-evaluation of Tetraploid Cardamine amara (Brassicaceae) in the Mediterranean*. Systematic Botany, 29(1): 136-146; LIHOVA J., FUERTES AGUILAR J., MARHOLD K. & NIETO FELINER G., 2004. *Origin of the disjunct tetraploid Cardamine amporitana (Brassicaceae) assessed with nuclear and chloroplast DNA sequence data*. Am. J. Bot., 91(8): 1231-1242)
- 182 LIHOVA J., TRIBSCH A. & STUESSY T.F., 2004. *Cardamine apennina: a new endemic diploid species of the C. pratensis group (Brassicaceae) from Italy*. Plant Syst. Evol., 245: 69-92
- 183 Not accepted by the most recent floras (TUTIN *et al.*, 1964-1980;1993; JALAS *et al.*, 1996)
- 184 LIHOVA J., TRIBSCH A. & STUESSY T.F., 2004. *Cardamine apennina: a new endemic diploid species of the C. pratensis group (Brassicaceae) from Italy*. Plant Syst. Evol., 245: 69-92
- 185 LIHOVA J., TRIBSCH A. & STUESSY T.F., 2004. *Cardamine apennina: a new endemic diploid species of the C. pratensis group (Brassicaceae) from Italy*. Plant Syst. Evol., 245: 69-92
- 186 Reported for Croatia
- 187 Endemic of Montecristo, Sardegna and Corsica
- 188 Endemic of Emilia-Romagna, Toscana, Sardegna and Corsica
- 189 Two varieties are reported: var. *brunnescens* and var. *vitis* (Fr.) Asch. & Graebn.
- 190 Including *Carex caryophyllea* Latourr. subsp. *insularis* (Christ ex Barbey) Arrigoni
- 191 Including *Carex extensa* Gooden. subsp. *viestina* Fen.
- 192 Various records are known in which to this *taxon* are referred the bushy forms of *Carex nigra* (L.) Reichard. Yet, it is doubtfully occurring in Italy (F. Prosser, *in litt.*)
- 193 Endemic of Central-Southern Italy, Sardegna and Corsica
- 194 Endemic of Sicilia and Sardegna
- 195 Endemic of the Northern Apennine, of Sardegna and Corsica

- 196 Endemic of Sicilia and Malta
- 197 CONTI *et al.*, 1997
- 198 TUTIN *et al.*, 1964-1980; 1993
- 199 BRULLO S., GIUSSO DEL GALDO P., MINISALE P. & SPAMPINATO G., 2003. *Considerazioni tassonomiche sui generi Catapodium Link, Desmezeria Dumort. e Castellia Tineo (Poaceae) in Italia*. Inform. Bot. Ital., 35: 158-170
- 200 BRULLO S., GIUSSO DEL GALDO P., MINISALE P. & SPAMPINATO G., 2003. *Considerazioni tassonomiche sui generi Catapodium Link, Desmezeria Dumort. e Castellia Tineo (Poaceae) in Italia*. Inform. Bot. Ital., 35: 158-170
- 201 BRULLO S. & PAVONE P., 1984. *Considerazioni tassonomiche su Catapodium zwierleinii (Lojac.) Brullo e sue affinità con Catapodium rigidum (L.) C. E. Hubbard*. Giorn. Bot. Ital., 118 (Suppl. 2): 228; BRULLO S., GIUSSO DEL GALDO P., MINISALE P., SPAMPINATO G., 2003. *Considerazioni tassonomiche sui generi Catapodium Link, Desmezeria Dumort. e Castellia Tineo (Poaceae) in Italia*. Inform. Bot. Ital., 35: 158-170
- 202 ANZALONE B., 1995. *A proposito di una Centaurea L. dell'Isola di Ventotene (Isole Ponziane - Lazio)*. Boll. Soc. Sarda di Sc. Nat., 30: 511-515
- 203 Including *Centaurea dissecta* Ten. var. *intermedia* Fiori
- 204 BRULLO S., SCELFI F. & SPAMPINATO G., 2001. *Salix ionica (Salicaceae) a new species from S Italy*. Boccone, 13: 419-423
- 205 SOLDANO A., 1996. *Un rango specifico per la Centaurea endemica del Biellese-Valsesia: Centaurea bugellensis. (A specific rank for the knapsweed endemic to Biella-Valsesia district: Centaurea bugellensis)*. Natura Bresciana, 30: 147-153
- 206 CELA RENZONI G. & VIEGI L., 1982. *Centaurea cineraria s.l. (Asteraceae) in Italia. Revisione citotassonomica*. C.N.R. AP/1/229 Coll. Progr. Final. "Promozione della qualità dell'ambiente". Atti Soc. Tosc. Sci. Nat., Mem., B, 89: 99-144
- 207 Including *Centaurea deusta* Ten. subsp. *concolor* (DC.) Hayek
- 208 OCHSMANN J., 2000. *Morphologische und molekularsystematische Untersuchungen an der Centaurea stoebe L. - Gruppe (Asteraceae - Cardueae) in Europa*. Diss. Bot., 324, 133 pp
- 209 According to some authors in Sicilia region it might be native (GIARDINA G. & LUCCHESI F., 2000. *The native-alien status of Centaurea diluta Aiton in Italy. Additional point and clarification*. Arch. Geobot., 6(2):183-188). CONTI *et al.*, 1997
- 210 BRULLO S., SCELFI F. & SPAMPINATO G., 2001. *Salix ionica (Salicaceae) a new species from S Italy*. Boccone, 13: 419-423
- 211 Including *Centaurea pannonica* (Heuff.) Simonk. and *C. weldeniana* Rechb.
- 212 POLDINI *et al.*, 2001
- 213 BARBO M. & CELA RENZONI G., 1997. *Aspetti biosistematici del gruppo di Centaurea jacea (Asteraceae) nell'Italia nord-orientale*. Inform. Bot. Ital., 29(2-3): 303-304
- 214 POLDINI *et al.*, 2001
- 215 POLDINI *et al.*, 2001
- 216 CONTI *et al.*, 1997
- 217 CONTI *et al.*, 1997
- 218 POLDINI *et al.* (2001). Doubtfully occurring
- 219 ARRIGONI P.V. & CAMARDA I., 2003. *Centaurea magistrorum species nova (Asteraceae) in Sardegna*. Parlatorea, 6: 79-82
- 220 SOLDANO A., 1978. *Una nuova Centaurea sulle Alpi Apuane*. Giorn. Bot. Ital., 112: 293
- 221 BARBO M. & CELA RENZONI G., 1997. *Aspetti biosistematici del gruppo di Centaurea jacea (Asteraceae) nell'Italia nord-orientale*. Inform. Bot. Ital., 29(2-3): 303-304
- 222 BRULLO S., 1988. *Note tassonomiche sulla flora pugliese (Italia meridionale)*. Braun-Blanquetia, 2: 31-32
- 223 BRULLO S., SCELFI F. & SPAMPINATO G., 2001. *Salix ionica (Salicaceae) a new species from S Italy*. Boccone, 13: 419-423
- 224 PUNTILLO D., 1996. *A new species of Centaurea sect. Phalolepis from Calabria (S. Italy)*. Flora Mediterranea, 6: 219-222
- 225 CONTI *et al.*, 1997
- 226 BRULLO S., SCELFI F. & SPAMPINATO G., 2001. *Salix ionica (Salicaceae) a new species from S Italy*. Boccone, 13: 419-423
- 227 SOLDANO A., 1992. *Nomenclatural notes on some Compositae of the mediterranean area*. Comps. Newsl., 20/21: 4-11
- 228 *Centaurea x pestalotii* De Not. ex Ces. is a hybrid between *C. deusta* L. s.l. and *C. stoebe* L. s.l.
- 229 CELA RENZONI G. & VIEGI L., 1982. *Centaurea cineraria s.l. (Asteraceae) in Italia. Revisione citotassonomica*. C.N.R. AP/1/229 Coll. Progr. Final. "Promozione della qualità dell'ambiente". Atti Soc. Tosc. Sci. Nat., Mem., B, 89: 99-144
- 230 CELA RENZONI G. & VIEGI L., 1982. *Centaurea cineraria s.l. (Asteraceae) in Italia. Revisione citotassonomica*. C.N.R. AP/1/229 Coll. Progr. Final. "Promozione della qualità dell'ambiente". Atti Soc. Tosc. Sci. Nat., Mem., B, 89: 99-144
- 231 CELA RENZONI G. & VIEGI L., 1982. *Centaurea cineraria s.l. (Asteraceae) in Italia. Revisione citotassonomica*. C.N.R. AP/1/229 Coll. Progr. Final. "Promozione della qualità dell'ambiente". Atti Soc. Tosc. Sci. Nat., Mem., B, 89: 99-144
- 232 CELA RENZONI G. & VIEGI L., 1982. *Centaurea cineraria s.l. (Asteraceae) in Italia. Revisione citotassonomica*. C.N.R. AP/1/229 Coll. Progr. Final. "Promozione della qualità dell'ambiente". Atti Soc. Tosc. Sci. Nat., Mem., B, 89: 99-144
- 233 Endemic of Sardegna and Corsica
- 234 Endemic of Sardegna and Corsica
- 235 Including *Cerastium viscatum* (Montel.) Jals
- 236 Including *Cerastium busambarensis* Lojac. and *C. graefferi* Guss.
- 237 BARBERIS G., 1988. *Cerastium utriense* sp. nov. (Caryophyllaceae) nell'Appennino ligure-piemontese. Webbia, 42(2): 153-160
- 238 Including *Ceratocephala incurva* Steven
- 239 HÜGIN G. & HÜGIN H., 1999 (1998). *Segn. Fl. Ital. 904*. Inform. Bot. Ital., 30(1-3): 61
- 240 *Euphorbia hypericifolia* subsp. *indica* (Lam.) Pignatti is *nom. inval.* (GREUTER *et al.*, 1984-1989)
- 241 HÜGIN G. & HÜGIN H., 1999 (1998). *Segn. Fl. Ital. 904*. Inform. Bot. Ital., 30(1-3): 61
- 242 Here are referred the triploid and hexaploid populations reported as *Charybdis* sp. and *C. maritima* s.l. (PFOSSER M.F. & SPETA F., 2004. *From Scilla to Charybdis - is our voyage safer now?* Plant Syst. Evol. 246(3-4): 245-263)
- 243 Here probably is to be referred the report for Abruzzo region sub *Scilla maritima* L.
- 244 Including *Chenopodium giganteum* D. Don
- 245 The distribution area is to be defined

- 246 Distribution to be verified
- 247 Doubtfully occurring in Italy (GREUTER *et al.*, 1984-1989)
- 248 SPETA F., 1998. *Systematische Analyse der Gattung Scilla L. s.l. (Hyacinthaceae). (Systematic Analysis of the genus Scilla L. s.l. (Hyacinthaceae).* Phytol. (Austria), 38(1): 1-141
- 249 *Circaea x intermedia* Ehrh. is the natural hybrid between *C. alpina* L. and *C. lutetiana* L.
- 250 *Circaea x intermedia* Ehrh. is the natural hybrid between *C. alpina* L. and *C. lutetiana* L.
- 251 BRILLI-CATTARINI & GUBELLINI L., 1991. *Segn. Fl. Ital.* 638. Inform. Bot. Ital., 23: 134-135
- 252 SOLDANO A. & SELLA A., 2000. *Flora spontanea della provincia di Biella*. Ed. dell'Orso. Alessandria.
- 253 SOLDANO A., 1992. *Nomenclatural notes on some Compositae of the mediterranean area*. Comps. Newsl., 20/21: 4-11
- 254 CONTI *et al.*, 1997
- 255 Endemic of Central-Southern Italy, Sardegna and Corsica
- 256 Endemic of Sardegna and Corsica
- 257 TING-NONG H. & SHANG-WU L., 2001. *A worldwide Monograph of Gentiana*. Science Press, Beijing-New York
- 258 TING-NONG H. & SHANG-WU L., 2001. *A worldwide Monograph of Gentiana*. Science Press, Beijing-New York
- 259 Distribution of the subspecies to be verified
- 260 Including *Coronilla glauca* L. and *C. pentaphylla* Desf.
- 261 In Italy only the var. *avellana*
- 262 Doubtfully independent *taxon*
- 263 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 264 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 265 The record for Ischia sub *Cotyledon macrantha* (RICCIARDI M., 2004. *Flora of the Island of Ischia (Bay of Naples)*. Webbia, 59(1): 1-113) is to be referred here. The naturalized status in Liguria region is to be verified (L. Gallo, *in litt.*)
- 266 The record for Lombardia region sub *Crassula portulacea* (UGOLINI U., 1917. *Avventizie esotiche della flora bresciana*. Bull. Soc. bot. it., (1917), (1):2) was not confirmed (L. Gallo, *in verbis*)
- 267 Recorded in Italy the varieties *azalorus*, *aronia* L., *chlorocarpa* (Moris) K.I. Chr.
- 268 In Italy there would be the var. *monogyna* and *lasiocarpa* (Lange) K.I. Chr.
- 269 BRULLO S., SCELSI F. & SPAMPINATO G., 1996. *A new species of Crepis (Compositae) from Calabria, S Italy*. Flora Mediterranea, 5 (1995): 59-63
- 270 BALLELLI S., 1999. *Aspetti ecologici e fitosociologici di Crepis bithynica Boiss. (Asteraceae): specie nuova per la flora italiana*. Fitosociologia, 36: 97-102
- 271 CONTI *et al.*, 1997
- 272 Archeophyte
- 273 Including *Crepis bifida* Koch
- 274 POLDINI *et al.*, 2001
- 275 Endemic of Sardegna and Corsica
- 276 In Italy the subsp. *pepo* and *ovifera* (L.) Decker
- 277 Recent confirmations are missing
- 278 Endemic of Sardegna and Corsica
- 279 Doubtfully independent *taxon*
- 280 Some subspecies, whose occurrence in Italy and value are to be proved, were reported (WISSKIRCHEN & HAEUPLER, 1998)
- 281 Including *Cyanus adscendens* (Bartl.) Sojak, *C. axillaris* J. & C. Presl, *C. canus* (Sibth. & Sm.) Holub and *C. triumfetti* All. subsp. *variegata* (Lam.) Dostal
- 282 Endemic of the Archipelago of Toscana, of Sardegna, Corsica and Balears
- 283 The occurrence in Italy was not verified
- 284 Including the varieties *gracilis* (Moris) Kerguelen and *paradoxus* (Sommier) Fiori
- 285 Endemic of Sicilia; the species was brought here in a very ancient time and sicilian populations evolved in an independent endemic subspecies
- 286 SPERANZA M. & CRISTOFOLINI G., 1987. *The genus Dactylis L. in Italy. 2. The diploid entities*. Webbia, 41(2): 213-224; KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 287 SPERANZA M. & CRISTOFOLINI G., 1987. *The genus Dactylis L. in Italy. 2. The diploid entities*. Webbia, 41(2): 213-224; KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 288 MIZIANTY M. & CENCI C.A., 1995. *Dactylis glomerata L. subsp. slovenica (Dom.) Dom. (Gramineae), a new taxon to Italy*. Webbia, 50(1): 45-50
- 289 Including *Dactylorhiza praetermissa* (Druce) Soó and *D. majalis* (Rchb.) P.F. Hunt & Summerh. subsp. *alpestris* (Pugsley) Senghas
- 290 URBANI M., 1992. *Ricerche biosistematiche e corologiche sulle Thymeleaceae in Italia: 1. Daphne alpina L.* Webbia, 46(2): 203-217
- 291 MARTINI F. & POLDINI L., 1990. *Daphne blagayana Freyer (Thymelaeaceae), nuova per la flora d'Italia*. Webbia, 44(2): 295-306
- 292 It is not plain which subsp. the Italian populations are to be referred to
- 293 Endemic of Sicilia and Malta. BRULLO S. & PAVONE P., 1985. *Taxonomic considerations on the genus Desmazeria (Gramineae) with description of a new species: Desmazeria pignattii*. Willdenowia, 15: 99-106
- 294 TUTIN *et al.*, 1964-1980; 1993
- 295 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 296 BRULLO S., SCELSI F. & SPAMPINATO G., 2000. *New taxa belonging to Dianthus vulturius Guss. & Ten. Group (Caryophyllaceae) from S Calabria (Italy)*. Portugaliae Acta Biol., 19: 303-317
- 297 BRULLO S., SCELSI F. & SPAMPINATO G., 2000. *New taxa belonging to Dianthus vulturius Guss. & Ten. Group (Caryophyllaceae) from S Calabria (Italy)*. Portugaliae Acta Biol., 19: 303-317
- 298 BRULLO S., SCELSI F. & SPAMPINATO G., 2000. *New taxa belonging to Dianthus vulturius Guss. & Ten. Group (Caryophyllaceae) from S Calabria (Italy)*. Portugaliae Acta Biol., 19: 303-317

- 299 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 300 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 301 Doubtfully independent *taxon*, likely an hybrid with *Dianthus gratianopolitanus* Vill.
- 302 Doubtfully occurring in Italy (GREUTER *et al.*, 1984-1989)
- 303 Including *Dianthus marsicus* Ten. (= *D. sternbergii* Capelli subsp. *marsicus* (Ten.) Pign.)
- 304 Doubtfully occurring in Italy (GREUTER *et al.*, 1984-1989)
- 305 BRULLO S., SCELSI F. & SPAMPINATO G., 2000. *New taxa belonging to Dianthus vulturius Guss. & Ten. Group (Caryophyllaceae) from S Calabria (Italy)*. Portugaliae Acta Biol., 19: 303-317
- 306 BRULLO S., SCELSI F. & SPAMPINATO G., 2000. *New taxa belonging to Dianthus vulturius Guss. & Ten. Group (Caryophyllaceae) from S Calabria (Italy)*. Portugaliae Acta Biol., 19: 303-317
- 307 Including var. *implicatum* (Scribn.) Gould & C.A. Clarke
- 308 The distribution area is to be defined, since it was confused with *Digitaria ciliaris* (Retz.) Koeler whose distribution includes also the one of *D. sanguinalis* (L.) Scop. subsp. *pectiniformis* Henrard
- 309 The distribution area is to be defined
- 310 In J alas & al. (JALAS J., SUOMINEN, J. & LAMPINEN, R. (eds), 1996. *Cruciferae* (Forts.). *Atlas Florae Europaeae*, 11. Helsinki Utbredningskartor med Åland.) no subspecies is recognized
- 311 Doubtfully endemic, since the species is doubtfully reported for Tunisia
- 312 The distribution area is to be defined
- 313 Doubtfully independent *taxon*
- 314 Doubtfully independent *taxon*
- 315 RICCIARDI M. & ANZALONE B., 1988. *Ehrharta erecta Lam. (Gramineae) in Italia*. Webbia, 42(2): 145-151
- 316 Doubtfully native in Europe (TUTIN *et al.*, 1964-1980; 1993)
- 317 KERGUELEN M., 1993. *Index synonymique de la Flore de France*. Muséum d'Histoire naturelle Paris
- 318 Endemic of Toscana and Corsica
- 319 Endemic of Sardegna and Corsica
- 320 Including *Epipactis schubertiorum* Bartolo, Pulvirenti & Robatsch
- 321 Including *Epipactis leptochila* (Godfery) Godfery subsp. *neglecta* Kumpel
- 322 Including *Epipactis muelleri* Godfery subsp. *cerritae* Grasso
- 323 In Italy only the var. *barrelieri* (PORTAL R., 2002. *Eragrostis de France et de l'Europe occidentale*. Clermont-Ferrand.)
- 324 In Italy only the var. *cilianensis*
- 325 MARTINI F. & SCHOLZ H., 1998. *Eragrostis virescens J. Presl (Poaceae), a new alien species for the Italian flora*. Willdenowia, 28(1-2): 59-63
- 326 MARTINI F. & SCHOLZ H., 1998. *Eragrostis virescens J. Presl (Poaceae), a new alien species for the Italian flora*. Willdenowia, 28(1-2): 59-63
- 327 Including *Eragrostis multicaulis* Steud.
- 328 Including *Erigeron acris* L. subsp. *droebachensis* (O.F. Müll.) Arcang.
- 329 Including *Erigeron annuus* (L.) Desf. subsp. *septentrionalis* (Fernald & Wiegand) Wagenitz and subsp. *strigosus* (Willd.) Wagenitz
- 330 Endemic of Sardegna and Corsica
- 331 In Italy with the var. *linosae* (Sommier) Brullo
- 332 Including *Euonymus americana* L. var. *angustifolia* (Pursh) Voss in Vilm.
- 333 PROSSER F., 2000. *Segnalazioni floristiche tridentine*. VII. Ann. Mus. civ. Rovereto, Sez. Arch., St., Sc. nat., 15 (1999): 107-141
- 334 According to recent caryologic researches, *Euphorbia characias* and *E. wulfeni* are believed to be geographic biotypes
- 335 POLDINI L., BARBO M. & DANELUTTO A., 1996. *Segnalazioni Floristiche Italiane n. 821*. Inform. Bot. Ital., 28(1): 96-97
- 336 Including *Euphorbia purpurata* Thuill. and *E. dulcis* L. subsp. *incompta* (Ces.) Nyman
- 337 Also the var. *acuminata* (lam.) St. Amans was recorded
- 338 BOCCHIERI E. & MULAS B., 1990. *Euphorbia gayi Salis, specie nuova per la flora d'Italia*. Webbia, 44(2): 249-254
- 339 In Italy the subsp. *hyberna* is missing
- 340 RAFFAELLI M. & RICCIARDI C., 1988. *Su alcune specie mediterranee del genere Euphorbia L.: E. bivonae Steud., E. papillaris (Boiss.) Raffaelli et Ricceri*, stat. nov., E. *melitensis* Parl. Webbia, 42: 1-13
- 341 Including *Euphorbia peplodes* Gouan and *E. calabrica* L. In Italy the var. *peplus* and *minima* DC. are reported
- 342 Endemic of Sicilia, Sardegna and Corsica
- 343 L. Poldini *in litt.*
- 344 Including var. *segetalis*, var. *pineae* (L.) Lanke and *Euphorbia pinea* L.
- 345 In Italy the subsp. *triflora* is missing
- 346 Species described for Gran Sasso at Campo Imperatore
- 347 Endemic of Sardegna and Corsica
- 348 Endemic of Sardegna and Corsica
- 349 Including *Filipendula ulmaria* (L.) Maxim. subsp. *denudata* (J. & C. Presl) Hayek
- 350 Including *Foeniculum vulgare* Mill. subspecies *piperitum* (Ucria) Bég. and *vulgare*
- 351 Reported for the Southern part of the Italian peninsula where its distribution area is to be defined
- 352 The distribution area is to be defined
- 353 STRID & TAN, 1997
- 354 MOLERO J. & ROVIRA A.M., 1987. *Taxonomia del grupo "Fumana thymifolia" (Cistaceae)*. Candollea, 42: 501-531
- 355 MOLERO J. & ROVIRA A.M., 1987. *Taxonomia del grupo "Fumana thymifolia" (Cistaceae)*. Candollea, 42: 501-531
- 356 Including *Gagea busambarensis* (Tineo) Parl.
- 357 Including *Gagea lutea* (L.) Ker Gawl. var. *maxima* Schur

- 358 Doubtfully independent *taxon*
- 359 KERGUELEN M., 1993. *Index synonymique de la Flore de France*. Muséum d'Histoire naturelle Paris
- 360 SOLDANO A., 1991. *Paternità del nome e tipificazione di Galactites elegans* (Dycotiledonae, Asteraceae). Riv. Piem. St. Nat., 12: 21-23
- 361 A. Soldano (*in verb.*)
- 362 Endemic of Capraia, Gorgona and Corsica
- 363 Endemic of Sardegna and Corsica
- 364 A. Soldano (*in verb.*)
- 365 Including *Galium rotundifolium* L. subsp. *hirsutum* Brullo & al. *nom. illeg.*, non *G. rotundifolium* subsp. *hirsutum* (Nees) Arcang.
- 366 Endemic of Elba, Sicilia, Sardegna and Corsica
- 367 The distribution area is to be defined, since it was confused with *Gastridium ventricosum* (Gouan) Schinz & Thell. whose distribution includes also the one of *Gastridium phleoides* (Nees & Meyen) C.E. Hubb.
- 368 According to TUTIN *et al.* (1964-1980;1993) it is included in *Gastridium ventricosum* (Gouan) Schinz & Thell.
- 369 Including *Genista brutia* Brullo, Scelsi & Spamp. and *G. silana* Brullo, Gangale & Spamp.
- 370 Endemic of Sardegna and Corsica
- 371 RAIMONDO F.M., 1999. *Genista madoniensis* (Fabaceae), *a new species from Sicily*. Flora Mediterranea, 9: 319-322
- 372 *Genista sylvestris* subsp. *dalmatica* sensu Pignatti is to be referred here
- 373 Endemic of Sardegna and Corsica
- 374 Including *Genista insubrica* Brügger and *G. ovata* Waldst. & Kit.
- 375 *Sphalm. thyrena*
- 376 In Italy the subsp. *burseri* is missing
- 377 In Italy only the var. *prostrata* (TING-NONG H. & SHANG-WU L., 2001. *A worldwide Monograph of Gentiana*. Science Press, Beijing-New York.)
- 378 TING-NONG H. & SHANG-WU L., 2001. *A worldwide Monograph of Gentiana*. Science Press, Beijing-New York
- 379 TING-NONG H. & SHANG-WU L., 2001. *A worldwide Monograph of Gentiana*. Science Press, Beijing-New York
- 380 TING-NONG H. & SHANG-WU L., 2001. *A worldwide Monograph of Gentiana*. Science Press, Beijing-New York
- 381 TING-NONG H. & SHANG-WU L., 2001. *A worldwide Monograph of Gentiana*. Science Press, Beijing-New York
- 382 TING-NONG H. & SHANG-WU L., 2001. *A worldwide Monograph of Gentiana*. Science Press, Beijing-New York
- 383 The records of *Geranium subcaulescens* DC. for the Apennine are to be referred to this *taxon* (AEDO C., 1994. *A new species and six combinations in Geranium L. subg. Erodioideae* (Picard) Yeo (Geraniaceae). Anales Jard. Bot. Madrid, 52: 105-106.)
- 384 Including *Geranium phaeum* L. subsp. *lividum* (L'Hér.) Hayek
- 385 Including *Geum micropetalum* Gasp.
- 386 Endemic of Sardegna and Corsica
- 387 PAIVA *et al.*, 2001
- 388 PROSSER F., 1999. *Segnalazioni floristiche tridentine*. VI. Ann. Mus. civ. Rovereto, Sez. Arch., St., Sc. nat., 13 (1997): 187-222
- 389 Rinvenuta a Massa, al campo sportivo e altri luoghi del centro storico. Primo reperto: 16 maggio 1997, Leg. Marchetti, Det. Soldano (A. Soldano *herb.*)
- 390 MAZZOLA P., 1981. *Osservazioni su alcune succulente spontaneizzate in Sicilia*. Giorn. Bot. Ital., 115: 407
- 391 Including *Gymnadenia conopsea* (L.) R. Br. subsp. *densiflora* (Wahlenb.) K. Richt. In Italy only the subsp. *densiflora* (Wahlenb.) K. Richt. seems to be occurring, while the subsp. *montana* Bisse and the var. *alpina* Rchb. need deeper researches
- 392 JEANMONOD D. & BURDET H.M., 1993. *Catalogue des plantes vasculaires de la Corse*. 2a. ed. Geneve
- 393 The species occurs in Greece too; in Italy only the endemic subsp. *arrostii*
- 394 A. Soldano (*in verb.*)
- 395 In Italy the subsp. *cinereum* is missing
- 396 The distribution area is to be defined
- 397 Including *Helianthemum intermedium* Pers.
- 398 In Italy the subsp. *syriacum* is missing
- 399 Endemic of Sardegna and Corsica
- 400 Including *Helichrysum pseudolitoreum* (Fiori) Brullo and *H. italicum* (Roth) G. Don subsp. *pseudolitoreum* (Fiori) Bacchetta, Brullo & Mossa
- 401 BACCHETTA G., BRULLO S. & MOSSA L., 2003. *Note tassonomiche sul genere Helichrysum Miller (Asteraceae) in Sardegna*. Inform. Bot. Ital., 35(1): 217-225
- 402 JEANMONOD D. & BURDET H.M., 1993. *Catalogue des plantes vasculaires de la Corse*. 2a. ed. Geneve
- 403 Including *Helleborus odoratus* Waldst. & Kit. According to Zanotti & Cristofolini (CRISTOFOLINI G. & ZANOTTI A.L., 1994. *Taxonomy and Chorology of Helleborus L. sect. helleborastrum Spach in Italy*. Webbia, 49(1): 1-24.), *H. odoratus* is to be excluded from the Italian flora
- 404 Including *Peucedanum austriacum* L. var. *rablense* (Wulfen) W.D.J. Koch
- 405 Included in the autonym subspecies in TUTIN *et al.* (1964-1980;1993)
- 406 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 407 Endemic of Sardegna and Corsica
- 409 *Hieracium annae-vetterae* Zahn, *nom. inval.*, is a recent hybrid between *H. alpicola* Schleich. ex Steud. & Hochst. and *H. pilosella* L., discovered in 1927 on the Mount Pufatsch (BZ). The only existing *typus* (W) went lost, so it must be collected again in order to validate this name (G. Gottschlich, *in litt.*)
- 410 Including *Hieracium halleri* Vill.
- 411 Including *Hieracium berardianum* Arv.-Touv., *H. petraeum* Hoppe, *H. pulmonarioides* Vill. and *H. speluncarum* Arv.-Touv.
- 412 Including *Hieracium michelianum* Arv.-Touv. & Belli
- 413 Including *Hieracium pleiastrum* Besse & Zahn and *H. rhyparum* (Nägeli & Peter) Zahn, *nom. inval.*
- 414 Including *Hieracium anadenum* (Burnat & Gremli) Arv.-Touv., *H. leucochlorum* Arv.-Touv. and *H. ustulatum* Arv.-Touv.

- 415 Including *Hieracium schroeterianum* (Zahn) P.D. Sell & C. West
- 416 Not occurring in Friuli-Venezia Giulia region (GOTTSCHELICH G., 2003 (2002). *Die Hieracien des Gelmi-Herbars (TR). (Revisionsstudien an italienischen Hieracium-Sammlungen III.)*. Studi Trent. Sci. Nat., Acta Biol., 79: 189-202.)
- 417 *Hieracium balbisianum* Arv.-Touv. & Briq. is the older name for this *taxon*, because *H. kernerii* Ausserd. has not been published on printed *exsiccata* labels ("Ausserdorfer, *exs.* 1867") as indicated by Zahn, but only on handwritten labels (G. Gottschlich, *in verbis*)
- 418 Including *Hieracium gallurense* Arrigoni and *H. templare* Arrigoni
- 419 Including *Hieracium ammobiolum* P.D. Sell & C. West, *H. caesiiflorum* Almq. ex Norrl., *H. canitosum* Dahlst., *H. cardiobasis* (Zahn) Juxip, *H. jantropodum* Arv.-Touv. & Belli, *nom. inval.* and *H. subincisum* Arv.-Touv.
- 420 Quoted by Pignatti (PIGNATTI S., 1982. *Flora d'Italia*. Calderini. Bologna.): Alps RR, but not a discovery is known
- 421 Very interesting record, but still to be verified (G. Gottschlich, *in litt.*)
- 422 Including *Hieracium pulchrum* Arv.-Touv.
- 423 Including *Hieracium hypochoerideum* Arv.-Touv.
- 424 Including *Hieracium comelensis* Zenari
- 425 Including *Hieracium subvirens* Arv.-Touv.
- 426 Including *Hieracium squalidum* Arv.-Touv.
- 427 Including *Hieracium cottianum* Arv.-Touv. and *H. parcepilosum* Arv.-Touv.
- 428 Including *Hieracium sabinum* Seb.
- 429 Including *Hieracium neopolytrichum* Arv.-Touv. and *H. subpiliferum* Arv.-Touv. & Briq.
- 430 Including *Hieracium cenisium* Arv.-Touv., *H. gaudini* (Christener) Nägeli & Peter, *H. pseudoporrectum* Christener, *H. sixtinum* Arv.-Touv. and *H. subexpallens* (Zahn) P.D. Sell & C. West
- 431 Not occurring in Friuli-Venezia Giulia region (GOTTSCHELICH G., 2003 (2002). *Die Hieracien des Gelmi-Herbars (TR). (Revisionsstudien an italienischen Hieracium-Sammlungen III.)*. Studi Trent. Sci. Nat., Acta Biol., 79: 189-202.)
- 432 Including *Hieracium cinerascens* Jord. and *H. praecox* Sch. Bip.
- 433 Including *Hieracium willdenowii* (Monn.) Griseb.
- 434 Including *Hieracium chlorocephalum sensu* Fiori 1928 non Wimmer
- 435 Including *Hieracium pseuditalicum* Zahn
- 436 Including *Hieracium naegelii* (Norrl. ex Nägeli & Peter) Zahn, *nom. inval.*
- 437 Excluding *Hieracium macranthum* (Ten.) Ten.
- 438 Including *Hieracium lacerum* Reuter ex Fr.
- 439 Including *Hieracium corymbosum* Fr. and *H. latobrigorum* (Zahn) Roffey
- 440 Including *Hieracium festinum* Jord. ex Boreau, *H. irriguum* Fr. And *H. neopinnatifidum* Pugsley
- 441 Including *Hieracium auricula* L. subsp. *magnauricula* (Nägeli & Peter) P.D. Sell, *H. lactucella* Wallr. subsp. *nanum* (Scheele) P.D. Sell, *H. micranthum* Huet (*nom. inval.*) and *H. serpyllifolium* Fr.
- 442 Including *Hieracium rigidum* Hartm. and *H. tridentatum* (Fr.) Fr.
- 443 leg. D. Podlech, M!
- 444 Including *Hieracium bifrons* Arv.-Touv. and *H. vallesiacum* Fr.
- 445 Including *Hieracium epimedium* Fr., *H. intybellifolium* Arv.-Touv. and *H. stauii* Zahn
- 446 Including *Hieracium farinulentiforme* Zahn, *H. martellianum* (Zahn) Arrigoni. Zahn was not sure of the identity of *H. mattirolianum* Arv.-Touv. & Belli in FIORI & PAOLETTI (1896-1909). Therefore he put it with "?" to *H. schmidtii* Tausch. The type locality of *H. farinulentiforme* Zahn 1916 (1810/4) is not far from that of *H. mattirolianum* (1708/2) where I could find it in 2001 after having reexamined the type in TO (G. Gottschlich *in litt.*)
- 447 Including *Hieracium mairanum* Belli
- 448 Including *Hieracium gibellianum* Arv.-Touv. & Belli
- 449 The species occurs only in the Northern Alps
- 450 Including *Hieracium exotericum* Jord. ex Boreau, *H. gentile* Jord. ex Boreau, *H. integratum* Dahlst., *H. semisilvaticum* (Zahn) P.D. Sell & C. West, *H. serratifolium* Jord. ex Boreau, *H. silvularum* Jord. ex Boreau and *H. subbifidiforme* (Zahn) P.D. Sell & C. West
- 451 Including *Hieracium undulatum* Boiss.
- 452 Including *Hieracium cochleare* Huter, *H. leontodontoides* Arv.-Touv. & Briq., *H. neglectum* Arv.-Touv., *nom. illeg.*, non Norrl., *H. pseudorhaeticum* (Zahn) P.D. Sell & C. West and *H. rhaeticum* Fr.
- 453 Including *Hieracium inclinatum* Arv.-Touv., *H. ganderi* Hausm. ex Oborny, *H. longanum* Belli & Arv.-Touv. and *H. trachselianum sensu* Arv.-Touv. non Christener
- 454 Including *Hieracium incisum* Hoppe and *H. subpatulum* (Zahn) Zahn
- 455 The record for Umbria region is probably to be referred to *Hieracium hoppeanum* Schult.
- 456 Including *Hieracium oligocephalum* Arv.-Touv. and *H. pseudolanatum* Arv.-Touv.
- 457 Including *Hieracium ochroleucum* Schleicher ex Koch and *H. pseudopicris* Arv.-Touv.
- 458 Including *Hieracium farinulentum* Jord. and *H. iriginianum* Arrigoni
- 459 Including *Hieracium amphigenum* Arv.-Touv. & Briq., *H. glanduliferum* Hoppe, *H. leucopsis* Arv.-Touv. and *H. subnivale* Gren. & Godr.
- 460 Excluding *Hieracium praealtum* Vill. ex Gochnat
- 461 Including *Hieracium canalense* Pacher
- 462 Including *Hieracium limbarae* Arrigoni
- 463 Including *Hieracium sanctoides* P.D. Sell & C. West and *H. sanctum* Nägeli & Peter, *nom. illeg.*, non L.
- 464 Excluding *Hieracium piloselloides* Vill., including *H. obscurum* Rchb., *H. piloselloides* Vill. grex *beerianum* (Dalla Torre) Zahn and *H. piloselloides* Vill. grex *subcymigerum* (Nägeli & Peter) Zahn
- 465 Including *Hieracium lanceolatum* Vill.
- 466 Including *Hieracium chaetocaesioides* Zahn, *nom. inval.*
- 467 Including *Hieracium ferrarianum* Belli, *H. lanatellum* Arv.-Touv. and *H. pictiforme* Belli & Arv.-Touv. *p.p.*

- 468 Including *Hieracium barbatum* Tausch, *H. crinitum* Sm., *H. heterospermum* Arv.-Touv., *H. italicum* Fr., *H. oliastreae* Arrigoni and *H. virgaurea* Coss.
- 469 Including *Hieracium adenoclinum* Arv.-Touv., *H. conringioides* Arv.-Touv., *H. conryngiifolium* Arv.-Touv., *H. conyzaceum* Arv.-Touv. and *H. lactucifolium* Arv.-Touv.
- 470 Including *Hieracium bifidellum* (Zahn) P.D. Sell & C. West and *H. rauzense* Murr
- 471 Including *Hieracium boreale* Fr. and *H. vagum* Jord.
- 472 Including *Hieracium aspromontanum* Brullo, Scelsi & Spampinato, *H. brunelliforme* Arv.-Touv., *H. ceratodon* Arv.-Touv., *H. cyaneum* Arv.-Touv., *H. lasiophyllum* Koch, *H. neorupicola* P.D. Sell, *H. pallidum* Biv.-Bern. f. and *H. rupicola* Fr., *nom. illeg.*, non Jord.
- 473 Including *Hieracium callianthum* Arv.-Touv. p.p. and *H. flexuosum* Waldst. & Kit. ex Willd.
- 474 Including *Hieracium furcatum* Hoppe
- 475 Including *Hieracium asperum* Arv.-Touv. & Belli, *nom. illeg.*, non Fr., *H. neoprenanthes* Arv.-Touv., *H. odontinum* Arv.-Touv., *H. polyadenum* Arv.-Touv., *H. sarracenianum* Arv.-Touv. & Belli and *H. symphytaceum* Arv.-Touv.
- 476 Including *Hieracium gortanianum* Arv.-Touv. & Belli
- 477 Including *Hieracium andryaloides* Vill. and *H. liotardii* Vill.
- 478 Including *Hieracium lactaris* Bertol.
- 479 Including *Hieracium crepidifolium* Arv.-Touv. and *H. subalpinum* Arv.-Touv.
- 480 Including *Hieracium elongatum* Willd. ex Froel., *nom. illeg.*, non Lapeyr. and *H. willdenowianum* (Zahn) P.D. Sell & C. West
- 481 One record from Calabria region (ZAHN, K. H. (1921-1923): *Hieracium*. In: ENGLER, A. (Ed.): *Das Pflanzenreich* 75: 1-288, 76: 289-576, 77: 577-864 (1921); 79: 865-1146 (1922); 82: 1147-1705 (1923). Engelmann. Leipzig.) is to be referred to *Hieracium pallescens* Waldst. & Kit (G. Gottschlich, *in verb.*)
- 482 Reported for Veneto region (NÄGELI C.V. & PETER A., 1885. *Die Hieracien Mittel-Europas. Monographische Bearbeitung der Piloselloiden mit besonderer Berücksichtigung der mitteleuropäischen Sippen*. München), but later not confirmed. Not occurring in Friuli-Venezia Giulia region (GOTTSCHLICH G., 2003 (2002). *Die Hieracien des Gelmi-Herbars (TR). (Revisionsstudien an italienischen Hieracium-Sammlungen III.)*. Studi Trent. Sci. Nat., Acta Biol., 79: 189-202)
- 483 Including *Hieracium melandrifolium* Arv.-Touv., *H. menthifolium* Arv.-Touv. and *H. thapsoides* Arv.-Touv., *nom. illeg.*, non Pančić
- 484 Records for Basilicata region are probably to be referred to *Hieracium grovesianum* Arv.-Touv. ex Belli
- 485 Including *Hieracium rigoanum* Arv.-Touv. & Belli, *H. serinense* (Zahn) Zahn and *H. supramontanum* Arrigoni
- 486 Including *Hieracium zizianum* Tausch subsp. *sardonium* Zahn
- 487 BOTHMER R. VON, FLINK J., JACOBSEN N. & JØRGENSEN R.B., 1989. *Variation and differentiation in Hordeum marinum* (Poaceae). Nord. J. Bot., 9: 1-10; KOMATSUDA T., SALOMON B., BRYNGELSSON T. & BOTHMER R. VON., 2001. *Phylogenetic analysis of Hordeum marinum* Huds. based on nucleotide sequences linked to the *vrs1* locus. Plant Syst. Evol., 227: 137-144
- 488 BAUM B.R. & BAILEY L.G., 1984. *Taxonomic studies in wall barley (Hordeum murinum sensu lato) and sea barley (Hordeum marinum sensu lato). 2. Multivariate morphometrics*. Can. J. Bot., 62: 2754-2764
- 489 Including *Hordeum distichon* L.
- 490 Reported as extinct (EW) in CONTI *et al.* (1997) but later confirmed
- 491 APPEL O. & AL-SHEHBAZ I., 1998. *Generic limits and taxonomy of Hornungia, Pritzelago, and Hymenolobus* (Brassicaceae). Novon, 7: 338-340
- 492 APPEL O. & AL-SHEHBAZ I., 1998. *Generic limits and taxonomy of Hornungia, Pritzelago, and Hymenolobus* (Brassicaceae). Novon, 7: 338-340
- 493 APPEL O. & AL-SHEHBAZ I., 1998. *Generic limits and taxonomy of Hornungia, Pritzelago, and Hymenolobus* (Brassicaceae). Novon, 7: 338-340
- 494 APPEL O. & AL-SHEHBAZ I., 1998. *Generic limits and taxonomy of Hornungia, Pritzelago, and Hymenolobus* (Brassicaceae). Novon, 7: 338-340
- 495 Endemic of Sicilia, Sardegna, Corsica and Malta. Including *Hymenolobus revelierei* (Jord.) Brullo subsp. *sommieri* (Pamp.) Brullo
- 496 The record for Sardegna region is likely to be referred to *Hylotelephium maximum* (L.) Holub
- 497 *Hylotelephium telephium* (L.) H. Ohba with its two subspecies *telephium* and *fabaria* (W.D.J. Koch) H. Ohba are to be excluded for they were never recorded as native for Italy
- 498 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 499 Including *Hypericum perforatum* L. varieties *angustifolium* Borkh. and *microphyllum* DC.
- 500 The distribution area is to be defined
- 501 Endemic of Sardegna and Corsica
- 502 In JALAS & al. (JALAS J., SUOMINEN, J. & LAMPINEN, R. (eds), 1996. *Cruciferae* (Forts.). *Atlas Florae Europaeae*, 11. Helsinki Utbredningskartor med Åland.) no subspecies is recognized
- 503 According to JALAS *et al.* (1996) it is a synonym of *Iberis carnosa* Willd. subsp. *carnosa*
- 504 RICCIARDI M., 1996. *Flora di Capri (Golfo di Napoli)*. Ann. Bot. Roma, 54: 7-169; DE NATALE A. & LA VALVA V., 2000. *La flora di Napoli: i quartieri della città*. Webbia, 54(2): 271-375
- 505 RICCIARDI M., APRILE G.G., LA VALVA V. & CAPUTO G., 1988. *La Flora del Somma-Vesuvio*. Boll. Soc. Natur. Napoli, 96: 3-121
- 506 COLASANTE M.A., 1996. *Taxonomic note on some Italian Bearded Irises: Iris relicta Colas. nom. nov. and Iris bicapitata Colas. sp. nov.* Flora Mediterranea, 6: 213-217
- 507 SCORTEGAGNA S., MARCUCCI R., BRENTAN M. & TORNADORE N., 1996. *Primo contributo alla conoscenza di Iris cengialti Ambr. ssp. veneta (Pamp.) Trinajstic* (Iridaceae). Ann. Mus. civ. Rovereto, 11, Suppl. 2: 257-273
- 508 *Iris florentina* L. is a form of this species
- 509 A. Soldano (*in verb.*)
- 510 COLASANTE M.A., 1989. *On the three misunderstood wild bearded irises: I. bicapitata nom. nov., I. relicta nom. nov., I. setina sp. nov.* Giorn. Bot. Ital., 123(1): 52
- 511 Doubtfully independent *taxon* (JALAS & SUOMINEN, 1994)
- 512 A. Soldano (*in verb.*)
- 513 SNOGERUP S., 1993. *A revision of Juncus subgen. Juncus* (Juncaceae). Willdenowia, 23: 23-73

- 514 SNOGERUP S., 1993. *A revision of Juncus subgen. Juncus* (Juncaceae). Willdenowia, 23: 23-73
- 515 The var. *mollis* and f. *erectobracteata* F. Conti are recorded
- 516 CLAYTON W. D. & RENVOIZE S., 1986. *Genera Graminum*. Kew Bulletin Additional Series XIII, London
- 517 CONERT H.J., 1998. Poaceae in: HEGI G. (ed.). *Illustrierte Flora von Mitteleuropa*, Band I, Teil 3. Parey. Berlin
- 518 Not *Koeleria lobata sensu* Humphries in TUTIN *et al.* (1964-1980;1993)
- 519 Endemic of Sardegna and Corsica
- 520 Including *Lamium purpureum* L. subsp. *incisum* (Willd.) Pers.
- 521 The distribution area is to be defined
- 522 The subsp. *cynapifolium* (Viv. ex DC.) P. Fourn. only in Corsica
- 523 Including *Laserpitium latifolium* L. subsp. *asperum* (Crantz) Schübl. & G. Martens
- 524 The population of Sardegna region is at present matter of research in order to verify if it actually belongs to this *taxon*
- 525 Doubtfully independent *taxon*
- 526 The distribution area is to be defined, doubtfully independent *taxon*
- 527 ATZEI A.D., 1995. *Lavatera plazzae* sp. nov. (Malvaceae) *di Sardegna*. Boll. Soc. sarda Sci. Nat., 30: 151-157
- 528 PAIVA *et al.*, 2001
- 529 DESFAYES M., 1993 (1992). *Segn. Fl. Ital.* 677-678. Inform. Bot. Ital., 24(1-2): 52
- 530 The distribution area is to be defined
- 531 BRULLO S., 1988. *Note tassonomiche sulla flora pugliese (Italia meridionale)*. Braun-Blanquetia, 2: 31-32
- 532 POLDINI *et al.*, 2001
- 533 Endemic of Sicilia and Sardegna
- 534 Unit rescued but with distribution to be verified (G. Galasso *in verbis*)
- 535 MINUTILLO F., BANFI E., PICCOLI F. & PELLIZZARI M., 2001. *Segnalazioni Floristiche Italiane n. 1053*. Inform. Bot. It. 34(1): 141
- 536 Including *Leucanthemopsis minima* (Vill.) Marchi
- 537 Endemic of Sardegna and Corsica
- 538 Its distribution in Italy is to be verified
- 539 BALLERO M. & BOCCHERI E., 1987. *La flora di Capo Teulada (Sardegna sud-occidentale)*. Webbia, 41(1): 167-187
- 540 Endemic of Sicilia, Sardegna and Corsica
- 541 Including *Limonium argentarium* Pignatti
- 542 Endemic of Sardegna and Corsica
- 543 Endemic of Sardegna and Corsica. SOLDANO A., 1992. *Riproposizione di taxa sottospecifici prioritari dovuti a botanici italiani*. Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 27: 51-56
- 544 DE LEONARDIS W., DE SANTIS C., FICHERA G., GIARDINA G. & ZIZZA A., 2003. *Linaria multicaulis* (Scrophulariaceae) *in Sicily: an investigation within its subspecific and varietal ranks*. Bocconea, 16(2): 585-595
- 545 The following varieties were described: var. *multicaulis*, var. *messanensis* Giardina & Zizza, var. *panormitana* Giardina & Zizza
- 546 DE LEONARDIS W., DE SANTIS C., FICHERA G., GIARDINA G. & ZIZZA A., 2003. *Linaria multicaulis* (Scrophulariaceae) *in Sicily: an investigation within its subspecific and varietal ranks*. Bocconea, 16(2): 585-595
- 547 Endemic of Sicilia and Malta
- 548 Including *Linum alpinum* Jacq. subsp. *julicum* (Hayek) Gams
- 549 *Linum alpinum* Jacq. subsp. *gracilius*, *comb. inv.*, is to be referred here
- 550 Doubtfully independent *taxon*
- 551 In Italy probably to be excluded. Its records are to be referred to *Linum viscosum* L.
- 552 Doubtfully independent *taxon*
- 553 Doubtfully independent *taxon*
- 554 Including *Linum catanense* Strobl.
- 555 TUTIN *et al.*, 1964-1980;1993
- 556 VIEGI L., CELA RENZONI G. & GARBARI F., 1974. *Flora esotica d'Italia*. Lav. Soc. Ital. Biogeogr., ser. 2, 4:125-220
- 557 Including *Lonicera cyrenaica* Viv.
- 558 In Southern Central Italy var. *nigra* is recorded
- 559 Endemic of Sardegna and Corsica
- 560 Including *Lunaria annua* L. subsp. *pachyrhiza* (Borbás) Hayek
- 561 Including *Lupinus reticulatus* Desv.
- 562 ANZALONE B. & LATTANZI E. 1989. *Il Lupinus graecus Boiss. et Spruner in Italia e osservazioni su Lupinus termis Forsskal*. Ann. Bot. (Roma) 47, suppl. 6: 115-121
- 563 A. Soldano (*in verb.*)
- 564 FOSSI INNAMORATI T., 1983. *La flora vascolare dell'Isola d'Elba (Arcipelago Toscano) - Parte prima*. Webbia, 36(2): 273-411
- 565 Endemic of Sardegna and Corsica
- 566 SELVI F. & BIGAZZI M., 1998. *Anchusa L. and allied genera* (Boraginaceae) *in Italy*. Plant Biosystems, 132(2): 113-142
- 567 Including *Lycopus europaeus* L. subsp. *mollis* (A. Kern.) Rothm. ex Skalický
- 568 Including *Malva crispa* (L.) L.
- 569 Including *Matthiola italica* (Conti) Tammaro and *M. carnica* Tammaro
- 570 Including *Matthiola sinuata* (L.) R. Br. subsp. *ligurica* (Conti) Vierh.
- 571 Including *Medicago bonarotiana* Arcang.
- 572 Including *Medicago ciliaris* (L.) All. and *M. muricoleptis* Tineo
- 573 Including *Medicago polymorpha* L. var. *tornata* L. and *M. italica* (Mill.) Fiori subsp. *tornata* (L.) Emb. & Maire
- 574 Occurring since almost one century ago in Val di Sole, near Malé (TN)
- 575 Endemic of Sardegna, Montecristo and Corsica

- 576 Endemic of Sardegna, Montecristo and Corsica
 577 Endemic of Sardegna, Montecristo and Corsica
 578 Including *Mentha spicata* L. subsp. *glabrata* (Lej. & Courtois) Lebeau (doubtfully independent taxon) and *M. spicata* L. subsp. *spicata*
 579 Endemic of Sardegna and Corsica
 580 It is not sure if it is native or naturalized
 581 Doubtfully independent *taxon*
 582 Doubtfully independent *taxon*
 583 Doubtfully independent *taxon*
 584 TUTIN *et al.*, 1964-1980;1993
 585 CONTI F., 2003. *Minuartia graminifolia* (Ard.) Jáv. (Caryophyllaceae), a south-east European species. Bot. Journ. Linn. Soc., 143: 419-432
 586 Including *Minuartia engleri* Mattf.
 587 Doubtfully independent *taxon* (WISSKIRCHEN & HAEUPLER, 1998)
 588 TUTIN *et al.*, 1964-1980;1993
 589 According to GREUTER *et al.* (1984-1989) it is a synonym of *Montia fontana* L. subsp. *amporitana* Sennen
 590 Endemic of Sardegna and Corsica
 591 DEL GUACCHIO E. & NAZZARO R., 2003. *Studio della variabilità morfologica di* Muscari commutatum Guss. e Muscari lafarinae (Lojac.) Garbari (Liliaceae). Delpinoa, 44: 81-88
 592 Including *Myosotis laxa* Lehm. subsp. *caespitosa* (Schultz) Hyl. ex Nordh.
 593 Endemic of Sardegna and Corsica
 594 MINUTILLO F. & MORALDO B., 1993. *Segnalazioni Floristiche Italiane n. 755*. Inform. Bot. Ital., 25: 223
 595 Including *Narcissus poeticus* L. subsp. *radiiflorus* (Salisb.) Baker and *N. angustifolius* Curtis ex Haw.
 596 BARKWORTH M.E. & TORRES M.A., 2001. *Distribution and diagnostic characters of* Nassella (Poaceae: Stipeae). Taxon, 50: 439-470
 597 BARKWORTH M.E. & TORRES M.A., 2001. *Distribution and diagnostic characters of* Nassella (Poaceae: Stipeae). Taxon, 50: 439-470
 598 SPETA F., 1998. *Systematische Analyse der Gattung* Scilla L. s.l. (Hyacinthaceae). (Systematic Analysis of the genus Scilla L. s.l. (Hyacinthaceae). Phytion (Austria), 38(1): 1-141
 599 Included in the subspecific autonym in TUTIN *et al.*, 1964-1980;1993
 600 Doubtfully native (GREUTER *et al.*, 1984-1989)
 601 Including *Nigritella corneliana* (Beauverd) Götz & H.R. Reinhard subsp. *bournerasii* E. & R. Breiner
 602 Including *Nigritella dolomitensis* (Teppner & E. Klein) Hedrén, E. Klein & Teppner. Varieties *rubra* and var. *dolomitensis* (Teppner & E. Klein) R. Lorenz & Perazza are recorded
 603 A. Soldano (*in verb.*)
 604 Endemic of Sardegna and Corsica
 605 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 606 It might be either a microspecies (inside *Oenothera biennis* L. group) or a synonym of *Oe. biennis* (GREUTER *et al.*, 1984-1989; WISSKIRCHEN & HAEUPLER, 1998)
 607 Found above Marinella di Sarzana along the East side of the provincial road (A. Soldano *in litt.*). SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116
 608 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 609 It might be either a microspecies (inside *Oenothera biennis* L. group) or a synonym of *Oe. biennis* (GREUTER *et al.*, 1984-1989)
 610 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 611 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 612 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 613 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 614 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 615 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 616 SOLDANO A., 1993. *Il genere* Oenothera L. *subsect.* Oenothera, *in Italia* (Onagraceae). Natura Bresciana, Ann. Mus. Civ. Sc. Nat. Brescia, 28: 85-116.
 617 It might be either a microspecies (inside *Oenothera biennis* L. group) or a synonym of *Oe. biennis* (GREUTER *et al.*, 1984-1989)
 618 Cultivated and seldom naturalized. It might be either a microspecies (inside *Oenothera biennis* L. group) or a synonym of *Oe. biennis* (GREUTER *et al.*, 1984-1989)
 619 SPETA F., 1998. *Systematische Analyse der Gattung* Scilla L. s.l. (Hyacinthaceae). (Systematic Analysis of the genus Scilla L. s.l. (Hyacinthaceae). Phytion (Austria), 38(1): 1-141
 620 Records for Italy of *Oncostema peruviana* (L.) Speta (= *Scilla peruviana* L.) are to be referred here
 621 SPETA F., 1998. *Systematische Analyse der Gattung* Scilla L. s.l. (Hyacinthaceae). (Systematic Analysis of the genus Scilla L. s.l. (Hyacinthaceae). Phytion (Austria), 38(1): 1-141
 622 SPETA F., 1998. *Systematische Analyse der Gattung* Scilla L. s.l. (Hyacinthaceae). (Systematic Analysis of the genus Scilla L. s.l. (Hyacinthaceae). Phytion (Austria), 38(1): 1-141
 623 Endemic of Central-Southern Italy, Sicilia and Malta

- 624 Including *Ononis reclinata* L. subsp. *mollis* (Savi) Bég.
- 625 Records for Italy of *Ononis viscosa* s.s. are to be referred here (ANGIOLINI C., FRIGNANI F. & LANDI M., 2004. *Alcune note su Ononis viscosa* L. e *O. breviflora* DC. in *Italia*. Inform. Bot. Ital., 36(1): 168-174)
- 626 Including *Onosma vaudensis* Gremlé and *O. arenaria* Waldst. & Kit. subsp. *vaudensis* (Gremlé) Kerguélen
- 627 Including *Ophrys exaltata* Ten. subsp. *sundermannii* Soó
- 628 Endemic of Sardegna and Corsica
- 629 Including *Ophrys annae* Devillers-Terschuren and *O. fuciflora* (F.W. Schmidt) Moench subsp. *lorenae* F. De Martino & Centurione
- 630 Including *Ophrys arnoldii* P. Delforge, *O. caesiella* P. Delforge, *O. funerea* Viv., *O. hespera* Devillers-Tersch. & Devillers, *O. lapercalis* Devillers & Devillers-Tersch., *O. lojaconoi* P. Delforge, *O. lucana* P. Delforge, *O. lucifera* Devillers-Tersch. & Devillers, *O. obaesa* Lojac. and *O. sulcata* Devillers-Tersch. & Devillers
- 631 Including *Ophrys iricolor* Desf. subsp. *maxima* (A. Terracc.) Paulus & Gack
- 632 Not endemic *taxa* because recently reported for Croatia
- 633 Including *Arachnites lutea* Tod. var. *minor* Tod., *Ophrys galilaea* H. Fleischm. & Bornm., *O. sicula* Tineo and the subspecies of *O. lutea* Cav.: *melena* Renz, *minor* (Guss.) O. & E. Danesch, *phryganae* (Devillers-Tersch. & Devillers) Melki and *sicula* (Tin.) Soldano. The infraspecific *taxa* here included are, more exactly, considered by Rossi (ROSSI W., 2002. *Orchidee d'Italia*. Quad. Cons. Natura, 15. Ministero Ambiente, Ist. Naz. Fauna Selvatica.) as varieties
- 634 GRASSO M.P. & MANCA L., 2002. *Ophrys ortuabis* sp. nova. L'Orchidophile, 151
- 635 Including *Ophrys scolopax* Cav. subsp. *oestriifera* (M. Bieb.) Soó
- 636 Including the subspecies *apiformis* (Desf.) Maire & Weiller, *conradiae* (Melki & Deschatres) H. Baumann, Giotta, Künkele, R. Lorenz & Piccitto and *sardoa* H. Baumann, Giotta, Künkele, R. Lorenz & Piccitto
- 637 Including *Ophrys araneola* Rchb., *O. tommasinii* Vis. and *O. sphegodes* Mill. subsp. *litigiosa* (E.G. Camus) Bech.
- 638 Including *Ophrys sphegodes* Mill. subsp. *majellensis* Helga & Herm. Daiss. *O. sipontensis* R. Lorenz & Gembardt, recorded only in Puglia, is probably a chromatic form of *O. sphegodes* Mill. subsp. *garganica* E. Nelson; intermediate looking specimens, doubtfully ascribed, were recorded in the same place. The same remarks can be made for the subsp. *majellensis* (ROSSI W., 2002. *Orchidee d'Italia*. Quad. Cons. Natura, 15. Ministero Ambiente, Ist. Naz. Fauna Selvatica.)
- 639 Endemic of Sardegna and Corsica
- 640 Including *Ophrys posidonia* P. Delforge
- 641 Including *Orchis commutata* Tod.
- 642 Endemic of Sardegna and Corsica
- 643 Including *Ornithogalum refractum* Kit. var. *adalgsae* (H. Groves) H. Groves
- 644 TORNADORE N., MARCUCCI R. & GARBARI F., 2003. *Ornithogalum umbratile* (Hyacinthaceae), a new species from Gargano's Promontory, southeastern Italy. Taxon, 52: 577-582
- 645 Including *Orobancha picridis* F.W. Schultz ex W.D.J. Koch
- 646 TOGNON & MARTINI, 1992. *Segnalazioni Floristiche Italiane* n. 724. Inform. Bot. Ital., 24: 215-216; according to some authors it is to be included in *Orobancha alsatica* Kirschl.
- 647 PUJADAS-SALVÀ A.J., FRAGA I ARGUINBAU P., SÁNCHEZ-GULLÓN E. & MOLINA-MAHEDERO N., 2003. *Orobancha crinita* and *Orobancha foetida* (Orobanchaceae) in the West Mediterranean area. Bocconea, 16(2): 737-744
- 648 Doubtfully independent *taxon*
- 649 Doubtfully independent *taxon*
- 650 Uncertain rank: in PAIVA *et al.* (2001) it is only a variety
- 651 Including *Orobancha reticulata* Wallr. subsp. *pallidiflora* (Wimm. & Grab.) Hayek
- 652 The distribution area is to be defined, doubtfully independent *taxon*
- 653 Including *Oxytropis tirolensis* Sieber ex Fritsch
- 654 Including *Paeonia russoi* Biv.
- 655 In TUTIN *et al.* (1964-1980;1993) included in *Papaver alpinum* L.
- 656 In TUTIN *et al.* (1964-1980;1993) included in *Papaver alpinum* L.
- 657 TUTIN *et al.*, 1964-1980;1993
- 658 TUTIN *et al.*, 1964-1980;1993
- 659 TUTIN *et al.*, 1964-1980;1993
- 660 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 661 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 662 Endemic of Sardegna and Corsica
- 663 The var. *praetutiana* Levier (= subsp. *praetutiana* (Levier) E. Wikus) is a doubtfully valid *taxon*
- 664 Including *Pedicularis recutita* L. var. *trichocalycina* Poldini
- 665 Doubtfully native in Abruzzo region, for which the record comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 666 Including *Peucedanum cervaria* (L.) Lapeyr. var. *cervaria* and var. *microphyllum* Posp.
- 667 Including *Peucedanum schottii* Besser var. *petraeum* (Noë) Koch
- 668 BALDINI R.M., 1993. *The genus Phalaris* L. (Gramineae) in Italy. Webbia 47(1), 1-53
- 669 BALDINI R.M., 1993. *The genus Phalaris* L. (Gramineae) in Italy. Webbia 47(1), 1-53
- 670 BALDINI R.M., 1993. *The genus Phalaris* L. (Gramineae) in Italy. Webbia 47(1), 1-53
- 671 About its occurrence in Piemonte region, see Gallo (GALLO L., 1997. *Osservazioni su di un exsiccatum di Sedum stellatum* L. (Crassulaceae) conservato nell'erbario di L. Bellardi (TO) (1741-1826). Allionia 35: 137-141)
- 672 Also cultivated
- 673 In Italy the subsp. *arenarium* is missing, since it occurs only in the Northern Atlantic
- 674 SCHOLZ H., 1991. *Notizen zur Gramineenflora von Kos und Nisyros (Ost-Ägäis, Griechenland)*. Willdenowia, 21: 131-141
- 675 The distribution area is to be defined

- 676 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 677 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 678 Doubtfully native
- 679 More than one subspecies was described, but their value was weak
- 680 Reported also for the Valsugana (TN) as an alien of railways, probably its presence was temporary
- 681 Including *Pimpinella major* (L.) Huds. subsp. *rubra* (Hoppe) O. Schwarz
- 682 Including *Pimpinella alpestris* (Sprengel) Schultes and *P. saxifraga* L. subspecies *alpestris* (Spreng.) Simonk., *minor* (Spreng.) Wallr. and *montana* Weide
- 683 STRID A. & TAN K., 1991. *Mountain Flora of Greece*. Edinburgh
- 684 According to J. Steiger (*in litt.*) the records for Abruzzo region are to be referred to a new *taxon*, so far not described (F. Conti *in litt.*)
- 685 Endemic of Sardegna and Corsica
- 686 Endemic of Sardegna and Corsica
- 687 CONTI *et al.*, 1997
- 688 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 689 Including *Poa pseudoconcinna* Schur
- 690 TUTIN *et al.* (1964-1980). *Poa carniolica* Hladnik & Graf. nom. illeg.
- 691 SCHOLZ H., 1984 (1983). *Poa-Studien 1. - Neue Taxa des Poa bulbosa-Komplexes aus dem Mittelmeergebiet*. Bot. Chron., 3: 15-21; described for the Elba Island, similar to *P. bulbosa*
- 692 Doubtfully independent *taxon* (STRID & TAN, 1997)
- 693 Doubtfully independent *taxon* (STRID & TAN, 1997)
- 694 Including *Polygala angelisii* Ten. and *P. croatica* Chodat
- 695 Doubtfully independent *taxon*
- 696 Endemic of Liguria and Corsica
- 697 Doubtfully independent *taxon*
- 698 According to SNOGERUP & SNOGERUP (SNOGERUP S. & SNOGERUP B., 2001. *Bupleurum* L. (Umbelliferae) in Europe – I. The annuals, B. sect. *Bupleurum* and sect. *Aristata*. Willdenowia, 31: 205-308.) the two subspecies are not well distinct
- 699 Endemic of Sardegna and Corsica
- 700 WIEGLEB G. & KAPLAN Z., 1998. *An account of the species of Potamogeton* L. (Potamogetonaceae). Folia Geobot., 33: 241-316
- 701 Including *Potentilla nebrodensis* Strobl ex Zimmeter
- 702 The numerous agamospecies known for Italy are to be referred here, but till now they were not accepted. Including *Potentilla wiemanniana* Günther & Schummel
- 703 Including *Potentilla crantzii* (Crantz) Beck ex Fritsch var. *baldensis* (A. Kern.) Gams and var. *crantzii*
- 704 Endemic of Sardegna and Corsica
- 705 Including *Potentilla heptaphylla* L. subsp. *australis* (Nyman) Gams
- 706 Including *Potentilla hirta* L. subsp. *laeta* (Rchb. ex Focke) Prodan; the Italian specimens doubtfully match with the *typus* from Provence; according to some authors its records should be ascribed to *P. pedata* Nestl. The whole group is worth revising
- 707 Found in 1997 at Canosio, in the Vallone di Preit (Val Maira) by G. Rotti (A. Soldano *in litt.*)
- 708 Including *Potentilla pedata* Nestl.
- 709 Endemic of Sardegna and Corsica
- 710 The distribution area is to be defined
- 711 Including *Primula auricula* L. subsp. *bauhini* (Beck) Lüdi. Here should be referred all the records of *P. auricula* subsp. *auricula* (L. Zhang & J.W. Kadereit, 2004. *Classification of Primula sect. Auricula* (Primulaceae) based on two molecular data sets (ITS, AFLPs), morphology and geographical distribution. Botanical Journal of the Linnean Society, 146(1):1-26), yet, according to some authors, this *taxon* is to be excluded (Richards, *in litt.*); doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 712 Including *Primula farinosa* L. subsp. *alpigena* O. Schwartz
- 713 Including *Primula latifolia* Lapeyr. subsp. *latifolia*
- 714 Records for Italy of *Pseudolysimachion longifolium* (L.) Opiz (= *Veronica longifolia* L.) are to be referred here
- 715 Two infraspecific *taxa* are reported for Italy: subsp. *albida* and subsp. *tricuspis* (Beck) E. Klein
- 716 WATSON L. & DALLWITZ M.J., 1992. *The grass genera of the world*. Wallingford. CAB International
- 717 TUTIN *et al.*, 1964-1980;1993
- 718 TUTIN *et al.*, 1964-1980;1993
- 719 ALDASORO J.J., AEDO C. & MUNOZ GARMENDIA F. 1996: *The genus Pyrus* L. (Rosaceae) in south-west Europe and North Africa. - Bot. Journ. Linn. Soc. 121: 143-158
- 720 ALDASORO J.J., AEDO C. & MUNOZ GARMENDIA F. 1996: *The genus Pyrus* L. (Rosaceae) in south-west Europe and North Africa. - Bot. Journ. Linn. Soc. 121: 143-158
- 721 Including *Quercus soluntina* Lojac.
- 722 Doubtfully independent *taxon*, allied to *Quercus pubescens* Willd.
- 723 Including *Quercus fontanesii* Guss.
- 724 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 725 MOSSA L., BACCHETTA G. & BRULLO S., 1999. *Quercus ichnusae* (Fagaceae), a new species from Sardinia. Israel Journal of Plant Sciences, 47: 199-207. Laser Pages Publishing Ltd., Jerusalem.
- 726 *Quercus morisii* Borzi is a hybrid between *Q. ilex* L. and *Q. suber* L.
- 727 Including *Quercus petraea* (Matt.) Liebl. subsp. *austrotyrrhenica* Brullo, Guarino & Siracusa
- 728 Including *Quercus sicula* Borzi and *Q. virgiliana* (Ten.) Ten.
- 729 *Quercus morisii* Borzi is a hybrid between *Q. ilex* L. and *Q. suber* L.
- 730 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989); included in *Ranunculus marginatus* d'Urv. in TUTIN *et al.* (1993)
- 731 Doubtfully independent *taxon*, allied to *Ranunculus sartorianus* Boiss. & Heldr.

- 732 Aggregate of small species including *Ranunculus aesontinus* Pignatti, *R. allemannii* Braun-Blanq., *R. augustanus* Pignatti, *R. boreoapenninus* Pignatti, *R. braun-blanquetii* Pignatti, *R. cassubicus* L., *R. fallax* (Wimm. & Grab.) Sloboda, *R. fiorii* Soldano, *R. gardenensis* Pignatti, *R. gortanii* Pignatti, *R. hostiliensis* Pignatti, *R. ligusticus* Pignatti, *R. luminarius* Rigo, *R. marsicus* Guss. & Ten., *R. mutinensis* Pignatti, *R. palaeoeuganeus* Pignatti and *R. silanus* Pignatti
- 733 Including *Ranunculus bulbifer* Jord.
- 734 Endemic of Sardegna and Corsica
- 735 Endemic of Sardegna and Corsica; not confirmed for Corsica according to GAMISANS J. & JEANMONOD D., 1993. *Catalogue des plantes vasculaires de la Corse*. Geneve; Including in *Ranunculus cordiger* Viv. in TUTIN *et al.* (1993)
- 736 In TUTIN *et al.* (1964-1980;1993) included in *Ranunculus millefoliatus* Vahl
- 737 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989); not considered by TUTIN *et al.* (1993)
- 738 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989); not considered by TUTIN *et al.* (1993)
- 739 Doubtfully independent *taxon*, allied to *Ranunculus sartorianus* Boiss. & Heldr.
- 740 Distribution to be verified
- 741 Distribution to be verified
- 742 In Central Apennine var. *praetutianus* Pamp. is recorded
- 743 In TUTIN *et al.* (1964-1980;1993) included in *Ranunculus spicatus* Desf.
- 744 Many infra-specific units were described, but they were not recognized by the most recent works; in Italy they must be the subsp. *orientale* (L.) Arcang. And subsp. *linnaeanum* Rouy & Foucaud.
- 745 Endemic of Sardegna and Corsica; in Corsica probably extinct
- 746 Including *Rhinanthus alectorolophus* (Scop.) Pollich subspecies *buccalis* (Wallr.) Schinz & Thell. and *patulus* (Sterneck) Soó
- 747 The record is unpublished for Emilia-Romagna region (Montevecchio, 1852 m a.s.l. August 1992. A. Soldano *in litt.*)
- 748 *Rhododendron* x *intermedium* Tausch is hybrid between *Rh. ferrugineum* L. and *Rh. Hirsutum* L.
- 749 *Rhododendron* x *intermedium* Tausch is hybrid between *Rh. ferrugineum* L. and *Rh. Hirsutum* L.
- 750 Endemic of Italy and Corsica
- 751 In Europe only the subsp. *hybrida*
- 752 Endemic of Capraia, Sardegna and Corsica
- 753 *Rorippa* x *armoracioides* (Tausch) Fuss., hybrid between *R. austriaca* (Crantz) Besser and *R. sylvestris* (L.) Besser was recorded
- 754 Also *Rorippa* x *armoracioides* (Tausch) Fuss., hybrid between *R. austriaca* (Crantz) Besser and *R. sylvestris* (L.) Besser, was recorded
- 755 Included in the *Rosa canina* L. series
- 756 Included in the *Rosa canina* L. series
- 757 Included in the *Rosa canina* L. series
- 758 Included in the *Rosa canina* L. series
- 759 Included in the *Rosa canina* L. series
- 760 Including *Rosa pygmaea* M. Bieb.
- 761 Included in the *Rosa canina* L. series
- 762 Included in the *Rosa canina* L. series
- 763 Including *Rosa sicula* Tratt. (ZIELINSKI in: STRID A., 1986. *Mountain flora of Greece*. 1. Cambridge University Press. Cambridge. pp. 397-398)
- 764 In Pignatti (PIGNATTI, 1982) it is a synonym of *Rosa inodora* Fries
- 765 Included in the *Rosa canina* L. series
- 766 Included in the *Rosa canina* L. series
- 767 Included in the *Rosa canina* L. series
- 768 According to Henker (HENKER H., 2003. *Rosa* in HEGI G. *Illustrierte Flora von Mitteleuropa*. Band IV. Teil 2C. Parey, Berlin) *Rosa mollis* Sm., here included like in KURTO *et al.* (2004), is to be considered as a species
- 769 A. Soldano (*in verb.*)
- 770 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 771 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 772 KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
- 773 Endemic of Sardegna, Corsica, Capri and Southern Italy; the distribution is to be verified
- 774 Recorded the var. *corymbosus* (P.J. Müll.) R. Keller
- 775 Including *Rubus dumetorum* Weihe
- 776 Including *Rubus dalmatinus* Tratt. ex Focke
- 777 Including *Rumex acetosella* L. var. *tenuifolius* Wallr.
- 778 Including *Rumex bucephalophorus* L. subsp. *graeus* (Steinh.) Rech. f.
- 779 Endemic of Sardegna; its independence from *Rumex pulcher* subsp. *woodsii* (De Not.) Arcang. is to be investigated
- 780 Its independence from *Rumex pulcher* subsp. *suffocatus* (Moris ex Bertol.) Nyman is to be investigated
- 781 Endemic of Sardegna and Corsica
- 782 Endemic of Sardegna and Corsica
- 783 Endemic of Sardegna and Corsica
- 784 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 785 Including *Salix alba* L. subsp. *vitellina* (L.) Arcang. and *S. alba* L. subsp. *coerulea* (Sm.) Sm.
- 786 BRULLO S., SCELSI F. & SPAMPINATO G., 2001. *Salix ionica* (Salicaceae) a new species from S Italy. *Boccone*, 13: 419-423
- 787 Including *Salix lambertiana* Sm.
- 788 The distribution of the subspecies is to be defined
- 789 Here probably are to be referred the former records sub *Salsola kali* L.
- 790 Including *Salsola flavescens* Cav.

- 791 No longer recorded (Conti *et al.*, 1992)
- 792 DEL CARRATORE F. & GARBARI F., 1997. *Indagini biosistematiche sul genere Salvia L. sect. Plethiosphace Benth* (Labiatae). Inform. Bot. Ital., 29(2-3): 297-299
- 793 Recorded in 1899 in a single place and no longer recollected
- 794 Recent confirmations are missing
- 795 Endemic of the Alpi Apuane
- 796 TAMMARO & PIRONE G., 1980. *Segnalazioni Floristiche Italiane nn. 62-65*. Inform. Bot. Ital., 12: 75-77
- 797 Endemic of Sardegna and Corsica
- 798 Including *Sarcocornia perennis* (Mill.) A.J. Scott subsp. *alpini* (Lag.) Castroviejo
- 799 Including *Saxifraga aspera* L. subsp. *micrantha* Pignatti
- 800 Including *Saxifraga biflora* All. subsp. *macropetala* (A. Kern.) Rouy & Camus and *S. biflora* All. var. *kochii* Kittel
- 801 Including *Saxifraga australis* Moric., poorly different from the typical forms and maybe worth to be given a variety rank
- 802 Including *Saxifraga pseudogranulata* (Lacaita) Fen.
- 803 Endemic of Sardegna and Corsica
- 804 Including *Saxifraga allionii* Gaudin
- 805 Including *Saxifraga latina* (N. Terracc.) Hayek
- 806 Endemic of Sardegna and Corsica
- 807 Including *Saxifraga squarrosa* Sieber var. *grappae* Massalongo
- 808 The distribution area is to be defined
- 809 TAN K. & IATROU G., 2001. *Endemic plants of Greece. The Peloponnese*. Gads Forlag. Copenhagen
- 810 DESFAYES M., 1993 (1992). *Segn. Fl. Ital. 677-678*. Inform. Bot. Ital., 24(1-2): 52
- 811 Probably introduced (PIGNOTTI L., 2003. *Scirpus L. and related genera (Cyperaceae) in Italy*. Webbia, 58(2): 281-400)
- 812 Including the subspecies *australis* (Murray) Soják and *holoschoenus*
- 813 Endemic of Sardegna and Corsica
- 814 Endemic of the Archipelago of Toscana, Sardegna and Corsica
- 815 In Sardegna region possibly only cultivated and naturalized (L. Gallo, *in verbis*)
- 816 Some microphyllous populations of Sardegna region were sometimes referred to *Sedum brevifolium* DC., reported for the Tavolara Isle but previously excluded from the Italian flora by PARLATORE (1848-1896). The record by Desole (DESOLE L., 1960. *Flora e vegetazione dell'isola di Tavolara*. Webbia, 15:461-587) of this *taxon* as a subspecies of *S. dasyphyllum* L. increases the uncertainty
- 817 The record for the Gran Sasso (Abruzzo) is to be eliminated
- 818 In Toscana region often confused with *Sedum alpestre* Vill. Recently the subsp. *gussonei* has been described (BRULLO S. & SPAMPINATO G., 2003. *Sedum annuum subsp. gussonei Brullo & Spampinato subsp. nov. (Crassulaceae) from S Italy*. Boccone, 16 (2): 579-583.), which shows morphological traits not restricted to this area. Namely, the differences in the appearance and size of the sepals within the same flower are usual for other species of the series *Alpestris* Berger, in which *S. annuum* L. is included; the presence of the leaves and their arrangement on the stem are linked to the environmental conditions and to a certain individual variation; finally, the incomplete reddish colour of the petals was observed by the author too on an *exsiccatum* coming from Lombardia region, but this feature expresses itself at various extents in Switzerland (HESS H.E., LANDOLT E. & HIRZEL R., 1970. *Flora der Schweiz*. vol. 2: 956 pp. Basel et Stuttgart. Birkhäuser.) and in Greece (HAGEMANN I. & HART 'T H., 1986. *Sedum L. in: STRID A. Mountain flora of Greece*. Cambridge University Press). Despite the remarkably divided distribution area and a certain morphological variation, no conclusive evidence was so far found to discriminate one or more populations at a subspecific level (L. Gallo, *in litt.*)
- 819 Including the var. *viride* E.P. Perrier occurring in Western Alps
- 820 At present no infraspecific subdivision is made, since the Italian status is far too complex and requires proper and in-depth studies (L. Gallo, *in verbis*)
- 821 Its distribution in Sicilia region is to be verified: the description provided by Minissale e Spampinato (MINISSALE P. E SPAMPINATO G., 1989. *Sedum gypsicola Boiss. & Reuter nuovo reperto per la flora italiana*. Giorn. Bot. It., 123, suppl. I: 47) let us suppose they are mediterranean populations of *Sedum album* L.; the problem is more difficult since there is an *exsiccatum* conserved in FI and collected nearby Palermo, which is to be referred to *S. gypsicola* Boiss. & Reuter
- 822 The record related to lago del Barbellino (Lombardia region) is to be referred to another *taxon*, therefore is to be excluded from Lombardia; in the same way, the record for Toscana region on the Montecristo Island is to be cancelled
- 823 Combination published in 1913 (Bull. Orto bot. R. Univ. Napoli, 3: 201) (L. Gallo, *in verbis*)
- 824 MAZZOLA P., 1981. *Osservazioni su alcune succulente spontaneizzate in Sicilia*. Giorn. Bot. Ital., 115: 407
- 825 Doubtfully native in Marche region where it is cultivated (L. Gallo *in verbis*)
- 826 Its occurrence in Gargano (Puglia region) is to be confirmed (L. Gallo, *in verbis*)
- 827 Its presence in Friuli, and therefore in Italy, is to be confirmed; the examination of the *isotypus* retained at TSB did not provide enough data to clear up the doubt
- 828 Doubtfully native in Molise region
- 829 The existing morphological, cytological and geographical features are not enough to separate the subsp. *tomentosum* (GALLO L., 2001. *Le Crassulaceae della Valle d'Aosta. Distribuzione, morfologia ed ecologia*. Museo Regionale di Scienze Naturali di Saint-Pierre, Monografie, 3. [Torino, S.G.S.]. 264 pp.)
- 830 The records for Piemonte region must be referred to *Sempervivum gr. tectorum* L.
- 831 Its distribution area is to be re-defined, probably it is narrower than is reported in literature
- 832 For the record of Emilia-Romagna region, see Gallo L. and Bracchi G. (Atti Museo civico St. nat. Di Milano, in press)
- 833 Rather than to a species we should refer to a group; for a preliminary treatment of the subject, see Gallo (GALLO L., 2001. *Le Crassulaceae della Valle d'Aosta. Distribuzione, morfologia ed ecologia*. Museo Regionale di Scienze Naturali di Saint-Pierre, Monografie, 3. [Torino, S.G.S.]. 264 pp.). Within the Italian territory some populations can be detected which currently can not be precisely identified, except for *Sempervivum alpinum* Griseb. & Schenk and *S. glaucum* Ten. for which a provisional distribution is here reported
- 834 Including *Senecio samniticus* Huet and *S. samnitum* (Nyman) Greuter

- 835 In Italy var. *aquaticus* and var. *barbareifolius* (Krock.) Wimm. & Grab. occurs. Including *Senecio erraticus* Bertol. subspecies *erraticus* and *barbareifolius* (Wimm. & Grab.) Beger
- 836 JEANMONOD D., 2003. *Le groupe du Senecio leucanthemifolius en Corse, avec description d'une nouvelle espèce: S. serpentinicola Jeanm.* Candollea, 58: 429-459
- 837 GAMISANS J. & JEANMONOD D., 1993. *Catalogue des plantes vasculaires de la Corse.* Geneve
- 838 The native-alien status in Puglia region is doubtfully
- 839 Including *Senecio tenorei* Pignatti
- 840 Endemic of Sardegna and Corsica. JEANMONOD D., 2003. *Le groupe du Senecio leucanthemifolius en Corse, avec description d'une nouvelle espèce: S. serpentinicola Jeanm.* Candollea, 58: 429-459
- 841 Including *Serapias olbia* Verg.
- 842 Including *Serapias orientalis* (Greuter) H. Baumann & Künkele subsp. *apulica* H. Baumann & Künkele and *S. orientalis* (Greuter) H. Baumann & Künkele subsp. *siciliensis* Bartolo & Pulv.
- 843 The distribution area is to be defined
- 844 Endemic of Sardegna and Corsica
- 845 TUTIN *et al.*, 1964-1980;1993
- 846 *Sesleria tuzsonii* Ujhelyi is to be referred here, it is an invalid species for it was described upon a teratologic specimen of *S. autumnalis* (Scop.) F.W. Schultz
- 847 DI PIETRO R., 2004. *New taxonomical data about genus Sesleria Scop. from Southern Italy.* XI OPTIMA Meeting, Beograd 5-11 IX 2004. Abstracts: 87. Beograd.
- 848 Endemic of Sardegna, Corsica and Balears
- 849 TUTIN *et al.*, 1964-1980;1993
- 850 WATSON L. & DALLWITZ M.J., 1992. *The grass genera of the world.* Wallingford. CAB International
- 851 BANFI E., 1989. *Osservazioni sulle specie italiane del genere Setaria P. Beauv.* (Poaceae). Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 130(13): 189-196
- 852 BANFI E., 1989. *Osservazioni sulle specie italiane del genere Setaria P. Beauv.* (Poaceae). Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 130(13): 189-196
- 853 BANFI E., 1989. *Osservazioni sulle specie italiane del genere Setaria P. Beauv.* (Poaceae). Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 130(13): 189-196
- 854 BANFI E., 1989. *Osservazioni sulle specie italiane del genere Setaria P. Beauv.* (Poaceae). Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 130(13): 189-196
- 855 BANFI E., 1989. *Osservazioni sulle specie italiane del genere Setaria P. Beauv.* (Poaceae). Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 130(13): 189-196
- 856 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 857 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 858 Including *Silene divaricata* Clemente
- 859 In TUTIN *et al.* (1964-1980;1993) synonym of *Silene gallica* L.
- 860 According to STRID & TAN (1997-2000) it is probably to be considered a subspecies of *Silene parnassica*. Doubtfully occurring in Italy (GREUTER *et al.*, 1984-1989)
- 861 BRULLO S. & DE MARCO G., 1997. *Silene ichnusae* (Caryophyllaceae), *a new species from Sardinia.* Nordic J. Bot. 17(2): 161-167
- 862 Doubtfully independent *taxon*
- 863 Doubtfully independent *taxon*, likely an introgressive hybrid with *Silene viridiflora* L. (TUTIN *et al.*, 1964-1980; 1993)
- 864 Recent observations are missing
- 865 Including *Silene quadrifida* (L.) L. and *S. monachorum* (Vis. & Pančić) Vis. & Pančić
- 866 Endemic of Sardegna and Corsica
- 867 GREUTER W., 1995. *Studies in Greek Caryophylloideae: Agrostemma, Silene, and Vaccaria.* Willdenowia 25: 105-142
- 868 Endemic of Sardegna and Corsica
- 869 Probably extinct (GREUTER *et al.*, 1984-1989)
- 870 In Jalas & al. (JALAS J., SUOMINEN, J. & LAMPINEN, R. (eds), 1996. *Cruciferae* (Forts.). *Atlas Florae Europaeae*, 11. Helsinki Utbredningskartor med Åland.) no subspecies is recognized
- 871 In Jalas & al. (JALAS J., SUOMINEN, J. & LAMPINEN, R. (eds), 1996. *Cruciferae* (Forts.). *Atlas Florae Europaeae*, 11. Helsinki Utbredningskartor med Åland.) no subspecies is recognized
- 872 A. Soldano (*in verb.*)
- 873 Including *Solanum nigrum* L. subsp. *schultesii* (Opiz) Wessely
- 874 Endemic of Sardegna and Corsica
- 875 ALDASORO J.J., AEDO C. & MUNOZ GARMENDIA F. 1996: *The genus Pyrus L. (Rosaceae) in south-west Europe and North Africa.* - Bot. Journ. Linn. Soc. 121: 143-158
- 876 Including *Sparganium emersum* Rehmans subsp. *fluitans* (Gren. & Godr.) Arcang.
- 877 TUTIN *et al.*, 1964-1980;1993
- 878 Including *Spergula chieusseana* Pomel
- 879 Endemic of Puglia, Sardegna and Corsica
- 880 Including *Spiraea decumbens* Koch subsp. *hacquetii* (Fenzl & Koch) Arcang.
- 881 Doubtfully native in Sicilia region
- 882 Endemic of Archipelago of Toscana, Sardegna and Corsica
- 883 FALCIANI L., 1997. *Systematic revision of Stachys sect. Eriostomum (Hoffmans. & Link) Dumort. in Italy.* Lagasalia, 19 (1-2): 187-238
- 884 FALCIANI L., 1997. *Systematic revision of Stachys sect. Eriostomum (Hoffmans. & Link) Dumort. in Italy.* Lagasalia, 19 (1-2): 187-238
- 885 FALCIANI L., 1997. *Systematic revision of Stachys sect. Eriostomum (Hoffmans. & Link) Dumort. in Italy.* Lagasalia, 19 (1-2): 187-238
- 886 A. Soldano (*in verb.*)

- 887 Doubtfully independent *taxon*
- 888 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)
- 889 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 890 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 891 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 892 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 893 MORALDO B. & RICCI C., 2003. *Alcune novità tassonomico-nomenclaturali sul genere Stipa - L. (Poaceae) in Italia*. Webbia, 58(1): 103-111
- 894 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 895 MARTINOVSKÝ J.O., MORALDO B. & CAPUTO G., 1975. *Stipa crassiculmis P. Smirnov ssp. picentina ssp. n. nel Massiccio dei Picentini (Appennino campano)*. Delpinoa, n.s., 16-17:185-191
- 896 MARTINOVSKÝ J.O. & MORALDO B., 1980. *Studia taxonomica ad taxa Sect. Stipa in regione mediterranea atque submediterranea occurrentia*. Preslia, 52: 13-34
- 897 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 898 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 899 MORALDO B. & RICCI C., 2003. *Alcune novità tassonomico-nomenclaturali sul genere Stipa - L. (Poaceae) in Italia*. Webbia, 58(1): 103-111
- 900 MORALDO B. & RICCI C., 2003. *Alcune novità tassonomico-nomenclaturali sul genere Stipa - L. (Poaceae) in Italia*. Webbia, 58(1): 103-111
- 901 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 902 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 903 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 904 Moraldo (MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278.), sub: *S. gussonei* Moraldo, *nom. superfl.*
- 905 Moraldo (MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278.); *S. siciliensis*: *nomen invalidum*; MORALDO *et al.* (MORALDO B., LA VALVA V., RICCIARDI M. & CAPUTO G., 1981. *Stipa sicula sp. nov. (Gramineae) delle Madonie (Sicilia)*. Delpinoa, n.s., 32-34: 137-143.)
- 906 MORALDO B., 1986. *Il genere Stipa L. in Italia*. Webbia, 40(2): 203-278
- 907 VIEGI L., CELA RENZONI G. & GARBARI F., 1974. *Flora esotica d'Italia*. Lav. Soc. Ital. Biogeogr., ser. 2, 4:125-220
- 908 BOTTEGA S. & GARBARI F., 2003. *Il genere Symphytum L. (Boraginaceae) in Italia*. Webbia, 58(2): 243-280
- 909 BOTTEGA S. & GARBARI F., 2003. *Il genere Symphytum L. (Boraginaceae) in Italia*. Webbia, 58(2): 243-280
- 910 Here are to be referred the records of *Symphytum tuberosum* L. subsp. *tuberosum* (BOTTEGA S. & GARBARI F., 2003. *Il genere Symphytum L. (Boraginaceae) in Italia*. Webbia, 58(2): 243-280)
- 911 FREDERIKSEN S., 1986. *Revision of Taeniatherum (Poaceae)*. Nord. J. Bot., 6: 389-397
- 912 Doubtfully independent *taxon*
- 913 DE MARTIS B., LOI M.C. & POLO M.B., 1984. *Il genere Tamarix L. (Tamaricaceae) in Sardegna*. Webbia, 37(2): 211-235
- 914 DE MARTIS B., LOI M.C. & POLO M.B., 1984. *Il genere Tamarix L. (Tamaricaceae) in Sardegna*. Webbia, 37(2): 211-235
- 915 DE MARTIS B., LOI M.C. & POLO M.B., 1984. *Il genere Tamarix L. (Tamaricaceae) in Sardegna*. Webbia, 37(2): 211-235
- 916 DE MARTIS B., LOI M.C. & POLO M.B., 1984. *Il genere Tamarix L. (Tamaricaceae) in Sardegna*. Webbia, 37(2): 211-235
- 917 Endemic of Sardegna and Corsica
- 918 POLDINI *et al.*, 2001
- 919 POLDINI *et al.*, 2001
- 920 *Sect. Alpina* G.E. Haglund group *apenninum*. Including *Taraxacum alpinum* Hegetschw. & Herr, *T. kalbfussi* Sch. Bip., *T. melanops* Soest, *T. tortilobiforme* Soest and *T. venustum* Dahlst.
- 921 POLDINI *et al.*, 2001
- 922 POLDINI *et al.*, 2001
- 923 *Sect. Ceratophora* Dahlst. group *ceratophorum*
- 924 POLDINI *et al.*, 2001
- 925 *Sect. Fontana* Dahlst. group *palustre*
- 926 *Sect. Erythrosperma* Dahlst. group *fulvum*. Including *Taraxacum laevigatum* (Willd.) DC.
- 927 Kirschner & Štěpánek (KIRSCHNER J. & ŠTĚPÁNEK J., 1998. *A monograph of Taraxacum sect. Palustria*. Praha, Botanický ústav AV ČR. 281 pp.) report a specimen for "Tyrol, lago di Garda", certainly for L. di Garda
- 928 *Sect. Alpestris* Soest group *nigricans*. Including *Taraxacum crocellum* Soest, *T. martellense* Soest, *T. praeticum* Soest, *T. stylosum* Soest and *T. vereinense* Soest
- 929 *Sect. Taraxacum* group *officinale*
- 930 *Sect. Palustria* Dahlst. group *palustre*. Including *Taraxacum carniolicum* Soest, *T. dolomiticum* Soest, *T. huterianum* Soest, *T. lacustre* Soest, *T. palustre* auct. and *T. tenuifolium* (Hoppe) Koch
- 931 POLDINI *et al.*, 2001
- 932 The distribution area is to be defined
- 933 POLDINI *et al.*, 2001
- 934 Perazza in Prosser & Festi (PROSSER F. & FESTI F. 1992 (1991). *Segnalazioni floristiche tridentine. I*. Ann. Mus. Civ. Rovereto, Sez.: Arch., St., Sc. Nat., 7: 177-224); naturalized
- 935 Naturalized in Mortola (SV)
- 936 In Piemonte region an intermediate looking specimen between this subspecies and the subsp. *germanicus* was observed
- 937 Doubtfully independent *taxon*
- 938 Including *Teucrium subspinosum* Pourr. ex Willd., *T. marum* L. subspecies *drosocalyx* Mus, Mayol & Rossellò and *occidentale* Mus, Mayol & Rossellò
- 939 Doubtfully independent *taxon* (GREUTER *et al.*, 1984-1989)

- 940 Including *Thesium tenuifolium* Saut.
- 941 Doubtfully occurring in Italy (west of Liguria region) (PIGNATTI S., 1982. *Flora d'Italia*. Calderini. Bologna.)
- 942 Endemic of Sardegna and Corsica
- 943 Including *Thlaspi granatense* Boiss. & Reut.
- 944 A. Soldano (*in verb.*)
- 945 A. Soldano (*in verb.*)
- 946 Doubtfully independent *taxon* (A. Soldano *in verbis*)
- 947 A. Soldano (*in verb.*)
- 948 Endemic of Sardegna, Corsica and Baleares
- 949 *Taxon* to be compared to *Tillaea campestris* s.l.
- 950 Alien species for which the subspecies occurring in Italy is to be defined (Gallo, *in verb.*). BRULLO S., GIUSSO DEL GALDO P., SIRACUSA G., 2003. *Il genere Tillaea L. (Crassulaceae) in Italia*. Inform. Bot. Ital., 35: 226-227
- 951 Waiting for a review of the whole genus *Crassula* s.l. and following the most recent systematic trends, it is temporarily ascribed to *Tillaea* L. (EGGLI U., HART H.T & NYFFELER R., 1995. *Toward a consensus classification of the Crassulaceae*. in: HART 'T H. & EGGLI U. (Eds.). *Evolution and Systematics of the Crassulaceae*. Backhuys Publishers, Leiden). Probably extinct in Liguria region (L. Gallo, *in verbis*)
- 952 Including *Tolpis sexaristata* Biv.
- 953 JURY S.L., 1996. *A new subspecies of Torilis arvensis (Hudson) Link*. Lagasalia, 18(2): 282-285
- 954 PAIVA *et al.*, 2001
- 955 Including *Trifolium bonanni* (C. Presl) Soják
- 956 Including *Trifolium meneghinianum* Clementi
- 957 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 958 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 959 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 960 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 961 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 962 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 963 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 964 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 965 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 966 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 967 Endemic of Sardegna and Corsica
- 968 TUTIN *et al.*, 1964-1980;1993
- 969 HELLER D. & HEYN C.C., 1991. *Conspectus florae Orientalis: an annotated catalogue of the flora of the Middle East*. 6: 93. The Israel Academy of Sciences and Humanities, Jerusalem
- 970 SOLDANO A., 1993. *Trisetaria segetum (Savi) Soldano (Gramineae), nome corretto per Trisetaria parviflora (Desf.) Maire*. Atti Soc. Tosc. Sci. Nat., Mem., Pisa, serie B, 99 (1992): 15-21
- 971 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 972 BANFI E. & SOLDANO A., 1994 (1996). *Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo*. Atti Soc. It. Sc. Nat. Mus. Civ. St. Nat. Milano, 135(2): 379-387
- 973 Including *Triticum spelta* L.
- 974 Including *Triticum dicoccon* Schrank and *T. durum* Desf.
- 975 Doubtfully independent *taxon*
- 976 Doubtfully native species (L. Gallo *in verbis*)
- 977 Here are to be referred all the past records for *Umbilicus erectus* Lam. & DC., which is an invalid name, and for *U. luteus* (Hudson) Webb & Berth., which does not occur in Italy. The semi-erect position of the flowers, not uncommon in *U. horizontalis* (Guss.) DC., might have been the reason for these misinterpretations
- 978 Tetraploid; according to GREUTER *et al.* (1984-1989) it is a doubtfully independent *taxon*. The record for Abruzzo region comes from: CONTI F., BARTOLUCCI F., CATONICA C., D'ORAZIO G., LONDRILLO I., MANZI A. & TINTI T., 2005. *Aggiunte alla flora d'Abruzzo. II° contributo*. Inform. Bot. Ital. (in press)
- 979 Diploid; not accepted by GREUTER *et al.* (1984-1989)
- 980 Endemic of Montecristo, Sardegna and Corsica
- 981 In Italy only the var. *rotundifolium*, endemic
- 982 The record is unpublished for Piemonte region (at Lauriano, along the right side of the Po river. August 2000. A. Soldano *in litt.*)
- 983 Endemic of Sardegna and Corsica
- 984 FOGGI B. & RICCERI C., 1989. *Vicia cusnae Foggi et Ricceri*, sp. nov. (Leguminosae) *nell'Appennino settentrionale*. Webbia, 43(1): 25-31

- 985 The distribution area is to be defined
986 Including *Vicia olbiensis* Reut.
987 Including *Vicia vestita* Boiss.
988 LA VALVA V., MORALDO B. & CAPUTO G., 1979-80. Vincetoxicum hirundinaria *Medicus subsp. luteolum* (Jord. et Fourr.) La Valva, Moraldo et Caputo stat. et comb. nov. (Asclepiadaceae) *entità nuova per la flora italiana*. Delpinoa, n.s., 21-22: 91-96
989 Endemic of Alpi Marittime e Corsica
990 Endemic of Island of Elba, Sardegna and Corsica
991 SELVI F., 1996. *Flora and phytogeography of the volcanic dome of Monte Amiata (Central Italy)*. Webbia, 50(2): 265-310
992 Endemic of Alpi Marittime e Corsica
993 Some of the records for this *taxon* are to be referred to *Vitis riparia* (G. Galasso *in litt.*)
994 TUTIN *et al.*, 1964-1980;1993; KERGUELEN M., 1999. *Index Synonymique de la Flore de France*. <http://www.dijon.inra.fr/flore-france/index.htm>
995 TUTIN *et al.*, 1964-1980;1993

ADDENDA ET EMENDANDA

UNIT	REGION	DISTRIBUTION DATA
<i>Adenocarpus bionii</i> (C. Presl) C. Presl.	VEN	-
<i>Agrimonia repens</i> L.	UMB	?
<i>Alcea setosa</i> (Boiss.) Alef.	UMB	+A
<i>Amaranthus caudatus</i> L.	UMB	+A
<i>Anthoxanthum odoratum</i> L. subsp. <i>nipponicum</i> (Honda) Tzvelev	UMB	+
<i>Aristolochia rotunda</i> L. subsp. <i>rotunda</i>	MOL	+
<i>Baldellia ranunculoides</i> (L.) Parl.	PIE	?
<i>Brassica rapa</i> L. subsp. <i>rapa</i>	UMB	+A
<i>Cannabis sativa</i> L.	UMB	+A
<i>Cardamine granulosa</i> All.	PIE	+
<i>Carex lasiocarpa</i> Ehrh.	PIE	?
<i>Carex sempervirens</i> Vill.	UMB	+
<i>Chaerophyllum bulbosum</i> L. subsp. <i>bulbosum</i>	UMB	+
<i>Cirsium oleraceum</i> (L.) Scop.	PIE	?
<i>Commelina communis</i> L.	UMB	+A
<i>Coronilla vaginalis</i> Lam.	PIE	-
<i>Crepis pygmaea</i> L. subsp. <i>pygmaea</i>	MOL	?
<i>Crepis vesicaria</i> L. subsp. <i>taraxacifolia</i> (Thuill.) Thell.	UMB	?
<i>Crepis vesicaria</i> L. subsp. <i>vesicaria</i>	UMB	+
<i>Cucubalus baccifer</i> L.	CAL	0
<i>Cuscuta epilinum</i> Weihe	PIE	?A
<i>Cymbalaria muralis</i> Gaertn., B. Mey. & Scherb subsp. <i>muralis</i>	ABR	+
<i>Cytisus nigricans</i> L. s.l.	UMB	+
<i>Cytisus nigricans</i> L. subsp. <i>nigricans</i>	UMB	+
<i>Dasiphora fruticosa</i> (L.) Rydb.	ABR	?
<i>Digitaria ciliaris</i> (Retz.) Koeler	UMB	+A
<i>Diplotaxis muralis</i> (L.) DC.	VDA	?
<i>Dorycnium pentaphyllum</i> Scop.	UMB	0
<i>Drosera anglica</i> Huds.	PIE	?
<i>Eleocharis uniglumis</i> (Link) Schult. subsp. <i>uniglumis</i>	UMB	+
<i>Elymus hispidus</i> (Opiz) Melderis s.l.	UMB	?
<i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>hispidus</i>	UMB	?
<i>Ephedra negrii</i> J. Nouviant	TAA	+
<i>Euphorbia cyparissias</i> L.	CAL	0
<i>Euphorbia lathyris</i> L.	CAL	?A
<i>Festuca ticinensis</i> (Markgr.-Dann.) Markgr.-Dann.	PIE	?
<i>Galinsoga ciliata</i> (Raf.) S.F. Blake	CAL	+A
<i>Galeopsis pubescens</i> Besser subsp. <i>pubescens</i>	MOL	+
<i>Hieracium pellitum</i> Fr.	UMB	+
<i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi subsp. <i>laevigatum</i> (Schur) Banfi, Galasso & Bracchi	UMB	+
<i>Homalotrichon pubescens</i> (Huds.) Banfi, Galasso & Bracchi subsp. <i>pubescens</i>	UMB	?
<i>Iberis semperflorens</i> L.	ABR	+A
<i>Impatiens balfourii</i> Hook. f.	UMB	+A
<i>Lamium album</i> L. subsp. <i>album</i>	VDA	-
<i>Lepidium bonariense</i> L.	UMB	+A
<i>Lepidium sativum</i> L. subsp. <i>sativum</i>	UMB	?A
<i>Loncomelos pyrenaicus</i> (L.) Hrouda ex J. Holub subsp. <i>sphaerocarpus</i> (A. Kern.) Holub	UMB	+
<i>Loncomelos pyrenaicus</i> (L.) Hrouda ex J. Holub subsp. <i>pyrenaicus</i>	UMB	?

UNIT	REGION	DISTRIBUTION DATA
<i>Malcolmia maritima</i> (L.) R. Br.	UMB	+A
<i>Melilotus altissimus</i> Thuill.	VDA	0
<i>Melilotus dentatus</i> (Waldst. & Kit.) Desf.	VDA	-A
<i>Mentha cervina</i> L.	ABR	0
<i>Montia fontana</i> L. subsp. <i>amporitana</i> Sennen	PIE	?
<i>Muscari tenuiflorum</i> Tausch	FVG	+
<i>Muscari tenuiflorum</i> Tausch	MAR	+
<i>Muscari tenuiflorum</i> Tausch	UMB	+
<i>Narcissus incomparabilis</i> Mill.	UMB	+A
<i>Nicotiana tabacum</i> L.	UMB	+A
<i>Nonea lutea</i> (Desr.) DC.	UMB	+A
<i>Onosma dalmatica</i> Scheele	UMB	+
<i>Polygonum maritimum</i> L.	BAS	+
<i>Puccinellia gussonei</i> Parl.	SIC	+
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>alpina</i>	LIG	?
<i>Pulsatilla alpina</i> (L.) Delarbre subsp. <i>alpina</i>	VEN	?
<i>Quercus dalechampii</i> Ten.	MOL	+
<i>Rumex patientia</i> L. subsp. <i>patientia</i>	UMB	+
<i>Sagina nodosa</i> (L.) Fenzl	PIE	-
<i>Saxifraga oppositifolia</i> L. subsp. <i>speciosa</i> (Dörfl. & Hayek) Engl. & Irmsh.	MOL	+
<i>Scorzonera humilis</i> L.	PIE	-
<i>Senecio inaequidens</i> DC.	CAL	+A
<i>Silene dichotoma</i> Ehrh.	UMB	+
<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>commutata</i> (Guss.) Hayek	UMB	+
<i>Solidago gigantea</i> Aiton s.l.	UMB	+
<i>Solidago gigantea</i> Aiton subsp. <i>gigantea</i>	UMB	+
<i>Symphoricarpos albus</i> (L.) S.F. Blake	UMB	+A
<i>Teucrium siculum</i> (Raf.) Guss. subsp. <i>euganeum</i> (Vis.) Tornad.	TAA	+
<i>Trifolium infamia-ponertii</i> Greuter	CAL	0
<i>Trifolium patens</i> Schreb.	CAL	0
<i>Trifolium setiferum</i> Boiss.	CAL	0
<i>Trifolium spadiceum</i> L.	CAL	0
<i>Trifolium squamosum</i> L.	CAL	0
<i>Trifolium tenuifolium</i> Ten.	CAL	0
<i>Trifolium vesiculosum</i> Savi	CAL	0
<i>Tulipa australis</i> Link	SAR	0
<i>Tulipa clusiana</i> DC.	UMB	+A
<i>Typha domingensis</i> (Pers.) Steud.	MOL	+
<i>Utricularia bremii</i> Heer	PIE	0
<i>Vaccinium oxycoccos</i> L.	LOM	-
<i>Veronica verna</i> L. subsp. <i>verna</i>	MOL	+
<i>Vicia ervilia</i> (L.) Willd.	CAL	?A
<i>Vicia narbonensis</i> L. subsp. <i>serratifolia</i> (Jacq.) Ces.	CAL	0
<i>Vicia onobrychioides</i> L.	CAL	0
<i>Vicia sativa</i> L. subsp. <i>amphicarpa</i> (L.) Batt.	CAL	?
<i>Vicia sativa</i> L. subsp. <i>macrocarpa</i> (Moris) Arcang.	CAL	+
<i>Vicia sparsiflora</i> Ten.	CAL	0
<i>Vicia villosa</i> Roth subsp. <i>eriocarpa</i> (Hausskn.) P.W. Ball	CAL	+
<i>Vicia villosa</i> Roth subsp. <i>villosa</i>	CAL	+
<i>Xeranthemum annuum</i> L.	UMB	+