

Taxonomic List

Noteworthy fauna

The site is a very important breeding, staging and wintering area for aquatic birds.

Breeding waterbirds: Table giving the most recent information about breeding waterbirds in the Ramsar site. Published and unpublished data from the NOVANA programme of the Ministry of Environment and DCE, supplemented with data from the Birdlife Denmark citizen science portal DOFbasen on selected breeding species covered by the EEC Birds Directive Annex 1. Numbers given are annual breeding populations of the species listed. Counting intensity varies over the years. Note: 0 does not necessarily mean the species was absent – rather not counted/reported.

Species \ Year	Breeding population (in pairs)					
	2004	2005	2006	2007	2008	2009
<i>Phalacrocorax carbo</i>	710	509	940	524	476	650
<i>Botaurus stellaris</i>	3	1	1	1	3	1
<i>Platalea leucorodia</i>	16	14	19.5	27	31.5	30
<i>Circus pygargus</i>	0	0	0	0	1	1
<i>Recurvirostra avosetta</i>	69	0	42	48	138	276
<i>Calidris alpina</i>	5	8.5	2.5	2.5	0	0
<i>Philomachus pugnax</i>	0	0	1	0	0	0
<i>Sterna sandvicensis</i>	10	15	6	0	0	0
<i>Sterna paradisaea</i>	119	6	19	0	0	0
<i>Sterna albifrons</i>	0	0	0	0	0	0

Note: this site has not been subject to intensive monitoring programmes. Absence of e.g. Spotted Crake (*Porzana porzana*) and Marsh Harrier (*Circus auruginosus*) in the table might thus represent missing coverage rather than absence of these species. ‘half pairr’ represents an average of a range, i.e. 19.,5 = 19-20 pairs.

Migratory waterbirds: Table giving the most recent information about staging waterbirds in the Ramsar site. Published and unpublished data from the NOVANA programme of the Ministry of Environment and DCE, supplemented with data from the Birdlife Denmark citizen science portal DOFbasen on migratory species of national responsibility (for details see Miljø- og Energiministeriet, Skov- og Naturstyrelsen 1999), and selected migrant species (e.g. some raptors and *Charadrius morinellus*) covered by the EEC Birds Directive Annex 1. Numbers given are annual maxima of the species listed. Counting intensity varies over the years. Note: 0 does not necessarily mean the species was absent – rather not counted/reported. Averages are thus computed based on years with numbers reported.

Species \	Annual Maxima						Average
	2004	2005	2006	2007	2008	2009	
<i>Podiceps cristatus</i>	0	0	0	0	135	171	153
<i>Podiceps grisegena</i>	0	0	2	4	7	1	4
<i>Podiceps auritus</i>	0	0	0	0	1	1	1
<i>Phalacrocorax carbo</i>	68	37	200	135	360	496	216
<i>Ardea cinerea</i>	4	2	0	4	4	2	3
<i>Platalea leucorodia</i>	9	2	1	7	112	89	37

<i>Cygnus olor</i>	1600	1500	1222	1270	1100	1100	1299	
<i>Cygnus columbianus</i>	92	44	40	21	105	21	54	
<i>Cygnus cygnus</i>	1352	646	713	1007	935	1264	986	
<i>Anser fabalis</i>	0	0	11	7	30	0	16	
<i>Anser fabalis rossicus</i>	1	0	0	0	0	0	1	
<i>Anser brachyrhynchus</i>	1400	126	4250	7360	7000	7750	4648	
<i>Anser albifrons albifrons</i>	0	0	47	0	0	0	47	
<i>Anser anser</i>	800	1900	3000	3500	3689	2450	2557	
<i>Branta canadensis</i>	476	25	246	433	17	162	227	
<i>Branta leucopsis</i>	21	1	28	580	2500	1865	833	
<i>Branta bernicla</i>	0	0	0	0	35	0	35	
<i>Branta bernicla bernicla</i>	108	340	0	250	201	83	196	
<i>Branta bernicla hrota</i>	1438	2493	2178	4000	2712	2730	2592	
<i>Tadorna tadorna</i>	326	51	0	43	850	514	357	
<i>Anas penelope</i>	10446	7000	4000	6000	5139	2905	5915	
<i>Anas strepera</i>	3	0	0	1	0	0	2	
<i>Anas crecca</i>	750	700	1750	1600	3000	2368	1695	
<i>Anas platyrhynchos</i>	3500	2000	1500	1000	2500	1095	1933	
<i>Anas acuta</i>	52	30	29	14	18	28	29	
<i>Anas clypeata</i>	151	110	105	142	58	82	108	
<i>Aythya ferina</i>	136	56	52	30	7	1	47	
<i>Aythya fuligula</i>	3800	3000	800	530	210	60	1400	
<i>Aythya marila</i>	15	0	1	1	9	2	6	
<i>Somateria mollissima</i>	80	0	16	230	575	1040	388	
<i>Bucephala clangula</i>	3025	1100	600	1800	2170	1040	1623	
<i>Mergus albellus</i>	6	10	2	9	4	7	6	
<i>Mergus serrator</i>	1100	2000	57	36	349	136	613	
<i>Mergus merganser</i>	82	62	50	36	44	280	92	
<i>Haliaeetus albicilla</i>	0	0	0	0	1	1	1	
<i>Circus aeruginosus</i>	0	0	0	0	2	2	2	
<i>Circus cyaneus</i>	4	3	2	2	2	3	3	
<i>Pandion haliaetus</i>	2	5	5	4	6	4	4	
<i>Falco columbarius</i>	1	1	1	0	1	1	1	
<i>Falco peregrinus</i>	2	1	2	1	4	3	2	
<i>Fulica atra</i>	3568	3000	5000	1500	2922	3120	3185	
<i>Haematopus ostralegus</i>	0	0	0	0	26	3	15	
<i>Recurvirostra avosetta</i>	297	159	171	250	234	205	219	
<i>Pluvialis apricaria</i>	5400	4000	3000	1000	4488	20390	6380	
<i>Pluvialis squatarola</i>	0	0	0	0	36	235	136	
<i>Vanellus vanellus</i>	0	0	0	1500	2691	3411	2534	
<i>Calidris canutus</i>	17	15	35	46	16	27	26	
<i>Calidris alba</i>	0	1	0	8	2	3	4	
<i>Calidris ferruginea</i>	0	0	0	0	3	1	2	
<i>Calidris alpina</i>	500	3120	2000	2000	4530	1150	2217	

<i>Philomachus pugnax</i>	0	0	0	0	13	1	7	
<i>Gallinago gallinago</i>	0	0	0	0	41	40	41	
<i>Limosa lapponica</i>	14	92	480	320	22	104	172	
<i>Numenius phaeopus</i>	0	0	0	0	0	1	1	
<i>Numenius arquata</i>	69	0	0	0	346	422	279	
<i>Tringa erythropus</i>	0	0	0	0	10	3	7	
<i>Tringa totanus</i>	95	93	70	210	280	209	160	
<i>Tringa nebularia</i>	70	28	43	28	112	145	71	
<i>Larus ridibundus</i>	57	0	0	0	0	0	57	
<i>Larus argentatus</i>	117	0	0	0	0	0	117	
<i>Sterna sandvicensis</i>	0	0	0	0	0	2	2	
<i>Sterna paradisaea</i>	0	0	0	0	0	1	1	
<i>Alca torda</i>	0	0	0	1	0	0	1	
<i>Sum of annual maxima</i>	41054	33753	31709	36920	49664	57230		

