

Ramsar Information Sheet

Published on 1 January 2007 Update version, previously published on 1 January 2007

Hungary Mártély



Designation date 11 April 1979
Site number 186
Coordinates 46°26'10"N 20°12'37"E

Area 2 324,00 ha

Color codes

Fields back-shaded in light blue relate to data and information required only for RIS updates.

Note that some fields concerning aspects of Part 3, the Ecological Character Description of the RIS (tinted in purple), are not expected to be completed as part of a standard RIS, but are included for completeness so as to provide the requested consistency between the RIS and the format of a 'full' Ecological Character Description, as adopted in Resolution X.15 (2008). If a Contracting Party does have information available that is relevant to these fields (for example from a national format Ecological Character Description) it may, if it wishes to, include information in these additional fields.

1 - Summary

Summary

The Mártély Landscape Protection Area Ramsar Site covers a section of the River Tisza floodplain, characteristic for the floodplain wetlands of southern Hungary. It features freshwater oxbow lakes, flood meadows, marshes, arable land, woodland, and many smaller and larger branches of the river. The site consists of permanently and occasionally flooded areas. The site hosts a relatively large population of otter Lutra lutra, and it is important reproduction place for many fish species. It hosts one endemic plant species, Leucanthemum serotinum. Mártély is a breeding site for various waterbirds, and raptors, e.g. including several species of Ardeidae species, Black Stork, White-tailed Eagle.

2 - Data & location

2.1 - Formal data

_										
٠	ν 1	-1	- ľ	Name	and	address	of the	compiler	of this	RIS

_			- 4
('om	nı	lΩr	1
Com	PΠ		

Name	Zoltan Vajda
Institution/agency	Kiskunsági Nemzeti Park Directorate
Postal address	H-6000 Kecskemét, Liszt F. u.19.
E-mail	vajdaz@knp.hu
Phone	+36-76-482-611
Fax	+36-76-481-074

2.1.2 - Period of collection of data and information used to compile the RIS

From year 2006

To year 2014

2.1.3 - Name of the Ramsar Site

Official name (in English, French or Spanish) Mártély

2.1.4 - Changes to the boundaries and area of the Site since its designation or earlier update

(Update) A Changes to Site boundary Yes O No No No O
(Update) B. Changes to Site area the area has increased
^(Update) The Site area has been calculated more accurately ☑
(Update) The Site has been delineated more accurately
(Update) The Site area has increased because of a boundary extension \Box
(Update) The Site area has decreased because of a boundary restriction □

2.1.5 - Changes to the ecological character of the Site

(Update) 6b i. Has the ecological character of the Ramsar Site (including applicable Criteria) changed since the previous RIS?

2.2 - Site location

2.2.1 - Defining the Site boundaries

b) Digital map/image

<1 file(s) uploaded>

Former maps 0

Boundaries description (optional)

The site boundary follows the boundary of the Mártély Landscape Protection Area.

2.2.2 - General location

a) In which large administrative region does the site lie?	Csongrád county
b) What is the nearest town or population centre?	Hódmezővásárhely

2.2.3 - For wetlands on national boundaries only

a) Does the wetland extend onto the territory of one or more other countries? Yes O No \odot

b) Is the site adjacent to another designated Ramsar Site on the territory of another Contracting Party? Yes O No lacktriangle

2.2.4 - Area of the Site

Official area, in hectares (ha): 2324

Area, in hectares (ha) as calculated from 2324.65 GIS boundaries

2.2.5 - Biogeography

Biogeographic regions

Regionalisation scheme(s)	Biogeographic region
EU biogeographic regionalization	Pannonic

Other biogeographic regionalisation scheme

European Commission DG Environment webpage http://ec.europa.eu/environment/nature/natura2000/sites_hab/biogeog_regions/index_en.htm

3 - Why is the Site important?

3.1 - Ramsar Criteria and their justification

☑ Criterion 1: Representative, rare or unique natural or near-natural wetland types

The site contains a representative and unique example of permanent river, freshwater oxbow lakes, and tree dominated flooding types of wetlands within the Pannonic biogeographic region.

Habitat types listed on Annex I of the Habitats Directive:

Other reasons

3150 Natural eutrophic lake with magnopotamion or Hydrocharition vegetation type.

3270 Rivers with muddy banks with Chenopodion rubri p.p. and Bidention p.p.

6440 Alluvial meadows of river valleys of the Cnidion dubii

91 E0 Alluvial forests with Alnus qlutinosa and Fraxinus excelsior (Alno-adion, Alnion incanae, Salicion

- ☑ Criterion 2 : Rare species and threatened ecological communities
- ☑ Criterion 3 : Biological diversity

It supports populations of plant and animal species important for maintaining the biological diversity of Pannonic biogeographic region, such as: Leucanthemum serotinum - Pannonic endemic, biogeographically important, Tisza mayfly Palingenia longicauda is endemic to the Carpathian Basin tributaries of the river Danube.

☑ Criterion 4 : Support during critical life cycle stage or in adverse conditions

3.2 - Plant species whose presence relates to the international importance of the site

0.2 Thank species whose presence relates to the international importance of the site												
Scientific name	Common name	Criterion 2	Criterion 3	Criterion 4	IUCN Red List	CITES Appendix I	Other status	Justification				
Leucanthemella serotina			Ø					Criterion 3: The site supports this species species important for maintaining the biological diversity of Pannonic biogeographic region.				

3.3 - Animal species whose presence relates to the international importance of the site

Phylum	Scientific name	Common name	Species qualifies under criterion 2 4 6 9	criterion	Size P	eriod of pop. Est.	% occurrence 1)	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
Birds	Birds											
CHORDATA/ AVES	Alcedo atthis	Common Kingfisher		0000				LC • is:			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Ardea alba	Great Egret		0000]			LC Star			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.

Phylum	Scientific name	Common name	Spec quali und crite	ifies der rion	Species contributes under criterion S	op. Period of pop. Est.	% occurrence	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
CHORDATA/ AVES	Ardea purpurea	Purple Heron			0000			LC ●歸			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Ardeola ralloides	Squacco Heron			0000			LC ©S			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Aythya nyroca	Ferruginous Duck			0000			NT			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Botaurus stellaris	Eurasian Bittern			0000			LC ●部			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Chlidonias hybrida	Eurasian Whiskered Tern			0000			LC ●辭			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Chlidonias niger	Black Tern			0000			LC ●部			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Ciconia ciconia	White Stork			0000			LC STRF			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Ciconia nigra	Black Stork			0000			LC ●部			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Circus aeruginosus	Western Marsh Harrier			0000			LC			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Circus cyaneus	Northern Harrier			0000			LC ©SS			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Crex crex	Corn Crake			0000			LC ©SS			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Dendrocopos syriacus	Syrian Woodpecker			0000			LC			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Dryocopus martius	Black Woodpecke	er 🗆 🗷 (0000			LC			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Egretta garzetta	Little Egret						LC ©SF			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Grus grus	Common Crane						LC ●部			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Haliaeetus albicilla	White-tailed Eagle						LC	 ✓	V	79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Microcarbo pygmeus	Pygmy Cormorant									79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Milvus migrans	Black Kite			0000			LC			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.

Phylum	Scientific name	Common name	Species qualifies under criterion	Species contributes under criterion	Size	Period of pop. Est.			CITES Appendix I	CMS Appendix I	Other Status	Justification
CHORDATA/ AVES	Nycticorax nycticorax	Black-crowned Night Heron; Black-crowned Night-Heron)			LC Sign			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Pernis apivorus	European Honey Buzzard		10000]			LC Sign			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Platalea leucorodia	Eurasian Spoonbill		10000	1			LC Sir			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Porzana parva	Little Crake)			LC			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
CHORDATA/ AVES	Porzana porzana	Spotted Crake)			LC Str			79/409/EGK Annex I	Criterion 4: The site is a breeding and wintering area for migrating and resident birds such as this species.
Fish, Mollusc	and Crustacea											
CHORDATA/ ACTINOPTERYGI	Acipenser nudiventris	Ship	2 000		1			CR ●#			Annex II Bern Convention, IUCN Red list: Considered as EN, Annex V Habitats Directive + Annex II Bonn Convention	Criterion 2: The site supports this vulnerable, endangered species.
CHORDATA/ ACTINOPTERYGI	Gymnocephalus schraetser		2 000		1			LC Sign			IUCN Red list: Considered as VU & 92/43/EGK directive Annex II	Criterion 2: The site supports this vulnerable, endangered species.
CHORDATA/ ACTINOPTERYGI			2 000	10000	1			LC Sir			IUCN Red list: Considered as VU & 92/43/EGK directive Annex II	Criterion 2: The site supports this vulnerable, endangered species.
Others	Others											
CHORDATA/ MAMMALIA	Myotis dasycneme	pond bat; Pond Myotis	2 000		1			NT			IUCN Red list: Considered as VU & 92/43/EGK directive Annex II	Criterion 2: The site supports this vulnerable, endangered species.
ARTHROPODA/ INSECTA	Palingenia Iongicauda	Tisza mayfly)							Criterion 3: This bio-geographically important species is endemic to the Carpathian Basin tributaries of the river Danube.

¹⁾ Percentage of the total biogeographic population at the site

3.4 - Ecological communities whose presence relates to the international importance of the site

<no data available>

4 - What is the Site like? (Ecological character description)

4.1 - Ecological character

See additional material for information on ecological character

4.2 - What wetland type(s) are in the site?

Inland wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
Fresh water > Flowing water >> M: Permanent rivers/ streams/ creeks		2		Unique
Fresh water > Lakes and pools >> O: Permanent freshwater lakes		4		Representative
Fresh water > Lakes and pools >> Tp: Permanent freshwater marshes/ pools				
Fresh water > Marshes on inorganic soils >> Ts: Seasonal/ intermittent freshwater marshes/ pools on inorganic soils				
Fresh water > Marshes on inorganic soils >> Xf: Freshwater, tree-dominated wetlands		1		Unique

Human-made wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
4: Seasonally flooded agricultural land		3		
7: Excavations				
9: Canals and drainage channels or ditches				

4.3 - Biological components

4.3.1 - Plant species

Other noteworthy plant species

Scientific name	Common name	Position in range / endemism / other
Astragalus contortuplicatus		
Jacobaea paludosa	Fen ragwort	
Leucojum aestivum	Summer Snowflake	
Peucedanum officinale		
Trapa natans	Water Chestnut	
Vicia biennis		

4.3.2 - Animal species

Other noteworthy animal species

Phylum	Scientific name	Common name	Pop. size	Period of pop. est.	%occurrence	Position in range /endemism/other
ARTHROPODA/INSECTA	Aegosoma scabricome					This species is protected under national law as their populations have declined and require special habitat types.
ARTHROPODA/INSECTA	Aromia moschata					This species is protected under national law as their populations have declined and require special habitat types.
ARTHROPODA/INSECTA	Chamaesphecia palustris					This species is protected under national law as their populations have declined and require special habitat types.
ARTHROPODA/INSECTA	Lucanus cervus					This species is protected under national law as their populations have declined and require special habitat types.
CHORDATAMAMMALIA	Myotis daubentonii					This species is protected under national law as their populations have declined and require special habitat types.
ARTHROPODA/INSECTA	Oberea euphorbiae					This species is protected under national law as their populations have declined and require special habitat types.
ARTHROPODA/INSECTA	Obrium cantharinum					This species is protected under national law as their populations have declined and require special habitat types.
CHORDATAMAMMALIA	Pipistrellus pipistrellus pipistrellus					This species is protected under national law as their populations have declined and require special habitat types.
ARTHROPODA/INSECTA	Saperda perforata					This species is protected under national law as their populations have declined and require special habitat types.

4.4 - Physical components

4.4.1 - Climate

Climatic region	Subregion
C: Moist Mid-Latitude dimate with mild winters	Cfb: Marine west coast (Mild with no dry season,
diffiate with fillid wifiters	warm summer)

The climate variations are limited in the region of the Carpathian Basin. The macroclimate can be considered a homogenous basic feature in terms of surface and fauna evolution, as well. The region has a temperate continental climate. Its unique features are limited cloudiness, a relatively high number of sunshine hours, high daily and annual temperature variation, relative dryness and very low humidity values.

See additional material for further information on climate.

4.4.2 - Geomorphic setting

ocomorphic county
a) Mnimum elevation above sea level (in metres) 79
a) Maximum elevation above sea level (in metres) 79
Entire river basin
Upper part of river basin
Mddle part of river basin ☑
Lower part of river basin \square
More than one river basin ☐
Not in river basin
Coastal

Please name the river basin or basins. If the site lies in a sub-basin, please also name the larger river basin. For a coastal/marine site, please name the sea or ocean.

The Mártély Landscape Protection Area Ramsar Site covers a section of the River Tisza floodplain, characteristic for the floodplain wetlands of southern Hungary.

The site belongs to River Tisza catchment area. The living Tisza-valley has a huge catchment area (157.000 km2) which also comprises Carpathian mountain region and the major part of Great Hungarian Plain. The whole site is inside the main embankment.

4.4.3 - Soil

No available information 🗹

Are soil types subject to change as a result of changing hydrological conditions (e.g., increased salinity or acidification)?

4.4.4 - Water regime

Water permanence

Presence?	Changes at RIS update
Usually permanent water present	
Usually seasonal, ephemeral or intermittent water present	

Source of water that maintains character of the site

Source of water that maintains character of the site				
	Presence?	Predominant water source	Changes at RIS update	
	Water inputs from surface water		No change	

Water destination

Presence?	Changes at RIS update
To downstream catchment	No change

Stability of water regime

Clability of Water regime		
	Presence?	Changes at RIS update
	Water levels fluctuating (including tidal)	No change

Please add any comments on the water regime and its determinants (if relevant). Use this box to explain sites with complex hydrology.

We may declare that the balance of precipitation and evaporation is negative in the region.

River control and surface drainage from the middle of the nineteenth century radically changed the water conditions of the region. The comprehensive control of the River Tisza began in 1846 and started at the reach of Csongrád in 1856. The biggest bends were cut through and the river was forced between embankments. As a result two oxbow lakes were created, such as Mártély and Körtvélyes freshwater lakes.

See additional material for further information on water regime.

4.4.5 - Sediment regime

Sediment regime unknown

4.4.6 - Water pH

Unknown 🗹

4.4.7 - Water salinity

Fresh (<0.5 g/l)

(Update) Changes at RIS update No change Increase Decrease Unknown O

Unknown 🗆

4.4.8 - Dissolved or suspended nutrients in water

Eutrophic 🗹

(Update) Changes at RIS update No change

● Increase

O Decrease

O Unknown

O

Unknown \square

Please provide further information on dissolved or suspended nutrients (optional):

Natural eutrophic lake with magnopotamion or Hydrocharition vegetation type.

4.4.9 - Features of the surrounding area which may affect the Site

Please describe whether, and if so how, the landscape and ecological

characteristics in the area surrounding the Ramsar Site differ from the i) broadly similar O ii) significantly different @ site itself.

.

Surrounding area has greater urbanisation or development $\hfill\Box$

Surrounding area has higher human population density

Surrounding area has more intensive agricultural use

Surrounding area has significantly different land cover or habitat types $\ \square$

4.5 - Ecosystem services

4.5.1 - Ecosystem services/benefits

Provisioning Services

Ecosystem service	Examples	Importance/Extent/Significance
Food for humans	Sustenance for humans (e.g., fish, molluscs, grains)	Medium
Wetland non-food products	Timber	Medium
Wetland non-food products	Livestock fodder	Medium

Regulating Services

Ecosystem service	Examples	Importance/Extent/Significance
Erosion protection	Soil, sediment and nutrient retention	High
Hazard reduction	Flood control, flood storage	High

Cultural Services

Ecosystem service	Examples	Importance/Extent/Significance
Recreation and tourism	Water sports and activities	High
Recreation and tourism	Recreational hunting and fishing	High
Spiritual and inspirational	Cultural heritage (historical and archaeological)	Medium
Scientific and educational	Long-term monitoring site	Medium

Other ecosystem service(s) not included above:

The site has an important role in flood control, sediment and nutrient retention.

The most important land uses are forestry, extensive grassland and agricultural management.

Traditional fisheries production can be found around the floodplain of River Tisza. No religious importance, ancient burial-ground or archaeological sites inside the Ramsar-site.

National Biodiversity Monitoring System is running on the site for habitats and birds.

Water recreation tourism (swimming, boating, fishing) is important on Mártély oxbow lake with a small holiday resort settlement on the site.

Have studies or assessments been made of the economic valuation of Yes O No O Unknown @ ecosystem services provided by this Ramsar Site?

4.5.2 - Social and cultural values

i) the site provides a model of wetland wise use, demonstrating the application of traditional knowledge and methods of management and use that maintain the ecological character of the wetland	
ii) the site has exceptional cultural traditions or records of former civilizations that have influenced the ecological character of the wetland	
iii) the ecological character of the wetland depends on its interaction with local communities or indigenous peoples	
iv) relevant non-material values such as sacred sites are present and their existence is strongly linked with the maintenance of the ecological character of the wetland	

<no data available>

4.6 - Ecological processes

<no data available>

5 - How is the Site managed? (Conservation and management)

5.1 - Land tenure and responsibilities (Managers)

5.1.1 - Land tenure/ownership

ı ub	lic owners	u III

Category	Within the Ramsar Site	In the surrounding area
National/Federal government	>	
Local authority, municipality, (sub)district, etc.	2	

Private ownership

i iiidaa oiiiidaana		
Category	Within the Ramsar Site	In the surrounding area
Cooperative/collective (e.g. farmers cooperative)		2

Provide further information on the land tenure / ownership regime (optional):

within the Ramsar site:

35 % of the site is state owned by the state and managed by the Kiskunság National Park Directorate, most of other lands are also in state owned and managed by other state companies e.g. water regulation company, and forest company.

in the surrounding area: Mostly privately owned.

5.1.2 - Management authority

agency or organization responsible for	Kiskunság National Park Directorate
managing the site:	
Provide the name and title of the person or	
people with responsibility for the wetland:	Zoltan VAJDA
people with responsibility for the wettand.	
Postal address:	H-6000 Kecskemét, Liszt F. u.19.
□	usida=@lusa hu
E-mail address:	vajdaz@knp.hu

5.2 - Ecological character threats and responses (Management)

5.2.1 - Factors (actual or likely) adversely affecting the Site's ecological character

Water regulation

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Water abstraction	Medium impact	Medium impact	₽	No change	✓	No change

Agriculture and aquaculture

, grioditaro aria aquadattar	•					
Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Marine and freshwater aquaculture			✓			

Biological resource use

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Fishing and harvesting aquatic resources	Medium impact	Medium impact	2	No change		No change
Logging and wood harvesting	Medium impact	Medium impact	2	No change	2	No change

Human intrusions and disturbance

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Recreational and tourism activities	Medium impact	Medium impact	₽	No change	₽	No change

Natural system modifications

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Dams and water management/use	High impact	High impact		No change	/	No change

Invasive and other problematic species and genes

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Invasive non-native/ alien species	High impact	High impact	>	No change		No change

Pollution

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Unspecified	Medium impact	Medium impact	✓	No change	✓	No change
Agricultural and forestry effluents	High impact	High impact		No change	₽	No change

Climate change and severe weather

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Droughts	High impact	High impact	✓	No change	✓	No change

Please describe any other threats (optional):

a) within the Ramsar site:

Some allochthonous and invasive plant species can take advantage of these unnatural conditions and supplant certain species in forest communities: they are, for example, Amorpha fruticosa, Echinocystis lobata, Acer negundo, Vitis riparia, Fraxinus pennsylvanica. The most important spreading factor of the seed of the alien species is the floods.

Artificial hybrid poplar races made serious genetic pollution - by pollination - in the natural Populus nigra populations, so genetically unpolluted Populus nigra populations are close to extinction.

b) in the surrounding area: groundwater decreasing, water and river regulation, intensive agricultural pollution and disturbing factors, artificial forest planting, drying out, eutrophication, low or high grazing pressure, invasion by alien species (e.g. Fraxinus pennsylvanica, Amorpha fruticosa), spontaneous forestation, waterfowl hunting.

One of the main problems is the decreasing groundwater in the region due to water and river regulation and droughts.

Intensive agricultural pollution can occur on cultivated lands just as high grazing pressure is possible in grasslands which damages natural flora, pollutes groundwater etc. There is an opposite problem with low grazing pressure when spontaneous forestation will begin much easier where it is undesired. Artificial forest plantations are managed by forestry but should be replaced by native tree species considering that artificial hybrid poplar races made serious genetic pollution furthermore large clear-cuttings in these forests providing in this way good opportunity for adventives invasive plants to spread intensively. Surrounding areas are affected by human activities so disturbing factors cause invasive plant species spreading. Waterfowl hunting is permitted taking attention of the nature conservation.

It should be paid particular attention to developing campsites, growing tourism, holiday resorts and if necessary it can be controlled. Waste management is solved on campsites but anglers usually leave their rubbish nearby the banks.

5.2.2 - Legal conservation status

Regional (international) legal designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
EU Natura 2000	Mártély		whole

National legal designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
Site of Community Importance (SCI)	Mártély		whole
landscape protection area	Mártély		whole

5.2.3 - IUCN protected areas categories (2008)

la Strict Nature Reserve
Ib Wilderness Area: protected area managed mainly for wilderness protection
II National Park: protected area managed mainly for ecosystem protection and recreation
III Natural Monument: protected area managed mainly for conservation of specific natural features
IV Habitat/Species Management Area: protected area managed mainly for conservation through management intervention
V Protected Landscape/Seascape: protected area managed mainly for landscape/seascape conservation and recreation

VI Managed Resource Protected Area: protected area managed mainly ☐ for the sustainable use of natural ecosystems

5.2.4 - Key conservation measures

Habitat

Measures	Status	
Habitat	Implemented	
manipulation/enhancement		

Species

Measu	ıres	Status
Control of invasive alien plants		Implemented

Other:

The technical management plan is in place and is implemented, although legally it has not been approved according to most recent legislation. Natura 2000 management plan will be available in the near future for the Natura 2000 part of the site.

A habitat restoration project launched in 2009 to restore wet meadows and eliminate not native invasive species stands (Fraxinus pennsylvanica, Amorpha fruticosa, Acer negundo) on 60 ha.

5.2.5 - Management planning

Is there a site-specific management plan for the site? In preparation

Has a management effectiveness assessment been undertaken for the site?

If the site is a formal transboundary site as indicated in section Data and location > Site location, are there shared management planning Yes O No

processes with another Contracting Party?

Please indicate if a Ramsar centre, other educational or visitor facility, or an educational or visitor programme is associated with the site:

Information tables, booklets, summer environmental educational camp for local schools are available on the site. Riparian forest nature trail. 2000 copies of brochure titled "Pusztaszer and Mártély) published in 2005.

5.2.6 - Planning for restoration

Is there a site-specific restoration plan? Yes, there is a plan

Further information

There are further habitat restoration programmes planned.

5.2.7 - Monitoring implemented or proposed

Monitoring	Status
Plant community	Implemented
Birds	Implemented

National Biodiversity Monitoring System is running on the site for habitats and birds

6 - Additional material

6.1 - Additional reports and documents

6.1.1 - Bibliographical references

Bankovics A.: Data on the comparative ecology of the scrub Warbler Hippolais pallida elaeica (LINDL.) and its spreading along the Tisza is the Tears 1973 to 1974. Tiscia, 1974. 10. köt. 81-83. p.

Bankovics A.: Spreading and habits of Hippolais pallida elaeica (LINDL.) along the Tisza. Tiscia, 1974. 9. köt. 105-113. p.

Gallé, S. & Körmöczi, L (eds.). 2000. Ecology of River Valleys. Published by Department of Ecology, University of Szeged, Tiscia monograph series 2000.

Sterbetz, I. 1981. Protected wetlands of international importance in Hungary. IWRB XVII. International Conference in Debrecen 1981.

6.1.2 - Additional reports and documents

i. taxonomic lists of plant and animal species occurring in the site (see section 4.3)

ii. a detailed Ecological Character Description (ECD) (in a national format)

iii. a description of the site in a national or regional wetland inventory

iv. relevant Article 3.2 reports

v. site management plan

vi. other published literature

<1 file(s) uploaded>

6.1.3 - Photograph(s) of the Site

Please provide at least one photograph of the site:



An oxbow lake of the river Tisza at Mártély (István Somodi , 18-04-2009)

6.1.4 - Designation letter and related data

Designation letter

<1 file(s) uploaded>

Date of Designation 1979-04-11