

# Ramsar Information Sheet

Published on 31 March 2017 Update version, previously published on : 1 January 2009

# Sweden Laidaure



Designation date 5 December 1974
Site number 31
Coordinates 67°08'02"N 18°17'15"E
Area 4 316,00 ha

https://rsis.ramsar.org/ris/31 Created by RSIS V.1.6 on - 2 February 2018

# Color codes

Fields back-shaded in light blue relate to data and information required only for RIS updates.

Note that some fields concerning aspects of Part 3, the Ecological Character Description of the RIS (tinted in purple), are not expected to be completed as part of a standard RIS, but are included for completeness so as to provide the requested consistency between the RIS and the format of a 'full' Ecological Character Description, as adopted in Resolution X.15 (2008). If a Contracting Party does have information available that is relevant to these fields (for example from a national format Ecological Character Description) it may, if it wishes to, include information in these additional fields.

# 1 - Summary

#### Summary

The site comprises a freshwater lake lying between the mountains of Sarek National Park and a zone of coniferous forests. The natural delta of the River Rapa, which forms part of Lake Laidaure, is unique by Swedish standards and represents a landscape of great scenic value. It is one of the most active deltas in the mountain region, and the water, land and islets change form and character continually. The land is dominated by willow (Salix) vegetation. Alpine grassland with high biodiversity grows on the calcareous mountain slopes. The delta is the most important bird locality in the Sarek region of Sweden, especially important as a breeding ground for ducks and waders. The Rapa valley is also known to support a large amount of elks (Alces alces).

# 2 - Data & location

# 2.1 - Formal data

2.1.1 - N	lame and	address o	f the com	piler of	this RIS
-----------	----------	-----------	-----------	----------	----------

C	omp	oile	r 1
_	~ <sub>[</sub>	,,,,	

Pro-	
Name	Emilia Vesterberg
Institution/agency	Länsstyrelsen i Norrbottens län
Postal address	SE-971 86 LULEÅ, Sweden
E-mail	emilia.vesterberg@lansstyrelsen.se
Phone	+46 10 22 55 456
Compiler 2	
Name	Jenny Lonnstad
Institution/agency	Naturvårdsverket (Swedish EPA)
Postal address	Naturvårdsverket, 106 48 STOCKHOLM, Sweden
E-mail	jenny.lonnstad@naturvardsverket.se
Phone	+46 10 698 15 92
Fax	+46 10 698 16 00
2.1.2 - Period of collection of data and	·
From year	2006

# To year 2015

			_	
2.1.3 -	Name	of the	Ramsar	Site

Official name (in English, French or Spanish)

Laidaure

Unofficial name (optional) Laidaure (lake)

# 2.1.4 - Changes to the boundaries and area of the Site since its designation or earlier update

<sup>(Update)</sup> A Changes to Site boundary Yes <b>⊚</b> No <b>○</b>
<sup>(Update)</sup> The boundary has been delineated more accurately <b>☑</b>
(Update) The boundary has been extended □
(Update) The boundary has been restricted
(Update) B. Changes to Site area the area has decreased
<sup>(Update)</sup> The Site area has been calculated more accurately ✓
<sup>(Update)</sup> The Site has been delineated more accurately ✓
(Update) The Site area has increased because of a boundary extension
(Update) The Site area has decreased because of a boundary restriction

# 2.1.5 - Changes to the ecological character of the Site

(Update) 6b i. Has the ecological character of the Ramsar Site (including applicable Criteria) changed since the previous RIS?
(Update) Are the changes Positive O Negative O Positive & Negative ●
(Update) Positive % 1
(Update) Negative % 1
(Update) No information available
(Update) Changes resulting from causes operating within the existing boundaries?

1415 101 5110 110. 51, Lan	unity Oricida
(Update) Changes resulti	ng from causes operating beyond the site's boundaries?
	nt upon site boundary reduction alone (e.g., and types formerly included within the site)?
(Update) Changes conseque the ind	nt upon site boundary increase alone (e.g., usion of different wetland types in the site)?
(Update) Please describe any	changes to the ecological character of the Ramsar Site, including in the application of the Criteria, since the previous RIS for the site.
digitalization had some	lightly changed. The new border is based upon a digitalization of the old border made on a paper map, but the esmaller discrepancies compared to the border on the paper map.  mate the consequences for the wetland types. The prevailing nature type along the border is birch forests, but part of i
may be wet and there	night be small mires affected as well.
(Update) Is the change in eo AND a significant ch	ological character negative, human-induced ange (above the limit of acceptable change)
2.2 - Site location	
2.2.1 - Defining the Site	boundaries
b) Digital map/image <1 file(s) uploaded>	
	Former maps 0
2.2.2 - General location	
a) In which large administra	the site lie? Norrbotten
b) What is the nearest to	vn or population centre? Jokkmokk
	national boundaries only
a) Does the wetland	xtend onto the territory of one or more other countries? Yes O No
b) Is the site adjacer	to another designated Ramsar Site on the territory of another Contracting Party?
2.2.4 - Area of the Site	
Official area,	n hectares (ha): 4316
Area, in hectares (ha) as	calculated from GIS boundaries 4317.95
2.2.5 - Biogeography	
Biogeographic regions	Disas a markin a sina
Regionalisation scheme(s) Udvardy's Biogeographical	Biogeographic region 03 West Eurasian Taiga
Provinces	
Bailey's Ecoregions	M240 Marine Regime mountains
WWF Terrestrial	Scandinavian montane birch forest and grasslands PA1110

# Other biogeographic regionalisation scheme

Freshwater Ecoregions of the World (FEOW)

Northern Baltic Drainages

Apine

DMEER 2002 EEA: Scandinavian montane birch forest and grasslands

See textbox below

Other scheme (provide name below)

EU biogeographic regionalization

# 3 - Why is the Site important?

# 3.1 - Ramsar Criteria and their justification

☑ Criterion 1: Representative, rare or unique natural or near-natural wetland types

The delta in lake Laidaure is a rare example of a natural wetland type in the alpine region, and the site includes representative examples of wetlands such as the EU habitats Alpine rivers and the herbaceous vegetation along their banks (3220) and Transitions mires and quaking bogs (7140). The inland delta at the site is unique.

- ☑ Criterion 2 : Rare species and threatened ecological communities
- ☑ Criterion 3 : Biological diversity

The site supports populations of animal species important for maintaining the biological diversity of the Alpine region, including rich avian fauna with a number of nationally red-listed species and species of the Justification EC Birds Directive Annex I. The site is a breeding area and a staging area for many waterbirds species like ducks, waders and birds of prey. It also provides refuge from storms in the high mountains and a stopover site for migrating birds waiting for the disappearance of ice and snow in higher altitudes.

☑ Criterion 4 : Support during critical life cycle stage or in adverse conditions

3.2 - Plant species whose presence relates to the international importance of the site

Scientific name	Common name	Criterion 2	Criterion 3	Criterion 4	IUCN Red List	CITES Appendix I	Other status	Justification
Pedicularis sceptrum- carolinum			<b>2</b>				Protected species according to the (SFS 2007:845).	See textbox below the table.
Petasites frigidus	Arctic butterbur		Ø		LC			See textbox below the table.

Criterion 3: For all species observations can be found in www.artportalen.se.	

3.3 - Animal species whose presence relates to the international importance of the site

Phylum	Scientific name	Common name	Species qualifies cunder criterion 2 4 6 9 3	Species ontributes under criterion 5 7 8	Pop. Size Period of pop. Est.	% occurrence 1)	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
Birds											
AVES	Section 1	Boreal Owl					LC •#			EC Birds Directive Annex I.	See textbox below the table.
	Anas acuta	Northern Pintail					LC ©#			Swedish Red List 2015 (VU).	Breeding. See textbox below the table and in section 3.1.

Phylum	Scientific name	Common name	Species qualifies under criterior	cor	pecies itribute: under iterion	Pop. Size Period of pop. Est. occurrenc	IUCN ce Red List	CITES Appendix	CMS Appendix	Other Status	Justification
CHORDATA	Anas crecca	Eurasian Teal;	2 4 6	9 3	5 7		LC		·		
AVES	<b>E</b> 60.	Green-winged Teal									See textbox below the table.
AVES	Aquila chrysaetos	Golden Eagle					LC ©#			Swedish Red List 2015 (NT). EC Birds Directive Annex I.	See textbox below the table.
CHORDATA / AVES	Asio flammeus	Short-eared Owl					LC ●\$ ●\$			EC Birds Directive Annex I.	See textbox below the table and in section 3.1.
	lapponicus	Lapland Longspur				]	LC ©			Swedish Red List 2015 (VU).	Breeding. See textbox below the table and in section 3.1.
AVES	Circus cyaneus	Northern Harrier				]	LC			Swedish Red List 2015 (NT).	Breeding. See textbox below the table and in section 3.1.
AVES	Gavia arctica	Arctic Loon; Black- throated Loon					LC • is • is			EC Birds Directive Annex I.	See textbox below the table.
CHORDATA / AVES	Gavia stellata	Red-throated Diver; Red- throated Loon				]	LC ©			Swedish Red List 2015 (NT). EC Birds Directive Annex I.	Breeding. See textbox below the table and in section 3.1.
CHORDATA / AVES	Haliaeetus albicilla	White-tailed Eagle				]	LC	V	V	Swedish Red List 2015 (NT). EC Birds Directive Annex I.	See textbox below the table and in section 3.1.
CHORDATA / AVES	Luscinia svecica	Bluethroat				3	LC ©			EC Birds Directive Annex I.	See textbox below the table and in section 3.1.
	Pandion haliaetus	Osprey, Western Osprey					LC			EC Birds Directive Annex I.	See textbox below the table and in section 3.1.
CHORDATA / AVES	Phalaropus Iobatus	Red-necked Phalarope					LC			EC Birds Directive Annex I.	See textbox below the table and in section 3.1.
CHORDATA / AVES	Philomachus pugnax	Ruff								Swedish Red List 2015 (EN). EC Bird Directive Annex I.	Breeding. See textbox below the table and in section 3.1.
CHORDATA / AVES	Pluvialis apricaria	European Golden Plover; European Golden-Plover					LC •:			EC Birds Directive Annex I.	See textbox below the table.
	Stercorarius Iongicaudus	Long-tailed Jaeger				3	LC ©				See textbox below the table.
CHORDATA / AVES	Sterna paradisaea	Arctic Tern					LC ©			EC Birds Directive Annex I.	See textbox below the table.
CHORDATA / AVES	Surnia ulula	Northern Hawk Owl; Northern Hawk-Owl	000				LC ©			EC Birds Directive Annex I.	See textbox below the table.
	Tringa glareola	Wood Sandpiper					LC ©			EC Birds Directive Annex I.	See textbox below the table and in section 3.1.
Others											
CHORDATA / MAMMALIA	\$0L	Elk					LC ©SS ©TSF				See textbox below the table.
CHORDATA / MAMMALIA	Gulo gulo	Wolverine				]	LC ©			Swedish Red List 2015 (VU).	See textbox below the table and in section 3.1.

Phylum	Scientific name	Common name	Criterion	Species contributes under criterion	Pop. Size Period of pop. Est.	% occurrence 1)	IUCN Red A List	CITES Appendix I	CMS Appendix I	Other Status	Justification
--------	-----------------	-------------	-----------	-------------------------------------	----------------------------------	-----------------------	-----------------------	------------------------	----------------------	--------------	---------------

#### 1) Percentage of the total biogeographic population at the site

Criterion 2 and 3: For all species, their status in the Swedish red-list and general information for that classification etc can be found at http://artfakta.artdatabanken.se/. Observations can be found in www.artportalen.se.

Criteria 3 and 4: The site supports a number of wetland species typical or for these kinds of wetlands in the EU Alpine region. Observations can be found in www.artportalen.se.

# 3.4 - Ecological communities whose presence relates to the international importance of the site

Name of ecological community	Community qualifies under Criterion 2?	Description	Justification
Apine rivers and the herbaceous vegetation along their banks (EU 3220)		Open or closed assemblages of herbaceous or suffrutescent pioneering plants, colonising, within the montane or sub-montane levels, gravel beds of streams with an alpine, summer-high, flow regime, bom in high mountains.	Habitat in the EC Habitats Directive, Annex I
Sub-Arctic Salix spp. scrub vegetation type (EU 4080)		Subarctic and boreo-alpine willow formations	Habitat in the EC Habitats Directive, Annex I
Northern boreal alluvial meadows (EU 6450)	<b>2</b>	Along large rivers with placid river sections which are frozen every winter, the type is affected by flooding in spring. The traditional management as hay meadows has usually ceased. Includes areas that are not yet severely overgrown with trees & bushes.	Habitat in the EC Habitats Directive, Annex I. Its conservation status is not favourable, in the Swedish part of the EU Alpine region (2013).
Transition mires and quaking bogs (EU 7140)		Peat-forming habitat developed at the surface of oligotrophic to mesotrophic waters. The most prominent communities are swaying swards, floating carpets or quaking mires. Inlcudes single fens, fens in transition zones and open swamps.	Habitat in the EC Habitats Directive, Annex I

# 4 - What is the Site like? (Ecological character description)

# 4.1 - Ecological character

Laidaure is well known as a bird location. In fact the delta is the most important bird locality in the Sarek region of Sweden, especially important as a breeding ground for ducks and waders. Subalpine birch forest Betula pubescens ssp. czerepanovii dominates in the area but in the east there are parts containing coniferous woodland. In the delta, Salix vegetation is dominating. In some south exposed areas with easily weathered bedrock of limestone, the vegetation on the alpine heaths and grasslands get very lush with a high diversity of species. The Rapa valley is also known to support a large amount of elks (Alces alces).

The hydrological values are associated with the delta of Rapa River which is the most prominent delta formation in the country and its continuous growth and large sediment transport is unique in Fennoscandia. Owing to the large quantities of glacial outwash brought down by the river from the mountains, the delta of the Rapa River is expanding into the northern end of lake Laidaure and therefore changes character continuously. The delta is mainly sandy, with numerous lagoons and levees.

# 4.2 - What wetland type(s) are in the site?

#### Inland wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
Fresh water > Flowing water >> L: Permanent inland deltas		2	1000	Unique
Fresh water > Flowing water >> M Permanent rivers/ streams/ creeks		3	570	Representative
Fresh water > Lakes and pools  >> O: Permanent freshwater lakes		1	1093	Representative
Fresh water > Marshes on inorganic soils >> Tp: Permanent freshwater marshes/ pools		0		Representative
Fresh water > Marshes on peat soils >> U: Permanent Non- forested peatlands		0		Representative
Fresh water > Marshes on inorganic soils >> W: Shrub- dominated wetlands		4	200	Representative
Fresh water > Marshes on inorganic soils >> Xf: Freshwater, tree-dominated wetlands		0		Representative
Fresh water > Marshes on peat soils >> Xp: Permanent Forested peatlands		0		Representative

#### Other non-wetland habitat

Out of not welland habitat		
Other non-wetland habitats within the site	Area (ha) if known	
Nordic subalpine/subarctic forests with Betula (EU 9040)		
Western Taïga (EU 9010)		

# 4.3 - Biological components

# 4.3.1 - Plant species

<no data available>

# 4.3.2 - Animal species

<no data available>

# 4.4 - Physical components

#### 4.4.1 - Climate

Climatic region	Subregion
D: Moist Md-Latitude climate with cold winters	Dfc: Subarctic (Severe winter, no dry season, cool summer)

4.4.2 - Geomorphic setting	4.4.2 -	Geomori	ohic	setting
----------------------------	---------	---------	------	---------

]	494	a) Minimum elevation above sea level (in metres)
]	520	a) Maximum elevation above sea level (in metres)
er basin 🗆	Entire rive	
er basin 🗷	Upper part of rive	
er basin 🗆	Middle part of rive	
er basin 🗆	Lower part of rive	
er basin 🔲	More than one rive	
er basin 🗆	Not in rive	
Coastal		

Please name the river basin or basins. If the site lies in a sub-basin, please also name the larger river basin. For a coastal/marine site, please name the sea or ocean.

The site's centre is the lake Laidaure where the river Rapaälven has it's outlet and delta. The river Rapaälven drains parts of the Sarek national park and is one of many small tributaries that join larger tributaries and then finally enters into the river Stora Luleälven which has its outlet in the Golf of Botnia (Baltic sea).

#### 4.4.3 - Soil

# Mneral (Update) Changes at RIS update No change No change Increase Decrease Unknown No available information Are soil types subject to change as a result of changing hydrological conditions (e.g., increased salinity or acidification)? Yes No No

#### Please provide further information on the soil (optional)

The bedrock in the area is mainly acid. Some parts consist of alkaline bedrock (limestone, marble). Moraine is the dominating soil type in the area and open bedrock is common at higher altitudes. Just outside the site, in the west, there are high mountains situated in the Sarek National Park, some of them reaching over 2,000 meters above sea level. Some parts have steep mountain slopes falling right into the delta ground. The river Rapaälven brings vast amounts of detritus/sediments from the glacier's erosion in the mountains of Sarek. Levees, fresh water lagoons and small water bodies of stagnant water are common in the delta and consist of sandy soil types.

#### 4.4.4 - Water regime

#### Water permanence

Water permanence	
Presence?	Changes at RIS update
Usually permanent water present	

#### Source of water that maintains character of the site

Course of Water that maintaine Grandeler of the Oile		
Presence?	Predominant water source	Changes at RIS update
Water inputs from surface water		No change

## Water destination

Presence?	Changes at RIS update	
To downstream catchment	No change	

# Stability of water regime

Presence?	Changes at RIS update
Water levels fluctuating (including tidal)	No change

Please add any comments on the water regime and its determinants (if relevant). Use this box to explain sites with complex hydrology.

The lake Laidaure receives large amounts of detritus/sediments from the glacier's erosion in the mountains of Sarek which first pass through the river Rapaälven and then creates the greatest inland delta in the mountains of Sweden. All together the river runs through four different water courses before it reaches the Gulf of Bothnia. Because of the advance of the delta front, the lake area is decreasing.

#### 4.4.5 - Sediment regime

Significant accretion or deposition of sediments occurs on the site  $\ensuremath{\mathbb{Z}}$ 

(Update) Changes at RIS update No change 

● Increase 

O Decrease 

O Unknown 

O

Significant transportation of sediments occurs on or through the site 🗹

RIS for Site no. 31, Laidaure, Sweden	
(Update) Changes at RIS update No change ○ Increase ● Decrease ○ Unknown ○	
Sediment regime is highly variable, either seasonally or inter-annually 🗹	
(Update) Changes at RIS update No change ○ Increase ○ Decrease ○ Unknown ◎	
Sediment regime unknown □	
Please provide further information on sediment (optional):	
Owing to the large quantities of glacial outwash brought down by the river from the mountains, the delta of the river Rapaälven is expanding into the northern end of lake Laidaure and therefore changes character continuously. The delta is mainly sandy, with numerous levees and freshwater lagoons.	)
4.4.6 - Water pH	
Circumneutral (pH: 5.5-7.4 )   ✓	
(Update) Changes at RIS update No change O Increase O Decrease O Unknown ●	
Alkaline (pH>7.4) □	
(Update) Changes at RIS update No change O Increase O Decrease O Unknown ⊚	
Unknown □	
Please provide further information on pH (optional):	
4.4.7 - Water salinity Fresh (<0.5 q/l) ☑	
(Update) Changes at RIS update No change  □ Increase  ○ Decrease  ○ Unknown  ○	
Unknown	
4.4.8 - Dissolved or suspended nutrients in water	
Unknown □	
Please provide further information on dissolved or suspended nutrients (optional):	_
Data shows high values of phosphorus which is most likely connected to high turbidity and also particle bound phosphorus.	
4.4.9 - Features of the surrounding area which may affect the Site  Please describe whether, and if so how, the landscape and ecological characteristics in the area surrounding the Ramsar Site differ from the i) broadly similar O ii) significantly different  site itself:	
Surrounding area has greater urbanisation or development	
Surrounding area has higher human population density	
Surrounding area has more intensive agricultural use	

Surrounding area has significantly different land cover or habitat types  $\ensuremath{\overline{\sigma}}$ 

Please describe other ways in which the surrounding area is different:

The site is mainly surrounded by high mountains and lakes but not similar to Laidaure with its delta, to the southeast there is a large nature reserve with old coniferous forest mainly consisting of spruce and pine but also birch.

# 4.5 - Ecosystem services

# 4.5.1 - Ecosystem services/benefits

**Provisioning Services** 

	Ecosystem service	Examples	Importance/Extent/Significance
	Wetland non-food products	Livestock fodder	Low

# **Cultural Services**

Ecosystem service	Examples	Importance/Extent/Significance
Recreation and tourism	Picnics, outings, touring	High
Recreation and tourism	Recreational hunting and fishing	Medium
Spiritual and inspirational	Cultural heritage (historical and archaeological)	High
Spiritual and inspirational	Aesthetic and sense of place values	High
Scientific and educational	Important knowledge systems, importance for research (scientific reference area or site)	Medium

Supporting Services

Ecosystem service	Examples	Importance/Extent/Significance
Biodiversity	Supports a variety of all life forms including plants, animals and microorganizms, the genes they contain, and the ecosystems of which they form a part	High
Soil formation	Sediment retention	High

#### Other ecosystem service(s) not included above:

The area is frequently used for reindeer grazing and has been important and somewhat crucial to the Sámi people who settled in Aktse in the beginning of the 1800s and became resident. Petter Amundson Länta was the founder of the small-scale farm in the 1820s which are still standing today. Some of the meadows within the farmstead of Aktse are situated within the Ramsar site. The rest of the farm, including all the buildings, is adjacent to the site. The delta produced large amount of fodder used during the winters to feed the livestock. The delta had high densities of game like bears and elks and the fishing was also of great importance in the livelihood of the people in Aktse. A part of the wetland was mowed, especially horsetail and sedge. The south-facing hay field also supplied the farm with sufficient amounts of livestock fodder. In 1940 the animal husbandry seized and since then the delta has not been mowed. However, the hay field in Aktse was mowed until 1960s when there were still horses on the farm. The hay field in Aktse has been managed by the Society for the conservation of Nature since 1975.

	no hay note in a made had been managed by the decision of a managed by the
Within the site:	100s
Outside the site:	1000s
Have studies or assessments been made of ecosystem services prov	ithe economic valuation of Yes O No O Unknown <b>©</b>
1.5.2 - Social and cultural values	
i) the site provides a model of wetland wis application of traditional knowledge and met use that maintain the ecologic	hods of management and
ii) the site has exceptional cultural trad civilizations that have influenced the ecologic	
iii) the ecological character of the wetland with local communit	depends on its interaction  ies or indigenous peoples
iv) relevant non-material values such as sat their existence is strongly linked with the mai	· _
no data available>	

# 4.6 - Ecological processes

<no data available>

# 5 - How is the Site managed? (Conservation and management)

# 5.1 - Land tenure and responsibilities (Managers)

#### 5.1.1 - Land tenure/ownership

Public ownership

Category	Within the Ramsar Site	In the surrounding area
National/Federal	<b>→</b>	
government	(SC)	<b>8</b>

Private ownership

Category	Within the Ramsar Site	In the surrounding area
Foundation/non- governmental organization/trust	<b>2</b>	
Other types of private/individual owner(s)	<b>✓</b>	<b>✓</b>

Provide further information on the land tenure / ownership regime (optional):

The parts of the Ramsar site which is included in the Sarek national park and Ultevis Nature reserve are state owned. The western part of the site is to be included in the Sarek national park and the eastern part (including Aktse hemmanet) is to become a strict nature reserve. This means that within a near future the entire site will be state owned.

#### 5.1.2 - Management authority

Please list the local office / offices of any The parts of the site situated in Sarek national park is under the management of Laponiatjuottjudus with a agency or organization responsible for main office in Jokkmokk. County Administration Board of Norrbotten with main office in Luleå is managing the site: responsible for permits and dispensations regarding the regulations of the national park.

Provide the name and title of the person or people with responsibility for the wetland:

Naturvårdsenheten, County Administrative Board of Norrbotten

County administrative board of Norrbotten:

Länsstyrelsen i Norrbotten

Stationsgatan 5 971 86 Luleå

Postal address:

Laponiatjuottjudus: Laponiatjuottjudus

Box 14

962 21 Jåhkåmåhkke/Jokkmokk

Svierik/Sverige

E-mail address: norrbotten@lansstyrelsen.se

# 5.2 - Ecological character threats and responses (Management)

#### 5.2.1 - Factors (actual or likely) adversely affecting the Site's ecological character

Human settlements (non agricultural)

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Tourism and recreation areas		Medium impact	<b>₽</b>	No change	<b>₽</b>	No change

Water regulation

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Canalisation and river regulation		High impact	✓	No change	<b>&gt;</b>	No change

Energy production and mining

Enorgy production and mining							
Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes	
Mining and quarrying		High impact	✓	No change	✓	No change	
Renewable energy		High impact	✓	No change	✓	No change	

Diological resource use						
Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Hunting and collecting terrestrial animals	Low impact	Low impact	<b>/</b>	No change	<b>/</b>	No change

Human intrusions and disturbance

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Recreational and tourism activities	Low impact	Low impact	<b>&gt;</b>	No change	✓	No change

Natural system modifications

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Dams and water management/use		High impact	✓	No change	✓	No change

Climate change and severe weather

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Habitat shifting and alteration		High impact	✓	No change	<b>✓</b>	No change

# 5.2.2 - Legal conservation status

Global legal designations

D. daniel and an	NI	O. P. o. C. C. o. o. C. o	O 1 20 D 02
Designation type	Name of area	Online information url	Overlap with Ramsar Site
World Heritage site	Laponia	http://laponia.nu/	whole

Regional (international) legal designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
EU Natura 2000	3 nature sites, see national legislation below		partly
Other international designation	Sarek (European Diploma)	https://www.naturvardsverket.se/ Mljoarbete-i-samhallet/Mljoarb ete-i- Sverige/Uppdelat-efter-omr ade/Naturvard/Internationellt-sa marbete/European-Diploma/	

National legal designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
National park	Sarek	http://www.lansstyrelsen.se/norr botten/Sv/djur-och-natur/skyddad - natur/nationalparker/sarek/Page s/default.aspx	partly
Natura 2000 SAC (1)	http://www.lansstyrelsen.se/norr botten/SiteCollectionDocuments/S v/djur-och-natur/skyddad-natur/N aturreservat/Jokkmokk/Beslut%20o ch%20BP/UltevisFUR_BP_2007.pdf		partly
Natura 2000 SAC (2)	Sarek	http://www.lansstyrelsen.se/norr botten/SiteCollectionDocuments/S v/djur-och-natur/skyddad-natur/N ationalparker/Bevarandeplan_Sare kNP.pdf	partly
Natura 2000 SAC and SPA	Laidauredeltat	http://www.lansstyrelsen.se/norr botten/SiteCollectionDocuments/S v/djur-och-natur/skyddad-natur/N atura%202000/Jokkmokk,%20bevaran deplaner/Laidauredeltat_BP_2007.pdf	partly
Nature reserve	Ultevis fjällurskog	http://www.lansstyrelsen.se/norr botten/Sv/djur-och-natur/skyddad - natur/naturreservat/jokkmokk/Pa ges/ultevis-fur.aspx	partly
Site of national importance for nature conservation (1)	Sareks nationalpark	http://nvpub.vic-metria.nu/handl ingar/rest/dokument/204233	partly
Site of national importance for nature conservation (2)	Ultevis-Sitojauresänkan- Harrejaure	http://nvpub.vic-metria.nu/handl ingar/rest/dokument/204190	partly

Non-statutory designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
Important Bird Area	Lake Laidaure	http://datazone.birdlife.org/sit e/factsheet/lake-laidaure-iba-sw eden	whole

5.2.3 - IUCN protected	areas ca	tegories	(2008)
------------------------	----------	----------	--------

la Strict Nature Reserve	
Milderness Area: protected area managed mainly for wilderness protection	lb
II National Park: protected area managed mainly for ecosystem protection and recreation	
ural Monument: protected area managed mainly for conservation of specific natural features	III Na
itat/Species Management Area: protected area managed mainly for conservation through management intervention	IVHa

V Protected Landscape/Seascape: protected area managed mainly for

VI Managed Resource Protected Area: protected area managed mainly

landscape/seascape conservation and recreation

for the sustainable use of natural ecosystems

#### 5.2.4 - Key conservation measures

#### Legal protection

Legal protection		
	Measures	Status
	Legal protection	Implemented

#### **Species**

Ороснос	
Measures	Status
Threatened/rare species	Implemented
management programmes	implemented

#### **Human Activities**

Measures	Status
Regulation/management of recreational activities	Implemented
Research	Implemented

#### Other.

There are plans to make legal protection for the parts of the Ramsar site that lack strict protection today. Parts are suggested to be a part of the Sarek national park and the more eastern part is to become a strict nature reserve.

# 5.2.5 - Management planning

Is there a site-specific management plan for the site? Yes

Has a management effectiveness assessment been undertaken for the site? Yes O No 

Ves O

If the site is a formal transboundary site as indicated in section Data and location > Site location, are there shared management planning Yes O No opprocesses with another Contracting Party?

## 5.2.6 - Planning for restoration

Is there a site-specific restoration plan? No need identified

# 5.2.7 - Monitoring implemented or proposed

Monitoring	Status
Water quality	Implemented

Lake Laidaure is part of a national monitoring program. Water samples are taken every sixth year to monitor the water quality.

# 6 - Additional material

# 6.1 - Additional reports and documents

### 6.1.1 - Bibliographical references

Gärdefors, U. (remissversion) 2015. Rödlistade arter i Sverige 2015. - The 2015 Red List of Swedish Species. Artdatabanken, SLU, Uppsala. Focus Laponia, 2011. URL: http://www.laponia.info/landskapet/platser/laitaure-med-deltat/

VISS, Vatteninformationssystem Sverige, 2015. URL: http://www.viss.lansstyrelsen.se/Waters.aspx?waterEUID=SE745064-160776

#### 6.1.2 - Additional reports and documents

i. taxonomic lists of plant and animal species occurring in the site (see section 4.3)

<no file available>

ii. a detailed Ecological Character Description (ECD) (in a national format)

<no file available>

iii. a description of the site in a national or regional wetland inventory

<no file available>

iv. relevant Article 3.2 reports

<no file available>

v. site management plan

<no file available>

vi. other published literature

<no file available>

<no data available>

### 6.1.3 - Photograph(s) of the Site

#### Please provide at least one photograph of the site:



Lake Laitaure, Aktse near Laidaure delta. ( Länsstyrelsen i Norrbotten, 07-08-2007 )



Laidaure delta, Lake Laitaure with the characteristic Skierffe peak. (
Länsstyrelsen i Norrbotten, 07-08-2007 )



Lake Laitaure with small islets with vegetation like Salix spp. and Betula spp. (Länsstyrelsen i Norrbotten, 07-08-2007)



Aktse and the vegetation on the slopes of Njunjes ( *Länsstyrelsen i Norrbotten*, 07-08-2007 )



Overlooking the Laidaure delta from the mountain slopes of Njunjes. ( Länsstyrelsen i Norrbotten, 07-08-2007 )



Overlooking the Laidaure delta from the mountain slopes of Njunjes. (
Länsstyrelsen i Norrbotten, 07-08-2007 )



The Laidaure delta. ( Länsstyrelsen i Norrbotten, 07-08-2007 )



Various vegetation types on the slopes down to the delta ( *Länsstyrelsen i Norrbotten*, 07-08-2007 )



Laidaure delta seen from above up on the summit of Skierffe ( *Länsstyrelsen i Norrbotten*, 17-09-2006 )



Laidaure delta seen from above up on the summit of Skierffe ( Länsstyrelsen i Norrbotten, 17-09-2006 )



Laidaure delta seen from above up on the summit of Skierffe ( Sara Backeus, 04-08-2006 )

#### 6.1.4 - Designation letter and related data

#### Designation letter

<1 file(s) uploaded>

Date of Designation 1974-12-05